APPENDIX A
SURVEYED ROUTES OVERALL MAP



FEHR & PEERS

N:\2010Projects\NV_Projects\0456_WashoeCountyBMP\Graphics\GIS\MXD\Basemap.mxd

ADA TRANSITION PLAN SURVEYED ROUTES

APPENDIX B
MATRIX OF DEFICIENCES

Compliant

Non-Compliant

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	A9	29881.9	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	30562.2	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	3578.7	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B3	1309.2	NW	Missing	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.20	1.00	2.50	4.00	2.20	0.9999	0.9999		No
High	Yes	C5	6025.4	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A5	407.4	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4351.7	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29549.3		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29509.8		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	4908.2	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	13650.8	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	253.3	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	16625.2	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	16566.2	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	16577.7	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	16645.7	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	15248.1	NW	Missing	Yes	2 inch	No	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	15302.3	NE	Missing	Yes	2 inch	No	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	4496.0	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	4544.4	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	344.9	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	5260.8	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	4695.4	NE	Parallel	No					No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	15.10	7.50	2.70	2.40	5.30	9.70	4.80		No
High	Yes	F2	8754.1	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.90	1.00	6.30	6.50	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	12689.0		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	Yes	Yes	6.20	2.30	5.70	9.70	6.60	0.60	1.20	0.00	0.00	0.00	0.00		No
High	Yes	F4	42.2	SE	Regular	Yes	2 inch	No	No	No		Yes	No	Yes	No	No	8.60	6.80	1.40	12.40	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F4	50.9	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.70	1.00	6.80	10.10	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	2301.1		Regular	No						Yes	No	No	No	No	6.30	0.30	6.30	7.60	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	2262.4		Regular	No						Yes	No	No	No	No	7.60	0.60	7.90	7.60	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	2229.7		Regular	No						Yes	No	No	No	No	7.90	1.70	5.50	10.10	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	2173.0		Regular	No						Yes	No	No	No	No	7.50	1.10	10.40	6.60	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	1871.9		Regular	No						No	No	No	No	No	7.50	7.20	9.00	16.40	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	1839.5		Regular	No					No	No	No	No	No	No	6.90	0.10	14.60	12.30	8.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	1788.8		Regular	No						Yes	No	No	No	No	6.60	1.70	11.60	5.30	6.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	1764.7		Regular	No						Yes	No	No	No	No	8.30	0.50	8.20	7.50	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	1558.2	NE	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	15.20	7.70	1.70	4.60	4.80	7.40	3.30		No
High	Yes	A9	11197.0		Regular	No						No	No	No	No	No	5.90	0.50	17.00	13.20	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	19962.6	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	1.10	1.40	5.70	5.80	0.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	19928.6	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	No	No	No	2.50	4.20	2.10	7.70	9.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	20599.5		Regular	No						Yes	No	No		No	8.00	4.20	12.70	2.00	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	20957.4	SE	Regular	No						Yes	Yes	No	No	No	5.80	0.70	6.70	6.60	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	20981.8	SE	Regular	No						Yes	Yes	Yes	No	No	6.00	11.30	17.50	3.70	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	21636.8		Regular	No						No	Yes	Yes	No	Yes	4.00	0.30	3.80	9.10	7.10	3.10	2.60	0.00	0.00	0.00	0.00		No
High	Yes	A9	21687.1	NW	Regular	No						No	Yes	Yes	No	Yes	6.40	5.90	3.00	8.70	8.10	2.80	1.50	0.00	0.00	0.00	0.00		No
High	Yes	A9	21727.3	NE	Regular	No						Yes	Yes	Yes	No	Yes	7.10	4.40	11.00	1.70	15.10	2.30	3.70	0.00	0.00	0.00	0.00		No
High	Yes	A9	22158.3	NE	Regular	No						No	No	No	Yes	Yes	7.80	1.50	18.80	12.40	11.20	3.00	2.30	0.00	0.00	0.00	0.00		No
High	Yes	A9	22162.3	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	No	9.90	4.10	20.60	4.30	20.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	22226.7	SE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	Yes	Yes	12.10	7.60	8.40	21.30	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	22646.8		Regular	No					No	Yes	No	Yes	No	No	5.90	2.70	2.30	10.20	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	22696.4		Regular	No					No	Yes	No	Yes	No	Yes	8.10	6.10	10.40	2.10	16.40	4.70	5.50	0.00	0.00	0.00	0.00		No
High	Yes	A9	23008.5		Regular	No					No	Yes	No	No	No	No	6.00	1.20	7.40	11.40	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	23540.0	SE	Regular	No					No	No	No	Yes	Yes	Yes	3.70	2.30	18.30	18.60	12.70	0.70	2.60	0.00	0.00	0.00	0.00		No
High	Yes	A9	23729.9	SE	Regular	No					No	No	No	Yes	Yes	Yes	3.90	1.10	18.70	22.30	6.90	2.10	2.20	0.00	0.00	0.00	0.00		No
High	Yes	A9	24161.4		Regular	No					Yes	Yes	No	NA	No	Yes	11.30	2.00	20.00	9.40	14.40	7.80	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A9	24207.2	NE	Regular	No					No	No	No	NA	No	Yes	3.60	7.10	34.30	19.70	10.30	4.60	10.70	0.00	0.00	0.00	0.00		No
High	Yes	A9	24909.6		Regular	No						No	No	Yes	Yes	No	5.50	2.40	17.70	9.90	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	24939.5		Regular	No						No	No	Yes	Yes	No	8.70	2.00	14.00	10.20	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	25122.5	NE	Regular	Yes	2 inch	No	Yes	Yes	No	Yes	No	Yes	No	No	5.40	5.60	15.00	0.50	8.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	25182.6	SE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	10.10	2.00	9.50	13.30	19.90	0.50	1.60	0.00	0.00	0.00	0.00		No
High	Yes	A9	29127.9	SE	Regular	Yes	2 inch	No	No	No		Yes	Yes	Yes		No	3.60	0.50	9.70	12.20	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	31.0	SE	Regular	No					No	Yes	No	Yes	No	Yes	6.40	1.30	4.30	10.40	14.30	0.70	1.20	0.00	0.00	0.00	0.00		No
High	Yes	A9	29889.9	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	7.30	4.10	9.80	10.60	16.70	2.90	0.80	0.00	0.00	0.00	0.00		No
High	Yes	A9	29992.8	NE	Regular	No					No	Yes	No	Yes	Yes	No	5.80	2.50	12.00	5.60	12.90	1.90	1.80	0.00	0.00	0.00	0.00		No
High	Yes	A9	30029.4	SE	Regular	No					No	Yes	No	Yes	No	Yes	3.40	1.30	4.90	11.30	19.40	3.10	1.40	0.00	0.00	0.00	0.00		No
High	Yes	A9	30558.4	NE	Regular	Yes	2 inch	Yes	No		No	Yes	No	Yes	No	No	6.20	1.00	6.10	8.10	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	30991.0	SE	Regular	No					No	Yes	No	No		No	1.80	0.20	5.60	4.80	7.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	31130.0	NE	Regular	Yes					No	Yes	No	Yes	Yes	No	5.40	3.80	10.00	3.30	7.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	31133.6	NW	Regular	Yes					No	No	No	No	Yes	Yes	10.10	7.40	16.70	12.20	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	34565.9	NE	Regular	No						No	No	No	No	Yes	8.90	3.10	20.30	17.20	10.70	3.10	2.80	0.00	0.00	0.00	0.00		No
High	Yes	A9	34539.8	NE	Regular	No						Yes	No	No	No	No	13.20	2.10	19.90	21.20	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	A9	32689.5	NE	Regular	No					No	No	No	Yes	No	Yes	11.40	0.90	20.90	19.80	22.30	2.70	1.90	0.00	0.00	0.00	0.00		No
High	Yes	A9	31766.3	NE	Regular	No					No	No	No	No	No	No	8.00	1.70	19.90	22.00	10.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	31369.9	SE	Regular	No						No	No	No	No	No	9.20	2.40	11.00	20.60	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	31345.0	NE	Regular	No						Yes	No	No	No	No	7.40	3.90	12.60	8.40	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	31231.1	SE	Regular	Yes					No	Yes	No	Yes	No	No	8.70	1.10	10.80	6.90	10.80	0.00	0.00	0.00	0.00	0.00	0.00	fixed ped phase	No
High	Yes	A9	42914.9		Regular	No					No	No	No	NA		No	6.00	0.30	8.20	8.00	7.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	40014.5		Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	7.50	0.40	0.50	5.60	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E10	1850.5	SE	Regular	No					No	Yes	No	NA		No	8.40	2.30	1.60	12.70	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E10	1792.7	NW	Regular	No						Yes	No	Yes		No	8.70	2.80	10.00	5.50	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	2062.8	SE	Regular	No						Yes	No	Yes	Yes	No	8.60	0.40	6.40	5.80	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	2349.4		Parallel	No						No	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	9.70	1.10	8.60	8.00	1.00	8.10	2.40		No
High	Yes	E1	2755.8	NE	Regular	No						Yes	No	NA		No	3.90	0.30	3.40	3.60	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	2821.3	SE	Regular	No						Yes	No	NA		No	8.40	0.80	9.50	5.90	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C3	13143.2		Regular	No						Yes	No	Yes	No	No	9.40	1.80	10.70	21.40	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	3427.4	SE	Regular	No						Yes	No	No	No	No	13.70	1.40	15.10	17.20	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	3362.5	SW	Regular	No						Yes	No	No	No	Yes	13.10	0.40	16.30	15.90	13.80	2.60	0.60	0.00	0.00	0.00	0.00		No
High	Yes	D6	2732.5	SE	Regular	No						No	No	No	No	No	7.50	0.30	4.70	8.20	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2667.7	SW	Regular	Yes	2 inch	Yes	No	No		Yes	No	No	No	No	2.70	1.50	6.60	7.60	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2637.5		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	12.10	1.10	17.10	16.00	18.50	3.70	1.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2702.7	NW	Regular	No						Yes	No	Yes	No	No	8.30	0.30	4.60	9.90	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2776.2	NE	Regular	No						Yes	No	Yes	No	No	7.10	0.40	7.40	2.30	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2847.2		Regular	No						Yes	No	No	No	No	15.70	1.90	14.70	13.30	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	2896.0		Regular	No						Yes	No	No	No	No	11.70	1.60	14.70	15.10	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	3389.2	NW	Regular	No						Yes	No	No	No	No	12.30	0.50	14.10	14.10	20.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	3513.6	NW	Regular	No						No	No	No	No	No	31.40	8.40	15.30	23.00	37.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D4	3075.1	NW	Regular	No						Yes	No	No		No	5.30	0.70	3.80	8.90	6.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D4	3693.1		Regular	No						Yes	No	Yes	Yes	No	10.50	0.10	7.50	6.40	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D4	6515.0		Regular	No						No	No	NA		No	3.00	2.20	10.00	5.40	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	6448.3		Regular	No						No	No	NA		No	1.50	3.20	10.10	8.50	1.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	6406.2		Regular	No						Yes	No	NA		No	3.90	2.10	5.60	15.30	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	3710.8	NE	Regular	No						Yes	Yes	Yes	No	No	1.30	1.30	6.50	5.80	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	3682.9	NE	Regular	No						Yes	Yes	Yes	Yes	No	1.80	0.70	5.50	6.30	7.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	3631.4	NW	Parallel	No						No	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	11.10	1.50	0.20	6.20	0.10	6.30	1.90		No
High	Yes	C9	3597.1	NW	Parallel	No						No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.50	1.20	1.20	5.70	2.70	6.80	0.00		No
High	Yes	C9	3170.3	NE	Regular	No						Yes	No	NA	No	No	5.70	1.40	7.90	6.40	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	5565.1	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.40	0.90	5.00	0.9999	14.80	0.90	2.40	0.00	0.00	0.00	0.00		No
High	Yes	C9	1680.3	NW	Regular	No						Yes	Yes	Yes	No	Yes	7.60	0.70	6.50	4.00	17.50	1.50	0.60	0.00	0.00	0.00	0.00		No
High	Yes	C3	2332.1		Regular	Yes	2 inch	Yes	No	No		No	No	Yes	No	No	7.00	1.00	9.30	8.40	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C3	2341.7		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	10.90	0.60	6.80	9.90	25.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	7748.6	NE	Regular	No						Yes	Yes	No	No	Yes	7.60	4.40	2.50	4.60	19.20	1.20	2.80	0.00	0.00	0.00	0.00		No
High	Yes	D1	4700.7	NW	Regular	No						Yes	No	No	No	Yes	12.00	0.10	10.70	6.90	21.30	2.30	1.50	0.00	0.00	0.00	0.00		No
High	Yes	D1	4707.5	NE	Regular	No						Yes	No	No	No	Yes	6.80	2.10	12.50	4.50	18.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	15045.7	NW	Regular	No						Yes	No	No	No	Yes	4.60	3.10	9.00	4.20	14.70	6.40	3.60	0.00	0.00	0.00	0.00		No
High	Yes	B1	15052.1	NE	Regular	No						Yes	No	No	No	No	10.50	1.50	7.20	6.80	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	15095.1	SE	Regular	No						Yes	No	No	No	No	8.20	3.00	6.90	4.70	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C8	607.0	SE	Regular	No						Yes	Yes	NA		No	5.40	0.70	6.70	4.70	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C8	1021.5	SW	Regular	No						Yes	Yes	NA		No	5.60	2.20	4.40	10.40	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C8	1076.6	SE	Regular	No						Yes	Yes	Yes	Yes	Yes	9.20	0.40	6.50	8.50	15.70	1.50	0.20	0.00	0.00	0.00	0.00		No
High	Yes	C8	1766.1	SW	Regular	No						Yes	No	Yes	No	Yes	7.80	1.40	9.50	8.10	18.80	3.80	1.20	0.00	0.00	0.00	0.00		No
High	Yes	D1	4399.8	SE	Regular	No						Yes	No	NA		Yes	8.80	1.80	11.00	5.20	14.80	0.70	1.30	0.00	0.00	0.00	0.00		No
High	Yes	C8	1764.0	NW	Regular	No						Yes	No	NA		Yes	10.60	1.20	7.70	8.10	15.80	6.50	2.10	0.00	0.00	0.00	0.00		No
High	Yes	C8	558.5	NW	Regular	No						Yes	Yes	NA		Yes	6.50	8.10	2.10	6.90	15.20	2.20	0.40	0.00	0.00	0.00	0.00		No
High	Yes	C7	1816.8	SE	Regular	No						Yes	No	Yes		Yes	9.00	2.60	5.90	5.60	15.30	1.10	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	2404.3	SE	Regular	No						Yes	No	Yes		No	7.60	2.40	6.40	8.30	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	3972.3	SW	Regular	No						Yes	No	NA		No	7.10	0.70	8.20	9.30	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4019.1	SE	Regular	No						Yes	No	NA		No	7.80	2.60	4.70	3.30	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4224.5	SW	Regular	No						Yes	No	NA		No	5.70	0.70	6.20	8.50	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4277.2	SE	Regular	No						Yes	No	NA		No	5.80	2.00	8.20	6.90	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4521.3	SW	Regular	No						No	No	NA		No	7.00	1.10	8.60	8.90	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4553.4	SE	Regular	No						Yes	No	NA		No	7.80	0.90	8.80	8.90	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4558.9	NE	Regular	No						Yes	No	NA		No	9.20	1.30	9.40	6.00	20.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4520.9	NW	Regular	No						Yes	No	NA		No	8.00	2.30	4.90	9.90	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	4021.0	NE	Regular	No						Yes	No	No		No	7.40	0.30	6.40	6.70	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	3978.6	NW	Regular	No						Yes	No	NA		No	5.60	3.00	6.60	9.20	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	14334.3	NE	Regular	No						Yes	No	NA		No	9.20	4.10	12.00	3.60	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C7	2334.9	NW	Regular	No						Yes	No	NA		Yes	9.20	0.50	11.00	13.20	17.70	2.70	2.10	0.00	0.00	0.00	0.00		No
High	Yes	C7	1820.3	NE	Regular	No						Yes	No	Yes		Yes	12.00	2.30	8.70	7.90	18.70	2.70	1.60	0.00	0.00	0.00	0.00		No
High	Yes	C7	1754.6	NW	Regular	No						Yes	No	Yes		Yes	10.00	0.10	10.20	7.20	15.40	3.50	0.60	0.00	0.00	0.00	0.00		No
High	Yes	B1	15635.6	SW	Regular	No						Yes	No	Yes	No	Yes	8.00	1.50	5.00	11.70	16.40	1.40	3.40	0.00	0.00	0.00	0.00		No
High	Yes	B1	15593.9	NW	Regular	Yes						Yes	No	Yes	No	Yes	12.70	0.60	9.30	5.30	18.10	3.00	1.70	0.00	0.00	0.00	0.00		No
High	Yes	B1	15238.4		Regular	No						Yes	No	No	No	No	9.40	2.60	7.60	8.70	21.70	6.00	2.90	0.00	0.00	0.00	0.00		No
High	Yes	B1	14771.7		Regular	No						Yes	No	Yes	No	No	7.60	0.30	8.50	8.20	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	B1	14683.1		Regular	No						No	No	No	No	Yes	9.20	0.10	6.00	9.00	9.40	1.40	1.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	13983.0	NW	Regular	No						Yes	No	No	No	Yes	11.10	1.70	6.80	12.20	14.70	5.70	0.40	0.00	0.00	0.00	0.00		No
High	Yes	B1	12040.8	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	9.00	2.60	5.30	8.50	15.10	2.70	1.90	0.00	0.00	0.00	0.00		No
High	Yes	B1	11941.0	NW	Regular	Yes	2 inch	Yes	No	Yes		Yes	Yes	Yes	No	No	6.80	1.80	5.00	11.80	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11638.3	NW	Regular	No						Yes	No	No	No	Yes	7.50	0.10	7.40	12.70	14.70	1.30	2.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11405.2	SW	Regular	Yes	Older	Yes	Yes	No	No	Yes	No	Yes	No	No	6.10	1.00	5.90	5.90	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11304.6	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	8.90	0.00	9.30	7.60	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11051.2	SW	Regular	No					No	Yes	No	Yes	No	No	7.30	0.40	7.00	8.40	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11009.4	NW	Regular	No						Yes	No	No	No	No	8.00	2.30	5.60	10.20	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	10733.3	SW	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	No	9.30	3.70	4.40	11.40	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3491.1	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	9.60	0.20	5.60	11.20	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3486.7	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	8.20	0.40	18.00	15.50	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3562.8	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	13.20	0.10	11.70	12.80	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3567.1	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	5.30	1.00	4.90	8.60	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3012.2	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.40	2.60	8.70	4.20	11.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3008.4	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	7.80	0.90	7.20	6.30	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11102.0		Regular	No						Yes	No	Yes	No	Yes	10.90	0.30	11.40	5.70	15.50	2.70	0.40	0.00	0.00	0.00	0.00		No
High	Yes	B1	11326.4	NE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	7.60	2.70	9.00	4.60	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	4103.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.00	3.30	4.10	11.60	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11655.4	NE	Regular	No						Yes	No	No	No	No	15.10	1.50	13.50	15.60	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	11945.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	5.80	5.30	11.60	6.00	18.10	0.00	0.00	0.00	0.00	0.00	0.00	signal cabinet in ramp	No
High	Yes	B1	12025.2	SE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	8.80	4.10	9.00	2.00	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	12220.5	NE	Regular	No						Yes	No	No	No	No	8.10	2.40	8.90	11.20	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	12296.4	SE	Regular	No						Yes	No	No	No	No	5.00	2.20	10.50	7.80	6.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	14531.5	NE	Regular	No						Yes	No	No	No	No	9.20	2.30	11.80	6.50	21.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	14683.3		Regular	No						Yes	No	No	No	Yes	8.00	2.10	7.70	6.30	18.40	0.10	0.60	0.00	0.00	0.00	0.00		No
High	Yes	B1	15564.9	NE	Regular	No						Yes	No	No	No	No	7.20	2.00	11.40	4.90	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	15654.2	SE	Regular	No						Yes	No	No	No	No	5.10	1.20	10.60	8.00	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	15702.5		Regular	No						Yes	No	No	No	No	6.00	0.60	10.60	5.60	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	5368.8		Regular	No						Yes	No	No	No	No	9.50	0.20	9.20	5.00	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	5299.8	SE	Regular	No						Yes	No	Yes	No	No	6.60	0.50	11.80	5.60	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	5279.0	NE	Regular	No						Yes	No	Yes	No	Yes	7.00	0.50	9.40	7.30	14.20	3.50	1.30	0.00	0.00	0.00	0.00		No
High	Yes	D1	5248.3	NW	Regular	No						Yes	No	Yes	No	Yes	8.20	1.90	8.70	8.30	14.30	3.10	1.40	0.00	0.00	0.00	0.00		No
High	Yes	D1	2957.9	SW	Regular	No						Yes	No	NA		Yes	6.30	1.30	4.20	6.40	16.10	2.20	0.90	0.00	0.00	0.00	0.00		No
High	Yes	D1	2239.6	SW	Regular	No						Yes	No	NA		Yes	8.30	0.20	6.40	10.40	18.40	4.90	1.10	0.00	0.00	0.00	0.00		No
High	Yes	C6	1642.8	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	6.10	1.00	7.30	2.70	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	2918.3	NE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	Yes	No	12.20	0.60	18.50	22.30	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	3421.9	SE	Regular	No						No	No	NA		No	9.40	5.90	0.20	7.10	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	1298.5	NE	Regular	No						Yes	No	NA		No	8.60	0.80	5.80	5.90	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	1343.4	SE	Regular	No						Yes	No	NA		Yes	10.60	1.60	7.40	7.00	21.80	4.00	0.10	0.00	0.00	0.00	0.00		No
High	Yes	C6	1704.3	NE	Regular	No	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	11.10	0.60	9.20	6.10	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	2243.0	SE	Regular	No						Yes	No	NA		No	7.30	1.90	9.20	10.70	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D1	2964.6	SE	Regular	No						Yes	No	NA		Yes	8.80	1.20	9.20	8.70	17.00	1.80	1.60	0.00	0.00	0.00	0.00		No
High	Yes	D1	3617.7	NE	Regular	No						Yes	No	NA		Yes	9.80	2.00	13.90	11.20	21.00	1.10	1.30	0.00	0.00	0.00	0.00		No
High	Yes	A10	7760.1	NW	Regular	No						Yes	Yes	No	No	No	1.90	5.50	8.60	7.70	8.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	7810.1	SW	Regular	No						Yes	Yes	No	No	No	2.30	1.30	7.30	6.40	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	7837.5	SW	Regular	No						Yes	Yes	No	No	Yes	6.70	0.40	6.00	7.50	14.90	3.50	0.50	0.00	0.00	0.00	0.00		No
High	Yes	A10	7993.4	SE	Regular	No						Yes	Yes	No	No	Yes	1.90	1.70	3.70	8.40	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	7986.2	SE	Regular	No						Yes	Yes	No	No	Yes	10.50	3.40	2.00	13.30	16.10	0.20	1.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	5598.6	NE	Regular	No						Yes	Yes	No	No	Yes	7.10	0.60	5.70	6.40	15.20	0.30	3.40	0.00	0.00	0.00	0.00		No
High	Yes	A10	5289.4	SE	Regular	No						Yes	Yes	No	No	No	8.40	4.30	8.20	3.10	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	5247.4	NE	Regular	No						Yes	Yes	No	No	No	12.10	8.90	1.90	11.50	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	5235.5	NW	Regular	No						Yes	Yes	No	No	No	11.90	3.00	10.80	6.90	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	5277.3	SW	Regular	No						Yes	Yes	No	No	Yes	7.60	6.70	10.40	7.20	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A10	5600.5	NW	Regular	No						Yes	Yes	No	No	No	8.40	5.10	10.00	2.50	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	622.4	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	1.80	3.90	6.50	2.20	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B3	1359.1	NE	Regular	No						Yes	Yes	Yes		No	1.00	5.40	5.90	2.40	6.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B3	1363.0	SE	Parallel	No						Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	7.80	1.80	0.90	6.40	2.20	6.90	1.40		No
High	Yes	B2	12785.1	NW	Regular	No						Yes	No	NA		No	10.30	6.80	16.30	3.00	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	12848.1	SW	Regular	No						No	No	NA		No	13.30	4.30	16.00	3.80	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	12845.5	SE	Regular	No						Yes	No	NA		No	8.00	8.80	1.70	17.30	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	12798.8	NE	Regular	No						No	No	NA		No	9.90	2.70	13.80	15.20	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	13450.9	NE	Regular	No						No	No	NA		No	9.30	2.90	11.20	6.60	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B2	13511.9	NW	Regular	No						No	No	NA		No	11.40	0.90	7.80	6.40	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	5578.1	SE	Regular	No						Yes	No	Yes	No	No	12.00	1.50	11.90	13.80	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D2	799.8	NE	Regular	No						No	No	Yes	No	No	2.40	2.30	9.50	2.20	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D2	757.6	NW	Regular	No						Yes	No	Yes	No	No	6.50	1.50	4.70	9.20	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	5512.3	SW	Regular	No						Yes	No	NA		No	5.70	1.50	7.30	8.10	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	7948.1	NE	Regular	No						Yes	No	NA		No	8.20	1.20	7.50	5.20	8.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D3	1676.8	NE	Regular	No						Yes	No	NA		No	7.40	0.90	6.50	8.30	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	6019.5	NW	Regular	No						Yes	No	NA		No	6.50	2.40	9.00	6.50	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	5556.1	NE	Regular	No						Yes	No	Yes		No	7.60	0.90	9.90	6.40	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	C5	5501.6	NW	Regular	No						Yes	No	NA		Yes	8.10	1.70	2.10	11.00	15.60	1.40	3.10	0.00	0.00	0.00	0.00		No
High	Yes	C5	4832.0		Parallel	No						Yes	Yes	NA		No	0.70	1.00	0.00	0.00	1.20	0.70	1.00	7.00	0.60	5.20	0.10		No
High	Yes	C5	4221.5		Regular	No						Yes	No	NA		No	14.70	0.70	18.00	17.90	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	4246.4		Regular	No						Yes	No	Yes		No	11.10	2.60	22.10	22.20	21.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	4593.2		Regular	No						Yes				No	6.90	0.40	13.00	18.10	19.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	7990.0	SE	Regular	No						Yes	No	Yes		No	7.50	0.20	12.50	11.00	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	1983.4	NE	Regular	No						Yes	Yes	No	No	Yes	9.70	1.70	6.10	10.50	20.30	1.90	0.10	0.00	0.00	0.00	0.00		No
High	Yes	D3	1055.8		Regular	No						Yes	No	No	No	No	8.50	5.40	11.50	4.20	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D3	1106.9		Regular	No						Yes	No	No	No	No	7.70	2.40	5.80	11.00	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D3	1461.6		Regular	No						Yes	No	No	No	No	11.60	4.80	14.90	0.80	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D3	1512.9		Regular	No						Yes	No	No	No	No	9.30	1.60	6.40	14.20	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	4275.9	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.20	0.70	5.40	9.00	8.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3636.9		Regular	No						Yes	No	Yes	No	No	10.90	0.80	4.10	10.30	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3764.6		Regular	No						Yes	No	No	No	No	4.10	3.00	6.70	12.60	12.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3803.9		Regular	No						Yes	No	No	No	No	5.30	5.50	15.10	0.70	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3882.2		Regular	No						Yes	No	No	No	No	7.10	0.10	9.80	7.40	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	3947.5		Regular	No						Yes	No	No	No	No	5.20	4.40	14.20	4.00	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	4273.9	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	6.10	3.30	10.90	10.80	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C2	4199.1	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	1.10	0.60	5.80	13.10	6.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	1320.6		Regular	No					No	Yes	No	NA		No	7.20	6.50	12.90	3.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3655.3		Regular	No						Yes	No	NA		No	15.60	0.50	11.20	8.50	20.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C4	3689.8		Regular	No						Yes	No	NA		No	11.90	7.10	9.70	8.50	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	338.5	NW	Regular	Yes					No	Yes	No	Yes	No	No	7.50	0.30	9.30	2.40	25.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	400.8	NE	Regular	Yes					No	Yes	No	Yes	No	No	10.70	0.60	8.30	8.30	19.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	795.8	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	10.30	4.20	9.80	6.60	21.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	398.7	SE	Regular	Yes					No	Yes	No	Yes		No	12.30	0.50	8.20	8.70	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C5	340.1	SW	Regular	Yes					No	Yes	No	Yes	No	Yes	8.60	4.90	10.00	4.50	17.30	1.30	2.80	0.00	0.00	0.00	0.00		No
High	Yes	A1	5046.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	19.60	3.50	8.90	6.20	22.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A2	2044.1	NW	Regular	No						Yes	No	No		Yes	10.70	0.90	16.20	7.60	20.10	4.80	3.80	0.00	0.00	0.00	0.00		No
High	Yes	A2	2107.2	SE	Regular	No						No	No	NA		No	10.90	0.60	24.80	23.90	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A2	2047.2	NE	Regular	No						Yes	No	NA		Yes	10.90	1.10	11.40	5.80	17.80	5.90	0.40	0.00	0.00	0.00	0.00		No
High	Yes	A3	0.0	NE	Regular	No						Yes	No	Yes	No	Yes	11.70	1.20	7.30	7.20	18.30	3.80	1.10	0.00	0.00	0.00	0.00		No
High	Yes	A3	0.0	NE	Regular	No						Yes	No	Yes	No	Yes	9.00	2.60	12.70	6.70	16.40	2.30	1.10	0.00	0.00	0.00	0.00		No
High	Yes	A3	0.0	NW	Regular	No						Yes	No	Yes	No	Yes	14.50	4.70	13.20	23.20	21.10	6.40	7.20	0.00	0.00	0.00	0.00		No
High	Yes	A3	0.0	NW	Regular	No						Yes	No	Yes	No	Yes	14.80	0.30	16.80	17.60	20.00	13.50	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A3	2.7	SW	Regular	No						Yes	No	Yes	No	Yes	2.60	6.30	4.10	9.70	14.20	8.20	8.40	0.00	0.00	0.00	0.00		No
High	Yes	A3	1457.1	NW	Regular	No						Yes	No	NA		Yes	10.90	4.30	26.40	31.00	17.30	1.60	1.50	0.00	0.00	0.00	0.00		No
High	Yes	A3	1476.7	NW	Regular	No						No	No	NA		Yes	9.90	3.00	39.30	35.20	15.50	3.00	1.40	0.00	0.00	0.00	0.00		No
High	Yes	A3	11.6	SE	Regular	No						Yes	No	Yes	No	No	8.40	6.90	16.80	1.70	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A3	4.2	NE	Regular	No						No	No	Yes	No	Yes	1.30	0.40	7.10	1.40	5.90	1.70	4.60	0.00	0.00	0.00	0.00		No
High	Yes	A4	509.0	NW	Regular	No						No	No	Yes	No	Yes	8.70	1.10	8.70	10.40	8.80	1.50	1.10	0.00	0.00	0.00	0.00		No
High	Yes	A4	581.3	SW	Regular	No						No	No	Yes	No	No	11.40	0.10	20.50	29.10	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	949.4	SW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	10.70	2.80	8.20	11.20	14.90	5.80	1.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	4255.2	SE	Regular	No						Yes	Yes	No	No	Yes	7.70	1.00	8.50	7.50	16.20	1.60	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A4	3805.5	NE	Regular	No						Yes	Yes	Yes	No	No	1.00	15.00	2.30	29.70	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	3553.7	NE	Regular	No						Yes	No	NA		No	11.90	1.00	11.20	13.80	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	3527.4	NW	Regular	No						No	Yes	No	No	No	7.20	4.80	2.10	13.00	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	3553.3	SW	Regular	No						Yes	No	Yes	No	No	11.90	3.50	11.30	8.90	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	3669.1	NW	Regular	No						Yes	Yes	NA		No	0.30	7.50	0.9999	1.20	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A4	4280.1	SW	Regular	No						Yes	Yes	NA		No	2.20	1.60	8.30	7.30	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A5	402.2	SE	Regular	No						No	No	Yes	No	Yes	6.20	1.30	11.50	7.80	12.20	4.50	0.40	0.00	0.00	0.00	0.00		No
High	Yes	A5	339.8	NE	Regular	No						No	No	Yes	No	No	7.30	0.80	8.10	6.50	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E7	333.3	SW	Regular	No						No	No	NA		Yes	5.80	0.50	8.30	8.40	6.50	3.80	0.60	0.00	0.00	0.00	0.00		No
High	Yes	A6	5987.8	NW	Regular	No						Yes	No	NA		Yes	11.90	0.80	9.00	8.50	15.80	0.60	2.20	0.00	0.00	0.00	0.00		No
High	Yes	E7	45.7	NE	Regular	No						Yes	No	Yes		Yes	10.40	0.70	11.20	9.20	12.40	2.40	0.50	0.00	0.00	0.00	0.00		No
High	Yes	E7	17.7	NE	Regular	No						Yes	No	Yes	No	No	7.60	1.30	10.00	4.00	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A5	403.0	SW	Regular	No						Yes	Yes	Yes	No	Yes	6.40	0.50	9.30	7.90	15.10	4.20	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A6	10869.3	NE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	8.10	5.50	8.70	6.60	17.90	0.40	3.70	0.00	0.00	0.00	0.00		No
High	Yes	A6	10026.9	NW	Regular	No						Yes	Yes	NA		Yes	9.10	3.70	10.20	6.60	15.20	3.70	3.70	0.00	0.00	0.00	0.00		No
High	Yes	A6	9708.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	8.70	0.60	7.90	10.70	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	9632.5	NW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	6.50	1.20	7.40	6.70	11.00	5.40	0.60	0.00	0.00	0.00	0.00		No
High	Yes	A6	9309.4	SW	Regular	No						No	Yes	NA		Yes	6.50	0.50	7.10	7.30	14.20	2.60	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A6	9279.2	SW	Regular	No						No	Yes	NA		Yes	8.80	2.30	9.50	10.60	15.70	1.20	2.40	0.00	0.00	0.00	0.00		No
High	Yes	A6	9034.7	NW	Regular	No						No	No	NA		No	8.20	1.70	7.20	13.00	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	8897.7	SW	Regular	Yes					No	No	No	Yes	Yes	Yes	8.50	0.50	7.70	8.00	15.60	1.40	2.30	0.00	0.00	0.00	0.00		No
High	Yes	A6	8883.7	SW	Regular	Yes					No	No	No	Yes	No	Yes	8.30	1.30	10.70	5.70	18.20	3.80	1.10	0.00	0.00	0.00	0.00		No
High	Yes	A6	8823.1	NE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	7.00	0.20	6.90	9.90	17.10	4.10	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A6	9025.4		Regular							No	No	NA		Yes	8.10	0.70	12.20	9.00	15.40	3.60	0.90	0.00	0.00	0.00	0.00		No
High	Yes	A6	9098.2	NE	Regular	No						Yes	Yes	Yes	No	Yes	7.10	0.60	7.40	6.50	15.50	1.70	0.80	0.00	0.00	0.00	0.00		No
High	Yes	A6	9288.6	NE	Regular	No						No	Yes	Yes	No	Yes	6.60	1.70	6.10	6.00	14.60	2.30	2.90	0.00	0.00	0.00	0.00		No
High	Yes	A6	9636.4	NE	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	7.70	0.90	8.70	6.80	16.40	1.70	5.10	0.00	0.00	0.00	0.00		No
High	Yes	A6	9695.8	SE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	7.30	1.80	4.50	7.20	17.60	1.00	1.40	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	A6	5837.3	SE	Regular	No						Yes	No	Yes	No	Yes	6.00	0.00	6.10	9.20	16.40	3.10	1.80	0.00	0.00	0.00	0.00		No
High	Yes	A6	5785.7	NE	Regular	No						No	No	Yes	No	No	8.20	1.10	9.30	8.40	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	5631.2	NW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	7.10	0.10	8.40	7.40	15.50	3.70	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A6	5639.1	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	8.30	3.00	6.60	8.60	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	5745.5		Regular	No						No	No	Yes	No	No	9.30	0.30	6.10	6.90	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	5759.1	NW	Regular	No						Yes	No	Yes	No	No	7.60	1.00	8.80	9.00	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	5787.3	NW	Regular	No						No	No	Yes	No	No	8.70	2.20	15.10	6.40	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	5847.3	SW	Regular	No						Yes	No	Yes	No	No	5.70	3.80	5.50	0.9999	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	6296.2	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	5.60	1.10	8.90	11.10	12.20	5.50	0.30	0.00	0.00	0.00	0.00		No
High	Yes	A6	6335.6	NW	Regular	Yes					No	No	No	Yes	No	Yes	6.20	1.40	8.40	6.30	14.90	5.20	0.90	0.00	0.00	0.00	0.00		No
High	Yes	A6	3175.4	NW	Regular	No						Yes	No	NA		No	10.90	7.40	5.60	22.80	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3205.0	SW	Regular	No						Yes	No	NA		No	12.40	1.50	16.60	15.30	26.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3578.5	NW	Regular	No						Yes	No	NA		No	9.80	2.20	20.00	10.70	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3607.5	SW	Regular	No						Yes	No	NA		No	12.50	3.50	10.80	18.50	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4018.2	NW	Regular	No						Yes	No	Yes	No	Yes	9.70	5.80	22.30	3.50	17.60	0.70	7.80	0.00	0.00	0.00	0.00		No
High	Yes	A6	4049.7	SW	Regular	No						Yes	No	Yes	Yes	No	12.70	3.60	14.60	13.90	22.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4542.7	NW	Regular	No						Yes	No	Yes	No	No	19.20	0.60	12.90	8.20	24.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4571.7	SW	Regular	No						Yes	No	Yes	No	No	10.50	8.90	3.60	15.80	22.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4563.8	NE	Regular	No						Yes	No	Yes	No	No	14.80	1.00	9.90	9.40	28.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4539.4	NE	Regular	No						Yes	No	Yes	No	No	12.80	5.70	16.60	7.00	23.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4370.2	NE	Regular	No						Yes	No	NA		No	15.20	1.40	17.20	16.80	23.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4062.3	SE	Regular	No						No	No	Yes	No	No	8.90	5.90	9.40	17.70	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	4047.1	NE	Regular	No						No	No	Yes	Yes	No	11.00	3.30	16.90	14.40	22.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3889.3	SE	Regular	No						Yes	No	NA		No	12.30	3.50	15.80	14.60	23.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3865.8	NE	Regular	No						Yes	No	NA		No	10.10	1.30	10.30	6.20	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3780.3		Regular	No						Yes	No	NA		No	5.40	0.50	4.20	8.70	7.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3762.2		Regular	No						Yes	No	NA		No	6.60	0.60	9.50	6.20	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3678.3		Regular	No						Yes	No	NA		No	8.90	1.60	11.00	5.00	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3653.5	SE	Regular	No						Yes	No	NA		No	7.30	0.00	8.80	9.10	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3616.3	SE	Regular	No						Yes	No	Yes	No	No	9.00	3.30	23.00	4.60	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3594.1	NE	Regular	No						Yes	No	NA		No	5.80	5.40	4.00	13.60	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3351.3		Regular	No						Yes	No	NA		No	3.20	7.50	13.20	1.30	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A6	3319.6		Regular	No						Yes	No	NA		No	5.80	9.00	7.60	9.80	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	31606.5		Regular	No						No	No	NA	No	No	13.30	1.50	12.70	7.10	23.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	31652.6		Regular	No						Yes	Yes	NA		No	9.50	8.80	19.30	0.40	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	31348.3	NE	Regular	No						No	No	Yes	Yes	No	16.00	3.00	17.10	23.50	21.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	30631.7	NE	Regular	No						Yes	No	Yes	No	No	7.20	1.20	9.30	10.10	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	30165.4	NE	Regular	No						Yes	No	NA		No	6.00	0.10	9.40	6.10	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	30132.3	NW	Regular	No						Yes	No	NA		No	5.50	2.00	6.70	6.50	6.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29890.2	NE	Regular	Yes	2 inch	No	No	No		Yes	No	Yes	No	No	3.70	0.90	4.70	9.00	11.00	0.00	0.00	0.00	0.00	0.00	0.00	button approx. 20 feet from ramp	No
High	Yes	B5	29837.6	NE	Regular	Yes	2 inch	Yes	No	No		No	No	Yes	No	No	2.00	0.20	1.80	2.90	6.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29782.8	NW	Regular	Yes	2 inch	No	Yes	No		Yes	Yes	Yes	No	No	2.90	1.30	7.40	5.90	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	28871.2	NE	Regular	No						Yes	No	Yes	No	No	11.90	0.10	9.40	9.90	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	27225.7	NE	Regular	No						Yes	No	Yes	No	No	10.60	1.40	9.60	8.60	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	27191.5	NW	Regular	No						Yes	No	Yes	No	No	8.60	1.60	6.00	10.70	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	27192.7	SW	Regular	No						No	No	Yes	No	No	9.40	3.00	10.90	4.30	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	27212.3	SE	Regular	No						Yes	No	Yes	No	No	8.00	3.30	5.10	8.90	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29107.9		Regular	No						Yes	No	NA		No	12.30	2.10	8.20	6.10	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29828.3	SE	Regular	Yes	2 inch	No	No	Yes		Yes	No	Yes	No	No	8.00	1.70	1.80	6.00	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	29851.0	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	11.60	3.60	15.00	5.70	24.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	31347.5	SE	Regular	No						No	No	Yes	No	No	20.30	10.90	19.40	12.30	28.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	24557.4	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	14.40	1.90	2.00	2.20	2.30	9.80	3.30		No
High	Yes	B5	24516.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.30	1.70	6.90	9.10	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	24566.4	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.20	0.70	9.70	7.90	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	23909.5	SW	Regular	No						Yes	No	NA		No	10.40	0.70	8.70	9.20	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	23986.0	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	18.60	2.60	1.60	6.50	0.50	6.60	1.00		No
High	Yes	B5	23989.9	NE	Regular	No						Yes	No	Yes	No	No	7.50	0.70	7.10	8.50	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	23335.5	NE	Regular	No						Yes	No	NA		No	10.60	0.10	9.30	8.40	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	20254.5	NE	Regular	Yes	2 inch	No	Yes	Yes	No	No	No	Yes	No	No	9.80	0.40	11.00	14.80	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	2102.3	NE	Regular	No					No	Yes	No	No		Yes	9.50	1.40	5.80	9.90	15.00	5.40	1.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	4920.6	NE	Regular	No						Yes	No	NA		No	11.50	3.60	7.40	10.30	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	7334.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	9.70	1.00	11.90	7.90	27.00	6.30	1.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11780.8	SE	Regular	No					No	Yes	No	Yes		No	6.90	1.20	8.20	8.50	21.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11750.3	SE	Regular	No					No	Yes	No	Yes		No	10.10	0.50	6.80	8.50	30.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11704.5	SW	Regular	No					No	Yes	No	Yes		No	12.80	0.30	6.80	8.70	27.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	10736.0	SW	Regular	No					No	Yes	Yes	Yes		Yes	6.30	0.20	4.50	5.60	17.80	1.60	0.60	0.00	0.00	0.00	0.00		No
High	Yes	B5	11242.6	NW	Regular	No					No	Yes	No	Yes		No	4.20	1.90	8.20	4.00	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11302.3	NE	Regular	No					No	Yes	No	Yes		No	7.40	2.70	3.20	7.90	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11728.0	NW	Regular	No					No	Yes	No	Yes		No	2.70	4.30	9.00	3.20	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	11788.8	NE	Regular	No					No	Yes	No	Yes		Yes	10.20	1.20	9.50	7.90	27.60	2.50	0.90	0.00	0.00	0.00	0.00		No
High	Yes	B9	7275.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	9.30	1.20	10.10	8.90	25.80	2.80	1.80	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	B9	7222.4		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	9.30	0.50	9.20	11.60	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	12266.0	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	7.70	0.10	7.30	6.20	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	906.4	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	5.20	1.00	7.50	7.80	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	906.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	8.30	0.90	9.80	5.40	18.60	8.40	0.20	0.00	0.00	0.00	0.00		No
High	Yes	B5	14047.8		Regular	No					No	Yes	No	Yes		No	16.20	1.30	7.20	6.30	28.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	208.1	NW	Regular	No					No	Yes	No	Yes		No	8.30	0.10	9.90	8.10	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	279.1	NE	Regular	No					No	No	No	Yes		Yes	8.10	2.10	11.70	15.30	21.40	0.90	0.80	0.00	0.00	0.00	0.00		No
High	Yes	B5	14032.9	NE	Regular	No					No	Yes	No	Yes		No	10.80	4.10	10.30	6.90	23.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	14032.5	NE	Regular	No					No	Yes	No	Yes		No	9.80	0.10	8.30	11.20	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	14338.8	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	12.70	0.10	19.30	20.10	23.50	0.50	0.50	0.00	0.00	0.00	0.00		No
High	Yes	B5	14403.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	6.90	0.30	8.80	8.70	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	14716.6	SW	Regular	No					No	No	No	No		No	11.20	0.80	14.50	20.50	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	14767.7	SE	Regular	No					No	No	No	No		No	11.90	2.60	19.20	15.90	20.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	5998.9	NW	Regular	No					No	Yes	No	No		Yes	14.30	0.50	18.80	15.00	14.60	0.20	1.20	0.00	0.00	0.00	0.00		No
High	Yes	B5	15842.5	SW	Regular	No	2 inch	No	No	No	Yes	No	No	Yes		No	6.40	0.90	16.20	13.40	15.80	0.00	0.00	0.00	0.00	0.00	0.00	rough pavement	No
High	Yes	B10	5839.3	NW	Regular	Yes	2 inch	No	No	No	Yes	No	No	Yes	No	No	9.60	1.80	8.40	10.70	17.70	0.00	0.00	0.00	0.00	0.00	0.00	utility grate in middle of curb ramp	No
High	Yes	E8	575.4	SE	Regular	No						Yes	No	Yes	No	No	11.20	0.60	15.80	10.10	22.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	179.1	SW	Regular	No						Yes	No	Yes	No	No	5.80	2.10	8.00	8.70	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	175.9	NW	Regular	No						No	No	Yes	No	No	9.80	0.80	8.90	6.60	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	0.0	NW	Regular	No						Yes	No	Yes	No	No	12.50	0.20	9.60	3.40	21.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	216.2	NE	Regular	No						Yes	No	Yes	No	No	8.80	1.70	8.00	5.00	23.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	561.1	SW	Regular	No						Yes	No	Yes	No	No	12.80	1.90	7.50	5.70	27.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	571.7	SW	Regular	No						Yes	No	Yes	No	No	9.30	0.20	4.70	4.80	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E8	844.1		Regular	No						Yes	No	NA		No	14.70	0.60	13.70	21.50	25.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	17312.1	SE	Parallel	Yes	2 inch	Yes	No	Yes	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	16.10	0.90	0.30	7.50	2.40	9.10	1.00		No
High	Yes	B5	17251.7	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes		Yes	8.10	0.80	5.70	5.40	15.70	1.20	1.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	16633.2	SE	Regular	No					No	Yes	No	Yes		Yes	6.00	0.50	6.20	6.00	15.10	5.10	1.70	0.00	0.00	0.00	0.00		No
High	Yes	B5	16271.0	SE	Regular	No					No	Yes	No	No		Yes	4.60	1.30	8.40	8.50	14.60	0.00	0.40	0.00	0.00	0.00	0.00		No
High	Yes	B5	15911.8	SE	Regular	Yes	2 inch	Yes	No	No	Yes	No	No	Yes		Yes	11.40	1.20	18.70	7.70	15.70	1.90	0.60	0.00	0.00	0.00	0.00		No
High	Yes	B10	5823.5	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes		No	13.80	1.10	10.10	5.40	29.00	0.00	0.00	0.00	0.00	0.00	0.00	utility cover on left ramp	No
High	Yes	B5	17260.9	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	11.20	1.20	0.40	8.60	0.40	7.00	0.30		No
High	Yes	B5	17320.9	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	9.90	1.40	0.30	7.10	0.50	7.00	0.50		No
High	Yes	B5	18109.5	NW	Regular	No					No	Yes	No	Yes		No	9.50	1.60	6.30	7.90	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	18147.9	NW	Regular	No					No	Yes	No	Yes		No	10.40	0.50	5.90	6.10	26.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	18188.6	NE	Regular	No					No	Yes	No	Yes		No	10.20	0.60	7.40	6.70	20.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	18386.5	NW	Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	16.20	0.60	2.80	8.90	2.20	5.50	1.20		No
High	Yes	B5	18425.8	NE	Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	13.50	2.50	1.00	6.60	2.20	8.00	0.60		No
High	Yes	B5	18329.5	SW	Regular	No					No	Yes	No	Yes		No	9.60	1.00	0.9999	8.30	25.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	18289.7		Regular	No					No	Yes	No	Yes		No	12.90	1.60	7.90	6.40	26.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B5	18107.2	SW	Regular	No					No	Yes	No	Yes		No	8.00	1.10	7.70	6.30	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B8	6798.2	NE	Regular	No						Yes	No	Yes	No	No	8.80	1.80	8.10	7.20	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B8	6787.1	NE	Regular	No						Yes	No	Yes	No	Yes	12.50	1.20	9.90	10.90	13.90	3.00	0.50	0.00	0.00	0.00	0.00		No
High	Yes	B10	7830.9	NW	Regular	Yes	2 inch	Yes	No	No	Yes	No	No	Yes	No	Yes	9.00	1.30	6.80	8.80	15.30	2.40	2.00	0.00	0.00	0.00	0.00		No
High	Yes	B8	6722.1	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	Yes	8.70	1.90	12.50	4.60	15.10	0.50	1.10	0.00	0.00	0.00	0.00		No
High	Yes	B10	7801.1		Regular	No						Yes	No	Yes	No	Yes	7.20	0.30	5.00	4.20	17.10	3.60	0.80	0.00	0.00	0.00	0.00		No
High	Yes	B8	6392.2		Regular	No						No	No	NA		Yes	10.80	2.00	9.10	8.50	20.10	5.30	0.70	0.00	0.00	0.00	0.00		No
High	Yes	B8	5728.6		Regular	No						Yes	No	NA		Yes	11.80	2.10	24.40	21.60	17.80	2.00	0.10	0.00	0.00	0.00	0.00		No
High	Yes	B8	6784.1	SE	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	5.80	0.20	7.30	8.10	18.30	1.80	0.30	0.00	0.00	0.00	0.00		No
High	Yes	B1	4026.4	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	5.70	1.00	8.10	9.40	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	4097.3	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	8.50	2.10	9.00	8.90	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	4091.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	5.70	5.20	9.70	6.20	18.90	2.10	5.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	4027.5	SW	Parallel	Yes	Older	No	No	No	No	Yes	No	Yes		No	5.90	3.10	8.40	11.20	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	15253.1	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	11.40	1.90	7.40	10.70	17.20	4.10	2.70	0.00	0.00	0.00	0.00		No
High	Yes	B4	15312.5	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	5.40	2.60	9.00	6.10	15.40	4.00	0.40	0.00	0.00	0.00	0.00		No
High	Yes	B10	4523.4	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	14.00	0.70	9.70	14.00	25.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	17165.8	NW	Regular	Yes	2 inch	No	Yes	No	Yes	Yes	No	Yes	No	No	10.20	0.00	10.60	14.20	22.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4596.5	SW	Regular	Yes	2 inch	No	Yes	No	Yes	Yes	No	Yes	No	No	3.60	1.40	8.10	7.80	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4597.2	SE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	12.80	3.30	8.30	11.30	22.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4301.8	SE	Regular	No						Yes	No	Yes	No	No	12.80	2.10	9.80	8.70	22.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4278.1	NE	Regular	No						No	No	Yes	No	No	14.50	2.80	10.40	8.50	24.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4039.7	SE	Regular	No						Yes	No	Yes	No	No	13.40	1.20	8.90	11.10	22.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4025.4	NE	Regular	No						Yes	No	Yes	No	No	12.20	1.30	10.00	9.50	20.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3779.1	SE	Regular	No						Yes	No	Yes	No	No	12.80	0.40	8.30	9.30	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3765.6	NE	Regular	No						Yes	No	Yes	No	No	13.20	1.20	9.50	8.40	23.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3523.7	SE	Regular	No						Yes	No	Yes	No	No	13.30	1.40	11.00	10.00	22.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3311.5	SE	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	No	2.00	1.80	5.20	9.50	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3247.6	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	10.30	0.10	9.20	7.30	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3241.4	NW	Regular	Yes	2 inch	No	No	No	Yes	No	No	Yes	No	No	12.90	1.20	5.40	11.10	26.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3253.8	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	13.20	0.20	7.00	16.50	22.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3314.4	SW	Regular	Yes	2 inch	No	No	No	Yes	No	No	Yes	No	No	15.80	2.10	10.80	11.30	31.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	3325.2	SW	Regular	Yes	2 inch	No	No	Yes	Yes	Yes	No	Yes	No	No	10.90	4.10	14.10	2.20	20.80	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	B10	4046.1	SW	Regular	No						No	No	Yes	No	No	8.60	2.20	0.00	7.90	21.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4490.4		Regular	No						Yes	No	Yes	No	No	13.20	0.10	10.80	8.00	21.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	4506.5	NW	Regular	No						Yes	No	Yes	No	No	4.90	1.10	9.80	12.40	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	2564.2	NE	Regular	No						Yes	No	Yes	No	No	1.50	1.10	10.30	4.90	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	2559.6	NW	Parallel	No						Yes	No	Yes	No	No	2.20	0.10	8.10	9.30	5.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	2592.0	SW	Regular	No						Yes	No	NA		No	13.60	1.40	25.30	21.10	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B10	7493.9	SW	Regular	Yes	2 inch	Yes	No	No	Yes	Yes	Yes	Yes		Yes	6.90	1.10	21.20	16.50	19.30	12.90	0.40	0.00	0.00	0.00	0.00		No
High	Yes	B10	7494.9	SE	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes		No	7.90	1.50	9.10	5.10	13.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B8	5248.6		Regular	No						No	No	NA		Yes	9.90	1.20	24.50	24.00	12.10	1.90	0.50	0.00	0.00	0.00	0.00		No
High	Yes	B8	3630.8	NE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	6.70	1.70	5.00	10.70	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B8	4026.5	NW	Regular	Yes	2 inch	Yes	No	No	Yes	Yes	Yes	Yes	No	Yes	3.40	0.00	6.00	4.80	19.40	0.30	0.30	0.00	0.00	0.00	0.00		No
High	Yes	B8	4139.5	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	2.60	1.60	7.10	8.10	17.10	0.30	1.90	0.00	0.00	0.00	0.00		No
High	Yes	B8	4155.0		Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	3.50	1.60	10.10	5.80	14.30	2.20	0.10	0.00	0.00	0.00	0.00		No
High	Yes	B4	2864.4	NW	Regular	No					No	Yes	No	Yes		No	8.50	1.80	8.30	11.10	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	2833.7	NW	Regular	No					No	Yes	No	No		No	5.20	2.50	4.80	8.20	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1944.5	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	3.00	0.70	8.40	7.70	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1869.7	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes		No	2.20	2.10	5.30	11.30	7.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1881.2	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes		No	3.90	0.60	9.80	8.50	4.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1950.6	NE	Regular	No					No	Yes	No	No		No	2.30	0.60	8.10	11.40	2.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	2432.9		Regular	No					No	Yes	No	No		No	7.50	3.20	5.30	8.60	9.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	2459.0		Regular	No					No	No	No	No		No	7.90	1.10	7.80	4.80	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	2623.2		Regular	No					No	Yes	No	Yes		No	6.70	0.50	8.40	8.30	9.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	655.7	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	3.30	2.50	4.90	5.10	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	719.1	NE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes		No	2.80	7.20	13.60	0.30	7.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1106.6		Regular	No					No	Yes	No	No		No	6.90	3.00	8.40	6.10	7.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	1166.8		Regular	No					No	Yes	No	No		No	5.30	0.60	7.80	9.00	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B4	716.4	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	5.90	0.30	6.00	7.20	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	4494.5	SE	Regular	No						No	No	Yes	Yes	No	9.70	0.60	8.20	9.70	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	4465.9	SW	Regular	No						Yes	No	Yes	No	Yes	8.60	1.70	6.50	6.90	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	4229.9		Regular	No						Yes	No	Yes	No	No	9.90	1.10	8.40	8.80	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	3852.2		Regular	No						Yes	No	Yes	No	No	6.40	0.00	6.80	8.30	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	3465.3	SE	Regular	No						No	No	Yes	No	No	11.80	1.50	8.30	8.10	19.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	3459.0	NE	Regular	No						No	No	Yes	No	No	12.10	0.80	11.90	8.80	20.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	3860.3		Regular	No						Yes	No	Yes	No	No	5.20	1.40	5.90	5.10	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	4244.9		Regular	No						Yes	No	Yes	No	No	9.80	0.20	7.50	8.10	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C1	3395.1	NW	Regular	No					No	Yes	No	Yes		Yes	9.60	1.60	9.20	0.10	25.30	2.50	1.10	0.00	0.00	0.00	0.00		No
High	Yes	C1	2407.0	NW	Regular	No					No	Yes	No	No		Yes	6.30	0.20	5.20	4.20	23.80	4.20	0.80	0.00	0.00	0.00	0.00		No
High	Yes	C1	2409.9	SW	Regular	No					No	Yes	Yes	Yes		Yes	7.70	0.10	5.70	4.70	19.00	3.90	0.70	0.00	0.00	0.00	0.00		No
High	Yes	C1	3391.8	SW	Regular	No					No	Yes	No	Yes		No	8.50	1.10	3.90	7.40	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B7	2392.9	SW	Regular	No					No	Yes	No	Yes		No	2.90	1.40	4.70	10.10	7.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B7	2345.1	NW	Regular	No					No	Yes	No	Yes		No	5.40	1.20	5.90	6.50	6.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3284.4	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.40	9.80	0.20	17.60	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3207.9	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	11.10	4.10	3.70	15.40	18.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3216.9	NE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	9.80	11.90	20.60	0.00	21.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3276.3	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	8.00	2.20	14.10	6.70	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3856.4	NE	Regular	No						Yes	No	Yes	No	No	8.90	3.60	11.30	7.90	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	3880.1	SE	Regular	No						Yes	No	Yes	No	Yes	9.60	1.00	6.10	9.10	17.10	3.90	2.40	0.00	0.00	0.00	0.00		No
High	Yes	B1	6243.2	NE	Regular	No						Yes	No	NA		No	9.90	1.50	12.20	8.60	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	6015.9	SE	Regular	No						No	No	NA		No	9.70	0.00	11.40	7.00	11.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	5959.5	NE	Regular	No						Yes	No	NA		No	8.60	2.80	7.10	6.60	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	5332.4	SE	Regular	No	2 inch	No	No	No		Yes	No	Yes	No	No	6.40	1.20	4.20	9.30	11.60	0.00	0.00	0.00	0.00	0.00	0.00	button for in pavement flashers	No
High	Yes	B1	5322.4	NE	Regular	No						No	No	NA		No	8.20	1.80	9.50	5.20	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4837.1	SE	Regular	No						Yes	No	Yes	No	No	7.70	0.40	10.80	10.30	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4803.1	NE	Regular	No						Yes	No	Yes	No	No	7.20	0.70	13.60	7.20	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4556.3	SE	Regular	No						No	No	Yes	No	No	9.10	3.70	9.40	11.10	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4523.1	NE	Regular	No						Yes	No	Yes	No	No	8.20	2.40	8.20	8.60	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4273.3	SE	Regular	No						Yes	No	Yes	No	No	9.40	0.20	10.10	6.00	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4244.9	NE	Regular	No						Yes	No	Yes	No	No	8.70	1.20	10.00	7.80	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4283.0	SW	Regular	No						Yes	No	NA		No	8.70	2.50	13.70	8.80	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4305.1	SW	Regular	No						Yes	No	NA		No	10.00	2.80	6.40	14.80	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	4522.5	NW	Regular	No						Yes	No	Yes	No	No	9.60	1.90	12.40	8.50	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	5339.2	SW	Regular	No	2 inch	No	No	No		Yes	No	Yes	No	No	10.50	1.30	9.30	10.90	16.70	0.00	0.00	0.00	0.00	0.00	0.00	button for in pavement flashers	No
High	Yes	B1	6254.3	NW	Regular	No						Yes	No	NA	No	No	8.30	0.00	9.20	4.40	11.70	0.00	0.00	0.00	0.00	0.00	0.00	move to 11th	No
High	Yes	B1	6300.7	SW	Regular	No						Yes	No	NA		No	9.00	0.50	6.90	9.40	9.60	0.00	0.00	0.00	0.00	0.00	0.00	move to 11th	No
High	Yes	B1	6513.5	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	No		Yes	7.80	1.50	8.70	11.00	15.40	7.30	4.10	0.00	0.00	0.00	0.00		No
High	Yes	B1	6579.5	SW	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	No	3.50	1.50	5.60	8.10	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	7016.7	SW	Regular	No						Yes	No	NA		No	7.50	1.00	8.70	9.00	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B1	6295.4	SE	Regular	No						No	No	NA		No	6.30	1.80	8.10	7.70	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	1238.8	NW	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	15.60	1.50	1.70	7.50	1.60	7.80	2.30		No
High	Yes	B9	1572.6		Regular	No						Yes	No	Yes	No	No	13.50	0.50	10.40	8.60	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	B9	1996.9	NW	Regular	No						Yes	No	Yes	No	No	7.70	0.60	7.20	8.00	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	2039.1	SW	Regular	No						Yes	No	Yes	No	No	8.80	2.80	8.00	9.50	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	2026.7	SE	Regular	No						Yes	No	Yes	No	No	9.70	0.20	8.20	6.40	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	1995.2	NE	Regular	No						Yes	No	Yes	No	No	8.70	1.10	7.20	12.10	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	9.4	SE	Parallel	Yes	Older	No	No	Yes	No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.40	2.10	2.20	9.90	1.10	6.40	1.20	no button or signal heads	No
High	Yes	B9	0.0	NE	Parallel	Yes	2 inch	No	No	No		No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.50	1.50	1.40	8.20	1.00	7.60	0.20		No
High	Yes	B9	4.1	SW	Regular	Yes					No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.60	2.90	3.10	3.20	4.50	15.90	2.30		No
High	Yes	B9	156.9	NW	Regular	No						Yes	No	Yes	No	No	7.00	2.70	13.00	8.30	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	189.8	SW	Regular	No						Yes	No	Yes	No	No	4.50	1.90	4.90	11.20	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B6	149.1		Regular	No						Yes	No	Yes	No	No	11.80	0.60	8.70	10.40	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B6	3084.6	NE	Regular	No						No	No	Yes	No	No	4.10	3.30	8.20	1.00	7.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	B9	6921.7	NE	Regular	No						Yes	Yes	NA		Yes	6.80	2.70	7.20	0.9999	19.80	1.40	1.00	0.00	0.00	0.00	0.00		No
High	Yes	E9	809.8	NE	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	14.10	10.70	8.00	1.60	6.20	16.10	7.30		No
High	Yes	E9	776.3	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	19.20	8.20	4.00	3.80	7.00	10.00	5.40		No
High	Yes	F2	673.2		Regular	No					No	Yes	No	NA		No	7.00	1.30	7.30	6.00	8.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	711.3		Regular	No					No	Yes	No	NA		No	8.00	2.00	5.00	7.30	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F1	612.6	NW	Regular	No					No	Yes	Yes	Yes	Yes	Yes	8.50	0.30	0.9999	0.9999	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F1	401.4		Regular	No					No	Yes	Yes	NA		No	8.60	0.70	0.9999	0.9999	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	6111.3	NE	Parallel	Yes	Older	No	Yes	No	No	Yes	No	Yes	No	No	0.00	0.00	0.00	0.00	17.80	7.70	1.60	7.30	4.10	3.00	4.00		No
High	Yes	F2	6179.4	SE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	10.00	7.30	6.00	18.30	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	6346.1		Regular	No					No	Yes	No	NA		No	14.90	2.90	14.50	13.50	25.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F2	6361.9		Regular	No					No	Yes	No	NA		No	12.10	1.50	13.70	12.70	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F4	1184.1		Regular	No					No	Yes	Yes	Yes	No	No	5.80	2.10	9.80	6.50	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	F5	1824.6		Regular	No					No	Yes	No	NA		No	9.80	1.30	18.90	21.90	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	1367.9		Regular	No					No	Yes	No	NA		No	11.60	1.10	15.90	18.10	14.50	0.00	0.00	0.00	0.00	0.00	0.00	cracks in ramp, vertical displacement	No
High	Yes	A7	1412.6		Regular	No					No	Yes	No	NA		No	11.90	1.30	15.20	20.30	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	1490.2	SW	Regular	No					No	Yes	No	NA		No	12.90	1.40	25.70	23.70	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	1516.2	SW	Regular	No					No	Yes	No	NA		No	15.20	4.00	23.00	31.10	21.70	0.00	0.00	0.00	0.00	0.00	0.00	overgriwn vegetation over ramp	No
High	Yes	A7	1785.4		Regular	No					No	Yes	No	NA			16.10	5.00	22.90	25.60	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	1818.9		Regular	No					No	Yes	No	Yes	No	No	14.20	1.50	17.00	17.10	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	2096.4		Regular	No					No	Yes	No	Yes	Yes	No	11.90	2.60	17.00	16.80	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	2146.5		Regular	No					No	Yes	No	NA		No	10.50	1.80	16.70	21.20	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	2393.6	SW	Regular	No					No	Yes	No	NA		No	12.30	0.80	0.9999	19.40	16.10	0.00	0.00	0.00	0.00	0.00	0.00	debris covers ramp	No
High	Yes	A7	2404.8	SW	Regular	No					No	Yes	No	NA		No	12.90	0.40	15.80	20.70	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A7	2429.6	SW	Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	16.10	9.20	3.40	5.90	4.20	7.30	6.70		No
High	Yes	A9	19892.3		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	7.70	1.60	9.30	4.40	8.00	3.80	1.80	0.00	0.00	0.00	0.00	pedestrian push but no ped signal head	No
High	Yes	A9	20015.7		Regular	Yes	2 inch	No	Yes	No	No	No	No	Yes	No	Yes	7.90	6.40	0.20	13.30	10.70	6.00	5.70	0.00	0.00	0.00	0.00	pedestrian push button but no ped signal head	No
High	Yes	A9	23495.9	NW	Regular	No					No	Yes	No	Yes	No	No	4.50	5.50	13.90	1.70	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	22907.9	NW	Regular	Yes					No	Yes	No	NA		No	5.00	5.80	4.60	10.50	6.10	0.00	0.00	0.00	0.00	0.00	0.00	sewer cover in middle of ramp	No
High	Yes	A9	22864.2	NW	Regular	No					No	Yes	No	NA		No	8.20	1.60	10.30	6.40	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	22196.3	SW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	9.80	4.70	9.30	15.50	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	23540.3	SW	Regular	No					No	Yes	No	Yes	No	No	13.20	2.70	17.60	30.10	14.30	0.00	0.00	0.00	0.00	0.00	0.00	vertical and horizontal gaps in ramp	No
High	Yes	A9	24208.0	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	20.30	0.60	13.50	17.00	27.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	24377.2	NW	Regular	No					No	Yes	No	NA		Yes	5.10	0.10	10.70	3.50	17.50	4.00	1.10	0.00	0.00	0.00	0.00		No
High	Yes	A9	24398.4	NW	Regular	No					No	No	No	NA		Yes	7.50	1.20	12.40	9.20	7.80	7.30	1.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	24770.9	NW	Regular	No					No	Yes	No	Yes	No	No	9.50	0.90	6.50	8.90	19.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	24803.5	SW	Regular	No					No	Yes	No	Yes	Yes	No	6.30	1.70	8.50	9.30	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	25097.2	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	12.50	6.40	8.30	19.90	21.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	25182.6	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes		No	2.30	5.00	8.20	16.10	10.60	0.00	0.00	0.00	0.00	0.00	0.00	fire hydrant on ramp	No
High	Yes	A9	25626.2	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	4.60	0.90	7.90	2.20	7.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	26514.9	NW	Regular	Yes					No	Yes	Yes	Yes	No	Yes	6.20	0.20	5.30	3.90	14.10	6.50	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A9	27472.3	NW	Regular	Yes					No	Yes	No	Yes	No	Yes	10.00	1.80	7.10	6.60	18.10	3.90	0.80	0.00	0.00	0.00	0.00		No
High	Yes	A9	28589.3		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	8.50	1.60	5.10	8.50	20.00	7.60	0.60	0.00	0.00	0.00	0.00		No
High	Yes	A9	28660.5		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.10	2.30	9.30	6.50	16.10	8.30	2.30	0.00	0.00	0.00	0.00		No
High	Yes	A9	29053.2	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.00	0.50	8.10	6.30	17.10	4.20	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A9	29005.8	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.70	0.50	5.80	6.10	14.40	1.60	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A9	29126.9	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.10	0.70	5.20	4.70	16.20	2.60	1.50	0.00	0.00	0.00	0.00		No
High	Yes	A9	29442.3	SW	Regular	No					No	No	No	Yes	No	Yes	0.50	1.00	5.90	8.00	1.40	0.50	2.50	0.00	0.00	0.00	0.00		No
High	Yes	A9	29832.2	NW	Regular	Yes					No	Yes	No	Yes	No	Yes	7.50	0.60	9.60	5.90	15.60	5.80	1.30	0.00	0.00	0.00	0.00		No
High	Yes	A9	30298.7	SW	Regular	No					No	Yes	No	Yes	No	Yes	11.70	0.40	6.40	5.10	21.90	8.70	0.10	0.00	0.00	0.00	0.00		No
High	Yes	A9	30516.7	NW	Regular	No					No	Yes	No	Yes	No	No	7.60	1.10	8.10	5.20	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	33334.7	NW	Regular	Yes					No	No	No	Yes	Yes	No	7.50	0.50	19.90	15.10	8.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	32739.4	SW	Regular	No					No	No	No	NA	No	Yes	11.30	2.60	13.50	13.80	16.30	0.10	0.80	0.00	0.00	0.00	0.00		No
High	Yes	A9	32716.0	NW	Regular	No						No	No	NA	No	Yes	10.60	0.40	18.60	16.40	15.40	3.60	0.20	0.00	0.00	0.00	0.00		No
High	Yes	A9	31199.2	SW	Regular	Yes						No	No	Yes	Yes	Yes	9.00	0.50	14.30	14.90	19.20	0.40	1.60	0.00	0.00	0.00	0.00		No
High	Yes	A9	30601.8	SW	Regular	Yes	Older	Yes	No	No	No	No	No	Yes	No	No	10.90	0.20	22.00	28.90	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	Yes	A9	30588.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.10	0.20	7.90	10.30	20.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	36432.9		Regular	No						No	No	NA		No	11.90	0.70	16.40	18.40	29.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	42259.9		Regular	No						Yes	No	NA		No	7.50	3.20	6.10	9.70	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	42205.9	SW	Regular	No					No	Yes	No	NA		No	5.60	3.90	9.60	4.10	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	38103.6	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	No	No	No	8.50	0.20	4.80	9.50	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	50832.5		Regular	No					No	Yes	No	NA		No	7.60	4.10	22.20	5.80	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	A9	48638.4		Regular	No					No	Yes	No	NA		No	8.10	3.30	9.40	4.60	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E10	1862.4	SW	Regular	No						Yes	No	NA		No	6.80	1.50	8.40	6.20	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	1993.4	NW	Regular	No					No	Yes	No	NA		No	8.70	2.30	11.40	4.30	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D10	15.6		Regular	No					No	Yes	No	NA		Yes	10.90	2.00	14.00	12.50	20.50	2.30	0.40	0.00	0.00	0.00	0.00	leads into cul-de-sac	No
High	Yes	D10	202.5		Regular	No					No	Yes	No	NA		Yes	11.60	1.80	9.40	19.50	23.60	0.80	3.30	0.00	0.00	0.00	0.00		No
High	Yes	D10	415.2		Regular	No					No	Yes	No	Yes	No	Yes	7.70	1.50	0.70	6.60	14.30	1.80	2.80	0.00	0.00	0.00	0.00		No
High	Yes	D10	631.3		Regular	No					No	Yes	No	NA		Yes	8.10	3.80	5.20	0.30	15.60	3.20	2.20	0.00	0.00	0.00	0.00		No
High	Yes	E1	2600.3		Regular	No					Yes	Yes	No	NA		Yes	10.40	0.40	6.90	6.70	16.70	1.50	0.50	0.00	0.00	0.00	0.00		No
High	Yes	E1	2783.4	NW	Regular	No					No	Yes	No	Yes	No	Yes	12.30	0.00	10.10	5.20	17.10	1.50	0.50	0.00	0.00	0.00	0.00		No
High	Yes	E1	2856.6	SW	Regular	No					No	Yes	No	Yes	No	Yes	5.10	1.60	8.50	6.50	14.20	0.50	2.30	0.00	0.00	0.00	0.00		No
High	Yes	D9	1669.7	SW	Regular	No						Yes	No	Yes	No	No	8.20	0.30	8.70	7.40	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	5219.7	NW	Regular	No						Yes	Yes	Yes	No	No	0.20	2.10	9.70	5.30	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	5299.7	SW	Regular	No						Yes	Yes	Yes	No	No	1.10	1.40	8.60	7.60	6.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	5833.7	NW	Regular	No						Yes	Yes	NA		No	0.80	3.30	7.70	4.80	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	E1	5889.0	SW	Regular	No						Yes	Yes	NA		No	0.80	1.70	6.10	8.80	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C3	14305.3		Regular	No					No	Yes	No	NA		No	8.50	0.20	5.10	6.40	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D6	6517.8		Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	5.00	0.80	4.10	8.30	6.70	1.80	0.90	0.00	0.00	0.00	0.00		No
High	Yes	D6	6589.5		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	4.10	3.20	4.30	5.10	4.60	0.20	1.60	0.00	0.00	0.00	0.00		No
High	Yes	D6	6536.0		Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	7.80	0.20	0.9999	0.9999	8.80	0.70	0.10	0.00	0.00	0.00	0.00		No
High	Yes	D6	6346.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.50	1.40	0.9999	0.9999	14.60	0.50	1.80	0.00	0.00	0.00	0.00		No
High	Yes	D6	6286.3		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.80	2.90	7.50	7.20	14.10	2.00	0.20	0.00	0.00	0.00	0.00		No
High	Yes	D5	35.2	NE	Regular	No						Yes	No	Yes	No	No	12.40	1.10	7.00	6.40	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	329.5		Regular	No						Yes	No	NA		No	9.70	1.30	6.50	9.90	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	439.1		Regular	No						Yes	No	NA		No	8.90	0.30	11.00	6.40	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	835.0		Regular	No						Yes	No	NA		No	11.30	3.80	10.80	6.40	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1435.4		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	3.80	1.40	6.60	6.30	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1453.9		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	7.60	1.70	7.50	5.50	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1745.2		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	7.40	2.60	10.70	10.00	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1780.0		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	7.00	2.00	7.30	8.40	11.60	0.00	0.00	0.00	0.00	0.00	0.00	lots of dirt built up on ramp	No
High	Yes	D5	1761.2		Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	11.50	0.80	6.40	8.80	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1744.0		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	11.90	1.40	8.40	7.90	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1460.0		Regular	Yes	Older	No	No	No	No	No	No	Yes	No	No	13.10	0.20	9.20	7.50	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	1434.2		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	13.30	0.30	3.90	10.10	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D5	42.6	SE	Regular	No						No	No	Yes	No	No	6.30	0.00	7.70	7.70	20.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	D4	4459.8		Regular	No						Yes	No	Yes	No	Yes	7.80	0.50	6.30	6.10	14.60	2.80	0.90	0.00	0.00	0.00	0.00		No
High	Yes	C9	6427.1		Regular	No						Yes	No	NA		No	8.70	0.50	7.50	6.10	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	6408.4		Regular	No						Yes	No	NA		No	4.00	3.00	0.9999	0.9999	6.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C9	2314.5	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	1.70	1.00	5.30	8.20	16.30	1.20	0.50	0.00	0.00	0.00	0.00		No
High	Yes	C9	1763.1	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	7.90	2.20	8.40	2.30	16.40	1.00	2.10	0.00	0.00	0.00	0.00		No
High	Yes	C9	1712.1	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	7.70	2.30	3.80	6.70	15.10	1.70	3.10	0.00	0.00	0.00	0.00		No
High	Yes	C3	2283.7		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.70	0.40	5.50	4.30	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C3	2263.7		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.50	2.10	7.80	5.70	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	Yes	C10	709.0	SW	Regular	No						Yes	No	NA		Yes	10.80	2.10	6.00	11.70	19.20	1.30	0.90	0.00	0.00	0.00	0.00		No
High	Yes	C10	776.1	SE	Regular	No						Yes	No	NA		Yes	10.40	5.10	10.70	5.10	16.70	2.40	1.30	0.00	0.00	0.00	0.00		No
High	No	E9	2842.7	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.00	1.20	5.40	10.20	0.60	1.90	2.60		No
High	No	E9	1187.8	NE	Parallel	No						Yes	Yes	NA	Yes	Yes	0.00	0.00	0.00	0.00	10.40	1.10	3.80	7.70	2.20	10.70	1.50	cw to south, not west	No
High	No	E9	1189.1	SE		No						Yes	Yes	Yes	Yes	Yes	6.30	1.90	0.00	0.00	10.00	1.70	2.80	0.9999	0.9999	0.9999	0.9999	ramp type undefined, see photo	No
High	No	E9	1187.8			No						Yes	Yes	Yes	Yes	Yes	5.60	2.40	0.00	0.00	10.30	0.80	4.80	0.9999	0.9999	0.9999	0.9999	ramp type undefined see photo	No
High	No	E9	1113.6	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.00	0.40	7.10	1.00	0.70	16.20	0.40		No
High	No	F2	4770.4	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	7.20	5.80	0.90	7.70	5.80	5.00	5.00		No
High	No	F2	5252.9	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	12.80	8.80	2.70	4.00	8.20	8.50	9.10		No
High	No	F2	5330.1	SW	Parallel	No						Yes	No	NA		Yes	0.00	0.00	0.00	0.00	8.50	4.60	4.50	1.20	3.50	12.10	1.40		No
High	No	F2	6174.6	SW	Parallel	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	10.40	5.20	1.50	10.40	2.60	3.80	5.70		No
High	No	F2	10241.4	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	6.80	3.90	2.60	7.60	1.60	2.80	4.10		No
High	No	F2	12275.8	NW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	9.10	5.90	11.60	14.80	3.20	6.70	0.70		No
High	No	F2	12366.9	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	8.80	6.90	5.30	4.00	6.00	15.00	5.30		No
High	No	F2	12375.7	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	10.90	7.80	0.10	4.10	6.70	6.70	1.90		No
High	No	F4	1174.6		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.90	2.40	1.10	6.30	1.80	7.80	1.10		No
High	No	F5	1526.2		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	11.70	1.30	3.60	5.90	0.60	14.50	0.70		No
High	No	A7	1497.8	NW	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	13.00	5.00	4.60	11.60	3.00	1.80	5.30		No
High	No	A7	1813.4		Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	7.70	1.90	1.20	7.70	1.60	5.90	3.20		No
High	No	A7	1956.7		Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	14.00	2.20	0.10	7.20	2.30	6.50	2.60		No
High	No	A9	196.0		Regular	No						Yes	Yes	No	No	Yes	5.90	5.20	0.9999	0.9999	6.30	0.20	1.10	0.00	0.00	0.00	0.00		No
High	No	A9	20645.5		Regular	No						Yes	No	No		Yes	2.70	2.30	24.00	2.80	12.80	4.60	0.60	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	No	A9	21619.8		Regular	No					No	Yes	Yes	Yes	No	Yes	6.70	0.00	3.20	9.30	9.90	2.50	1.10	0.00	0.00	0.00	0.00		No
High	No	A9	22962.1	SE	Regular	No					No	Yes	No	NA	No	Yes	6.90	1.40	10.90	8.50	13.80	0.60	3.40	0.00	0.00	0.00	0.00		No
High	No	A9	23680.0	NE	Regular	No					No	Yes	No	Yes	Yes	Yes	3.80	1.90	6.00	8.60	5.90	1.00	2.50	0.00	0.00	0.00	0.00		No
High	No	A9	24416.0	SE	Parallel	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	9.40	1.20	2.90	10.20	2.80	2.50	1.50		No
High	No	A9	24526.2		Parallel	No					No	Yes	Yes	No		Yes	0.00	0.00	0.00	0.00	3.80	0.70	0.60	3.00	0.80	0.00	0.00		No
High	No	A9	24585.7		Parallel	No					No	Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	2.80	0.50	1.60	0.9999	0.9999	7.60	0.30		No
High	No	A9	28606.5		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.00	0.40	5.80	4.10	11.70	6.00	0.90	0.00	0.00	0.00	0.00		No
High	No	A9	28666.8		Regular	Yes	2 inch	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes	4.00	0.40	6.80	6.70	12.60	0.50	1.70	0.00	0.00	0.00	0.00		No
High	No	A9	29000.2	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	5.50	0.30	4.90	1.80	12.60	0.60	0.70	0.00	0.00	0.00	0.00		No
High	No	A9	29051.8	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.10	0.60	2.50	9.20	10.10	5.70	0.70	0.00	0.00	0.00	0.00		No
High	No	A9	29448.5	NE	Regular	No					No	Yes	No	Yes	Yes	Yes	6.80	0.50	5.90	6.80	13.40	0.00	1.90	0.00	0.00	0.00	0.00		No
High	No	A9	29572.5	NE	Regular	No					No	Yes	No	Yes	No	Yes	6.20	0.60	9.20	7.20	13.20	1.40	0.10	0.00	0.00	0.00	0.00		No
High	No	A9	29825.5	NE	Regular	Yes					No	Yes	No	Yes		Yes	6.50	0.80	7.60	7.30	9.10	3.60	0.70	0.00	0.00	0.00	0.00		No
High	No	A9	30265.8	NE	Regular	No					No	Yes	No	Yes	Yes	Yes	8.40	4.70	12.60	6.00	12.00	3.40	4.00	0.00	0.00	0.00	0.00		No
High	No	A9	30324.6	SE	Regular	No					No	Yes	No	Yes	No	Yes	9.70	0.30	11.70	7.30	11.50	4.80	1.60	0.00	0.00	0.00	0.00		No
High	No	A9	30619.4	SE	Regular	Yes	2 inch	Yes	Yes	Yes		Yes	No	Yes	No	Yes	4.80	1.00	8.50	6.80	11.00	6.40	0.30	0.00	0.00	0.00	0.00		No
High	No	A9	30940.5	NE	Regular	No					No	Yes	No	No	No	Yes	5.60	0.30	10.10	6.90	12.80	5.90	0.20	0.00	0.00	0.00	0.00		No
High	No	E10	1789.4	NE	Regular	No					No	Yes	No	Yes	No	Yes	7.90	0.30	6.30	7.00	9.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	E1	5211.5	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	1.30	1.30	5.90	6.30	9.90	6.30	1.50	0.00	0.00	0.00	0.00		No
High	No	E1	5302.9	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.90	1.90	2.40	7.30	0.80	7.70	1.30		No
High	No	C3	13595.9		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.50	0.00	0.70	7.30	2.10	9.20	2.40		No
High	No	D6	3881.9		Regular	No						Yes	Yes	Yes	No	Yes	6.50	1.50	9.80	4.70	12.40	1.80	2.10	0.00	0.00	0.00	0.00		No
High	No	C3	13640.1		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	4.00	2.90	4.70	8.40	13.30	2.30	0.60	0.00	0.00	0.00	0.00		No
High	No	D6	3874.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.30	1.10	11.00	4.80	9.60	0.70	0.10	0.00	0.00	0.00	0.00		No
High	No	C3	13763.6		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	3.30	2.30	7.90	3.50	3.30	1.20	1.80	0.00	0.00	0.00	0.00		No
High	No	C3	15956.1	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.80	2.90	0.20	6.50	1.00	9.20	0.20		No
High	No	C9	3116.6	NW	Regular	No						Yes	No	NA	No	NA	7.60	0.30	9.00	7.40	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	B1	15967.4	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.50	1.70	1.30	7.90	1.20	9.00	2.30		No
High	No	B1	15929.4	NE	Parallel	No						Yes	Yes	No	Yes	Yes	0.00	0.00	0.00	0.00	8.00	1.40	0.20	7.60	2.00	5.80	1.50		No
High	No	B1	15936.1	NW	Parallel	No						Yes	Yes	Yes	No	Yes	5.80	0.30	8.00	5.70	10.50	2.50	1.40	0.00	0.00	0.00	0.00		No
High	No	C9	1816.6		Regular	No						Yes	Yes	Yes	No	Yes	6.20	1.30	6.70	4.60	12.50	2.80	3.10	0.00	0.00	0.00	0.00		No
High	No	C10	1290.2	SW	Regular	No						Yes	No	No	No	Yes	8.00	3.10	8.70	10.50	13.70	3.00	0.60	0.00	0.00	0.00	0.00		No
High	No	C8	557.3	SW	Regular	No						Yes	Yes	NA		Yes	5.00	1.60	9.00	6.00	12.20	3.60	0.20	0.00	0.00	0.00	0.00		No
High	No	C8	1098.5	SE	Regular	No						Yes	Yes	NA		Yes	6.40	1.20	5.70	4.70	9.20	3.80	2.80	0.00	0.00	0.00	0.00		No
High	No	D1	4385.1	SE	Regular	No						Yes	No	NA		Yes	8.40	0.80	8.10	8.30	12.70	0.10	1.20	0.00	0.00	0.00	0.00		No
High	No	D1	4342.8	NE	Regular	No						Yes	No	NA		Yes	6.70	1.90	8.30	5.50	9.70	0.20	3.30	0.00	0.00	0.00	0.00		No
High	No	C8	1451.2	NE	Regular	No						Yes	Yes	NA		Yes	7.20	0.40	9.20	9.90	12.80	2.50	0.00	0.00	0.00	0.00	0.00		No
High	No	C8	1415.1	NW	Regular	No						Yes	Yes	NA		Yes	3.60	0.60	5.60	4.90	11.20	2.70	0.00	0.00	0.00	0.00	0.00		No
High	No	C8	1090.5	NE	Regular	No						Yes	Yes	NA		Yes	4.00	1.50	8.10	2.80	13.00	3.70	0.80	0.00	0.00	0.00	0.00		No
High	No	A10	7383.0	NW	Regular	No						Yes	Yes	NA		Yes	5.10	0.00	6.70	8.20	14.00	1.50	0.70	0.00	0.00	0.00	0.00		No
High	No	C7	1751.0	SW	Regular	No						Yes	No	Yes	No	Yes	7.80	0.90	8.90	7.80	13.20	3.80	1.10	0.00	0.00	0.00	0.00		No
High	No	C7	2338.7	SW	Regular	No						Yes	No	Yes		Yes	0.20	8.50	5.40	10.80	9.30	0.80	3.30	0.00	0.00	0.00	0.00		No
High	No	C7	1443.2	NE	Regular	No						Yes	Yes	NA		Yes	7.80	2.50	5.10	7.70	13.40	1.50	0.30	0.00	0.00	0.00	0.00		No
High	No	B1	14727.6		Regular	No						Yes	No	Yes	No	Yes	8.10	0.20	9.10	8.80	8.80	0.60	1.20	0.00	0.00	0.00	0.00		No
High	No	B1	14627.5	SW	Regular	Yes						Yes	No	Yes	No	Yes	8.20	0.10	9.10	8.40	13.90	1.80	1.60	0.00	0.00	0.00	0.00		No
High	No	B1	14021.3	SW	Regular	No						Yes	No	No	No	Yes	9.90	1.50	4.40	9.30	11.20	3.20	0.80	0.00	0.00	0.00	0.00		No
High	No	B1	11693.7	SW	Regular	No						Yes	No	No	No	Yes	8.30	1.00	7.80	5.30	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	B1	10637.1	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.20	2.50	4.50	13.00	0.90	3.70	0.60		No
High	No	B1	10599.3		Parallel	Yes	2 inch	Yes	No	No		Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.60	1.70	3.10	10.10	1.40	4.10	0.80		No
High	No	B1	14624.6	SE	Regular	No						Yes	No	No	No	Yes	5.10	0.30	9.20	11.10	10.20	4.10	0.00	0.00	0.00	0.00	0.00		No
High	No	D1	4661.0		Regular	No						Yes	Yes	No	No	NA	7.00	0.10	0.9999	0.9999	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	D1	4598.8		Regular	No						Yes	Yes	No	No	NA	7.60	1.10	0.9999	0.9999	7.70	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	D1	4484.9		Regular	No						Yes	Yes	No	No	NA	5.90	3.60	0.9999	0.9999	7.00	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	D1	4440.2	SE	Regular	No						Yes	Yes	No	No	NA	8.40	4.70	0.9999	0.9999	9.10	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	D1	5320.7	SW	Regular	No						Yes	No	Yes	No	Yes	8.00	2.60	3.70	6.40	12.80	5.30	1.00	0.00	0.00	0.00	0.00		No
High	No	D1	1607.0	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	8.20	0.50	7.10	8.60	13.50	10.20	1.40	0.00	0.00	0.00	0.00		No
High	No	C6	1719.1	SE	Parallel	Yes	2 inch	Yes	No	No		Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	12.50	2.00	2.10	8.50	0.00	9.40	2.40		No
High	No	A10	9571.0	SW	Regular	No						Yes	Yes	Yes		Yes	1.80	0.50	4.50	7.00	3.90	5.00	0.50	0.00	0.00	0.00	0.00		No
High	No	A10	7746.5	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.70	0.30	7.20	11.70	13.20	2.60	0.90	0.00	0.00	0.00	0.00		No
High	No	A10	7961.3	NW	Regular	No						Yes	Yes	No	No	Yes	7.90	0.80	7.40	7.20	13.70	6.30	0.50	0.00	0.00	0.00	0.00		No
High	No	A10	7990.8	SW	Regular	No						Yes	Yes	No	No	Yes	6.70	0.60	7.40	6.80	13.90	2.70	2.20	0.00	0.00	0.00	0.00		No
High	No	A10	8009.0	SW	Regular	No						Yes	Yes	No	No	Yes	2.80	0.80	4.60	6.60	8.80	2.70	0.40	0.00	0.00	0.00	0.00		No
High	No	A10	7958.8	NE	Regular	No						Yes	Yes	No	No	Yes	7.80	2.80	11.10	4.50	11.70	3.50	1.90	0.00	0.00	0.00	0.00		No
High	No	A10	7827.3	SE	Regular	No						Yes	Yes	No	No	Yes	3.70	1.30	1.70	9.90	12.20	0.80	1.90	0.00	0.00	0.00	0.00		No
High	No	A10	7748.5	NE	Regular	No						Yes	Yes	Yes	No	Yes	4.00	2.80	8.10	3.60	12.50	0.80	2.20	0.00	0.00	0.00	0.00		No
High	No	B3	1977.4	NW	Parallel	Yes						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	12.30	1.30	0.50	6.70	2.40	6.50	1.20		No
High	No	B3	1978.8	SW	Parallel	No						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	7.90	1.70	2.10	0.9999	0.9999	8.20	0.40		No
High	No	B2	9071.3		Regular	No						Yes	Yes	Yes	No	NA	5.20	2.30	8.30	3.70	7.60	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	C5	5443.5		Regular	No						Yes	Yes	NA		Yes	9.00	0.30	0.9999	0.9999	10.80	0.10	0.20	0.00	0.00	0.00	0.00		No
High	No	C5	5134.0	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	5.40	0.80	0.9999	0.9999	5.40	0.50	0.60	0.00	0.00	0.00	0.00		No
High	No	C5	4773.4		Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	0.10	0.10	0.10	8.50	0.40	5.10	0.80		No
High	No	C5	4356.6		Regular	No					No	Yes	Yes	NA		Yes	4.90	0.90	7.20	6.50	6.50	5.40	1.70	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	No	C2	5184.7	NE	Regular	No						Yes	Yes	No	No	NA	7.60	3.70	13.30	6.70	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
High	No	C2	4226.6	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	7.70	0.80	12.90	9.30	9.70	1.20	0.70	0.00	0.00	0.00	0.00		No
High	No	A1	5062.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	5.70	1.00	22.10	10.70	14.00	1.40	0.70	0.00	0.00	0.00	0.00		No
High	No	A2	2103.7	SW	Regular	No						Yes	No	NA		Yes	7.10	3.10	5.60	6.40	8.90	5.80	0.90	0.00	0.00	0.00	0.00		No
High	No	A2	1444.4	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.50	3.60	2.60	2.70	1.80	6.40	0.70		No
High	No	A2	1432.5	NE	Regular	No						Yes	Yes	Yes	No	Yes	3.00	3.20	6.80	4.60	11.80	8.00	2.20	0.00	0.00	0.00	0.00		No
High	No	A3	9.8	SW	Regular	No						Yes	No	No	No	Yes	2.90	9.30	2.30	13.30	11.90	0.70	9.70	0.00	0.00	0.00	0.00		No
High	No	A4	576.7	SE	Regular	No						Yes	No	Yes	No	Yes	5.50	0.80	5.30	7.90	13.40	1.20	1.20	0.00	0.00	0.00	0.00		No
High	No	A4	508.9	NE	Regular	No						Yes	No	Yes	No	Yes	8.10	0.40	8.80	6.60	10.70	0.70	0.30	0.00	0.00	0.00	0.00		No
High	No	A4	3530.4	NE	Regular	No						Yes	Yes	No	No	Yes	7.90	0.00	7.90	6.70	9.30	1.50	0.70	0.00	0.00	0.00	0.00		No
High	No	A4	3688.3	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.50	2.40	1.10	8.10	1.00	9.40	1.40		No
High	No	A4	3850.6	NW	Regular	No						Yes	No	Yes	No	Yes	8.70	1.10	9.60	11.00	13.00	4.60	0.70	0.00	0.00	0.00	0.00		No
High	No	E7	31.0	SE	Regular	No						Yes	No	NA		Yes	5.70	0.80	7.90	5.70	13.40	2.70	0.10	0.00	0.00	0.00	0.00		No
High	No	A5	338.6	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.70	0.20	8.40	8.00	12.70	5.30	1.60	0.00	0.00	0.00	0.00		No
High	No	A6	10908.1	SW	Parallel	Yes						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	8.80	0.80	1.00	3.10	0.90	9.30	1.80		No
High	No	A6	10877.8	NW	Parallel	Yes					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.90	2.50	0.20	8.80	0.70	5.90	0.90		No
High	No	A6	10052.0	SW	Regular	No						Yes	Yes	NA		Yes	8.30	1.40	4.90	6.80	9.10	2.50	2.10	0.00	0.00	0.00	0.00		No
High	No	A6	8886.0	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	5.30	1.40	8.40	10.60	10.50	1.00	0.60	0.00	0.00	0.00	0.00		No
High	No	A6	5973.4	NE	Regular	No						Yes	No	NA		Yes	6.60	1.30	9.80	7.80	7.90	1.40	0.30	0.00	0.00	0.00	0.00		No
High	No	A6	5936.9		Regular	No						Yes	No	NA		Yes	4.20	2.10	7.00	6.20	8.20	2.80	0.70	0.00	0.00	0.00	0.00		No
High	No	B5	31800.0		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.10	0.20	3.70	8.60	1.00	1.50	1.40		No
High	No	B5	27706.3	SW	Regular	No						Yes	Yes	Yes	No	Yes	7.50	2.00	0.9999	0.9999	12.10	5.10	1.10	0.00	0.00	0.00	0.00		No
High	No	B5	27727.8	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.50	1.60	1.90	5.30	3.00	5.60	0.90		No
High	No	B5	24516.3	NW	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.30	2.70	3.40	11.80	5.60	3.60	3.00		No
High	No	B5	23941.1	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.30	0.10	0.50	8.30	2.20	7.00	2.20		No
High	No	B5	24189.0		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	1.80	0.90	2.60	8.30	1.00	5.00	2.10		No
High	No	B5	24213.5		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.20	1.10	1.20	8.80	0.30	9.70	0.00		No
High	No	B5	6013.6	NW	Parallel	No						Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	3.30	1.40	0.10	7.60	1.00	8.30	0.40		No
High	No	B5	11228.1	SW	Parallel	No							Yes	Yes			0.00	0.00	0.00	0.00	9.00	2.70	2.80	1.80	0.60	6.90	1.10		No
High	No	E8	552.7	NE	Parallel	No						Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	11.20	2.00	0.60	11.50	1.20	7.40	0.30		No
High	No	B8	6773.4	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	6.90	2.20	9.10	9.40	11.00	1.70	2.10	0.00	0.00	0.00	0.00		No
High	No	B8	6774.9	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	Yes	4.90	0.40	8.10	6.60	8.70	2.90	1.10	0.00	0.00	0.00	0.00		No
High	No	B8	6721.3	NW	Regular	No						Yes	No	Yes	No	Yes	4.00	0.40	7.00	9.40	9.80	1.20	0.40	0.00	0.00	0.00	0.00		No
High	No	B8	6514.9		Regular	No						Yes	No	NA		Yes	5.60	0.90	8.40	4.90	7.90	1.10	1.00	0.00	0.00	0.00	0.00		No
High	No	B8	6426.1		Regular	No						Yes	No	NA		Yes	4.30	0.80	3.30	5.20	5.60	3.40	2.50	0.00	0.00	0.00	0.00		No
High	No	B8	6485.3		Regular	No						Yes	No	NA		Yes	8.40	1.80	16.60	17.00	10.10	2.30	0.90	0.00	0.00	0.00	0.00		No
High	No	B8	6545.9		Regular	No						Yes	No	NA		Yes	5.40	0.20	7.30	6.60	8.20	4.40	1.00	0.00	0.00	0.00	0.00		No
High	No	B8	6716.8	SW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	Yes	5.80	2.40	2.70	3.30	7.20	2.50	1.20	0.00	0.00	0.00	0.00		No
High	No	B10	3507.1	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.00	1.70	1.10	9.00	0.20	6.50	0.60		No
High	No	C1	2028.8	NW	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	2.70	2.10	1.30	9.10	2.90	9.40	1.50		No
High	No	B10	7658.1		Regular	No					No	Yes	Yes	Yes		Yes	0.60	1.80	3.20	2.20	5.40	0.70	2.50	0.00	0.00	0.00	0.00		No
High	No	B10	7623.2		Regular	No					No	Yes	Yes	Yes		Yes	2.30	3.10	6.40	1.20	4.40	1.50	2.30	0.00	0.00	0.00	0.00		No
High	No	B10	6708.3	NE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	3.80	2.30	0.50	7.30	0.20	5.10	1.40		No
High	No	B8	4143.9	SE	Regular	Yes	2 inch	Yes	No	No	Yes	Yes	Yes	Yes	No	Yes	1.30	1.00	3.80	3.60	3.70	7.10	2.80	0.00	0.00	0.00	0.00		No
High	No	B8	4048.0	SW	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	0.70	0.40	8.90	8.10	7.30	6.00	0.50	0.00	0.00	0.00	0.00		No
High	No	B8	4029.2	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	1.30	0.40	6.90	7.40	3.70	7.00	1.30	0.00	0.00	0.00	0.00		No
High	No	B8	4059.1	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	1.20	0.70	5.00	4.70	13.50	2.90	1.20	0.00	0.00	0.00	0.00		No
High	No	B1	6968.3	NW	Regular	No						Yes	No	NA		Yes	7.70	1.00	8.70	6.00	13.50	4.40	0.70	0.00	0.00	0.00	0.00		No
High	No	B1	6577.1	SE	Parallel	Yes	2 inch	No	Yes	No	Yes	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	4.60	2.30	0.10	6.20	2.60	9.90	1.10		No
High	No	B1	6520.8	NE	Parallel	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.10	1.30	1.40	9.50	0.80	6.10	0.70		No
High	No	B9	1295.4	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.10	1.10	0.90	0.10	4.60	7.00	1.10		No
High	No	B9	1294.7	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.50	1.30	0.20	7.80	2.50	7.50	2.90		No
High	No	B9	1224.3	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.40	0.80	2.80	5.90	1.90	8.50	1.60		No
High	No	B6	0.0	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.70	0.20	0.70	7.50	1.50	9.10	0.80		No
High	No	B9	6950.0	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.80	0.90	2.70	5.20	1.00	6.80	0.30		No
High	No	B9	6948.8	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	12.30	0.90	0.00	4.60	0.60	9.00	0.70		No
High	No	B9	6915.5	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	12.10	1.60	3.80	7.50	0.50	6.70	1.40		No
High	No	E9	2852.1	NW	Parallel	No					No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	6.70	0.70	6.40	1.40	1.40	7.90	1.60	lots of debris	No
High	No	E9	1214.7		Parallel	No					No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	9.10	1.20	3.90	3.90	1.90	8.20	0.50		No
High	No	F1	798.6		Regular	No					No	Yes	Yes	No		Yes	7.00	0.90	0.9999	0.9999	8.80	0.00	0.00	0.00	0.00	0.00	0.00	Picture F1-798_857	No
High	No	F1	360.2		Parallel	No					No	Yes	Yes	NA			0.00	0.00	0.00	0.00	2.20	1.30	0.10	6.80	0.50	9.70	2.50		No
High	No	F1	30.2	SE	Parallel	No					No	Yes	Yes	NA	No		0.00	0.00	0.00	0.00	10.00	2.70	1.40	9.70	0.00	5.90	1.70		No
High	No	F1	254.2		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	4.10	3.50	2.00	12.70	2.10	7.50	0.40		No
High	No	F1	299.1		Parallel	No	BTN_TYPE_0003.jpg				No	Yes	No	NA			0.00	0.00	0.00	0.00	6.80	5.90	3.00	7.30	1.20	2.80	3.70	Picture F1-299	No
High	No	F1	490.1		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	6.50	6.00	2.50	6.00	4.20	6.60	0.70		No
High	No	F1	546.8		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	6.10	5.50	0.50	11.40	2.70	11.50	1.00		No
High	No	F1	661.4	SW	Parallel	No					No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	11.60	1.30	0.20	8.90	1.00	6.90	1.20		No
High	No	F1	694.2	SE	Parallel	No					No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	10.00	1.50	1.20	9.60	1.90	8.40	1.80		No
High	No	F2	5338.8		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	7.60	5.10	4.00	10.60	4.10	4.70	3.80		No
High	No	F3	45.4	SE	Parallel	No					No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	9.30	0.90	2.80	5.20	0.80	6.10	1.50		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	No	F5	1841.5		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	7.30	7.20	1.30	9.50	4.30	6.00	3.10		No
High	No	A7	2454.4	SE	Parallel	No						Yes	No	Yes			0.00	0.00	0.00	0.00	12.50	7.40	1.10	10.80	3.00	5.70	3.20		No
High	No	A9	24239.4	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	7.10	1.30	5.90	10.70	11.10	5.50	0.80	0.00	0.00	0.00	0.00		No
High	No	A9	28014.8	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	3.30	5.00	6.40	2.80	12.90	10.30	5.70	0.00	0.00	0.00	0.00		No
High	No	A9	29603.0	SW	Regular	No					No	Yes	No	Yes	No	Yes	3.90	0.20	7.00	6.80	12.40	0.50	0.40	0.00	0.00	0.00	0.00		No
High	No	A9	29903.1	SW	Regular	Yes					No	Yes	No	Yes	No	Yes	5.60	0.10	6.00	4.30	12.80	4.80	1.00	0.00	0.00	0.00	0.00		No
High	No	A9	30015.5	SW	Regular	No					No	Yes	No	Yes	No	Yes	5.20	2.00	10.00	5.40	12.70	1.20	2.80	0.00	0.00	0.00	0.00		No
High	No	C3	19190.1		Regular	No					No	Yes	No	NA		Yes	7.50	3.00	0.9999	0.9999	8.90	1.00	3.60	0.00	0.00	0.00	0.00		No
High	No	D7	2609.2		Regular	No					No	Yes	No	NA		Yes	7.00	3.00	0.9999	0.9999	8.00	0.50	2.90	0.00	0.00	0.00	0.00		No
High	No	D7	2633.0		Regular	No					No	Yes	No	NA		Yes	6.60	3.20	0.9999	0.9999	6.60	0.90	3.50	0.00	0.00	0.00	0.00		No
High	No	D10	321.5		Regular	No					No	Yes	No	Yes	No	Yes	9.10	1.90	15.10	6.80	13.40	8.90	0.20	0.00	0.00	0.00	0.00		No
High	No	D10	677.9		Regular	No					No	Yes	No	NA		Yes	9.10	0.80	3.90	9.50	14.00	2.50	2.30	0.00	0.00	0.00	0.00		No
High	No	D10	937.9	SW	Regular	No					No	Yes	No	Yes	No	Yes	8.80	1.40	3.60	6.20	12.60	2.30	2.20	0.00	0.00	0.00	0.00		No
High	No	E1	2354.3		Regular	No					No	Yes	No	Yes	No	Yes	5.90	1.10	7.40	8.40	7.30	4.20	2.00	0.00	0.00	0.00	0.00		No
High	No	E1	2408.8		Regular	No					No	Yes	No	Yes	No	Yes	5.50	1.00	7.20	7.60	8.10	4.10	2.30	0.00	0.00	0.00	0.00		No
High	No	E1	2530.1	SW	Regular	No					No	Yes	No	NA		Yes	4.30	1.10	5.40	5.70	12.60	0.20	0.80	0.00	0.00	0.00	0.00		No
High	No	D9	669.1		Regular	No						Yes	No	NA		Yes	7.10	1.30	7.00	3.90	13.70	1.70	2.20	0.00	0.00	0.00	0.00		No
High	No	C3	13575.4		Regular	Yes	2 inch	No	No	No	No	Yes	Yes		No	Yes	2.50	1.30	7.10	1.20	2.50	3.60	2.90	0.00	0.00	0.00	0.00		No
High	No	C3	14337.6		Regular	No					No	Yes	Yes	Yes	No	Yes	1.70	0.10	6.40	5.70	10.10	3.60	1.00	0.00	0.00	0.00	0.00		No
High	No	C3	14396.0		Regular	No					No	Yes	Yes	Yes	No	Yes	5.40	1.50	0.9999	6.00	13.40	1.10	0.40	0.00	0.00	0.00	0.00		No
High	No	D6	6304.2		Regular	No					No	Yes	Yes	Yes	No	Yes	6.80	2.40	11.00	4.30	6.90	1.30	1.70	0.00	0.00	0.00	0.00		No
High	No	D6	6342.8		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.50	0.10	5.00	7.40	8.00	2.40	0.90	0.00	0.00	0.00	0.00		No
High	No	D6	6356.0		Regular	Yes	2 inch	No	No	Yes	No	Yes	Yes	Yes	No	Yes	3.80	3.60	0.9999	0.9999	9.90	0.60	1.40	0.00	0.00	0.00	0.00		No
High	No	D6	6498.3		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.20	2.40	0.9999	0.9999	11.20	0.40	1.50	0.00	0.00	0.00	0.00		No
High	No	D6	6639.3		Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.40	0.80	0.90	7.10	0.60	6.50	1.10		No
High	No	D6	6602.4		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	6.00	2.30	10.40	4.60	9.60	2.90	1.90	0.00	0.00	0.00	0.00		No
High	No	D6	6603.2		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	3.10	1.20	6.40	4.10	3.50	2.30	0.80	0.00	0.00	0.00	0.00		No
High	No	D5	812.5		Regular	No						Yes	No	Yes	No	Yes	7.00	2.30	6.40	0.9999	9.00	0.10	3.40	0.00	0.00	0.00	0.00		No
High	No	D5	719.6		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.40	1.20	0.50	9.20	0.00	8.00	2.40		No
High	No	C9	6818.4		Regular	No						Yes	Yes	NA		Yes	0.10	7.50	0.9999	0.9999	0.50	1.90	2.10	0.00	0.00	0.00	0.00		No
High	No	C9	6761.5		Regular	No						Yes	No	NA		Yes	2.40	6.20	0.9999	0.9999	3.60	0.20	2.50	0.00	0.00	0.00	0.00		No
High	No	C9	3244.3		Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.30	2.80	1.00	3.40	0.80	0.9999	0.9999		No
High	No	C9	2392.8	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	1.30	2.50	7.00	3.90	10.10	4.00	4.80	0.00	0.00	0.00	0.00		No
High	No	B1	16008.1	SW	Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.50	1.50	2.70	2.80	0.60	11.90	2.10		No
High	No	C9	1779.9	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	6.70	1.20	3.80	5.10	13.60	2.10	1.20	0.00	0.00	0.00	0.00		No
High	No	C9	1691.0	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	3.10	2.10	6.30	5.00	9.60	3.00	0.00	0.00	0.00	0.00	0.00		No
High	No	C10	33.6	SE	Regular	No						Yes	Yes	NA		Yes	6.80	2.10	5.50	11.00	7.30	2.50	5.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11727.9	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1247.6	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	construction	No
Medium	Yes	A9	39888.7		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	58.0	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47704.0		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47585.0		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47217.2		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47205.2		Missing	Yes	Older	No	No	No			No	Yes			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	1038.5	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E5	426.5	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1077.3		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3 missing ramps, median landing no cut-thru, no sidewalks	No
Medium	Yes	E2	1077.4		Missing	Yes	2 inch	No	No	No				Yes			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1034.1		Missing	Yes	2 inch	No	No	No			No	Yes	No		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	521.8		Missing	Yes	2 inch	No	No	No			No	Yes	No		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3 missing ramps, no sidewalks, rough asphalt	No
Medium	Yes	C3	25907.4	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3701.9		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	23.9	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	2930.3	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	2873.2	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	2668.6	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	2628.2	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16977.6	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	18952.7	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	295.8	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10608.5	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10582.2	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10503.2		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8514.8	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8460.3		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7900.1	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7726.4	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	7822.5	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C5	6098.5	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8530.7	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8553.9	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8538.2	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5885.3	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6377.5	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	821.8		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	815.0		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	819.7		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	249.3		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	487.0		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	491.5		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	5365.7	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1185.1	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1163.8	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	874.4	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	27.8	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	173.1	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	192.0	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	425.3	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	0.0	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	420.6	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3155.2	SE	Missing	Yes	2 inch	No	No	No				No			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2978.3	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4861.9	SE	Missing	Yes	2 inch	Yes	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28943.7		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21801.2	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21791.0	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3994.2	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	5995.4	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8048.5		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8125.0		Missing	Yes	2 inch	No	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8091.5		Missing	Yes	2 inch	No	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8039.5		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9155.5		Missing	Yes	2 inch	Yes	No	No			No	No			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8914.0	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9131.6		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9133.8		Missing		2 inch	No	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	10819.8	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	12732.7	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	15136.7	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	15446.6	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7230.8	NE	Missing		Older	No	No	Yes							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	795.9	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	no location to cross	No
Medium	Yes	B6	815.8	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	no location to cross	No
Medium	Yes	B4	8620.8	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	no location to cross	No
Medium	Yes	B6	911.3	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	no locationto cross	No
Medium	Yes	B4	7232.2	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	2460.6	SE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	3722.3	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	3656.8	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	9380.5	SW	Missing	Yes	2 inch	Yes	No	No							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	193.3		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	249.8		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	2952.2		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F5	948.4		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	2919.1	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11950.9	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11981.2	SW	Missing		Older	No	No	Yes							0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34060.4	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	49870.5		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	3897.3	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	407.4	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22.7	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	17.40	6.60	3.70	8.00	5.80	11.50	4.10		No
Medium	Yes	B5	957.3	SW	Regular	No						No		No		Yes	6.70	0.80	13.30	12.00	12.20	0.00	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1007.2	SE	Regular	No						Yes	No	No		No	7.90	0.30	6.90	6.80	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1227.4	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	Yes	Yes	13.40	0.30	18.90	18.80	18.80	1.30	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1743.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	10.30	2.20	16.60	16.10	18.40	2.30	3.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1724.0	SE	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	Yes	6.60	0.40	0.00	9.90	18.30	3.40	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1324.7	SE	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	Yes	No	11.60	2.80	9.00	13.30	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E9	1764.2	NE	Regular	No						Yes	No	No		No	9.30	1.60	13.10	0.10	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E9	1742.2	NE	Regular	No						Yes	No	No	No	Yes	11.80	2.30	14.20	5.40	23.20	1.40	1.70	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	E9	0.7	NE	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	15.70	1.70	5.40	0.9999	0.9999	2.60	1.30	no right ramp [curb]	No
Medium	Yes	E9	0.0	NW	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	14.20	1.90	5.60	2.60	2.10	10.60	1.20		No
Medium	Yes	F2	375.2	NE	Regular	No					No	No	No	Yes	No	No	12.70	2.50	11.10	14.80	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	1308.9	NE		No						Yes	Yes	Yes	Yes	Yes	7.10	0.20	0.9999	0.9999	15.60	1.70	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	F1	2515.7	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	7.50	1.00	9.30	6.10	18.00	1.70	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	2959.9	NW	Parallel	No					No	Yes	No	NA	No	Yes	0.00	0.00	0.00	0.00	16.20	7.00	2.40	2.40	4.30	8.60	4.20		No
Medium	Yes	F2	6812.4		Regular	No						Yes	No	NA		No	11.10	2.10	9.90	5.50	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	6859.1		Regular	No					No	Yes	No	NA		No	10.60	0.20	8.20	7.80	10.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	7011.2	NW	Parallel	No					No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	17.90	5.20	0.60	7.70	4.90	7.20	3.30		No
Medium	Yes	F2	7067.4	SW	Regular	No						Yes	No	Yes	No	No	10.10	5.00	11.40	4.70	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	8085.4	NW	Regular	No					No	Yes	No	NA		No	5.90	2.90	5.50	6.50	8.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	8156.5	SW	Regular	No					No	Yes	No	NA		No	7.60	4.10	11.30	3.80	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	8832.5	SW	Regular	No					No	Yes	No	NA		No	8.60	1.60	9.50	7.60	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	13910.2		Regular	No						No	No	NA		No	9.60	1.40	19.20	12.60	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	14208.6		Regular	No						No	No	NA		No	10.60	2.40	14.80	13.90	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	14246.1	NE	Regular	No						Yes	No	Yes		No	10.00	3.30	11.10	10.00	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	14077.5		Regular	No						No	No	Yes	Yes	No	10.70	1.10	14.90	16.10	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	13952.0		Regular	No						No	No	No		No	11.00	0.50	0.9999	15.60	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F4	3626.0	NE	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	15.30	1.70	1.30	7.40	0.80	6.90	1.40		No
Medium	Yes	F4	3617.4	NW	Regular	No						Yes	Yes	Yes	No	Yes	8.10	0.40	11.50	11.20	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A7	30.0	NW	Regular	No						Yes	Yes	No	No	Yes	6.70	5.60	9.20	1.30	14.50	3.20	7.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A7	794.5	NW	Regular	No						Yes	Yes	No	No	Yes	6.30	4.20	11.10	1.10	14.80	1.60	5.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A7	857.0	NE	Regular	No						Yes	Yes	No	No	Yes	6.90	2.90	2.70	9.10	16.10	1.80	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11623.2	NW	Regular	No						No	No	No	No	Yes	12.50	3.10	8.90	4.20	17.00	10.80	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11982.4	NE	Regular	Yes	Older	Yes	No	No	No	Yes	Yes	No	No	Yes	12.60	3.20	12.00	4.40	16.80	2.10	2.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11261.8		Regular	No						Yes	No	No	No	No	4.10	1.00	17.90	14.40	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11074.9	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	3.60	0.00	0.9999	0.9999	17.60	4.90	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	2056.4	SE	Regular	No						Yes	No	No	No	No	12.50	0.20	9.40	9.00	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1944.1		Regular	No						Yes	No	No	No	No	9.10	0.80	10.60	11.50	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1916.8		Regular	No						Yes	No	No	No	No	8.90	1.70	8.00	11.80	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A8	3518.1	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	Yes	Yes	No	Yes	7.60	1.70	5.10	9.30	15.30	0.50	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	25621.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.70	1.20	7.40	5.60	21.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	25859.0	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	7.90	0.60	7.80	16.00	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	25908.7	SE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	Yes	No	11.20	0.20	14.80	13.90	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	26035.0	NE	Regular	No						Yes	No	Yes	No	Yes	8.60	1.70	15.80	9.70	15.30	2.50	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	26582.2	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	8.60	1.40	7.20	12.00	16.80	3.30	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	27014.9	NE	Regular	Yes					No	No	Yes	Yes	No	Yes	8.30	1.30	6.10	7.10	16.70	3.10	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35345.0	SE	Parallel	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	9.00	0.80	19.30	16.40	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35284.3	NE	Regular	Yes	Older	Yes	No	No	No	Yes	No	No	No	No	9.60	1.30	16.50	10.40	18.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34947.3	SE	Regular	No						Yes	No	No	No	No	5.20	0.50	10.00	7.50	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34892.2	NE	Regular	No						Yes	No	No	No	No	12.20	0.30	18.10	18.30	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	33367.6	NE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	8.60	0.20	16.70	14.20	10.60	3.00	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	33293.8		Regular	Yes					No	No	No	Yes	No	Yes	10.60	0.10	19.00	23.10	11.10	0.10	0.40	0.00	0.00	0.00	0.00	no button, fixed phase	No
Medium	Yes	A9	32656.4		Regular	No					No	No	No	Yes	No	Yes	13.50	1.20	20.40	16.50	22.10	0.00	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	32213.4	NE	Regular	No						No	No	No	No	No	9.30	3.20	18.20	14.90	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	32199.2	NE	Regular	No						No	No	No	No	Yes	10.90	1.00	21.90	16.30	24.80	3.40	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35980.9	NE	Regular	Yes					No	No	No	Yes	No	No	8.50	1.20	8.80	7.30	12.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36056.1	SE	Regular	Yes	Older	Yes	No	No	No	Yes	No	No	No	No	6.50	1.50	8.20	8.40	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36465.2	NE	Regular	No					No	No	No	Yes		No	7.90	0.50	15.70	14.90	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10991.1	NE	Regular	No					No	Yes	No	Yes		No	9.90	1.30	13.50	16.20	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10988.1	SE	Regular	No					No	Yes	No	No		Yes	12.10	1.10	19.10	16.40	17.40	0.10	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43082.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	Yes	No	12.50	0.30	11.70	5.30	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42798.2		Regular	No					No	No	No	NA		No	10.50	1.20	7.60	9.00	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42725.6		Regular	No					No	No	No	NA		Yes	9.40	1.20	7.90	7.20	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42470.4		Regular	No					No	Yes	No	Yes	No	No	10.10	3.60	4.90	10.90	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42434.9	SE	Regular	Yes	Older	No	No	No	No	No	No	Yes	Yes	No	11.40	2.40	16.00	9.80	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42436.9	SE	Regular	Yes	Older	Yes	No	Yes	Yes	No	Yes	Yes	Yes	No	3.90	2.30	8.00	8.30	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	37.4	SE	Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	Yes	No	6.70	2.70	6.60	16.50	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42373.9	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	Yes	No	10.80	0.80	19.50	14.10	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	41183.1	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes		Yes	10.10	1.90	14.90	14.30	14.20	0.70	1.30	0.00	0.00	0.00	0.00	pot hole	No
Medium	Yes	A9	41122.5	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	4.90	0.60	8.90	6.10	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	39894.8		Regular	No						Yes	No	NA		No	8.90	0.40	7.20	7.50	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	39860.4		Regular	No					No	Yes	No	NA		No	10.50	2.40	6.40	8.40	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	39231.2	SE	Regular	No					No	Yes	No	NA		No	7.70	0.00	6.90	8.60	9.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	39185.3	NE	Regular	No					No	Yes	No	NA		No	8.10	2.50	8.10	7.20	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38887.2	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.60	1.10	7.60	7.10	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38838.6	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.90	0.60	7.60	4.70	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38104.3	SE	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	No	9.20	1.60	5.10	6.90	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38058.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	7.40	1.40	6.70	6.70	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	37714.9		Regular	No					No	Yes	No	NA		No	10.40	1.00	8.10	8.00	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	37668.1		Regular	No						Yes	No	No		No	8.00	0.20	5.00	6.60	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	37404.1		Regular	No						Yes	Yes	NA		No	8.10	0.60	6.50	6.40	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	A9	37349.4	SE	Regular	No						Yes	No	NA		No	5.20	2.30	8.40	3.30	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	54.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.60	2.60	4.40	7.20	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36895.6	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.30	0.70	3.20	8.10	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	37251.6	NW	Regular	No						Yes	No	No		No	7.70	2.10	7.30	6.40	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1842.0	NE	Regular	Yes	Older	Yes	No	No	No	No	Yes	Yes	No	Yes	6.60	3.60	9.00	4.80	9.70	3.00	3.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	51518.8		Regular	Yes	Older	No	Yes	No	No	No	No	Yes	No	Yes	9.50	1.90	14.80	10.60	21.20	0.80	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50992.4		Regular	No						Yes	No	No	No	No	5.60	0.30	6.60	7.40	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50796.5		Regular	No						Yes	No	No	No	No	10.20	1.00	9.40	5.00	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50768.1		Regular	No						Yes	No	No	No	Yes	10.30	1.60	7.40	12.40	12.90	2.90	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50727.1		Regular	No						Yes	No	No	No	No	9.40	0.30	7.60	6.70	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	5774.9	SE	Regular	Yes	Older	Yes	No	No	No	No	No	Yes	No	Yes	8.60	4.70	12.60	18.70	13.30	7.30	6.20	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	5747.7		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	7.00	5.80	26.10	14.40	8.20	7.20	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50269.4		Regular	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	6.10	1.60	12.40	13.40	13.10	7.40	3.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	49973.8	SE	Regular	No						No	No	No	No	No	8.00	0.90	25.40	18.30	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	49967.5	NE	Regular	No						No	No	No	No	No	8.90	2.20	17.10	22.90	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	49506.3		Regular	No						Yes	No	No	No	No	5.80	1.70	5.40	12.50	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	49540.8		Regular	No						Yes	No	No	No	No	5.40	0.90	8.80	6.50	7.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	63.8		Regular	Yes	Older	Yes	No	No	No	No	No	Yes	No	Yes	7.20	3.50	8.70	14.40	12.50	6.10	3.40	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	73.5		Regular	Yes	Older	Yes	Yes	No	No	No	No	Yes	No	Yes	6.00	4.60	9.00	17.30	12.60	7.50	5.10	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	70.9		Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	7.60	3.30	22.80	13.70	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	87.1		Regular	No						Yes	No	Yes	No	No	10.80	3.00	9.40	19.40	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	51.0	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	3.00	2.20	4.10	6.40	3.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	48035.8	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	6.40	1.80	8.10	6.10	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47972.0		Regular	No						Yes	No	No	No	No	5.20	0.30	11.30	7.50	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47253.4		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	5.90	0.40	9.90	12.60	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	47170.9		Regular	No						No	No	Yes	No	No	6.80	0.80	11.70	7.60	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46784.9		Regular	No						Yes	No	No	No	No	3.00	1.10	3.20	5.90	5.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46752.3		Regular	No						Yes	No	No	No	No	4.40	1.10	5.00	2.80	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46197.6		Regular	No						Yes	Yes	Yes	No	No	5.30	0.50	3.30	4.20	8.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46152.3		Regular	No						Yes	Yes	Yes	No	No	5.80	1.40	3.80	2.00	6.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46118.2		Regular	Yes	Older	No	Yes	No	No	No	Yes	Yes	No	No	1.70	1.20	2.00	3.10	2.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	22491.3		Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	5.00	0.70	2.80	4.60	5.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45945.8		Regular	Yes	Older	No	Yes	No	No	Yes	Yes	Yes	No	No	0.60	1.20	1.60	1.20	1.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45889.9		Regular	No					No	Yes	Yes	Yes	No	No	1.10	0.30	2.80	2.70	1.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45852.9		Regular	No						Yes	Yes	Yes	No	No	4.00	0.20	4.60	3.20	6.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45365.0		Regular	No						Yes	No	Yes	No	No	4.60	2.00	7.80	2.20	4.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45321.8		Regular	No						Yes	No	Yes	No	No	4.50	2.80	1.40	8.00	5.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43730.9	NE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	3.80	1.30	4.00	4.50	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43661.3		Regular	No						Yes	No	No	No	No	2.70	0.60	11.20	5.40	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43508.6		Regular	No						Yes	No	No	No	No	7.80	0.80	4.00	6.50	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E5	34.5	SE	Regular	Yes	2 inch	No	No	No		No	No	Yes	Yes	No	8.10	0.20	17.20	18.00	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E5	33.5	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	Yes	No	10.10	6.30	10.40	23.10	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E5	262.1		Regular	No					No	Yes	No	NA		No	9.50	1.60	18.60	10.50	19.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E5	295.2		Regular	No					No	Yes	No	NA		No	10.40	4.30	12.10	23.20	21.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	844.5		Regular	No						No	No	NA		No	13.30	6.70	32.60	16.00	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	798.8		Regular	No						No	No	NA		No	14.40	12.10	13.20	27.50	22.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	477.4	NW	Regular	No						Yes	No	NA		No	11.00	0.60	16.30	18.40	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	2306.8	SE	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes		No	9.90	1.00	9.40	7.90	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	7483.9	NW	Regular	No						No	No	NA		No	10.00	1.30	21.40	21.00	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	7555.6	SE	Regular	No						No	No	No		No	12.70	1.60	27.10	14.20	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	8378.2	NE	Regular	No						Yes	No	NA		No	7.30	0.60	9.10	7.60	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	8445.7	SE	Regular	No						Yes	No	NA		No	6.70	2.30	5.10	9.10	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	9833.7	NE	Regular	No						Yes	Yes	NA		No	9.90	0.10	15.20	23.30	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	9912.5	SE	Regular	No						Yes	Yes	NA		No	3.30	2.10	4.40	6.90	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	11294.4		Regular	Yes	Older	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	6.80	1.90	6.70	8.60	14.70	0.30	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1744.3		Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	6.00	2.30	7.60	5.10	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1354.9		Regular	No						Yes	No	No	No	No	9.30	6.30	14.20	22.00	21.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1259.6		Regular	No							No	No	No		6.30	1.10	17.50	15.00	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1117.9		Regular	No						Yes	No	Yes	No	No	6.90	1.60	13.50	13.80	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1074.3		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	15.40	1.10	13.10	14.20	17.60	0.00	0.00	0.00	0.00	0.00	0.00	doesn't connect to sidewalk	No
Medium	Yes	E2	581.9		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	3.40	0.80	5.20	7.80	7.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	486.5		Regular	No					No	Yes	Yes	Yes	No	Yes	6.00	3.60	8.00	7.20	19.10	1.30	3.10	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	28296.7		Regular	No						Yes	Yes	Yes	No	Yes	8.30	0.00	7.70	7.00	15.10	0.70	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	28351.8		Regular	No						Yes	Yes	Yes	No	Yes	5.60	0.50	5.60	7.30	16.20	1.10	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	28078.5		Regular	No						Yes	Yes	Yes	No	Yes	6.70	0.30	7.70	4.90	15.70	0.50	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	28020.2		Regular	No						Yes	No	No	No	Yes	6.40	3.90	6.60	8.60	15.10	1.70	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27608.0		Regular	No						Yes	No	Yes	No	No	5.70	1.10	7.30	4.20	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27553.2		Regular	No						Yes	No	Yes	No	No	5.70	0.50	3.80	6.50	12.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27285.9		Regular	No						Yes	No	Yes	No	No	6.10	2.20	6.50	5.60	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27227.3		Regular	No						Yes	No	Yes	No	No	6.70	2.00	5.30	7.90	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26477.4	SW	Regular	No						Yes	No	No	No	No	6.10	1.50	8.90	4.80	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C3	26395.7	NW	Regular	No						Yes	No	No	No	No	3.10	0.50	4.90	8.80	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25860.2	NW	Regular	No						Yes	No	No	No	No	7.90	4.90	2.70	11.50	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25220.4		Regular	No						Yes	No	No	No	Yes	9.50	1.80	8.70	6.50	17.70	2.50	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25146.4		Regular	No						No	No	No	No	No	5.30	3.40	2.10	12.50	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24288.5		Regular	No						Yes	No	No	No	No	6.90	0.30	2.70	3.10	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24349.7		Regular	No						No	No	No	No	No	6.60	1.20	4.20	3.10	9.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23965.6	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	10.00	5.30	14.00	1.90	19.90	0.50	6.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23910.3	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	6.80	0.20	9.30	2.30	19.20	5.00	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23248.8	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	6.30	0.30	8.70	6.40	15.10	7.30	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23210.2	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	7.50	2.00	6.80	2.70	15.20	4.60	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	22164.5		Regular	No						Yes	Yes	NA		No	4.50	1.20	6.70	8.60	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	22100.8		Regular	No						Yes	Yes	NA		No	9.10	4.00	15.10	7.90	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	21609.0		Regular	No						No	No	Yes		Yes	7.00	1.70	12.50	4.90	7.90	7.60	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	21543.8		Regular	No						Yes	No	Yes		No	3.60	3.20	9.60	4.30	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	21012.9		Regular	No						Yes	Yes	Yes		No	9.20	1.40	5.40	8.60	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20900.2		Regular	No						Yes	Yes	Yes		No	7.90	2.50	12.00	9.20	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D8	1595.4	SW	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	No	9.20	0.30	9.70	8.00	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D8	1596.2	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	11.90	0.00	8.20	5.90	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D8	651.7	SW	Regular	No						Yes	No	Yes		No	8.10	1.30	10.40	6.80	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D8	630.9	NW	Parallel	No						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	14.10	1.40	1.60	3.20	0.20	9.00	1.90		No
Medium	Yes	C3	20523.4	NW	Regular	No					No	Yes	Yes	Yes	No	No	4.00	1.00	6.80	7.50	10.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20061.1		Regular	No						Yes	No	Yes	No	No	1.80	0.50	6.80	8.70	4.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	19922.6		Regular	No						Yes	No	Yes	No	No	3.70	0.80	11.80	7.50	4.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18737.5		Regular	No						No	No	NA		NA	1.40	2.00	0.9999	0.9999	3.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18691.2		Regular	No						No	No	NA		NA	0.20	1.90	0.9999	0.9999	1.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18648.8		Regular	No						No	Yes	NA		NA	6.20	1.60	0.9999	0.9999	8.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18616.7		Regular	No						No	Yes	NA		NA	3.00	0.60	0.00	0.00	3.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18535.2		Regular	No						No	Yes	NA		NA	6.80	1.90	0.9999	0.9999	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	18508.0		Regular	No						No	Yes	NA		NA	5.80	1.80	0.9999	0.9999	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2080.2	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	6.30	1.80	7.60	3.00	18.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2085.3	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes	No	NA	8.00	0.10	8.00	8.10	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2156.2	NE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	6.80	0.10	8.00	3.20	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2874.8		Regular	No						No	No	NA		No	9.10	3.10	13.20	9.40	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2921.2		Regular	No						No	No	NA		No	10.50	3.50	14.20	11.70	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3739.3		Regular	No						Yes	No	NA		No	11.10	8.50	14.80	14.10	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	4525.5	NW	Regular	No					No	No	Yes	Yes	No	No	9.20	0.00	5.40	5.60	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	24.8	SE	Regular	No						Yes	No	NA		No	4.20	4.80	11.90	6.50	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	495.4	SE	Regular	No						No	Yes	NA		Yes	3.40	3.10	5.40	4.90	15.00	2.10	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	1576.9	SE	Regular	No						Yes	No	NA		No	8.10	0.80	8.50	5.20	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	888.9	NE	Regular	No	2 inch	No	No	Yes	No	No	No	Yes	No	No	8.80	1.80	10.50	12.60	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	831.4	NW	Regular	Yes	2 inch	Yes	Yes	Yes	No	No	No	Yes	Yes	No	8.10	3.20	17.50	2.30	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	438.0		Regular	No						No	No	NA		Yes	10.10	5.60	26.10	26.20	18.50	7.20	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	402.1		Regular	No						No	No	NA		Yes	6.10	0.00	12.70	17.80	9.50	1.80	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14052.1		Regular	No						Yes	Yes	Yes	No	No	6.30	1.60	9.00	6.90	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14114.4		Regular	No						Yes	No	Yes	No	No	4.20	1.00	4.00	7.10	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14447.3	NW	Regular	No						Yes	No	Yes	No	No	13.10	0.20	19.10	20.40	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14500.2	SW	Regular	No					No	No	No	Yes	No	No	11.60	1.90	15.80	17.00	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14877.9		Regular	No						No	Yes	No	No	No	3.80	1.00	7.40	6.20	5.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14934.9		Regular	No						No	Yes	No	No	No	2.90	1.80	9.10	9.10	3.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15504.8	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	13.30	1.40	14.20	20.90	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15564.6	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	5.90	0.70	8.70	9.20	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	16002.0	SW	Regular	No						Yes	Yes	Yes	Yes	No	3.20	1.90	5.00	8.80	7.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	17647.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.30	0.30	4.80	7.30	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	17666.6	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.10	1.00	10.80	5.80	24.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	17700.3	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	12.80	1.50	12.90	10.70	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	943.5	NE	Regular	No						No	No	No	No	No	9.40	0.80	21.80	19.30	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	887.4	NW	Regular	No						Yes	No	No	No	No	8.30	1.00	7.20	9.90	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	2021.6	SE	Regular	No						Yes	No	No	No	No	8.40	0.80	7.80	7.60	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1975.6	SW	Regular	No					No	Yes	No	No	No	Yes	9.50	1.60	10.80	13.80	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1452.7	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.00	0.50	13.50	14.00	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1373.8	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	Yes	Yes	11.00	5.20	15.40	18.40	17.00	3.20	4.70	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	804.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	6.40	1.00	4.70	12.80	7.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	733.9	SW	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	No	9.40	1.50	8.10	7.00	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	560.0		Regular	No						Yes	No	No	No	No	6.90	1.20	6.70	9.20	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	627.8		Regular	No						Yes	No	No	No	No	8.50	1.20	16.30	9.40	10.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1379.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	9.30	1.10	8.70	5.80	17.10	1.70	3.70	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1472.8	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	10.90	6.30	20.80	9.40	18.60	3.50	4.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1673.2		Regular	No						No	No	No	No	No	11.20	0.70	21.40	23.80	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1730.1		Regular	No						Yes	No	No	No	No	15.40	5.50	23.20	22.30	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1778.9		Regular	No						Yes	No	No	No	No	11.70	1.60	18.00	22.30	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1852.0		Regular	No						Yes	No	No	No	No	11.30	2.30	18.70	13.00	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	1941.4	NW	Regular	No						Yes	No	No	No	No	9.90	0.30	19.00	13.20	21.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	D6	1998.3	NE	Regular	No						Yes	No	No	No	No	12.70	0.10	20.80	12.60	21.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2414.2	NE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	9.10	0.20	6.20	2.40	17.00	3.40	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	1362.6	NE	Regular	No					No	Yes	No	NA		No	9.40	1.60	8.80	6.00	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	1778.9	SW	Regular	No						Yes	No	NA		No	11.70	0.60	6.30	10.30	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	1881.6		Regular	No						Yes	No	NA		NA	11.10	1.40	0.9999	6.90	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2445.1	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	4.70	0.30	9.10	8.50	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5839.5	SW	Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	8.10	1.50	5.10	9.10	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2921.8	NW	Regular	No						Yes	No	NA		No	6.70	2.80	9.30	7.00	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6115.8	NW	Regular	No						Yes	No	Yes	No	No	5.10	0.60	7.90	7.30	9.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6178.3	SW	Regular	No						Yes	No	Yes	No	No	8.60	1.00	7.90	7.00	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6483.3		Regular	No						Yes	No	NA		No	3.30	2.30	6.20	8.00	6.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6625.5		Regular	No						Yes	No	NA		No	6.60	1.10	5.80	9.50	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6664.0		Regular	No						Yes	No	NA		No	6.20	3.40	6.00	15.00	8.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6282.9		Regular	No						No	No	NA		No	8.60	4.40	10.50	20.20	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	6242.3		Regular	No						Yes	No	NA		No	6.50	2.30	7.40	6.10	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	5569.7		Regular	No						Yes	No	Yes		No	10.40	2.00	6.70	7.50	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	5515.4		Regular	No					No	Yes	No	Yes	No	No	8.50	7.70	2.70	14.90	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	8245.8	NE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	7.30	0.90	5.40	5.50	15.30	2.20	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	8221.8	NW	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	10.70	1.50	17.50	7.30	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	7365.1	NE	Parallel	No					Yes	Yes	Yes	Yes	No	No	0.00	0.00	0.00	0.00	6.50	1.10	2.40	7.80	0.80	4.00	1.30		No
Medium	Yes	C9	5163.3		Regular	No						Yes	No	NA		No	7.80	1.80	12.70	5.70	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5128.1		Regular	No						No	No	No		No	4.00	0.80	9.50	11.50	6.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	4973.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	2.20	0.00	8.70	7.00	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11086.3	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	8.70	0.20	9.80	6.70	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11151.3	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	9.40	2.00	4.00	10.70	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	1338.1	NW	Regular	No						Yes	Yes	NA	No	Yes	10.90	3.10	4.70	9.10	15.60	3.90	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	1037.8	NE	Regular	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	9.60	2.00	11.20	23.90	13.80	3.40	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	8602.9	NE	Parallel	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	7.20	2.60	30.40	14.50	5.10	0.80	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	8629.6	NW	Regular	Yes	Older	No	No	No	No	No	Yes	Yes	No	No	3.80	1.30	10.30	7.40	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	545.4	NE	Regular	No						Yes	Yes	Yes	No	Yes	6.00	1.00	0.9999	4.10	14.40	1.00	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	496.0	NW	Regular	No						Yes	Yes	Yes	No	Yes	5.60	3.90	3.00	0.9999	14.10	2.10	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	188.5	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes			Yes	7.40	4.20	9.70	0.9999	17.70	2.50	1.00	0.00	0.00	0.00	0.00	crosswalk not painted yet, construction	No
Medium	Yes	C3	9828.9		Regular	No						Yes	No	NA	No	No	8.60	1.20	9.20	7.70	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	9887.7		Regular	No						Yes	No	NA	No	No	7.70	2.80	11.10	5.00	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	10159.0	NE	Regular	No						Yes	Yes	NA		No	0.90	1.40	7.00	2.50	3.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	10671.0		Regular	No						Yes	No	NA		NA	13.10	10.10	27.60	26.50	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	10815.3		Regular	No						No	No	NA		NA	6.20	11.30	13.80	18.50	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	172.1		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.20	3.80	10.90	12.90	13.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	407.1		Regular	Yes	2 inch	No	No	No		No	No	Yes	No	No	14.50	2.50	16.70	12.60	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	330.3		Regular	No					No	No	No	Yes	No	No	8.20	1.60	14.60	3.30	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	366.9		Regular	No					No	Yes	No	Yes	No	No	12.00	2.30	11.70	16.70	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	495.8		Regular	No						No	No	NA		NA	7.50	1.90	0.9999	0.9999	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	533.4		Regular	No					No	Yes	No	NA		No	10.70	1.90	9.50	16.00	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	6203.6	NW	Regular	No						Yes	No	Yes	No	No	7.30	1.30	4.10	9.30	10.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	6192.8	SW	Regular	No						Yes	No	Yes	No	No	11.30	3.10	6.90	5.50	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	5398.5		Regular	No						Yes	No	No	No	No	11.30	0.20	9.10	16.80	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5478.3		Regular	No						Yes	Yes	Yes	No	No	1.10	0.30	5.50	7.30	5.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	6699.6		Regular	No						Yes	No	No	No	No	6.40	5.30	0.9999	4.60	6.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	6881.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.60	3.20	5.20	10.70	14.30	0.70	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8455.0	NW	Regular	No						Yes	No	Yes	No	No	7.60	1.60	7.70	6.90	13.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8503.3	SW	Regular	No						Yes	No	Yes	No	No	7.00	3.10	6.70	9.90	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	9254.7	NW	Regular	No						Yes	No	No	No	No	11.50	1.00	19.80	16.40	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	9296.5	SW	Regular	No						Yes	No	No	No	No	14.20	0.60	18.80	17.80	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	4957.1	NW	Regular	No						Yes	No	Yes	No	No	11.70	2.10	9.50	13.00	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C10	383.9	NE	Regular	No						Yes	Yes	No	No	No	4.70	3.60	6.20	6.60	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C8	1448.9	SE	Regular	No						Yes	Yes	NA		Yes	8.20	4.70	6.60	8.00	14.90	0.80	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3136.9	SW	Regular	No						Yes	No	NA		No	5.90	2.70	4.10	8.50	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3691.7	SW	Regular	No						Yes	No	NA		No	5.40	0.00	6.20	5.30	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3735.5	SE	Regular	No						Yes	No	Yes		No	9.30	1.90	7.10	6.30	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3734.4	NE	Regular	No						Yes	No	NA		No	5.20	1.60	7.70	4.80	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3688.4	NW	Regular	No						Yes	No	NA		No	6.80	2.70	5.00	9.50	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3464.8	NE	Regular	No						Yes	No	NA		No	6.60	1.10	8.00	3.30	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3413.6	NW	Regular	No						Yes	No	NA		No	5.40	3.70	4.60	9.60	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3201.6	NE	Regular	No						Yes	No	NA		No	6.90	1.80	9.40	3.40	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	3137.3	NW	Regular	No						Yes	No	NA		No	7.70	2.20	6.30	10.20	12.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	7018.9	NE	Regular	No						Yes	Yes	NA		Yes	7.60	2.00	8.60	5.10	15.20	3.80	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	C7	602.1	NE	Regular	No						Yes	Yes	NA		No	11.10	0.70	8.40	6.60	19.10	1.60	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13606.1	NW	Regular	No						No	No	No	No	No	10.00	7.70	9.40	20.40	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13320.0	SW	Regular	No						Yes	No	No	No	No	6.20	0.20	9.90	8.60	8.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13272.9	NW	Regular	No						Yes	No	No	No	No	6.60	1.10	10.60	4.10	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	12904.5	NW	Regular	No						Yes	No	No	No	No	6.70	0.70	12.80	7.00	7.10	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	B1	12509.9	NE	Regular	No						Yes	No	No	No	No	7.90	5.00	4.20	11.60	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	12572.3	SE	Regular	No						Yes	No	No	No	No	7.10	2.40	3.70	8.50	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	12932.9	SE	Regular	No						Yes	No	No	No	No	8.20	1.30	6.00	11.00	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	12988.1	SE	Regular	No						Yes	No	No	No	No	5.30	1.70	8.80	1.80	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13108.9		Regular	No						Yes	No	No	No	No	5.00	3.70	4.00	10.00	7.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13339.4	SE	Regular	No						Yes	No	No	No	No	7.00	0.80	8.40	10.30	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13600.1	NE	Regular	No						Yes	No	No	No	No	8.10	0.60	8.20	9.90	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	13696.9	SE	Regular	No						Yes	No	No	No	No	7.60	4.50	15.60	4.10	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	15321.8	NE	Regular	No						Yes	No	No	No	No	8.40	0.20	11.80	7.20	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	3617.8	NW	Regular	No						Yes	No	NA		Yes	9.40	1.10	8.30	3.30	21.30	4.40	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	3325.7	SW	Regular	No						Yes	No	NA		Yes	8.40	0.30	4.10	9.20	16.90	2.40	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	3264.3	NW	Regular	No						Yes	No	NA		Yes	9.80	0.20	10.20	7.60	18.80	6.60	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	2900.1	NW	Regular	No						Yes	No	NA		Yes	12.90	2.30	23.50	22.00	19.30	3.40	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	1897.4		Regular	No						Yes	No	NA		No	7.50	6.80	14.40	8.40	20.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	1847.2		Regular	No						Yes	No	NA		No	0.60	3.90	0.30	1.80	7.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	1613.6	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes	No	No	3.30	1.30	2.20	7.60	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	1354.7	SW	Regular	No						Yes	No	NA		No	7.10	0.10	5.60	6.60	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	1301.8	NW	Parallel	No						Yes	No	NA		Yes	12.80	0.60	8.70	11.00	15.50	6.00	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	3357.1	SW	Regular	No						Yes	No	Yes		No	8.60	0.80	9.00	8.00	20.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	966.3	NW	Regular	No						Yes	No	NA		No	10.30	0.60	9.70	8.60	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	2311.6	SW	Regular	No						Yes	No	NA		No	10.10	0.20	6.40	9.50	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	2855.8	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	9.70	3.50	16.30	12.90	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	2857.6	NW	Regular	Yes	2 inch	Yes	No	Yes	No	Yes	No	Yes	No	No	12.60	1.70	11.50	14.00	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	2919.3	SE	Regular	No	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.30	1.90	4.50	12.80	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	327.4	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	14.10	1.90	2.60	6.70	0.20	10.80	1.80		No
Medium	Yes	C2	2377.6	SE	Regular	No						Yes	No	NA		No	9.90	5.50	10.20	8.60	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	652.6	NE	Regular	No						Yes	No	NA		Yes	7.80	0.10	9.00	5.50	14.80	2.50	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	713.4	SE	Regular	No						Yes	No	NA		Yes	10.80	2.80	10.80	7.70	19.60	2.30	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	980.2	NE	Regular	No						Yes	No	NA		No	7.70	0.20	6.00	8.00	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	2598.4	SE	Regular	No						Yes	No	NA		No	8.00	5.80	6.40	11.00	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D1	3276.3	NE	Regular	No						Yes	No	NA		Yes	13.20	0.70	10.60	7.90	21.30	1.70	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	9703.1	NW	Parallel	No						No	Yes	Yes		Yes	0.00	0.00	0.00	0.00	9.70	1.30	0.80	6.30	2.30	6.80	1.00		No
Medium	Yes	A10	9721.6	NW	Regular	No						Yes	Yes	NA		Yes	11.10	0.90	7.60	7.30	17.30	3.20	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10189.0		Regular	No						Yes	Yes	Yes		No	7.40	0.20	6.10	7.80	20.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10490.1	NW	Regular	No						Yes	Yes	NA		No	3.50	1.80	5.60	9.00	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10561.4	SW	Regular	No						Yes	No	NA		No	7.10	0.50	7.80	6.30	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10656.5	NW	Regular	No						Yes	No	Yes		No	14.60	0.40	15.70	16.10	26.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10713.5	SE	Regular	Yes						Yes	Yes	NA		No	6.80	2.80	9.00	4.00	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	10415.0	SE	Regular	No						Yes	Yes	NA		No	6.40	0.80	7.90	3.10	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	9377.0	NW	Regular	No						Yes	Yes	NA		Yes	6.80	1.30	8.50	5.00	14.90	1.00	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	9427.1	SW	Regular	No						Yes	Yes	NA		No	7.60	0.30	5.70	7.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6344.7	SW	Regular	No						Yes	Yes	No	No	Yes	6.90	4.10	5.10	9.30	14.50	2.40	7.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6378.9	SW	Regular	No						Yes	Yes	No	No	Yes	9.00	0.70	3.70	7.20	14.60	2.30	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6679.9	NW	Regular	No						Yes	Yes	No	No	Yes	9.00	1.40	7.40	11.40	14.70	6.20	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6713.9	SW	Regular	No						Yes	Yes	No	No	Yes	10.90	1.10	6.70	6.90	19.90	3.30	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	8280.5	NW	Regular	No						Yes	Yes	Yes	No	Yes	9.10	1.40	4.40	8.70	15.70	4.20	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	8993.0	NW	Regular	No						Yes	Yes	No	No	Yes	8.10	0.70	5.20	9.80	15.80	3.30	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	9060.1	NW	Regular	No						Yes	Yes	No	No	Yes	7.90	1.50	5.00	9.30	14.20	3.20	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	9099.2	NE	Regular	No						Yes	Yes	Yes	No	Yes	10.70	0.80	8.80	5.60	11.50	3.00	4.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6676.7	NE	Regular	No						Yes	Yes	No	No	Yes	8.90	1.70	9.60	6.40	14.90	4.50	3.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6370.6	SE	Regular	No						Yes	Yes	No	No	Yes	8.10	0.60	6.00	7.30	18.30	1.30	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6346.6	SE	Regular	No						Yes	Yes	No	No	No	9.10	1.60	7.50	5.80	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	5989.5	SE	Regular	No						Yes	Yes	No	No	Yes	9.60	0.80	5.40	6.60	14.70	3.60	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	5957.6	NE	Regular	No						Yes	Yes	No	No	Yes	11.30	0.90	8.20	5.60	17.10	5.60	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4736.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.70	0.60	8.00	7.70	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4645.9	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	5.20	0.30	6.10	5.00	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4383.9	SE	Regular	No						Yes	No	No	No	Yes	6.80	2.00	14.20	14.00	17.40	1.10	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4031.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	11.20	0.00	9.30	5.30	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	3966.8	NE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	13.20	1.80	19.30	19.40	20.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	3946.9	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	9.70	0.60	7.90	7.10	12.70	0.00	0.00	0.00	0.00	0.00	0.00	detectible warning only 2'x2'	No
Medium	Yes	C2	1708.0	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	5.80	3.00	5.20	4.40	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	3335.1	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	1.20	3.20	2.60	2.80	9.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	2222.4	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	10.10	2.50	11.70	8.80	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	2983.6	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	9.00	2.70	18.30	12.70	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	2991.4	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	13.90	1.30	14.40	13.30	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	1629.2	SW	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	1.20	2.40	4.80	9.70	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2650.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.00	0.50	8.70	8.40	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2660.6	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.20	0.30	9.30	8.60	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4023.0	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.30	0.20	6.90	10.30	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	4319.5	NW	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	17.50	13.30	7.30	9.50	0.60	1.90	0.80		No
Medium	Yes	A10	4357.4	SW	Regular	No						Yes	Yes	No	No	Yes	7.40	0.40	5.10	7.40	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C6	907.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	15.00	5.10	23.30	5.00	20.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	905.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.00	6.00	2.30	10.60	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	5652.4	SW	Regular	No						Yes	Yes	No	No	No	10.10	0.20	6.30	8.30	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	5972.4	NW	Regular	No						Yes	Yes	No	No	Yes	10.40	1.00	4.20	6.30	18.10	2.60	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	6023.5	SW	Regular	No						Yes	Yes	Yes	No	Yes	7.70	1.20	7.30	6.60	21.40	1.20	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B3	54.8	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.30	3.50	6.30	0.80	14.90	1.10	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	7256.1	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	8.90	1.70	7.70	11.10	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	7207.2	NW	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	No	6.70	2.30	10.50	4.30	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	7209.3	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.90	5.50	9.00	1.20	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	7261.9	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	3.20	5.50	1.40	7.80	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	7643.9		Parallel	No						No	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	5.20	3.10	7.40	14.30	7.00	1.00	0.20		No
Medium	Yes	B2	7691.1		Regular	No						No	Yes	Yes		Yes	0.00	0.00	0.00	0.00	1.70	1.50	0.90	0.80	1.00	10.10	1.60		No
Medium	Yes	B2	7856.0		Regular	No						No	Yes	NA		NA	12.20	0.40	0.9999	0.9999	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	8473.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	11.60	0.80	9.50	12.20	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	8553.3	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	1.30	0.70	3.60	5.50	7.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	9764.7		Regular	No						No	No	NA		No	0.90	4.80	10.40	1.50	9.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	9807.0		Regular	No						No	No	NA		No	0.60	0.60	2.90	5.50	1.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	9880.9	NE	Regular	No						Yes	No	NA		No	6.70	8.10	18.30	0.40	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11185.8		Regular	No						Yes	No	NA		No	13.90	1.80	6.30	5.80	20.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11257.3		Regular	No						Yes	No	NA		No	10.10	0.60	5.40	4.70	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11441.9	NE	Regular	Yes	2 inch	Yes	Yes	Yes		Yes	No	Yes	No	No	8.60	1.20	6.40	3.90	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11512.5	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	No	No	No	5.90	4.70	0.60	6.30	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11450.5	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.20	1.90	10.10	4.40	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	11516.3	SW	Regular	Yes	2 inch	Yes	Yes	No	No	Yes	No	Yes	No	No	8.20	1.30	9.00	6.10	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	13830.6		Regular	No						Yes	No	NA		No	12.00	7.10	2.90	14.70	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14038.2	NW	Regular	No						Yes	Yes	NA		No	10.20	1.80	7.40	8.30	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14257.5	NE	Regular	Yes	Older	No	Yes	No	No	No	No	Yes		No	11.60	4.90	11.20	23.00	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14280.7	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	Yes	No	11.70	5.30	12.00	15.80	20.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14302.6	NW	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	5.20	5.20	8.60	4.60	27.70	2.50	3.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14314.1	NW	Regular	No						No	No	Yes	No	Yes	10.10	2.40	9.20	6.00	14.30	4.50	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14255.0	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	10.10	2.00	25.80	15.20	18.30	2.80	5.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14241.6	NE	Regular	No					No	No	No	Yes		Yes	3.30	1.90	24.40	20.10	16.30	5.50	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14257.0	SE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	13.00	4.70	16.50	24.10	23.30	1.30	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	14291.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	No	9.80	6.40	22.90	10.70	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16972.4		Regular	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	Yes	11.90	1.40	9.90	7.60	13.50	3.80	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16392.7		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.00	1.30	9.30	4.00	15.00	2.00	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	15954.6	NE	Regular	No						No	No	Yes	No	Yes	11.90	1.00	7.90	5.30	14.20	2.20	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16232.9		Regular	No						Yes	No	Yes		No	1.20	5.50	14.90	2.50	6.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16354.0		Regular	No						No	No	Yes		Yes	8.90	3.40	6.50	14.60	14.70	10.50	4.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16696.9		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	9.60	0.00	9.70	5.40	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16763.4		Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	6.50	3.50	8.90	10.50	16.10	0.20	3.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16801.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	8.80	3.70	14.10	2.60	16.90	2.80	8.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	16974.2	NE	Regular	Yes	Older	No	No	Yes	No	No	No	Yes	Yes	No	11.20	1.50	19.00	6.70	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17032.2	SE	Regular	Yes	Older	Yes	No	No	No	No	No	Yes	No	No	12.20	2.60	18.50	13.00	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17290.8		Regular	No					No	No	No	NA		No	9.50	4.30	19.90	12.00	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17367.0		Regular	No						No	No	NA		No	10.00	5.40	22.40	15.00	11.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17584.0	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.70	1.00	7.80	12.50	20.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17758.7		Regular	No						Yes	No	NA		No	12.00	2.60	14.60	14.80	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17803.7		Regular	No						Yes	No	NA		No	7.70	5.00	0.60	18.00	8.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17845.0	NW	Regular	No						Yes	No	NA		No	12.60	4.70	5.80	15.90	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17892.4	SW	Regular	No						No	No	NA		No	9.60	0.50	12.80	12.00	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17449.7		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	11.50	6.10	9.40	23.00	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17038.2		Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes	No	No	15.50	4.70	8.60	10.50	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	17468.0		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes		Yes	8.30	4.60	7.90	9.00	14.60	2.40	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	18872.9	NW	Regular	No						No	Yes	NA		Yes	8.70	0.20	7.60	8.10	12.30	2.00	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	19289.6		Regular	No						Yes	No	Yes	No	No	4.60	2.20	6.60	10.00	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B2	19291.7		Regular	No						Yes	No	Yes	Yes	No	4.40	3.00	9.20	5.40	7.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D2	95.4		Regular	No						No	No	NA		No	10.10	0.30	12.50	13.30	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D2	62.6	SW	Regular	No						Yes	No	NA		No	12.50	1.10	13.00	17.10	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	1127.5		Regular	No						Yes	No	NA		No	7.70	8.30	5.50	12.10	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	1067.0		Regular	No						Yes	No	NA		No	6.00	5.00	11.90	6.40	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	650.1	NE	Regular	No						Yes	No	NA		No	6.60	1.40	7.50	4.40	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	602.3	NW	Regular	No						Yes	No	NA		No	9.30	0.40	9.30	5.50	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	243.2	NW	Regular	No						No	No	NA		Yes	11.20	0.60	12.10	12.40	17.30	1.70	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	31.3	NE	Regular	No						Yes	No	NA		No	6.20	0.30	18.90	14.10	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	29.3	NE	Regular	No						Yes	No	NA		No	9.90	2.80	9.10	11.30	21.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	23.6		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	No	Yes	Yes	13.90	4.40	14.00	10.40	21.60	2.60	4.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	444.1	SW	Regular	No						Yes	Yes	NA		No	3.10	2.10	6.60	9.90	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C6	483.8	SE	Regular	No						Yes	Yes	NA		No	2.40	2.00	10.60	5.90	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9537.7	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	NA	No	No	7.50	5.90	14.00	1.00	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9479.0	NW	Parallel	Yes	Older	No	No	No	No	Yes	No	NA		No	9.30	2.80	2.60	9.70	5.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9460.1	NW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	13.50	0.10	43.80	29.70	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C5	9300.1		Regular	No						Yes	Yes	Yes	No	No	0.00	0.00	0.00	0.00	0.50	0.70	0.90	0.9999	0.9999	6.00	2.00		No
Medium	Yes	C5	9793.3		Regular	No						Yes	No	NA		No	5.90	1.90	8.90	6.50	7.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9859.3		Regular	No					No	Yes	No	NA		No	7.00	2.30	6.70	10.90	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10579.3	SW	Regular	Yes	Older	Yes	Yes	No	No	No	No	Yes	No	No	8.10	1.20	6.70	7.90	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10602.3	SW	Regular	Yes	Older	Yes	Yes	No	No	No	No	Yes	No	No	7.10	0.80	7.40	6.40	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	10608.5	NE	Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	4.80	1.40	6.10	9.80	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9106.2	NE	Regular	No						Yes	No	NA		No	5.80	4.10	9.50	5.20	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	9068.0	NE	Regular	No						Yes	Yes	NA		No	2.80	0.70	7.50	9.20	3.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8567.7	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	7.80	0.40	9.30	10.00	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8390.3		Regular	No						No	No	Yes		No	9.00	1.40	6.00	6.30	12.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7671.8	NW	Regular	No						Yes	No	NA		No	7.30	2.80	7.00	5.50	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7334.6	NE	Regular	No						Yes	No	NA		No	7.10	2.20	9.20	4.20	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7296.3	NW	Regular	No						Yes	No	NA		No	6.00	0.30	8.00	3.80	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	7840.7	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	7.30	0.50	5.60	4.80	7.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7547.7	SW	Regular	No						Yes	No	Yes	No	Yes	9.00	0.60	6.00	7.40	15.50	1.70	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	7604.8	SE	Regular	No						Yes	No	Yes		No	8.20	0.40	8.10	6.80	9.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8052.4	SE	Regular	No						Yes	No	Yes		No	7.10	0.80	7.20	5.70	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8469.1		Regular	No						Yes	No	Yes		No	11.60	1.60	10.80	2.80	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	8651.2		Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	10.20	3.70	2.50	13.20	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2340.7	SE	Regular	No						Yes	No	No	No	No	6.90	0.70	5.80	8.60	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2302.6	SW	Regular	No						Yes	No	No	No	No	8.40	4.80	6.70	10.50	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1985.9	SE	Regular	No						Yes	Yes	No	No	Yes	9.50	0.90	4.50	16.30	16.20	1.50	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1778.1	SE	Regular	No						Yes	No	No	No	No	9.80	1.40	6.70	9.40	20.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1701.6	SE	Regular	Yes						Yes	No	No	No	No	6.70	1.60	7.80	7.20	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1945.2	NW	Regular	No						Yes	No	No	No	No	8.10	0.40	8.30	7.30	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2290.6	NW	Regular	No						Yes	No	No	No	No	6.50	3.30	10.60	3.80	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	2339.9	NE	Regular	No						Yes	No	No	No	Yes	6.30	1.80	6.00	8.40	14.30	6.30	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6397.2	NE	Regular	No						No	No	Yes	Yes	No	18.70	2.50	23.40	20.80	29.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6454.2	SE	Regular	No						No	No	No	No	No	14.00	0.10	9.90	5.70	23.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6435.6	SE	Regular	No						Yes	No	No	No	No	10.80	1.20	7.20	9.20	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6278.9	SE	Regular	No						No	No	No	No	No	13.40	1.80	15.00	16.80	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	6233.6	SW	Regular	No						No	No	No	No	No	14.00	2.00	18.50	26.00	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5957.0	SE	Regular	No						Yes	No	No	No	No	11.00	0.60	8.20	7.90	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5904.7	SW	Regular	No						Yes	No	No	No	No	7.50	5.80	5.10	11.40	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4847.8		Regular	No						Yes	No	No	No	No	7.50	0.70	7.40	7.90	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4811.9	SE	Regular	No						Yes	No	No	No	No	9.60	1.90	10.00	10.20	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4708.4	NW	Regular	No						Yes	Yes	Yes	No	Yes	9.00	0.40	5.30	6.50	14.90	8.50	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4721.5	NW	Regular	No						Yes	Yes	Yes	No	No	1.40	0.40	7.10	8.20	5.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4763.9	NE	Regular	No						Yes	Yes	Yes	No	No	2.70	0.00	5.00	6.20	7.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	4976.3		Regular	No						Yes	Yes	No	No	No	7.80	1.20	7.20	8.20	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	1326.8	SE	Regular	No					No	Yes	No	NA		No	10.10	1.90	10.00	10.30	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	1265.6	SW	Regular	No						Yes	No	NA		No	8.80	1.80	6.80	7.10	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	981.2	SE	Regular	No						Yes	No	NA		No	8.10	1.10	4.60	7.30	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	914.5	SW	Regular	No						Yes	No	Yes		No	11.60	2.00	5.20	10.20	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	616.9	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	4.90	0.10	10.80	1.70	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	914.0	NW	Regular	No						Yes	No	Yes		No	8.40	0.60	9.20	8.50	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	1267.5	NW	Regular	No						Yes	No	NA		No	12.40	2.60	9.90	6.20	19.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	1327.1	NE	Regular	No						Yes	No	NA		No	10.00	1.10	9.20	9.00	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	5432.8	SE	Regular	No						Yes	No	Yes		No	7.60	1.70	8.10	11.30	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4836.6	SE	Regular	No						Yes	Yes	NA		Yes	7.70	2.10	5.80	6.80	17.50	1.70	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4440.9		Regular	No						Yes	No	NA		No	5.70	4.30	12.70	5.30	12.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1872.9	SE	Regular	No						Yes	No	Yes		No	8.90	1.00	5.00	7.70	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1811.2	SW	Regular	No						Yes	No	Yes		No	8.40	3.50	7.10	8.80	18.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1509.5	SE	Regular	No						Yes	No	Yes		No	8.60	3.30	10.80	2.80	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1449.9	SW	Regular	No						Yes	No	Yes		No	11.70	3.50	2.40	16.70	25.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	550.5	SW	Regular	Yes					No	Yes	No	Yes	No	No	8.50	1.90	7.30	9.70	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	423.4		Regular	Yes					No	Yes	No	NA		No	8.60	0.30	7.50	6.30	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	345.9		Regular	Yes					No	Yes	No	NA		Yes	10.60	3.20	7.00	9.00	15.80	1.80	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1354.2		Regular	No						Yes	No	NA		No	7.00	0.90	8.10	4.10	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1811.6	NW	Regular	No						Yes	No	NA		No	7.70	0.30	7.90	9.30	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	1865.6	NE	Regular	No						Yes	No	NA		Yes	10.30	0.30	6.70	13.20	15.70	2.90	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4196.1		Regular	No						No	No	NA		No	13.60	1.40	24.70	22.00	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4244.5		Regular	No						No	No	NA		No	8.50	1.00	24.40	13.90	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4306.6		Regular	No						No	No	NA		No	12.60	1.00	23.10	24.00	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C4	4350.2		Regular	No						No	No	NA		No	16.80	2.20	20.00	18.90	18.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	27065.5	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	7.30	1.20	7.30	5.00	17.40	3.00	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	758.8	NW	Regular	No						Yes	No	NA		No	7.80	1.80	9.40	5.70	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	790.8	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	8.20	2.50	11.20	6.80	16.50	3.00	3.50	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	862.5	NE	Regular	Yes					No	Yes	No	Yes	No	No	8.40	0.50	7.90	9.10	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1276.3	SE	Regular	No						Yes	No	NA		No	10.30	3.70	8.60	5.10	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	1233.8	SW	Regular	No					No	Yes	No	NA		No	6.60	2.60	4.90	11.90	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	850.8	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	9.50	3.60	3.90	11.90	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	A1	853.1	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	16.20	3.30	2.50	13.20	3.60	5.80	0.10		No
Medium	Yes	A1	1210.2	SW	Regular	No						No	No	Yes		No	9.70	0.70	5.00	7.90	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1215.4	SW	Regular	No						No	No	No	No	No	9.00	0.90	6.30	9.70	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1657.6	SW	Parallel	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	14.40	3.30	7.70	1.60	0.30	13.90	0.30		No
Medium	Yes	A1	1597.2	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	6.80	5.00	22.60	12.10	12.50	8.30	5.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1188.1	NE	Regular	No						No	No	Yes	No	No	8.10	2.80	6.90	15.60	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2915.9	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.30	8.80	3.30	12.70	6.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2501.5		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.50	1.40	15.90	13.10	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2461.4		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	1.20	1.30	4.00	3.10	18.10	4.10	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2321.0		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	4.20	1.00	5.30	5.10	14.50	3.30	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2287.9		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	6.30	0.30	1.20	4.30	20.10	6.10	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2258.0		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	5.00	2.60	0.40	8.50	15.80	0.70	6.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2238.6		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	11.00	3.60	9.60	0.90	18.00	1.40	4.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1897.9	SW	Regular	No						Yes	No	Yes	No	No	14.10	3.80	7.90	18.90	21.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1842.0	SW	Regular	No						Yes	No	Yes	No	No	13.20	7.40	8.10	20.70	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1836.3	NW	Regular	No						Yes	No	Yes	No	No	12.40	0.30	18.90	15.90	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1956.0		Regular	Yes	2 inch	No	Yes	No	No	No	No	Yes	No	No	15.30	4.70	23.80	7.90	21.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	1978.8		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	0.50	3.90	10.00	19.50	4.50	2.00	6.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2229.0		Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	Yes	14.60	3.50	2.90	10.50	19.10	1.00	6.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2253.3		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	7.40	3.50	6.80	1.60	17.70	5.60	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2329.4		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	9.90	3.50	3.40	1.00	20.90	3.20	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2354.1		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	7.80	0.20	4.00	4.30	16.10	0.30	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2660.1		Regular	No						Yes	No	Yes	No	No	13.60	1.30	0.9999	20.00	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	2895.4	NW	Regular	Yes	Older	No	Yes	No	No	Yes	No	Yes	Yes	No	15.20	5.00	25.70	8.10	30.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E6	40.3	NE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	11.20	6.00	12.10	4.20	20.30	2.40	5.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	3716.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.70	0.90	4.90	6.00	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	3712.9	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	15.00	0.20	7.90	7.40	22.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	3648.6	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.50	3.00	8.30	7.60	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	4587.4	NW	Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes	No	No	9.00	1.60	11.70	9.80	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	4626.1	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.20	3.40	12.40	15.90	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	4635.3	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	10.50	1.10	11.10	13.60	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	5075.5	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	8.80	1.40	7.60	7.60	14.20	1.80	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	5087.0	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.80	2.00	3.30	9.80	21.80	1.70	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	5574.8	SW	Regular	No						Yes	Yes	Yes	No	Yes	7.00	1.10	4.60	3.90	16.00	1.40	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	5118.2	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	14.70	1.90	7.60	7.20	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	4637.1	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	12.70	1.80	7.70	11.50	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A1	4565.0	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	7.90	1.00	10.00	8.80	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E6	848.9	SW	Regular	No						No	No	NA		No	8.30	0.60	12.70	11.90	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	925.6	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	Yes	Yes	12.40	0.80	13.10	16.60	15.40	1.40	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	1005.6	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	9.50	5.90	15.30	14.10	14.60	1.40	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	2525.3	NE	Regular	No						Yes	Yes	NA		Yes	15.10	1.90	9.70	10.10	31.30	0.60	2.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	988.5	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.80	2.30	5.50	9.20	16.50	4.80	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	920.1	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	9.00	1.00	13.60	6.40	21.10	1.40	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A2	485.4	SE	Regular	No						No	No	NA		Yes	11.20	0.20	18.70	18.90	18.50	1.30	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	731.7	SW	Regular	No						Yes	No	Yes	No	No	11.10	2.80	14.20	29.10	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1023.3	SW	Regular	No						Yes	No	NA		Yes	8.50	1.20	6.80	10.60	18.10	3.90	2.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1536.6	SW	Regular	No						Yes	No	NA		Yes	11.50	0.00	10.90	10.70	18.90	2.40	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1476.5	NE	Regular	No						Yes	No	NA		Yes	11.70	0.60	13.50	15.00	15.30	4.60	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1536.6	SE	Regular	No						Yes	No	NA		Yes	11.40	0.80	11.10	13.90	15.00	1.40	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1974.2	NW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	4.10	0.60	8.10	10.60	11.60	5.00	0.60	0.00	0.00	0.00	0.00	ped buttons but no ped signal heads	No
Medium	Yes	A3	2037.9	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	9.80	3.60	12.20	2.00	17.30	5.50	2.40	0.00	0.00	0.00	0.00	ped buttons but no ped signal heads	No
Medium	Yes	A3	2480.6	NW	Regular	No						Yes	Yes	Yes	No	No	5.20	0.90	6.00	8.80	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3155.3	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	12.50	0.40	16.60	10.30	20.00	2.40	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3553.9	NW	Regular	No						No	No	Yes	No	Yes	8.40	1.00	12.10	13.20	17.10	4.60	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3553.9	NE	Regular	No						Yes	No	Yes	No	Yes	13.10	6.10	9.30	8.90	23.50	5.30	2.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3155.2	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	9.30	0.20	12.40	6.20	17.00	3.70	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	3094.9	NE	Regular	Yes	BTN_TYPE_0002.jpg	Yes	No	No	No	Yes	No	Yes	No	No	7.60	2.10	4.50	8.30	16.30	0.00	0.00	0.00	0.00	0.00	0.00	staircase in sidewalk Picture A3-3094	No
Medium	Yes	A3	2507.7	SE	Regular	No						Yes	Yes	Yes	No	Yes	8.20	2.90	8.10	6.90	19.90	6.60	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A3	1977.1	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	8.60	0.50	11.50	21.30	16.90	4.20	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	881.9	NW	Regular	Yes	Older	No	No	No	No	No	No	Yes	Yes	No	11.40	0.20	23.20	22.10	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1181.3		Regular	No						Yes	No	NA		No	9.20	3.30	11.70	7.50	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1222.4		Regular	No						Yes	No	NA		No	11.50	1.10	4.90	9.10	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1380.4	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	10.40	0.50	6.80	8.90	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1928.6	SW	Regular	No						Yes	Yes	Yes	No	Yes	7.20	3.40	9.80	3.50	17.90	2.70	4.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2496.1	NW	Regular	Yes					No	Yes	No	Yes	No	No	12.20	1.30	9.10	13.80	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2567.9	SW	Regular	Yes					No	No	No	Yes	No	Yes	10.80	2.10	8.80	6.50	22.80	2.70	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2965.0	NW	Regular	Yes					No	Yes	No	Yes	No	Yes	7.50	1.70	4.60	0.9999	14.80	2.20	3.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2980.5	NE	Regular	Yes					No	Yes	No	Yes	No	No	6.30	1.60	9.90	6.60	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	A4	2573.2	SE	Regular	Yes					No	Yes	No	Yes	No	No	6.20	0.30	8.30	11.20	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	2510.0	NE	Regular	Yes					No	Yes	No	Yes	No	Yes	10.80	1.40	15.00	19.00	20.10	6.40	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1928.7	SE	Regular	No						Yes	Yes	Yes	No	Yes	6.50	4.90	3.00	9.50	15.60	0.90	6.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1459.3	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	10.10	2.90	10.60	11.80	17.10	0.30	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	1394.4	NE	Regular	Yes					No	Yes	No	Yes	No	No	12.90	0.60	12.00	9.80	19.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	953.4	SE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	Yes	6.40	0.30	6.30	7.90	17.20	1.30	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	899.0	NE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	8.60	2.60	11.20	18.00	18.10	2.10	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4810.4	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	No	10.70	0.40	11.50	18.00	18.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4626.1	SE	Regular	No						No	No	NA		No	7.60	1.10	8.80	9.80	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4556.2		Regular	No						Yes	No	NA		Yes	8.10	2.80	5.90	8.00	14.80	1.50	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4238.9	NE	Regular	No						Yes	Yes	Yes	No	Yes	5.60	2.30	5.90	8.80	16.30	4.30	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	3039.7	SE	Regular	Yes					No	Yes	No	Yes	No	No	4.00	0.80	7.20	7.80	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	3044.8	SW	Regular	Yes					No	Yes	Yes	Yes	No	Yes	8.80	4.20	7.80	6.60	15.10	1.80	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	3892.4	SW	Regular	No						No	No	NA		Yes	13.80	0.50	10.60	14.70	19.30	4.20	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4870.3		Regular	No						Yes	No	NA		No	18.00	3.30	23.90	18.90	23.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4870.3	SW	Regular	No						No	Yes	NA		Yes	3.30	0.20	9.30	0.90	4.70	2.20	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4870.3	SE	Regular	No						No	No	NA		Yes	16.00	2.00	15.10	19.60	23.70	0.10	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4870.3	SE	Regular	No						No	No	NA		No	15.20	2.40	21.90	20.20	22.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4860.4	SE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	Yes	Yes	10.30	5.70	28.30	22.50	11.60	6.50	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A4	4870.3	SE	Regular	No						No	No	NA		No	16.10	2.70	17.60	22.50	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	715.9	NW	Regular	Yes						No	No	Yes	No	Yes	10.70	0.40	18.50	17.70	21.80	3.60	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	723.8	NW	Regular	Yes						Yes	No	Yes	Yes	Yes	13.00	0.50	25.90	16.50	26.20	4.50	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	739.3	NE	Regular	Yes						Yes	No	Yes	No	Yes	8.60	1.20	10.50	6.80	14.90	8.20	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	10384.0	SW	Regular	Yes					No	Yes	Yes	Yes	No	Yes	8.50	0.20	6.90	8.10	16.10	1.40	2.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	978.9		Regular	No						Yes	No	NA		Yes	6.10	0.10	4.50	7.50	15.30	0.30	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1003.6		Regular	No						No	No	NA		No	5.90	2.10	9.90	3.30	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1215.4	NE	Regular	Yes					No	No	No	Yes	No	Yes	3.50	0.30	5.80	4.00	7.80	2.60	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1280.2	SE	Regular	Yes					No	No	Yes	Yes	No	Yes	7.40	0.80	7.90	6.70	14.80	2.50	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1731.0	NE	Regular	No						No	Yes	Yes	No	Yes	8.30	1.90	8.40	8.70	16.50	2.20	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1748.4	SE	Regular	Yes						Yes	Yes	Yes	No	No	1.70	5.00	2.30	9.20	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1860.9	NE	Regular	No						No	Yes	Yes	No	No	1.80	5.20	7.20	5.50	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2338.1	NE	Regular	Yes					No	Yes	No	Yes	No	Yes	7.00	1.70	12.10	6.10	16.30	6.90	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2400.4	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	8.70	1.30	10.20	9.10	16.40	3.30	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2800.1	NE	Regular	No						No	No	Yes	No	Yes	9.10	0.30	0.9999	6.80	15.90	3.70	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2830.0	SE	Regular	No						Yes	No	Yes	No	No	5.00	1.30	8.80	5.80	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2830.0	SW	Regular	No						Yes	No	Yes	No	Yes	7.60	1.10	7.90	6.00	14.40	2.60	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2801.6	NW	Regular	No						Yes	No	Yes	No	No	10.80	1.10	10.00	8.30	15.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2701.0		Regular	No						Yes	No	NA		Yes	12.80	0.60	10.20	15.30	17.10	4.40	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2400.3	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	8.10	0.40	5.90	6.90	17.50	2.00	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	2339.2	NW	Regular	Yes					No	No	No	Yes	No	Yes	9.10	3.60	12.40	8.80	21.50	3.40	1.60	0.00	0.00	0.00	0.00	sewer grate gutter	No
Medium	Yes	A5	1885.8	SW	Regular	No						No	No	Yes	No	Yes	6.70	1.30	6.90	9.00	14.10	6.00	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1856.7	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.50	3.50	9.80	10.20	14.20	3.00	3.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1749.4	SW	Regular	No						Yes	Yes	Yes	No	Yes	8.30	2.40	9.10	8.20	19.00	5.30	2.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1723.7	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.80	1.10	5.10	9.50	14.40	1.10	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	1217.1	NW	Regular	Yes					No	Yes	No	Yes	No	No	6.30	0.40	8.30	5.80	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A5	784.7	SW	Regular	Yes						Yes	No	Yes	No	Yes	8.40	1.60	9.30	9.50	17.20	4.20	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	8820.8	NW	Regular	Yes					No	No	No	Yes	No	Yes	12.50	1.60	12.10	12.60	18.05	7.30	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	8427.1	SW	Regular	Yes					No	No	Yes	Yes	Yes	Yes	8.20	1.00	7.40	11.00	17.50	5.00	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	8367.2	NW	Regular	Yes					No	Yes	Yes	Yes	Yes	Yes	7.40	0.40	9.10	9.10	20.60	1.20	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7912.6	SW	Regular	No						Yes	Yes	Yes	No	Yes	6.80	0.70	8.00	9.70	14.50	1.40	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7879.8	NW	Regular	No						No	Yes	Yes	No	Yes	8.80	0.10	6.10	7.00	13.50	0.60	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7765.7	SW	Regular	No						No	Yes	Yes	No	No	1.20	3.10	7.70	2.80	5.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7754.8	SW	Regular	No						No	No	Yes	Yes	Yes	15.50	1.10	9.70	9.30	21.20	2.00	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7708.6	NW	Regular	No						No	No	NA		Yes	8.20	1.50	10.80	12.20	8.20	1.30	2.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7670.8		Regular	No						Yes	No	NA		No	14.30	0.50	11.10	9.40	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7306.9	SW	Regular	Yes					No	No	Yes	Yes	No	Yes	8.50	0.10	8.00	9.90	16.40	3.20	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7301.6	SE	Regular	Yes					No	No	Yes	Yes	No	Yes	12.60	1.90	10.60	12.50	22.00	0.60	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7775.8	SE	Regular	No						No	Yes	Yes	No	No	0.70	8.40	2.40	7.30	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7892.0	NE	Regular	No						No	Yes	Yes	No	No	0.00	4.10	7.50	2.60	5.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	8364.9	NE	Regular	Yes					No	No	Yes	Yes	No	Yes	5.90	0.40	7.80	7.90	11.50	4.50	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	8428.9	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	5.80	0.40	11.00	9.60	14.90	4.40	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6827.9	SW	Regular	Yes					No	No	No	Yes	Yes	Yes	8.00	1.30	7.70	8.80	16.20	4.50	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6984.3		Regular	No						No	Yes	NA		No	10.70	3.70	14.30	7.70	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7035.7		Regular	No						Yes	No	NA		No	10.80	3.30	6.90	14.10	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7121.3		Regular	No						No	No	NA		No	10.50	0.60	11.40	5.90	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7160.6		Regular	No						No	No	NA		Yes	4.30	3.10	3.80	7.80	11.80	5.80	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7235.4	NW	Regular	Yes					No	No	No	Yes	Yes	Yes	4.80	0.10	4.70	6.20	13.40	1.80	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	7235.6	NE	Regular	Yes					No	Yes	No	Yes	Yes	Yes	8.50	0.10	9.90	8.10	17.20	3.50	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6828.5	SE	Regular	Yes					No	No	No	Yes	No	Yes	5.80	1.00	3.70	10.70	14.10	1.10	1.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6768.2	NE	Regular	Yes					No	No	No	Yes	No	Yes	3.60	1.40	6.10	7.00	13.70	2.60	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6356.1	NE	Regular	Yes					No	No	No	Yes	No	Yes	9.80	0.30	7.10	4.00	17.30	2.60	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6290.3	NE	Regular	Yes	2 inch		No	No	No	No	No	Yes	No	Yes	3.10	1.10	7.60	4.20	14.50	3.30	0.30	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	A6	6163.0		Regular	No						Yes	No	NA		No	6.00	0.30	10.80	6.70	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5645.0	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	4.70	1.10	7.50	11.70	8.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5625.8	NE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	3.30	0.60	7.10	7.90	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5387.6	SE	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	No	2.60	1.10	5.30	8.50	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5329.7	NE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	7.40	1.20	10.00	7.30	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	4944.8	SE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	8.60	3.20	9.70	4.40	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	4885.3	NE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	No	11.10	6.90	13.50	7.00	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	4872.6	NW	Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes	No	No	17.00	9.00	8.40	19.30	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	4888.4	NW	Regular	Yes	Older	No	No	No	No	No	Yes	Yes	No	No	8.40	5.90	3.40	16.60	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5333.7	NW	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	No	5.40	0.40	8.10	9.60	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	5376.8	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	3.00	2.50	1.90	6.60	6.80	2.70	3.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6407.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	7.60	2.40	8.10	10.40	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	6478.6		Regular	No						Yes	Yes	Yes	No	Yes	8.90	0.30	5.50	5.90	15.40	2.60	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	4792.5	SW	Regular	No						Yes	No	NA		No	1.80	5.00	1.60	0.9999	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2921.5	NE	Regular	No						No	No	Yes	No	No	12.90	12.70	25.70	2.30	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2911.7	NE	Regular	No						No	No	NA		No	13.80	4.90	25.30	13.90	24.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2358.3	NE	Regular	No						Yes	No	NA		No	8.70	4.60	18.80	9.40	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2328.2	NE	Regular	No						Yes	No	NA		No	9.60	1.50	15.80	12.70	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	1597.2	NE	Regular	No						Yes	No	Yes	No	No	9.10	13.80	5.30	25.00	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	1577.9	NE	Regular	No						Yes	No	Yes	Yes	No	10.90	0.00	11.50	15.20	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	19827.3		Regular	No						Yes	No	Yes	No	Yes	9.90	3.20	10.10	15.80	17.80	2.20	2.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	1570.5	NW	Regular	No						No	No	Yes	Yes	No	9.00	6.30	20.40	4.20	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	1601.0	SW	Regular	No						Yes	No	Yes	Yes	No	10.30	3.10	15.90	12.40	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2894.5	SW	Regular	No						Yes	No	Yes	No	No	5.70	12.40	8.00	18.10	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A6	2920.2	SW	Regular	No						Yes	No	Yes	No	No	7.10	3.60	3.40	9.00	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	29417.2		Regular	No						No	No	NA		No	13.50	0.20	10.20	9.90	42.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28840.6	NE	Regular	No						No	No	Yes	No	No	11.50	2.00	16.40	8.50	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28821.1	NW	Regular	No						No	No	Yes	No	No	14.20	2.10	12.10	14.80	26.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26582.0		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	8.70	0.40	9.10	8.40	18.40	1.80	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26608.4		Regular	No						No	No	Yes	No	No	10.20	1.80	9.40	2.50	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26556.1	NE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	14.80	3.20	10.20	14.10	20.80	3.40	2.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26558.6		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	14.10	2.00	10.20	6.20	19.10	2.10	3.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26587.5		Regular	No						No	No	Yes	No	Yes	10.60	1.30	4.90	10.30	16.00	0.70	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26596.9		Regular	No						No	No	Yes	No	No	9.00	1.90	13.30	6.50	21.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28170.9		Regular	No						No	No	NA		No	9.30	1.40	8.80	5.30	12.50	0.00	0.00	0.00	0.00	0.00	0.00	very poor pavement condition	No
Medium	Yes	B5	28196.5		Regular	No						No	No	NA		No	12.30	2.00	9.10	12.80	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28871.5	SE	Regular	No						No	No	Yes	No	No	12.30	0.10	8.20	8.60	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	28965.3		Regular	No						No	No	NA		No	6.90	0.20	9.80	9.30	9.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	29149.7		Regular	No						Yes	No	NA		No	11.30	3.00	7.00	12.00	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	29292.2		Regular	No						No	No	NA		No	11.90	0.00	0.9999	8.50	17.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	29335.4		Regular	No						Yes	No	NA		No	10.20	0.20	9.70	9.80	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	31301.5	SW	Regular	No						No	No	Yes	No	Yes	11.00	4.80	14.30	5.40	22.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26504.8	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	8.30	1.80	4.50	7.00	18.30	0.60	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26471.8	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	10.90	2.90	10.20	7.60	18.70	0.30	2.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26469.7	NW	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	13.00	2.30	10.20	9.60	19.70	0.20	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26507.3	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	10.50	0.20	9.30	10.80	17.70	1.90	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26129.3		Regular	No						Yes	No	NA		No	1.40	2.60	0.70	7.80	1.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26072.0		Regular	No						Yes	No	NA		No	4.90	1.60	8.90	5.10	5.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	25743.1	NE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	9.70	0.60	9.90	10.00	22.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	25695.8	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	9.90	0.40	9.30	8.90	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	25677.3	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.20	3.30	8.70	8.60	6.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	25734.7	SE	Regular	Yes	2 inch	No	Yes	No	No	No	No	Yes	Yes	No	12.20	0.30	18.40	15.50	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	25983.0		Regular	No						No	No	NA		No	8.20	3.10	11.70	4.10	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	26040.3		Regular	No						No	No	NA		Yes	8.50	2.20	7.30	11.10	12.30	0.60	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21801.6	SE	Regular	No						Yes	No	NA		No	9.30	1.00	9.20	10.30	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22225.2	SW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	Yes	13.30	2.10	12.60	15.30	17.20	2.20	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22245.3	SE	Regular	Yes	2 inch	Yes	No	No	Yes	Yes	No	Yes	No	No	10.10	0.50	8.10	9.20	23.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22920.5	SW	Regular	No						Yes	No	NA		No	11.70	0.70	7.40	16.20	23.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22939.0	SE	Regular	No						Yes	No	NA		No	8.90	1.20	11.40	6.70	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	23320.2	NW	Regular	No						Yes	No	NA		No	11.50	0.80	6.70	11.50	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22941.2	NE	Regular	No						Yes	No	NA		No	12.90	0.30	9.80	4.90	30.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22915.7	NW	Regular	No						Yes	No	NA		No	11.90	4.50	11.60	11.00	24.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22241.4	NE	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	No	No	10.30	0.10	10.20	11.50	22.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	22228.2	NW	Regular	Yes	2 inch	No	Yes	No	Yes	Yes	No	Yes	No	No	9.70	0.50	9.60	7.00	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21634.0		Regular	No						No	Yes	Yes	No	Yes	3.40	0.20	4.50	2.40	10.40	4.40	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21597.2		Regular	No						No	Yes	Yes	No	Yes	7.70	0.40	10.70	12.90	8.10	0.90	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21383.5	NE	Regular	Yes	Older	No	No	No		No	Yes	Yes	No	Yes	9.40	1.60	9.60	9.70	10.00	1.90	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21328.7	NW	Regular	Yes	Older	No	No	No	No	No	Yes	Yes	No	Yes	7.20	0.80	13.20	8.50	12.40	0.70	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21103.6		Regular	No						No	No	Yes	No	No	4.00	1.10	5.30	3.80	5.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21073.9		Parallel	No						No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.80	0.40	1.40	7.10	1.80	6.80	1.30		No
Medium	Yes	B5	20219.1	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	13.80	3.30	22.40	17.80	23.30	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	B5	20199.1	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	9.70	1.70	9.50	9.90	22.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20198.2	SW	Regular	Yes	2 inch	No	No	Yes	No	No	No	Yes	No	No	7.00	0.70	6.40	8.80	23.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20219.6	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	7.20	0.30	9.90	5.80	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20246.4	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	6.60	1.00	7.80	8.20	10.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20759.1		Regular	No						No	No	NA		No	11.30	1.10	14.70	10.40	19.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21146.0		Parallel	No						No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	12.90	3.00	1.00	8.70	2.00	7.90	0.50		No
Medium	Yes	B5	21182.8		Regular	No						No	Yes	Yes	No	Yes	9.00	1.00	6.80	9.60	10.10	0.50	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21330.4	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	9.50	3.70	13.00	9.00	10.80	4.40	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21387.6	SE	Regular	Yes	Older	Yes	Yes	No	No	No	Yes	Yes	No	Yes	10.50	0.80	6.00	9.00	13.50	0.70	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21558.9		Regular	No						No	Yes	Yes	No	Yes	7.50	1.60	8.20	9.00	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21615.9		Regular	No						No	Yes	Yes	No	Yes	10.40	0.30	9.40	9.20	18.60	1.70	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	21781.1	SW	Regular	No						Yes	No	NA		No	10.10	0.70	7.00	7.60	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1677.6	NW	Regular	No						Yes	No	NA		Yes	7.20	0.50	9.90	9.40	15.60	5.50	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1651.2	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	12.30	0.80	12.40	13.00	18.20	3.50	3.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1665.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	10.30	1.10	11.60	12.00	15.80	2.30	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1253.2	NW	Regular	No	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.10	0.20	15.90	11.60	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1662.9	SW	Regular	No						Yes	No	NA		Yes	8.20	1.30	8.80	12.20	18.60	3.10	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1686.8	SE	Regular	No						Yes	No	NA		No	6.00	0.50	5.90	6.80	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2052.6	SW	Regular	No						No	No	NA		Yes	7.70	0.00	5.90	9.60	11.50	2.30	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2072.0	SE	Regular	No						No	No	NA		Yes	7.30	1.10	2.90	8.90	12.80	3.10	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2449.5	SW	Regular	No						No	No	NA		Yes	8.70	0.50	9.00	8.00	14.60	2.90	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2872.7	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	9.20	1.50	10.70	8.70	17.80	2.40	0.80	0.00	0.00	0.00	0.00	utility cover in middle of ramp	No
Medium	Yes	B5	3227.4	SW	Regular	No						Yes	No	NA		Yes	11.50	1.50	4.90	7.70	17.80	6.30	4.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3263.2	SE	Regular	No					No	Yes	No	No		No	8.20	1.30	5.60	6.10	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3670.8	SE	Regular	No					No	Yes	No	No		Yes	9.20	2.30	9.50	10.60	17.60	3.70	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3984.1	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes		Yes	11.50	3.20	16.80	16.70	14.90	3.90	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	4007.3	NW	Regular	Yes					No	Yes	No	Yes		Yes	13.10	0.50	11.30	8.50	16.30	9.10	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3978.4	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes		Yes	11.10	0.50	8.30	7.00	12.20	2.30	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	3235.2	NW	Regular	No					No	Yes	No	No		No	8.10	1.40	11.20	8.70	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2827.5	NW	Regular	Yes	2 inch	Yes	No	No		Yes	Yes	Yes		Yes	7.50	1.50	8.50	7.80	19.10	4.60	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2484.7	NE	Regular	No					No	Yes	No	No		No	10.80	2.30	9.90	7.20	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2441.5	NW	Regular	No					No	Yes	No	No		No	12.10	2.70	9.80	8.00	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	2069.2	NW	Regular	No					No	Yes	No	No		No	13.40	1.10	15.20	7.60	18.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	4325.3	NE	Regular	No						Yes	No	NA		No	8.30	1.30	6.80	8.30	10.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	4300.3	NW	Regular	No						No	Yes	NA		No	11.10	3.10	4.20	9.50	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	4075.1	NE	Regular	Yes					No	Yes	No	Yes	No	No	9.00	2.40	3.40	6.00	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	4056.0	SE	Regular	Yes					No	Yes	No	NA		No	17.30	0.30	4.30	10.40	19.70	0.00	0.00	0.00	0.00	0.00	0.00	bollard in ramp	No
Medium	Yes	B5	7774.6	SW	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes	No	No	7.80	0.90	3.70	3.80	9.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	7805.2	SE	Regular	No	2 inch	No	No	No	No	Yes	No	Yes	No	No	13.70	1.20	10.90	13.70	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	7837.1	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	17.30	0.90	6.00	6.40	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8005.7		Regular	No						No	No	Yes	No	No	12.90	0.40	2.00	3.70	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8143.9		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	9.00	2.80	6.40	9.40	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8622.8		Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	2.90	0.60	9.60	6.60	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8598.1		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	2.90	0.20	9.00	6.20	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8450.8		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	3.70	1.90	8.60	3.40	4.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8435.1		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	2.40	2.00	7.70	11.30	6.10	9.60	4.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8116.6		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	4.40	1.80	8.00	11.20	6.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	7993.6		Regular	No						Yes	No	Yes	No	No	12.80	3.30	8.60	0.70	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	7833.7	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	10.40	0.80	7.20	8.40	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9931.4	SE	Regular	No					No	Yes	Yes	Yes		No	8.00	2.40	11.50	4.90	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9893.7	SW	Regular	No					No	Yes	Yes	Yes		Yes	4.50	0.10	7.60	10.00	17.70	3.90	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9466.6	SE	Regular	Yes					No	Yes	Yes	Yes		No	6.20	1.20	6.70	7.40	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	42.8	SE	Regular	Yes					No	Yes	Yes	Yes		Yes	3.70	0.90	0.9999	0.9999	19.70	4.20	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	9396.9	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes		No	8.30	2.10	12.10	11.80	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	8862.5	NW	Regular	No					No	Yes	No	No		No	10.60	1.70	11.70	12.10	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	4185.4	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes		Yes	9.70	4.40	9.10	5.40	14.80	1.40	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	4171.9	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	10.90	3.60	12.20	12.90	22.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	4187.3	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	10.80	1.20	12.20	11.00	21.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	10490.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	6.50	0.80	8.90	9.70	19.50	7.50	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	10502.7	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	10.00	0.00	12.80	8.60	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	10522.3	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	6.90	1.10	6.70	4.20	14.60	1.80	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	11601.2	SE	Regular	No					No	Yes	Yes	Yes		Yes	7.70	0.10	7.50	8.70	17.00	3.40	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	10803.4	SE	Regular	No					No	Yes	Yes	Yes		Yes	6.40	1.50	8.00	3.90	14.70	3.20	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13009.3		Regular	No					No	Yes	No	No		No	6.50	2.40	6.60	7.90	7.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13032.3		Parallel	No					No	Yes	No	No		No	8.50	2.20	13.20	13.40	0.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13204.7	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes		Yes	8.50	1.60	7.90	14.30	20.60	3.10	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13204.2	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	8.90	0.80	7.80	3.40	5.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	12737.1	SE	Regular	No					No	Yes	No	Yes		Yes	7.70	1.20	5.10	5.10	28.30	1.20	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13265.1	NE	Regular	Yes	2 inch	Yes	No	Yes	No	No	No	Yes		No	8.00	1.20	13.00	8.90	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13269.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes		Yes	5.20	0.70	5.80	8.20	18.40	1.90	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	13588.1	SW	Regular	No					No	No	No	No		Yes	6.70	0.30	6.50	12.10	23.40	2.20	0.90	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	B5	15137.7	SW	Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	5.80	0.50	0.90	5.10	0.30	5.40	0.50		No
Medium	Yes	B10	6061.3	SW	Regular	No					No	No	No	No		No	8.50	2.60	21.30	22.70	8.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	16235.3	SW	Regular	No					No	Yes	Yes	No		No	8.70	1.10	5.40	4.30	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	15933.6		Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.30	2.40	0.30	7.80	0.10	6.40	4.00		No
Medium	Yes	B5	15939.0	SE	Regular	No					No	No	No	Yes		No	1.60	0.60	12.30	6.50	2.40	0.00	0.00	0.00	0.00	0.00	0.00	steep ramp	No
Medium	Yes	B5	15940.1	NE	Regular	Yes	2 inch	Yes	No	No	Yes	No	No	Yes		No	3.20	0.20	10.90	10.50	7.90	0.00	0.00	0.00	0.00	0.00	0.00	steep ramp	No
Medium	Yes	B5	18660.2	NE	Regular	No					No	Yes	No	Yes		No	8.70	0.70	6.50	6.30	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20064.5		Regular	No					No	Yes	No	Yes		No	6.00	4.20	6.00	11.20	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	20008.2		Regular	No					No	Yes	No	Yes		No	7.20	2.90	8.90	8.30	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	19817.8		Regular	No					No	Yes	No	Yes		No	12.10	0.20	19.50	14.50	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	19760.5		Regular	No					No	Yes	No	Yes		No	12.70	0.80	13.50	24.20	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	19456.5	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	13.20	0.40	6.80	7.30	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	18892.2	SW	Regular	No					No	Yes	No	Yes		No	9.80	1.10	8.30	6.60	25.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	10208.9	NE	Regular	No						Yes	Yes	Yes		Yes	7.20	0.30	6.40	8.10	16.10	7.10	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	6301.8		Regular	No						No	No	NA		Yes	11.30	1.40	11.80	10.30	19.00	2.80	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	5661.1	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	5.90	1.00	5.40	4.80	15.10	3.00	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	5624.5	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	Yes	5.00	0.70	5.20	3.30	15.20	2.80	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	5653.1	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	Yes	9.70	0.50	9.50	5.80	20.60	3.50	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	6012.5	SE	Regular	No						No	No	Yes	No	Yes	5.70	1.20	12.20	3.40	6.50	0.70	3.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	6042.7	SE	Regular	No						No	No	Yes	No	Yes	8.30	4.00	11.70	8.30	12.70	0.50	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	5063.4		Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	11.30	4.20	14.20	7.80	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	5119.3		Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes		No	8.40	2.20	6.60	10.90	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	6629.7		Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes		No	5.70	0.10	8.90	5.50	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	6681.6		Regular	Yes					No	Yes	No	Yes		No	9.00	3.60	5.30	10.00	13.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	6713.0		Regular	Yes					No	Yes	No	Yes		No	5.00	3.40	5.70	7.80	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	6738.0		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		Yes	6.90	1.80	10.10	2.30	19.20	2.90	3.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	6798.9		Regular	No					No	Yes	No	Yes		Yes	6.10	0.70	6.00	7.90	19.40	0.30	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7204.4	NW	Regular	Yes	2 inch	No	No	Yes	No	Yes	No	Yes		No	8.30	0.60	90.00	8.40	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7229.3	NE	Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes		No	6.80	0.90	6.10	7.00	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7307.8		Regular	No					No	Yes	No	Yes		No	8.30	0.60	9.30	9.00	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7342.9		Regular	No					No	Yes	No	Yes		No	8.60	1.10	10.20	12.20	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	773.0		Regular	No					No	Yes	Yes	Yes		No	4.10	0.10	6.20	5.60	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	9247.7		Parallel	No					No	No	No	Yes		Yes	0.00	0.00	0.00	0.00	6.70	2.70	0.60	90.00	90.00	90.00	90.00		No
Medium	Yes	B4	9250.6	NW	Regular	No					No	No	No	Yes		Yes	5.60	0.90	10.60	15.90	8.40	3.20	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	9277.0	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes		Yes	8.90	0.40	22.30	8.50	12.10	0.40	2.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	9315.9	NE	Regular	No					No	Yes	No	Yes		Yes	7.40	1.00	9.30	8.00	18.10	2.70	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	902.0	SW	Parallel	No					No	Yes	Yes	Yes		No	5.80	1.00	4.70	9.60	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7576.7		Regular	No					No	Yes	No	Yes		No	6.20	0.40	10.00	10.00	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7280.4		Regular	No					No	Yes	No	Yes		Yes	11.00	0.60	12.10	12.00	15.10	3.80	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	7201.5	SW	Regular	Yes					No	Yes	No	Yes		No	7.40	0.40	8.80	11.80	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	5131.5		Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	8.50	9.50	13.30	1.20	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	5083.1		Regular	Yes	Older	No	No	No	No	Yes	No	Yes		No	16.70	5.60	3.80	18.00	19.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10332.4		Regular	No						No	No	Yes	No	No	11.60	2.60	24.50	23.30	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10347.6		Regular	No						No	No	Yes	No	Yes	12.10	1.30	7.40	11.80	13.50	4.10	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10355.5	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	2.40	2.90	5.40	7.90	9.30	4.20	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	698.1	NW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	7.00	4.10	13.80	7.70	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	692.9	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	Yes	No	11.70	4.20	15.90	27.50	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10470.8	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	Yes	No	1.10	1.10	17.00	16.10	3.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	678.3		Regular	No						No	No	Yes	No	No	8.60	4.00	30.60	13.90	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	639.9		Regular	No						Yes	No	Yes	No	No	9.40	1.60	14.80	17.30	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11723.1		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	6.30	7.90	15.30	2.00	21.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11759.2		Regular	Yes	2 inch	No	No	Yes	No	No	No	Yes	No	No	8.30	1.60	10.40	16.00	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11759.0		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	9.30	4.70	10.30	6.00	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11717.8		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	4.40	3.10	5.00	9.30	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11090.0		Regular	No						No	No	NA		No	2.10	1.10	0.9999	0.9999	7.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11052.1		Regular	No						No	No	NA		Yes	7.10	5.30	18.30	22.80	7.60	1.00	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	11007.3		Regular	No						No	No	NA		Yes	2.40	1.90	23.40	17.30	3.20	0.60	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10969.4		Regular	No						No	No	NA		No	0.90	0.10	0.9999	0.9999	2.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10453.6	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	5.40	1.30	9.20	10.20	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	804.2	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	3.50	1.30	4.20	6.50	4.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10358.9	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	0.90	1.40	3.40	2.30	5.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	10350.7		Regular	No					No	No	No	Yes	No	No	6.30	2.10	7.60	3.00	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	14342.9	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	5.40	0.30	10.40	9.80	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	4034.2	SE	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	No	12.30	0.10	11.80	11.10	26.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	5.9	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	1.80	2.10	7.70	8.10	7.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	138.7	NW	Regular	No						No	No	NA		No	7.60	0.90	7.00	7.10	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	311.5	NW	Regular	No						No	No	NA		No	7.60	0.90	7.00	7.10	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	339.6	SW	Regular	No						Yes	No	NA		No	3.70	0.30	5.50	7.20	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	633.8	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.30	2.10	8.80	11.70	10.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	657.4	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.60	0.80	5.90	9.30	20.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	1264.2	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.50	1.80	7.30	9.80	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	1338.7	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	1.90	0.50	7.80	8.40	9.30	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	B10	1928.0	NW	Regular	No						Yes	No	NA		No	1.10	1.50	6.60	9.00	6.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	1958.8	SW	Regular	No						Yes	No	Yes	No	No	3.60	0.10	7.30	7.30	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	4811.5	NE	Regular	No					No	Yes	No	No		No	15.20	0.50	10.10	5.80	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	4712.4	NW	Regular	No					No	Yes	No	Yes		No	5.90	0.10	3.50	11.50	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	4759.1	SW	Regular	No					No	Yes	No	Yes		Yes	11.00	2.80	9.80	5.60	26.50	7.00	4.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	5139.7	SW	Regular	No					No	Yes	No	Yes		No	11.60	0.30	8.60	12.70	29.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	5448.4	NW	Regular	No					No	Yes	No	Yes		No	7.40	3.00	2.90	7.70	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	5483.3	SW	Regular	No					No	Yes	No	Yes		No	15.20	5.20	8.10	4.30	24.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	4861.8	SE	Regular	No					No	Yes	No	No		No	12.40	2.30	8.90	7.40	24.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	7439.6	NW	Regular	Yes	2 inch	No	No	No	Yes	No	No	Yes		No	13.30	1.80	19.20	18.00	27.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B10	7445.8	NE	Parallel	Yes	2 inch	Yes	No	No	Yes	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	9.00	1.00	0.90	7.50	1.30	7.20	0.30		No
Medium	Yes	B10	5997.4	NE	Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	2.70	0.20	0.00	8.70	0.00	6.80	0.30		No
Medium	Yes	B8	5387.9		Regular	No						No	No	NA		Yes	10.60	1.20	8.60	8.70	12.90	1.40	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	5250.9		Regular	No						Yes	Yes	Yes	No	Yes	7.30	0.20	11.60	9.10	14.60	0.50	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4860.0		Regular	No						No	No	NA		Yes	6.60	0.70	4.60	8.60	7.70	0.20	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4814.1		Regular	No						No	No	NA		Yes	10.40	0.50	14.60	12.30	11.10	1.00	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4633.6		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	7.90	0.60	8.10	9.90	14.40	0.60	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4568.2		Regular	No						No	Yes	Yes	No	Yes	0.80	0.30	5.90	7.00	5.70	6.80	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	3638.0	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	6.30	0.10	10.80	10.50	22.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	3620.1	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	6.60	0.30	6.30	7.10	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	3174.8	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes	No	No	3.50	0.70	7.70	6.80	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	3144.4	SW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	6.30	2.90	7.00	8.30	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	8232.3	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	10.70	1.10	9.70	7.60	15.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	8233.2	NE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	7.00	2.50	9.00	7.10	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4584.5	NW	Regular	Yes	2 inch	Yes	Yes	No	No	No	No	Yes	No	Yes	4.10	0.20	5.20	8.20	7.10	1.20	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4590.5	NE	Regular	Yes	2 inch	Yes	Yes	No	No	No	No	Yes	Yes	Yes	6.30	0.90	9.00	6.60	8.70	0.70	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	4885.7		Regular	No						No	No	NA		Yes	9.10	1.30	7.60	6.80	10.50	1.60	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	1704.0	SW	Parallel	No					No	Yes	Yes	Yes		No	5.70	0.20	5.30	7.60	0.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	2659.4	NW	Regular	No					No	No	Yes	No		Yes	5.60	1.40	6.80	6.20	5.80	3.00	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	1526.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	5.50	0.60	5.80	4.20	15.70	4.20	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	1477.9	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	5.50	1.30	9.30	5.30	16.10	6.00	3.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	956.6	NE	Regular	No					No	Yes	No	Yes		Yes	6.70	0.60	6.50	7.70	19.00	6.90	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	896.0	NW	Regular	No					No	Yes	No	Yes		Yes	10.60	1.50	10.10	7.90	19.20	11.00	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	541.9	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	1.30	2.00	7.30	7.80	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	522.7	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes		Yes	13.00	0.60	10.60	26.70	13.70	0.70	1.80	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	569.0		Regular	No					Yes	Yes	Yes	Yes		Yes	6.40	1.00	6.10	8.60	16.90	2.50	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	894.9	SW	Regular	No					No	Yes	No	Yes		Yes	8.10	0.80	7.10	8.80	20.70	7.40	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	942.3	SE	Regular	No					No	Yes	No	Yes		Yes	5.50	0.10	8.40	8.30	14.20	4.20	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	194.9		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	7.00	1.10	8.20	9.20	15.10	1.10	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B4	244.5		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	6.50	2.00	8.40	3.90	17.80	7.60	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	165.4		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	8.80	0.10	11.60	9.30	14.80	1.30	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	683.0	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.50	1.50	0.30	7.00	1.60	4.50	1.50		No
Medium	Yes	A10	731.1	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	10.70	0.70	11.60	10.90	17.50	2.40	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	745.7		Regular	No					No	Yes	No	Yes		No	14.90	0.90	15.60	13.20	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1151.9		Regular	No					No	Yes	No	No		No	18.40	1.00	7.30	10.80	25.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1225.3	SE	Regular	No					No	Yes	No	No		No	14.10	1.60	14.70	13.50	18.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1236.4	SW	Regular	No					No	Yes	No	Yes		No	6.80	0.20	15.00	11.60	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1198.0	NW	Regular	No					No	Yes	No	No		No	15.40	0.80	17.70	13.30	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1164.1	NW	Regular	No					No	Yes	No	Yes		No	13.00	2.30	11.50	7.60	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1160.0	NE	Regular	No					No	Yes	No	Yes		Yes	12.30	0.50	14.90	10.60	17.80	1.60	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1090.0		Regular	No					No	Yes	No	No		No	6.60	0.40	8.30	17.10	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	1062.5		Regular	No					No	Yes	No	No		No	9.70	5.80	13.80	11.10	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	810.7		Regular	No					No	Yes	No	No		No	11.00	0.00	18.20	13.50	19.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	772.2	SE	Regular	No					No	Yes	No	Yes		No	9.70	1.70	18.30	14.20	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	760.2	SE	Parallel	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	1.60	0.60	0.80	0.9999	0.9999	0.9999	0.9999		No
Medium	Yes	A10	752.4	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.70	2.40	1.60	0.9999	0.9999	0.9999	0.9999		No
Medium	Yes	A10	741.3	SE	Parallel	No	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	6.70	0.10	2.50	0.9999	0.9999	0.9999	0.9999		No
Medium	Yes	A10	682.7	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.50	2.30	2.00	5.30	0.90	0.40	0.50		No
Medium	Yes	A10	670.1	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	6.60	0.50	0.90	0.00	0.90	5.20	1.90		No
Medium	Yes	A10	329.8	SE	Regular	No					No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	4.50	1.10	0.10	7.60	1.50	4.00	3.00		No
Medium	Yes	C1	8058.0	NE	Regular	No						Yes	No	Yes	No	No	8.60	0.20	6.90	7.00	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	8058.0	SE	Regular	No						Yes	No	Yes	No	No	7.60	2.60	9.20	7.20	17.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	7074.7	SW	Parallel	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.70	2.50	3.60	11.20	0.30	2.60	2.70		No
Medium	Yes	C1	6623.6	SW	Parallel	No						No	Yes	NA		Yes	0.00	0.00	0.00	0.00	7.10	0.20	0.40	8.00	1.10	9.80	1.30		No
Medium	Yes	C1	6336.4	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	18.80	2.10	0.60	8.20	1.10	8.80	1.40		No
Medium	Yes	C1	6314.3	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	18.50	2.60	1.20	6.50	1.30	7.70	1.20		No
Medium	Yes	C1	4773.0	SW	Regular	No						Yes	No	Yes	No	No	6.60	0.80	7.80	7.70	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	4772.3	NW	Regular	No						Yes	No	Yes	No	No	4.80	1.10	7.10	4.80	10.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	6326.8	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	15.10	2.60	0.30	6.70	0.80	7.10	0.90		No
Medium	Yes	C1	6613.9	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	16.10	1.10	0.50	9.00	2.40	6.90	2.70		No
Medium	Yes	C1	7073.4	NE	Parallel	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.80	3.20	1.50	4.60	0.10	12.60	1.30		No
Medium	Yes	C1	3080.2	NW	Regular	No					No	No	No	No		No	10.30	1.20	19.70	20.90	22.20	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C1	2889.8		Regular	No					No	Yes	Yes	No		Yes	6.60	0.20	8.70	4.80	20.00	6.10	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	2792.8	NE	Regular	No					No	Yes	No	No		No	11.10	2.00	12.10	15.10	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	3068.5	SW	Regular	No					No	Yes	No	No		Yes	7.30	0.00	5.00	7.10	19.20	1.20	2.80	0.00	0.00	0.00	0.00		No
Medium	Yes	C1	3135.7	SE	Regular	No					No	Yes	No	No		Yes	11.50	2.70	6.00	6.70	30.50	4.00	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	3142.2	SW	Parallel	No					No	Yes	No	Yes		No	0.00	0.00	0.00	0.00	9.90	1.60	0.70	6.40	2.50	6.60	1.80		No
Medium	Yes	B7	3140.0	SW	Regular	No					No	Yes	No	Yes		Yes	12.70	0.90	7.70	5.10	14.50	2.20	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	3129.2	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes		No	11.40	1.30	7.90	6.80	19.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	3092.4	NW	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes		No	3.30	0.50	6.50	7.10	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B7	1369.3		Regular	No	2 inch	No	No	No	Yes	No	No	Yes		No	3.30	0.50	5.30	7.80	11.20	0.00	0.00	0.00	0.00	0.00	0.00	overhead flashing lights for peds	No
Medium	Yes	B7	512.5		Parallel	No					No	Yes	Yes	No		No	0.00	0.00	0.00	0.00	3.20	0.90	0.60	7.60	0.30	8.90	1.10		No
Medium	Yes	B7	456.3		Parallel	No					No	Yes	Yes	No		No	0.00	0.00	0.00	0.00	0.70	0.40	1.10	12.10	0.10	6.30	0.50		No
Medium	Yes	B7	273.4		Parallel	No					No	Yes	Yes	No		No	0.00	0.00	0.00	0.00	4.20	1.80	0.30	7.90	1.90	8.90	0.90		No
Medium	Yes	B7	224.5		Parallel	No					No	Yes	Yes	No		No	0.00	0.00	0.00	0.00	3.30	2.20	0.50	6.90	1.00	5.90	1.10		No
Medium	Yes	B7	23.4	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	10.60	1.90	0.70	5.40	1.40	6.10	1.70		No
Medium	Yes	B7	0.0	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	11.70	1.40	0.70	6.80	1.20	8.10	0.10		No
Medium	Yes	B7	0.0	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	14.30	1.20	1.10	6.70	0.70	5.80	2.30		No
Medium	Yes	B7	30.3	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.40	1.60	0.30	6.10	0.20	0.9999	0.9999		No
Medium	Yes	B7	50.5	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	7.50	1.80	1.30	0.9999	0.9999	6.80	1.80		No
Medium	Yes	B7	1368.5		Regular	No	2 inch	No	No	No	No	Yes	No	Yes		No	10.50	0.90	15.30	17.00	16.90	0.00	0.00	0.00	0.00	0.00	0.00	overhead flashing lights for peds	No
Medium	Yes	B7	3099.7	NE	Parallel	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	8.30	0.70	0.30	7.30	2.50	6.20	0.00		No
Medium	Yes	B7	3107.0	NE	Parallel	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	5.20	0.30	0.00	7.30	1.00	5.90	1.40		No
Medium	Yes	B7	3125.4	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	6.70	1.80	1.30	8.70	0.90	11.00	3.10		No
Medium	Yes	B7	3134.5	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	10.30	0.30	1.80	8.20	1.00	7.60	1.50		No
Medium	Yes	B1	7421.6	NW	Regular	No						Yes	No	NA		No	6.20	1.30	6.90	5.20	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	7905.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	2.60	0.70	1.30	4.00	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	7607.0	SE	Regular	No						No	No	NA		No	6.20	0.50	7.20	9.40	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	7566.8	NE	Regular	No						Yes	No	NA		No	2.00	0.70	7.80	9.20	6.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	9334.5	NW	Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	No	9.70	2.60	12.00	14.40	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B1	9359.1	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	Yes	No	10.10	1.70	11.50	14.00	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	3823.5	SW	Regular	No						No	No	Yes	No	No	9.60	1.40	9.30	10.60	27.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	3827.2	SE	Regular	No						Yes	No	Yes	No	No	7.40	1.80	9.00	9.50	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	3575.1	SE	Regular	No						Yes	No	Yes	No	No	7.40	0.50	5.00	9.40	22.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	3549.8	NE	Regular	No						Yes	No	Yes	No	No	9.50	0.70	10.70	11.70	26.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	2816.8	SE	Regular	No						Yes	No	Yes	No	No	7.90	2.40	8.20	9.00	15.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	2525.2	SE	Regular	No						Yes	No	Yes	No	No	7.20	0.90	12.20	7.40	20.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	2284.1	SE	Regular	No						No	No	Yes	No	No	13.60	1.30	10.80	9.10	22.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	4858.2	NW	Regular	No						Yes	No	NA		No	9.00	4.10	12.90	8.70	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	4818.6	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.50	0.40	8.10	5.30	14.60	0.00	0.00	0.00	0.00	0.00	0.00	pedestrian beacon	No
Medium	Yes	B9	4062.7	SW	Regular	No						No	No	NA		No	12.20	0.00	14.90	13.60	18.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	4819.1	SE	Parallel	Yes	2 inch	No	Yes	Yes	No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.80	0.70	0.70	7.60	2.20	6.90	1.10	pedestrian beacon	No
Medium	Yes	B6	155.7		Regular	No						Yes	No	Yes	No	No	12.40	0.30	8.60	8.10	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	0.0	NW	Regular	No						No	No	Yes	No	No	12.20	1.60	20.10	16.40	20.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	10.2	SW	Regular	No						No	No	Yes	No	No	11.80	0.60	15.00	18.30	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1175.3	SW	Regular	No						Yes	No	Yes	No	No	6.70	0.30	11.40	5.50	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1837.2	NW	Regular	No						Yes	No	Yes	No	No	6.70	0.60	9.30	8.50	6.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1863.9	SW	Regular	No						Yes	No	NA		No	9.20	0.30	10.60	10.80	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2101.4	NW	Regular	No						Yes	No	Yes	No	No	8.20	0.30	9.40	9.50	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2870.1	SE	Regular	No						No	No	Yes	No	No	6.80	0.70	6.00	3.80	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2632.8	SE	Regular	No						Yes	No	Yes	No	No	4.50	1.60	1.80	7.10	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2332.0	SE	Regular	No						No	No	No	No	No	6.60	1.00	5.00	4.80	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2303.7	NE	Regular	No						Yes	No	Yes	No	No	9.50	0.60	15.10	9.80	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2151.1	SE	Regular	No						Yes	No	Yes	Yes	No	10.20	0.10	10.10	12.60	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	2117.0	NE	Regular	No						Yes	No	No	No	No	9.00	1.40	11.20	13.30	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1838.1	NE	Regular	No						Yes	No	Yes	No	No	9.50	0.70	15.10	18.70	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1151.8	SE	Regular	No						Yes	No	Yes	No	No	6.60	0.60	7.70	7.80	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B6	1114.9	NE	Regular	No						Yes	No	NA		No	7.10	2.10	11.10	6.10	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	7917.2	NW	Regular	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	7.00	0.80	0.9999	6.60	20.10	1.70	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	7947.7	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	6.20	0.20	7.60	0.9999	17.70	0.20	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	7583.6	NE	Regular	No						Yes	Yes	NA		Yes	7.70	3.00	7.40	0.9999	17.50	1.60	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	6625.5	SE	Regular	No						Yes	Yes	NA		Yes	6.30	0.20	7.70	8.20	15.00	0.80	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	6301.6	SW	Regular	No						Yes	Yes	NA		Yes	6.40	0.90	7.40	0.9999	15.60	0.90	1.10	0.00	0.00	0.00	0.00		No
Medium	Yes	B9	6623.3	SW	Regular	No						Yes	Yes	NA		Yes	5.40	0.10	7.60	0.9999	17.30	1.80	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	550.3	NE	Regular	No					No	No	No	NA		No	10.10	0.60	26.70	16.50	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	42.0	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.10	0.30	15.90	15.90	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	470.8	NW	Regular	No					No	Yes	No	No	No	No	7.30	4.20	4.30	5.20	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	811.6	NW	Regular	No					No	No	No	NA	No	Yes	10.50	0.80	13.60	16.30	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	873.8	NE	Regular	No					No	No	No	NA	No	No	11.30	0.70	18.40	11.30	17.00	0.00	0.00	0.00	0.00	0.00	0.00	missing curb to right of ramp	No
Medium	Yes	B5	1177.1		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	No	14.00	1.50	15.60	7.80	19.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B5	1193.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	10.50	3.80	15.30	12.30	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	E9	366.3	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	15.40	6.60	2.50	1.00	5.50	12.30	3.50		No
Medium	Yes	F2	1316.4	NW	Regular	No					No	Yes	Yes	Yes	Yes	Yes	7.60	0.50	0.9999	7.50	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	2143.6		Regular	No					No	Yes	Yes	NA		No	6.90	0.00	8.00	7.20	10.90	0.00	0.00	0.00	0.00	0.00	0.00	landing slope = 2.3%	No
Medium	Yes	F2	3004.1	SE	Regular	No					No	Yes	Yes	NA		No	6.50	3.30	2.80	8.30	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	7003.6		Regular	No					No	Yes	No	No	No	No	6.50	1.80	3.30	8.60	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	7045.8	SE	Parallel	No					No	Yes	No	No	No	No	8.00	1.40	8.80	13.30	6.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	8758.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.70	2.40	4.70	4.50	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F2	10312.7	SE	Regular	No					No	Yes	No	NA		No	8.10	4.40	1.80	11.30	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F3	607.2	NW	Regular	No					No	Yes	Yes	NA		No	8.60	0.50	0.9999	0.9999	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F3	690.3		Regular	No					No	Yes	Yes	NA		No	4.80	1.20	0.9999	0.9999	5.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F4	1797.7	NW	Regular	No					No	Yes	Yes	Yes	No	No	0.20	1.50	0.9999	0.9999	1.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F4	3126.2	NW	Regular	No					No	Yes	No	NA		Yes	14.30	1.40	6.90	11.20	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F4	3157.8	NE	Regular	No					No	Yes	No	NA		No	13.30	3.30	8.00	4.10	21.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A8	932.7	NE	Parallel	Yes	2 inch	No	No	No	No	No	No	Yes	No		0.00	0.00	0.00	0.00	15.50	5.90	3.50	1.50	4.20	11.30	5.30		No
Medium	Yes	F5	2523.8		Regular	No					No	Yes	Yes	NA		No	8.20	1.30	0.9999	0.9999	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F5	1126.5		Regular	No					No	Yes	No	NA		No	11.00	5.80	24.80	15.60	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	F5	915.4		Regular	No					No	Yes	No	NA		No	10.60	0.50	19.30	15.10	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A7	46.8	NE	Regular	No					No	Yes	Yes	NA		Yes	7.20	7.80	0.30	11.70	16.00	2.80	10.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A8	744.7		Parallel	No					No	Yes	Yes	NA			0.00	0.00	0.00	0.00	19.90	1.10	0.90	6.90	0.30	7.50	2.30		No
Medium	Yes	A9	2763.3		Regular	No					No	Yes	No	NA		No	5.90	9.80	2.60	19.90	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	2020.2	NW	Regular	No					No	Yes	Yes	NA		No	8.10	0.20	6.90	4.70	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1965.7		Regular	No					No	Yes	Yes	NA		No	10.50	2.10	10.70	7.60	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1126.8	SW	Regular	No					No	Yes	No	NA		No	6.60	0.70	6.00	11.60	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	1048.9	NW	Regular	No					No	Yes	No	NA		No	8.90	6.80	14.80	2.30	11.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11037.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	9.50	0.20	7.00	4.70	15.10	0.30	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11968.4	NW	Regular	No	Older	Yes	No	No		No	Yes	Yes	No	Yes	2.30	0.90	0.90	11.40	9.90	5.30	3.60	0.00	0.00	0.00	0.00	ramp covered in dirt	No
Medium	Yes	A9	11966.2	NW	Regular	No					No	No	Yes	Yes	No	Yes	3.30	3.10	12.80	1.20	6.90	3.30	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	11971.0	NW	Regular	Yes	Older	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	6.30	4.50	5.40	13.80	15.00	5.60	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	14622.3	NW	Regular	No						Yes	Yes	Yes	No	Yes	7.60	3.60	3.90	11.70	19.50	0.00	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	14645.0	NW	Regular	No					No	No	Yes	Yes	No	Yes	4.00	2.60	5.80	8.60	11.50	0.30	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	14651.3	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	6.40	1.00	5.10	8.40	14.80	0.60	3.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	19338.7		Regular	Yes	2 inch	Yes	No	No	Yes	Yes	Yes	Yes	No	Yes	9.50	1.20	5.00	5.30	16.20	1.20	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	25860.5	NW	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	No	5.90	1.70	5.00	4.70	6.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	25890.0	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	7.80	2.40	13.40	12.90	22.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	26034.8	NW	Regular	No					No	No	No	Yes	No	Yes	7.50	0.50	6.70	7.50	11.60	1.90	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	26093.8	SW	Regular	No					No	Yes	No	Yes	No	Yes	5.20	1.80	6.80	6.90	15.20	5.70	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	26572.9	SW	Regular	Yes					No	Yes	No	Yes	No	Yes	13.60	1.50	7.80	4.50	20.60	7.40	3.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	27006.6	NW	Regular	Yes					No	Yes	No	Yes	No	Yes	8.60	0.00	5.20	8.80	19.10	1.60	0.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	27067.5	SW	Regular	Yes					No	Yes	No	Yes	No	Yes	9.10	0.50	4.40	5.30	15.00	3.20	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	28125.6	NW	Regular	No					No	Yes	Yes	Yes	No	Yes	6.30	0.30	3.10	5.20	14.20	1.80	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34924.0	SW	Regular	No					No	No	No	NA	No	No	10.80	1.10	17.00	17.30	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34929.7	SW	Regular	No					No	Yes	Yes	NA	No	Yes	10.10	0.00	11.70	11.00	12.10	0.50	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34564.8	SW	Regular	No					No	No	No	NA	No	No	10.80	0.60	11.60	15.80	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34555.5	SW	Regular	No					No	No	No	NA	No	No	10.60	1.60	18.70	19.40	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34201.1	SW	Parallel	No					No	No	No	NA	No	No	14.70	2.20	18.10	14.90	7.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	34179.3	NW	Regular	No					No	No	No	NA	No	No	18.40	4.30	17.90	26.00	23.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	33374.4	SW	Regular	Yes	2 inch	Yes	No	No	No	No	No	Yes	No	Yes	10.00	0.70	13.50	16.60	13.30	2.40	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	33101.2	SW	Regular	No					No	No	No	NA	No	Yes	6.80	0.70	14.00	16.80	7.20	0.80	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	33081.2	NW	Regular	No					No	No	No	NA	No	No	8.20	2.00	15.70	23.50	16.20	0.00	0.00	0.00	0.00	0.00	0.00	transition to street very rough with 3 in drop	No
Medium	Yes	A9	32497.2	SW	Regular	No					No	Yes	No	NA	No	Yes	8.10	1.10	9.50	7.20	15.50	0.00	1.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	32474.0	NW	Regular	No					No	Yes	No	NA	No	No	11.50	0.60	6.60	14.70	21.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	31996.3	SW	Regular	No						No	No	No	No	Yes	8.60	0.20	16.30	15.60	16.80	0.50	0.20	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	31955.1	NW	Regular	No					No	No	No	No		Yes	9.50	0.90	15.20	11.30	18.20	2.40	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	31748.1	NW	Regular	No					No	Yes	Yes	Yes	No	No	9.90	2.40	3.40	7.80	23.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35313.0	SW	Regular	Yes	Older	No	No	No	No	No	No	Yes	No	No	10.20	2.10	17.80	14.00	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35795.3	NW	Regular	No					No	Yes	No	NA		No	9.10	2.30	9.30	4.20	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	35831.1	SW	Regular	No						No	No	NA		Yes	10.80	2.40	8.50	8.60	12.80	5.70	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36041.9	SW	Regular	Yes	Older	No	No	No	No	Yes	No	NA		No	12.70	3.70	13.40	14.40	15.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36237.7	NW	Parallel	No					No	Yes	No	NA		No	8.30	0.10	9.40	9.50	3.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36256.8	SW	Regular	No					No	Yes	No	NA		No	10.40	0.30	12.50	15.00	10.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36842.2	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.90	2.70	9.90	7.00	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	36831.3	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.70	1.00	8.80	3.50	18.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42594.8		Regular	No					No	Yes	No	NA		No	9.60	3.90	7.90	18.20	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42496.9		Regular	No					No	Yes	No	NA		No	9.50	2.10	10.50	4.40	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42407.4	SW	Regular	No						Yes	No	NA		No	6.30	4.60	11.40	21.80	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42402.6	SW	Regular	No					No	Yes	No	NA		No	9.00	4.00	26.10	17.20	9.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42392.9	SW	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	13.30	0.80	16.20	16.10	20.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	42390.2	SW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	8.40	3.10	9.90	4.00	11.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	41774.3	SW	Regular	No					No	Yes	No	NA		No	4.80	0.60	5.50	5.80	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	41765.4	NW	Regular	No					No	Yes	No	NA		No	10.90	2.80	17.50	10.70	20.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	41175.4	SW	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	10.70	0.90	18.30	20.20	13.80	2.80	3.10	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	A9	41159.0	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	12.40	0.40	8.40	9.90	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	41147.1	SW	Regular	Yes	BTN_TYPE_0004.jpg	No	Yes	Yes	No	Yes	No	Yes	No	No	6.90	2.10	6.90	11.00	15.10	0.00	0.00	0.00	0.00	0.00	0.00	Picture A9-41147	No
Medium	Yes	A9	41137.4	NW	Regular	Yes	2 inch	No	Yes	Yes	No	Yes	No	Yes	Yes	No	7.10	1.20	8.10	7.70	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	40826.5	SW	Regular	No						Yes	No	Yes	No	No	13.40	2.70	17.40	19.80	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	40796.0	NW	Regular	No						Yes	No	Yes	No	No	15.50	1.00	12.90	12.10	17.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	40421.3		Regular	No					No	Yes	No	Yes	No	No	5.80	3.30	6.60	11.70	7.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	39537.0	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.80	2.70	9.20	5.20	14.50	6.90	2.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38883.9	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	9.30	0.40	7.20	6.70	23.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38844.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.70	0.20	5.10	8.40	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38546.6	SW	Regular	No						Yes	No	NA		No	7.10	0.50	3.70	9.50	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38510.8	NW	Regular	No						Yes	No	NA		No	5.80	1.70	5.40	6.50	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	38057.4	NW	Regular	Yes	Older	No	No	No	No	Yes	No	No	No	No	8.80	3.50	16.20	10.60	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	37287.8	SW	Regular	No						Yes	No	NA		No	7.60	1.10	7.00	6.40	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	51462.7		Parallel	No					No	Yes	No	Yes	No	No	9.80	1.10	6.90	7.10	7.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50953.6	SW	Regular	No					No	Yes	No	NA		No	9.70	4.20	13.80	12.80	13.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50591.8		Regular	No					No	Yes	No	NA		No	11.80	3.30	8.10	15.00	18.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50433.1		Regular	No					No	No	No	NA		No	12.30	4.00	19.00	7.30	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50331.7	SW	Regular	Yes	Older	No	No	No	No	Yes	No	No	No	No	9.70	3.80	6.50	12.70	18.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	50213.7		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	No	11.20	6.70	14.10	3.40	23.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	48746.8		Regular	No					No	Yes	No	NA		No	6.00	1.20	2.50	6.80	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	48033.4		Regular	No					No	Yes	No	Yes	No	No	6.90	1.90	6.70	13.70	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46771.4	SW	Regular	No					No	Yes	No	Yes	No	No	8.00	1.10	6.70	6.10	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46763.7	SW	Regular	No					No	Yes	No	Yes	No	No	5.80	0.60	4.00	7.90	9.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	46160.9		Regular	No					No	Yes	No	Yes	No	No	12.20	1.60	13.50	10.10	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	22606.5		Regular	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	6.50	0.00	1.40	9.00	6.80	1.60	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45986.0		Regular	No					No	No	No	Yes	No	Yes	7.20	2.00	6.00	10.30	7.60	0.00	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45953.4		Regular	No					No	Yes	No	Yes	No	No	11.80	2.20	12.70	9.80	20.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45337.2	SW	Regular	No					No	Yes	No	Yes	No	No	5.60	2.70	9.20	5.80	14.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45331.1	SW	Parallel	No					No	No	No	Yes	No	Yes	5.30	1.50	5.60	11.60	5.40	1.80	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45324.0	NW	Regular	No					No	No	No	Yes	No	Yes	3.00	4.00	9.20	3.10	3.30	2.00	3.30	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	45312.3	NW	Regular	No					No	No	No	Yes	No	No	9.00	2.50	12.10	10.60	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	44728.0		Regular	No					No	Yes	No	NA		No	5.10	1.10	2.10	11.60	15.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	44714.1		Regular	No					No	Yes	No	NA		No	5.90	3.20	13.80	2.70	11.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43777.9	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	10.40	0.20	16.60	13.60	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	A9	43751.0	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	11.30	2.60	17.10	15.10	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	8897.9	NW	Regular	No					No	No	No	NA		No	14.50	0.40	19.90	24.40	20.00	0.00	0.00	0.00	0.00	0.00	0.00	ramp covered in dirt	No
Medium	Yes	E1	8961.3	SW	Regular	No					No	No	No	NA		No	12.50	2.80	42.80	35.70	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	2929.5	SE	Regular	No					No	No	No	Yes	No	No	8.00	0.60	6.80	7.30	16.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	7555.7	SW	Regular	No					No	Yes	No	Yes	No	No	6.60	1.80	5.30	6.70	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	7491.2	SW	Regular	No					No	No	No	NA		No	6.10	0.10	8.90	6.20	10.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E4	2869.7	NE	Regular	No					No	No	No	Yes	No	No	6.60	2.60	10.10	3.10	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E3	2244.6	SW	Regular	Yes	Older	No	No	No	No	No	No	Yes	No	No	9.00	0.70	10.70	7.30	19.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	8411.2	NW	Regular	No					No	Yes	No	Yes	No	No	7.10	0.60	10.00	7.90	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	9875.7	NW	Regular	No					No	No	No	NA		No	14.90	3.60	24.60	9.30	29.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	10533.3	NW	Regular	No					No	Yes	Yes	Yes	No	No	9.10	1.20	14.00	4.70	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	10579.0		Regular	No					No	Yes	Yes	NA		No	8.00	0.30	2.60	7.70	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	10757.7		Parallel	No					No	Yes	Yes	NA		No	7.00	0.50	6.10	6.00	0.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	10805.7		Regular	No					No	Yes	Yes	NA		No	7.60	0.00	7.10	7.20	12.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	10934.6		Regular	No					No	Yes	Yes	NA		Yes	8.40	0.70	10.70	6.70	18.20	0.10	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	11195.0		Regular	No					No	Yes	Yes	NA		Yes	10.60	5.00	5.40	13.60	12.40	2.80	4.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E10	2675.2	NW	Regular	No						Yes	No	NA		No	7.40	8.30	15.40	2.20	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E10	2656.5	NW	Regular	No						Yes	No	NA		No	8.80	1.60	5.50	4.10	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1463.9		Regular	No						Yes	No	NA		No	9.70	3.30	25.20	20.50	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1402.2		Regular	No						Yes	No	NA		No	12.60	0.20	27.70	19.10	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	1122.1		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	4.80	1.70	8.80	4.40	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	535.8		Regular	No					No	Yes	No	NA		No	6.50	0.80	8.60	7.80	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	454.9		Regular	No						Yes	No	Yes	No	No	4.00	5.10	9.70	2.50	8.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E2	85.7		Regular	No						Yes	Yes	Yes	No	Yes	7.00	0.70	8.60	5.50	16.70	1.20	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27857.4		Regular	No						Yes	No	NA		No	5.40	2.20	1.50	7.50	6.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	27726.0		Regular	No						Yes	No	NA		No	5.30	5.10	12.90	0.80	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26936.4		Regular	No						Yes	No	NA		No	5.90	3.70	2.10	8.80	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26880.2		Regular	No						Yes	No	NA		No	5.40	4.20	8.00	2.70	6.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26464.6		Regular	No						Yes	No	NA		No	6.10	2.90	4.30	12.00	18.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26427.0		Regular	No						No	No	NA		No	8.80	3.70	9.10	4.80	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26121.6		Regular	No						Yes	No	NA		No	8.10	3.50	3.10	6.50	11.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26082.7		Regular	No						Yes	No	NA		No	9.20	3.20	5.70	3.20	9.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	26023.5		Regular	No						Yes	No	NA		No	12.60	5.90	1.40	12.30	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25984.2		Regular	No						Yes	No	NA		No	10.30	7.20	13.70	2.10	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25882.1	SE	Regular	No						Yes	No	NA		No	2.70	3.40	4.70	12.30	14.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	25838.0		Regular	No						Yes	No	NA		No	3.50	2.60	12.00	2.00	13.50	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	C3	25645.3		Regular	No						No	Yes	Yes	Yes	Yes	6.00	2.00	0.9999	0.9999	9.50	2.10	2.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24803.2		Regular	No						No	No	Yes	No	Yes	7.30	0.30	6.70	6.80	10.40	5.90	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24794.8		Regular	Yes	Older	No	No	No		No	No	Yes	No	Yes	7.30	0.90	7.50	7.30	10.80	3.00	0.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24763.5		Regular	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	6.60	2.50	6.90	8.20	14.60	0.50	0.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24692.9		Regular	Yes	Older	No	No	No		No	No	Yes	No	Yes	6.20	3.00	9.90	6.10	9.20	6.30	1.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24669.7		Regular	Yes	Older	No	No	No	No	No	No	Yes	No	Yes	6.80	1.70	6.10	11.40	14.60	0.00	2.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24648.9		Regular	No						No	No	Yes	No	Yes	7.80	1.60	10.80	8.80	12.40	13.60	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24633.3		Regular	No						Yes	No	Yes	No	No	8.50	1.30	7.20	6.00	19.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24322.8		Regular	No						Yes	No	NA		No	6.80	1.40	5.90	8.10	14.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	24201.4		Regular	No						Yes	No	NA		No	7.30	1.30	7.90	4.00	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23934.7		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	2.10	3.80	6.70	10.90	7.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23871.9		Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	2.20	2.40	6.90	9.30	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23860.0		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	1.90	3.80	4.10	9.50	10.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23525.5		Regular	No						No	No	NA		No	4.40	0.50	4.60	4.10	7.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23470.8		Regular	No						Yes	No	NA		No	1.40	2.20	6.70	8.80	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23253.4	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	No	4.90	0.60	8.50	8.40	6.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	23188.5		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	8.10	4.50	2.90	12.10	16.20	7.20	3.80	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20614.9	SE	Regular	No					No	Yes	Yes	Yes	No	No	9.10	0.20	8.50	7.50	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20605.1	SE	Regular	No					No	No	Yes	Yes	No	Yes	6.20	1.70	13.50	8.80	8.00	4.50	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20596.4	SE	Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	7.60	1.20	8.10	10.60	8.60	6.10	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	20570.7	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	9.00	0.20	5.20	5.90	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	2146.8	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	3.60	1.70	4.70	10.10	10.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3198.4		Regular	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	No	1.10	1.00	1.60	0.40	5.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3201.4		Regular	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	No	1.40	0.80	4.90	1.60	13.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3577.3		Regular	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	No	1.00	0.20	2.90	4.00	2.30	0.00	0.00	0.00	0.00	0.00	0.00	two ped buttons for same crossing	No
Medium	Yes	D7	3613.4		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	0.60	0.20	4.50	4.00	4.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3611.8		Regular	Yes					No	No	No	Yes	No	Yes	8.00	0.30	14.90	15.80	11.70	0.20	0.60	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	3612.5		Regular	Yes					No	No	No	Yes	No	Yes	7.70	0.60	12.80	14.70	9.60	0.40	0.10	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	767.9	SW	Regular	No					No	Yes	Yes	Yes	No	No	2.50	2.80	11.00	3.80	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	1510.5	NW	Regular	No					No	Yes	No	NA		No	7.60	0.60	9.30	5.90	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	1533.2	SW	Regular	No					No	Yes	No	NA		No	5.60	0.20	7.40	6.50	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	1732.3	NW	Regular	No					No	Yes	No	NA		No	8.40	3.50	8.90	6.20	14.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	1760.7	SW	Regular	No					No	Yes	No	NA		No	8.10	1.70	6.80	9.00	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	4024.1	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	0.50	2.20	6.80	4.50	1.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	6029.4	NW	Regular	No						Yes	Yes	NA		No	1.90	3.10	7.90	6.50	8.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	E1	6637.4	SW	Regular	Yes	2 inch	No	No	No		Yes	Yes	Yes	No	No	0.20	3.70	6.30	2.20	7.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14243.9		Regular	No					No	Yes	Yes	NA		No	1.60	1.80	6.70	4.30	3.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14652.2		Regular	No					No	Yes	Yes	Yes	No	No	2.20	2.20	3.30	0.9999	7.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	14675.1		Regular	No					No	Yes	Yes	Yes	No	No	2.10	0.50	0.9999	9.60	18.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15225.4		Regular	No					No	Yes	No	NA		No	9.70	3.30	5.60	2.70	15.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15247.8		Regular	No					No	No	No	NA		Yes	16.50	7.00	0.9999	11.70	19.30	0.10	0.80	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15278.2		Regular	No					No	No	No	NA		Yes	14.80	2.30	0.9999	0.9999	18.20	2.00	1.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15321.7		Regular	No					No	Yes	No	NA		No	7.90	0.40	3.80	7.90	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15500.4	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	No	7.40	3.20	13.40	8.30	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15567.4	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	10.60	2.30	14.70	19.70	16.60	0.20	4.70	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15813.2		Regular	No					No	Yes	No	NA		Yes	14.90	1.10	16.60	11.70	16.60	0.30	1.90	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	15960.9	NE	Regular	No					No	Yes	No	Yes	No	No	1.10	0.20	7.50	5.40	8.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	16013.9	SE	Regular	No					No	Yes	No	Yes	No	No	12.50	0.90	6.40	6.20	22.00	0.00	0.00	0.00	0.00	0.00	0.00	manhole cover on ramp	No
Medium	Yes	C3	17642.2	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.90	2.30	6.90	8.10	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	17662.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	No	No	No	8.30	1.00	10.10	4.90	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	17710.3	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	9.10	0.30	8.10	6.70	13.60	0.00	0.00	0.00	0.00	0.00	0.00	fire hydrant on ramp	No
Medium	Yes	D7	1326.9	SE	Regular	No					No	No	No	Yes	No	No	15.00	0.80	22.20	24.90	24.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	1262.0	SW	Regular	No					No	No	No	Yes	No	No	10.10	1.30	19.60	16.60	25.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	947.1	SE	Regular	No					No	Yes	No	NA		No	9.50	4.80	12.80	22.70	12.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	913.7	SW	Regular	No					No	Yes	No	NA		No	10.70	2.30	21.30	14.10	15.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	436.4		Regular	No					No	No	No	NA		No	9.70	0.40	10.30	8.70	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D7	381.3		Regular	No					No	Yes	No	NA		No	12.50	1.70	14.30	10.80	14.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	4520.0		Regular	No					No	Yes	No	NA		No	9.20	0.10	8.20	8.10	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	4542.4		Regular	No					No	Yes	No	NA		No	6.80	1.40	5.70	8.00	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	4870.1	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.10	1.40	5.80	8.10	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5371.1		Regular	No					No	Yes		Yes	No	No	0.60	1.60	12.00	7.00	1.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5408.5		Regular	No					No	Yes	Yes	Yes	No	No	2.00	0.40	6.40	0.40	4.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5709.7		Regular	No					No	Yes	No	NA		No	11.00	3.50	9.30	18.90	14.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5722.8		Regular	No					No	No	No	NA		Yes	1.80	6.40	15.10	6.30	4.20	1.60	6.70	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5736.8		Regular	No					No	No	No	NA		No	15.20	5.50	7.60	18.70	20.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	5747.1		Regular	No					No	Yes	No	NA		No	8.30	5.30	13.90	3.60	16.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	6215.8		Regular	No					No	Yes	No	NA		No	8.40	0.70	7.60	9.70	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	6245.7		Regular	No					No	No	No	NA		Yes	8.80	0.80	0.9999	0.9999	9.50	0.70	2.10	0.00	0.00	0.00	0.00	Picture D6-6245	No
Medium	Yes	D6	7016.1		Regular	No					No	No	No	Yes	No	Yes	7.60	0.80	9.00	11.00	15.40	0.30	1.30	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	7082.5		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	7.80	0.10	6.90	8.30	13.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	7110.7		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	2.00	0.20	5.80	6.50	6.70	0.10	0.60	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	Yes	D6	7162.2		Regular	No					No	Yes	No	Yes	No	No	8.20	0.20	8.30	5.80	8.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	7181.6		Regular	No					No	No	No	Yes	No	No	8.70	1.00	9.00	7.30	16.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	4995.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	3.00	0.80	10.20	2.90	4.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D6	4228.4		Regular	No					No	Yes	No	Yes	No	No	15.00	1.80	23.10	13.80	23.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2483.5	SE	Regular	Yes	Older	No	No	Yes	No	Yes	No	Yes	No	No	11.50	0.40	8.20	4.50	16.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2928.1	NE	Regular	No						Yes	No	Yes	No	No	8.70	0.70	9.80	6.40	17.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	2977.7	SE	Regular	No						Yes	No	Yes	No	No	7.20	2.30	7.90	5.00	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	920.7	NW	Regular	No						Yes	No	Yes	No	No	7.80	3.10	10.00	3.20	10.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	939.5	NE	Regular	No						Yes	No	Yes	No	No	7.20	1.10	8.30	8.20	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	1965.7	NW	Regular	No						Yes	No	NA		No	13.50	3.00	7.40	11.00	21.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	1984.9	NE	Regular	No						No	No	NA		No	14.30	9.80	26.00	4.40	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	2243.8	SW	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	12.10	1.40	18.00	11.10	13.40	1.00	0.30	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	2258.4	SE	Regular	Yes	Older	Yes	No	No	No	No	No	Yes	No	Yes	14.40	3.00	16.60	10.40	15.70	1.60	5.90	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	2254.5	SW	Regular	No					No	Yes	No	Yes	No	Yes	10.20	2.80	8.80	14.40	15.00	6.60	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	D5	2252.7	SW	Regular	No						Yes	Yes	Yes	No	Yes	14.50	0.10	7.70	7.50	21.80	5.30	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	4101.4	SE	Regular	No						Yes	No	Yes	No	Yes	8.10	0.10	10.40	8.80	14.80	0.20	2.60	0.00	0.00	0.00	0.00		No
Medium	Yes	D4	4937.2	SE	Regular	No						Yes	No	No	Yes	No	10.10	2.10	11.30	7.50	16.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	8245.8	SE	Regular	Yes	2 inch	No	Yes	No	No	Yes	Yes	Yes	No	No	2.40	1.00	4.70	9.00	9.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	8232.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	5.50	3.10	2.60	8.40	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	7032.1	SE	Regular	No						Yes	Yes	Yes	No	No	2.00	0.40	5.00	7.30	4.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	6954.9	SW	Regular	No						Yes	No	NA		No	4.20	0.40	4.70	7.60	4.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5357.3	SE	Regular	No						Yes	No	NA		No	10.20	1.20	5.40	11.30	10.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5336.9	SW	Regular	No						Yes	No	NA		No	8.70	2.10	6.00	5.50	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5126.1		Regular	No						Yes	No	NA		No	8.90	1.20	7.00	8.10	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5098.8		Regular	No						Yes	No	NA		No	8.50	0.90	7.50	8.50	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	4973.3	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	11.60	0.30	7.60	4.60	23.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11409.6	NE	Regular	No						Yes	No	NA		No	9.00	0.40	7.20	7.90	12.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11430.4	SE	Regular	No						Yes	No	NA		No	8.20	0.90	4.40	4.60	8.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11594.1		Regular	No						Yes	No	NA		No	7.90	4.70	11.50	0.30	18.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11615.4		Regular	No						Yes	No	NA		No	9.30	4.20	0.50	14.50	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5481.5		Regular	No						Yes	No	NA		No	8.80	1.50	5.70	7.10	11.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	5517.1		Regular	No						Yes	No	NA		No	9.50	0.90	8.60	7.80	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	1029.0	SE	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	Yes	8.70	2.10	7.00	4.30	20.70	0.60	2.40	0.00	0.00	0.00	0.00		No
Medium	Yes	A10	8705.5	SW	Regular	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	No	10.70	2.70	4.20	11.50	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C9	949.3	SW	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	Yes	9.00	0.50	6.60	10.50	14.80	3.30	3.60	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11068.8	NE	Regular	No					No	Yes	No	NA		No	2.50	0.70	10.30	9.00	4.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	11032.4		Regular	No					No	Yes	No	NA		No	1.30	0.50	10.70	12.20	1.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	222.5	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	0.30	3.30	7.40	4.00	11.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	525.3	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	12.40	0.90	7.60	2.00	13.30	3.00	3.60	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	507.0	SE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	Yes	7.50	0.80	1.50	25.30	8.20	3.10	1.50	0.00	0.00	0.00	0.00		No
Medium	Yes	B8	529.6	SE	Regular	No						No	Yes	Yes	No	Yes	7.20	0.60	5.50	5.60	11.80	3.00	1.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	5764.0		Regular	No						No	Yes	Yes	No	Yes	4.00	1.90	4.50	7.70	6.70	1.80	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	5757.3		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	1.20	1.20	7.80	2.70	6.00	1.80	2.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5622.1		Regular	Yes	2 inch	No	No	No	No	No	Yes	Yes	No	Yes	3.30	1.30	0.70	0.90	7.70	1.80	2.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C2	5616.6		Regular	Yes	2 inch		No	No	No	No	Yes	Yes	No	Yes	0.60	0.40	3.20	0.9999	1.90	0.20	2.20	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	5878.5	SE	Regular	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	0.10	0.50	0.9999	4.30	4.90	0.50	2.10	0.00	0.00	0.00	0.00	traffic signal cover in ramp	No
Medium	Yes	C3	5893.3		Regular	No						No	Yes	Yes	No	Yes	6.30	0.30	7.20	3.20	7.00	0.70	0.40	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	7117.8	SE	Regular	No						Yes	No	Yes	No	No	12.20	4.00	4.30	18.60	18.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	7634.9		Regular	No						No	Yes	NA		Yes	6.80	1.60	0.9999	0.9999	7.70	0.90	2.30	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	7831.6	NE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	6.70	0.60	7.80	4.70	7.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C5	6988.5	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.30	0.70	6.00	6.70	21.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8272.6	NE	Regular	No						Yes	Yes	Yes	No	No	1.70	3.50	8.70	0.60	9.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8280.6	SE	Regular	No						Yes	No	Yes	No	No	11.30	2.80	9.10	18.70	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8705.9		Regular	No						Yes	No	NA		No	11.70	1.00	16.20	25.10	12.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8755.8		Regular	No						Yes	No	NA		No	10.70	0.70	21.70	19.30	12.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8813.3		Regular	No						Yes	No	NA		No	12.60	2.10	21.10	20.00	13.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	8855.5		Regular	No						Yes	No	NA		No	12.40	0.40	20.60	22.60	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	9292.2	SE	Regular	No						Yes	No	Yes	No	Yes	12.00	5.30	13.30	2.20	16.80	1.60	6.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C3	9304.9	SE	Regular	No						Yes	Yes	Yes	No	No	0.40	8.00	1.30	6.60	6.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	Yes	C10	371.7	SW	Regular	No						Yes	Yes	NA		No	5.70	0.40	5.90	7.40	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F2	423.3	SE	Parallel	No						Yes	No	No	No	Yes	0.00	0.00	0.00	0.00	12.60	8.20	0.10	7.10	3.70	7.90	2.80		No
Medium	No	F1	2488.1	NW		No						Yes	Yes	Yes	Yes	Yes	6.10	1.30	0.9999	0.9999	13.30	2.10	0.70	0.00	0.00	0.00	0.00		No
Medium	No	F1	2515.7	NE	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.60	0.70	5.10	5.00	0.60	8.70	0.70		No
Medium	No	F2	3009.3	SW	Parallel	No						Yes	No	NA		Yes	0.00	0.00	0.00	0.00	9.90	7.30	2.90	11.70	4.70	4.10	3.90		No
Medium	No	F2	6110.9	NW	Parallel	Yes	Older	No	No	Yes	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	13.90	4.40	0.50	5.60	2.70	7.70	4.80		No
Medium	No	F2	8793.2	NW									No				0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F2	8805.6	SW									No				0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F2	9433.3	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	13.90	4.70	2.70	7.90	3.00	3.60	3.00		No
Medium	No	F2	9506.8	SW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	13.80	6.00	3.30	5.20	2.30	9.00	2.30		No
Medium	No	F2	10312.5	SW	Parallel	No					No	Yes	Yes	No		Yes	0.00	0.00	0.00	0.00	8.40	0.90	1.00	9.90	3.40	8.40	0.10		No
Medium	No	F2	13374.5		Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes		Yes	5.50	1.10	5.30	8.20	13.50	4.70	1.80	0.00	0.00	0.00	0.00		No
Medium	No	F2	11717.4		Parallel	No					No	Yes	No	No		Yes	0.00	0.00	0.00	0.00	1.50	0.10	0.50	4.00	0.40	0.9999	0.9999		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	F2	11778.1		Parallel	No					No	Yes	No	No		Yes	0.00	0.00	0.00	0.00	5.10	0.70	0.50	0.9999	0.9999	9.80	2.00		No
Medium	No	F4	1825.1	SE	Parallel	No						Yes	Yes	No	Yes	Yes	0.00	0.00	0.00	0.00	9.20	1.50	0.30	6.30	0.80	7.90	3.10		No
Medium	No	F4	3623.8	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.20	2.00	1.20	14.20	3.20	7.70	1.80	no sidewalk off of right ramp	No
Medium	No	A8	997.0	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	7.60	7.50	1.80	10.90	8.10	6.80	3.30		No
Medium	No	F5	2693.4	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	5.10	0.30	5.10	1.70	1.90	8.70	0.30		No
Medium	No	F5	1453.6		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	13.20	2.60	3.60	15.30	1.40	7.20	0.80		No
Medium	No	F5	1333.0		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	9.30	2.50	2.50	2.70	2.60	11.60	1.40		No
Medium	No	F5	1269.3		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	9.30	1.70	2.60	8.50	1.10	12.30	1.60		No
Medium	No	A7	2649.9	NW	Parallel	No						Yes	No	Yes	Yes	Yes	0.00	0.00	0.00	0.00	10.70	2.50	0.50	4.40	2.80	9.40	3.50		No
Medium	No	A8	21.2	SE	Parallel	No	2 inch	No	No	No		Yes	No	Yes	Yes	Yes	0.00	0.00	0.00	0.00	12.80	8.90	0.80	6.80	7.00	7.10	4.10		No
Medium	No	A8	1451.6		Parallel	No						Yes	No	No	No	Yes	0.00	0.00	0.00	0.00	8.70	7.30	5.30	1.10	3.80	11.40	4.80		No
Medium	No	A8	1484.7		Parallel	No						Yes	No	No	No	Yes	0.00	0.00	0.00	0.00	11.10	8.40	1.10	10.30	4.30	7.20	4.40		No
Medium	No	A9	12076.6		Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	9.40	1.60	2.50	9.10	1.10	4.30	1.40		No
Medium	No	A9	11433.3		Regular	No						Yes	No	No	No	Yes	8.20	3.00	0.9999	0.9999	13.60	3.40	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A9	11950.3	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	6.20	5.50	16.00	0.10	8.80	1.00	6.50	0.00	0.00	0.00	0.00		No
Medium	No	A9	12041.4	SE	Regular	Yes	Older	No	Yes	No	No	Yes	Yes	No	No	Yes	3.20	0.50	6.40	9.90	8.20	3.60	0.60	0.00	0.00	0.00	0.00		No
Medium	No	A9	12056.3	SE	Regular	No						Yes	Yes	Yes	Yes	Yes	5.30	1.40	3.90	9.80	10.00	7.10	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	12043.8	SE	Regular	Yes	Older	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes	2.20	3.30	15.70	3.80	4.50	2.40	2.70	0.00	0.00	0.00	0.00		No
Medium	No	A9	330.7		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	4.00	1.20	1.80	1.90	1.40	8.60	0.40		No
Medium	No	A9	298.7		Regular	No						Yes	Yes	No	No	Yes	0.30	2.50	0.9999	0.9999	2.40	1.20	1.60	0.00	0.00	0.00	0.00		No
Medium	No	A9	255.0		Regular	No						Yes	Yes	No	No	Yes	6.60	2.50	0.9999	0.9999	9.90	3.10	2.00	0.00	0.00	0.00	0.00		No
Medium	No	A9	25567.7	NE	Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	Yes	9.80	2.30	13.80	14.10	12.40	3.70	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	26095.0	SE	Regular	No						Yes	No	Yes	No	Yes	8.30	0.50	5.60	8.60	12.60	0.00	0.10	0.00	0.00	0.00	0.00		No
Medium	No	A9	26521.3	NE	Regular	Yes					Yes	Yes	No	Yes	No	Yes	7.30	0.40	10.70	12.40	13.80	3.10	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A9	27474.6	NE	Regular	Yes					No	Yes	No	Yes	No	Yes	4.30	2.20	7.20	8.00	12.30	3.60	1.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	27543.2	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	5.20	1.80	4.60	1.70	6.60	1.20	2.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	27876.7	NE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	3.40	0.50	6.20	4.20	8.00	3.90	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A9	28109.0	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	7.90	3.80	8.80	7.10	13.30	0.90	3.10	0.00	0.00	0.00	0.00		No
Medium	No	A9	28162.5	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	5.30	0.50	4.20	6.60	9.30	1.40	2.10	0.00	0.00	0.00	0.00		No
Medium	No	A9	35343.8		Parallel	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.40	2.20	1.80	7.00	0.10	7.50	2.00		No
Medium	No	A9	35282.1		Parallel	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	11.80	2.20	1.00	5.60	1.30	9.00	1.00		No
Medium	No	A9	34143.3	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	10.30	2.10	1.50	7.50	3.70	12.50	2.70	under construction	No
Medium	No	C9	22.1	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	12.40	1.40	0.10	8.40	2.50	6.30	1.40	under construction	No
Medium	No	A9	31995.0	NE	Regular	No						Yes	No	Yes	No	Yes	8.90	2.00	8.00	9.00	10.50	1.30	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A9	31739.4	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.50	1.10	1.40	9.70	1.80	4.50	0.10		No
Medium	No	A9	36019.4	NE		Yes	Older	Yes	No	No			No	Yes			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	in medin cut through, no ramp	No
Medium	No	A9	43115.1		Regular	Yes	2 inch	No	No	Yes	No	Yes	Yes	Yes	No	Yes	3.80	1.90	7.30	5.70	4.40	0.40	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	43045.1		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.80	2.50	0.90	6.30	1.70	8.10	1.30		No
Medium	No	A9	39580.8	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	6.90	1.00	5.40	4.90	13.00	1.70	2.00	0.00	0.00	0.00	0.00		No
Medium	No	A9	51442.0		Regular	No					No	Yes				Yes	8.30	2.50	14.60	7.60	10.40	0.40	0.60	0.00	0.00	0.00	0.00		No
Medium	No	A9	51422.6		Regular	No						Yes	No	No	No	Yes	7.80	2.40	5.00	14.80	8.90	0.10	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A9	50749.0		Regular	No						Yes	No	No	No	Yes	1.90	1.10	12.80	8.30	2.80	2.20	0.10	0.00	0.00	0.00	0.00		No
Medium	No	A9	49840.1		Regular	No						Yes	No	No	No	Yes	7.40	1.20	28.90	33.70	9.80	7.10	1.80	0.00	0.00	0.00	0.00		No
Medium	No	A9	49817.5		Regular	No						Yes	No	No	No	Yes	7.10	1.20	22.00	35.50	11.40	7.50	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A9	47915.3		Regular	No						Yes	No	No	No	Yes	6.40	0.50	9.00	9.40	9.50	2.40	0.60	0.00	0.00	0.00	0.00		No
Medium	No	C3	22444.0		Regular	Yes	Older	No	Yes	No	No	Yes	Yes	Yes	No	Yes	0.50	1.00	5.00	4.40	0.90	0.50	0.70	0.00	0.00	0.00	0.00		No
Medium	No	A9	44287.2		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	1.90	1.20	2.10	1.80	0.50	4.90	0.40		No
Medium	No	A9	44230.0		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	1.40	0.50	0.30	4.80	0.80	2.70	0.40		No
Medium	No	D8	43.3	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	4.90	0.40	2.90	6.00	8.50	1.20	1.00	0.00	0.00	0.00	0.00		No
Medium	No	E1	10460.4	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	1.50	0.30	1.60	5.90	3.00	6.70	1.70		No
Medium	No	E1	10930.0		Regular	No						Yes	Yes	NA		Yes	6.30	2.50	4.80	6.80	9.50	2.10	2.90	0.00	0.00	0.00	0.00		No
Medium	No	E1	10988.9		Parallel	No						Yes	Yes	NA		Yes	0.00	3.00	0.00	0.00	3.70	0.20	3.10	9.60	1.10	4.50	2.50		No
Medium	No	E2	1831.5		Regular	No					No	Yes	Yes	NA		Yes	1.60	1.00	5.70	9.80	11.20	3.00	0.40	0.00	0.00	0.00	0.00		No
Medium	No	E2	121.5		Regular	No						Yes	Yes	Yes	No	Yes	3.40	2.80	3.20	8.80	10.50	1.60	2.60	0.00	0.00	0.00	0.00		No
Medium	No	D8	699.7	SE	Regular	No						Yes	No	Yes		Yes	7.60	1.00	4.90	14.40	10.00	4.10	4.10	0.00	0.00	0.00	0.00		No
Medium	No	D8	431.9		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.50	2.30	0.70	3.80	0.90	9.30	0.60		No
Medium	No	D8	477.6		Parallel	No							Yes	NA			0.00	0.00	0.00	0.00	3.10	0.80	1.30	8.80	2.50	7.00	4.00		No
Medium	No	D8	773.3		Regular	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	2.10	2.50	2.40	7.00	2.00	8.30	2.10		No
Medium	No	D7	3230.7		Parallel	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.40	1.30	1.40	1.20	1.10	2.70	1.80		No
Medium	No	E1	707.7	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	5.40	0.80	6.90	6.80	13.40	2.20	1.20	0.00	0.00	0.00	0.00		No
Medium	No	E1	787.4	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	5.60	3.30	7.00	10.70	11.10	2.40	3.60	0.00	0.00	0.00	0.00		No
Medium	No	E1	1056.8	SE	Regular	No						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	5.20	3.00	0.80	6.30	2.90	7.90	2.70		No
Medium	No	E1	4015.2	NE	Parallel	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.10	2.70	2.00	4.10	1.30	8.10	1.60		No
Medium	No	E1	6433.6	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.90	1.30	1.00	7.20	2.80	7.50	1.20		No
Medium	No	E1	6506.8	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.70	1.90	2.90	2.90	1.00	7.00	3.10		No
Medium	No	E1	6652.2	NE	Regular	Yes	Older	No	No	Yes	No	Yes	Yes	Yes	No	Yes	0.90	0.70	1.80	4.60	9.10	3.30	1.70	0.00	0.00	0.00	0.00		No
Medium	No	C3	16568.1		Regular	No						Yes	Yes	No	No	Yes	9.10	0.20	0.9999	0.9999	12.10	2.00	0.30	0.00	0.00	0.00	0.00		No
Medium	No	C3	16649.4		Regular	No						Yes	Yes	No	No	Yes	9.70	1.20	0.00	0.00	10.20	2.60	0.50	0.00	0.00	0.00	0.00		No
Medium	No	D6	733.4	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	Yes	1.80	1.80	10.30	4.80	8.40	2.30	1.90	0.00	0.00	0.00	0.00		No
Medium	No	D6	790.6	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	2.30	0.90	7.90	11.90	8.40	2.90	1.40	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	D4	1766.4	SE	Regular	No					No	Yes	No	NA	No	NA	8.40	0.50	0.9999	5.80	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	D4	1938.6		Regular	No						Yes	No	NA		NA	7.10	3.70	5.70	0.9999	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	D4	5908.1		Parallel	Yes					No	Yes	No	Yes	Yes	Yes	0.00	0.00	0.00	0.00	8.20	2.30	0.70	4.90	2.10	6.10	1.60		No
Medium	No	D4	5911.6		Parallel	Yes					No	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	1.20	1.20	2.00	6.30	2.70	8.00	1.10		No
Medium	No	C9	7311.1	NW	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.40	2.00	0.50	6.70	5.10	5.80	2.00		No
Medium	No	C9	7049.8	NE	Parallel	Yes						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.90	1.30	0.30	6.90	3.90	10.60	1.60		No
Medium	No	C9	6995.0	NW	Regular	No							Yes	Yes	No		0.00	0.00	0.00	0.00	4.70	1.00	1.50	10.30	2.00	4.10	0.90		No
Medium	No	C9	1387.5	NE	Regular	No						Yes	Yes	NA		Yes	6.00	2.20	8.70	2.70	13.10	3.70	2.70	0.00	0.00	0.00	0.00		No
Medium	No	C9	222.1	SE	Parallel	Yes	2 inch	No	No	No		Yes	Yes		No	Yes	0.00	0.00	0.00	0.00	9.50	0.60	3.30	9.70	1.40	3.90	0.60		No
Medium	No	C3	10732.5		Regular	No						Yes	No	NA	No	NA	3.40	11.10	27.50	16.30	8.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	10850.0		Regular	No						Yes	No	NA		NA	7.10	8.40	10.20	26.50	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	5459.8		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	2.70	0.80	1.40	5.90	1.90	10.10	0.20		No
Medium	No	C3	5738.3		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.80	1.10	1.40	9.00	2.20	7.20	0.20		No
Medium	No	C2	5503.4	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	NA	1.90	0.70	6.00	6.30	2.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C2	5465.5		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.50	2.70	1.70	8.90	0.40	8.60	0.60		No
Medium	No	C3	6780.3		Regular	No						Yes	No	No	No	NA	4.20	6.50	4.30	0.9999	4.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	8146.8	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.60	0.50	1.30	3.80	1.00	10.00	4.10		No
Medium	No	C7	30.5	SE	Regular	No						Yes	Yes	NA		Yes	6.70	2.70	6.90	1.50	12.50	2.20	1.20	0.00	0.00	0.00	0.00		No
Medium	No	C7	543.5	SW	Regular	No						Yes	Yes	NA		Yes	8.00	1.70	6.80	7.70	13.40	4.30	0.80	0.00	0.00	0.00	0.00		No
Medium	No	C7	595.0	SE	Regular	No						Yes	Yes	NA		Yes	7.40	0.00	4.40	7.10	14.00	0.70	1.40	0.00	0.00	0.00	0.00		No
Medium	No	C7	991.9	SW	Regular	No						Yes	Yes	NA	Yes	Yes	4.40	0.80	6.60	6.60	9.80	5.50	1.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	7108.2	SW	Regular	No						Yes	Yes	NA		Yes	5.50	0.50	5.10	5.20	13.00	2.50	1.10	0.00	0.00	0.00	0.00		No
Medium	No	C7	1085.3	SE	Regular	No						Yes	Yes	NA		Yes	5.10	2.00	4.50	7.70	13.50	2.80	2.40	0.00	0.00	0.00	0.00		No
Medium	No	A10	6999.9	NE	Regular	No						Yes	Yes	Yes	No	Yes	2.90	0.60	3.70	4.90	8.30	2.60	0.10	0.00	0.00	0.00	0.00		No
Medium	No	A10	6998.5	NW	Regular	No						Yes	Yes	Yes	No	Yes	4.40	0.10	1.90	7.40	12.00	2.60	0.20	0.00	0.00	0.00	0.00		No
Medium	No	C7	1002.1	NW	Regular	No						Yes	Yes	NA		Yes	6.80	1.20	6.00	7.80	13.20	5.90	0.30	0.00	0.00	0.00	0.00		No
Medium	No	B1	12948.7	SW	Regular	No						Yes	No	No	No	Yes	9.10	1.10	7.80	10.30	12.20	7.00	1.60	0.00	0.00	0.00	0.00		No
Medium	No	B1	12543.9	NW	Regular	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	7.80	1.50	7.50	12.60	1.10	2.60	2.10		No
Medium	No	D1	2539.5	NW	Regular	No						Yes	No	NA		Yes	8.90	1.30	8.00	8.40	9.70	3.70	0.30	0.00	0.00	0.00	0.00		No
Medium	No	D1	714.1	SW	Regular	No						Yes	No	NA		Yes	6.50	2.60	6.50	9.30	9.20	3.00	0.40	0.00	0.00	0.00	0.00		No
Medium	No	D1	653.3	NW	Regular	No						Yes	No	NA		Yes	9.70	3.00	10.20	10.50	10.80	2.20	1.10	0.00	0.00	0.00	0.00		No
Medium	No	D1	319.5	NW	Regular	No						Yes	No	NA		Yes	6.70	1.80	8.50	7.10	13.80	0.20	2.60	0.00	0.00	0.00	0.00		No
Medium	No	D1	3333.9	SE	Regular	No						Yes	No	NA		Yes	7.10	3.80	8.50	9.90	12.50	1.70	1.10	0.00	0.00	0.00	0.00		No
Medium	No	A10	9775.0	SW	Regular	No						Yes	Yes	NA		Yes	7.40	0.10	5.20	6.60	12.90	2.60	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A10	10362.4	NW	Regular	No						Yes	Yes	Yes		Yes	7.20	0.20	6.80	6.50	13.60	0.20	0.20	0.00	0.00	0.00	0.00		No
Medium	No	A10	10668.6	NE	Regular	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	1.70	2.30	0.90	5.90	2.10	8.10	0.30		No
Medium	No	A10	9972.8	SE	Regular	No						Yes	Yes	NA		Yes	8.10	0.70	4.70	6.20	12.50	3.30	1.90	0.00	0.00	0.00	0.00		No
Medium	No	A10	9718.8	NE	Regular	No						Yes	Yes	Yes		Yes	0.40	0.10	5.40	5.40	2.40	3.00	0.80	0.00	0.00	0.00	0.00		No
Medium	No	A10	9549.7	SE	Regular	No						Yes	Yes	Yes		Yes	8.40	2.80	6.20	7.40	12.20	0.00	0.70	0.00	0.00	0.00	0.00		No
Medium	No	A10	9508.6	NE	Regular	No						Yes	Yes	NA		Yes	7.60	0.30	6.70	6.00	12.70	6.00	0.90	0.00	0.00	0.00	0.00		No
Medium	No	A10	8303.2	NW	Regular	No						Yes	Yes	No	No	Yes	8.40	1.00	8.80	7.90	12.60	4.80	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A10	8339.6	SW	Regular	No						Yes	Yes	No	No	Yes	8.70	2.40	4.80	8.90	13.30	1.20	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A10	8367.1	SW	Regular	No						Yes	Yes	No	No	Yes	7.90	3.60	2.70	10.50	13.30	1.40	3.70	0.00	0.00	0.00	0.00		No
Medium	No	A10	9134.9	SW	Regular	No						Yes	Yes	Yes	No	Yes	8.10	1.10	9.10	8.10	13.60	1.10	0.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	9138.0	SE	Regular	No						Yes	Yes	No	No	Yes	6.00	0.70	9.00	8.90	11.40	2.20	2.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	8357.7	SE	Regular	No						Yes	Yes	No	No	Yes	5.00	2.00	5.00	7.50	11.20	3.10	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A10	8341.8	SE	Regular	No						Yes	Yes	No	No	Yes	9.70	0.40	6.80	7.30	13.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	A10	8303.4	NE	Regular	No						Yes	Yes	No	No	Yes	6.50	2.60	6.20	4.90	11.20	5.20	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A10	8280.2	NE	Regular	No						Yes	Yes	Yes	No	Yes	3.40	0.80	6.80	4.00	12.10	2.30	0.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	6716.6	SE	Regular	No						Yes	Yes	No	No	Yes	6.20	3.20	9.10	3.30	11.20	2.00	1.50	0.00	0.00	0.00	0.00		No
Medium	No	A10	6330.8	NE	Regular	No						Yes	Yes	No	No	Yes	8.50	2.60	8.30	8.90	11.80	4.20	7.20	0.00	0.00	0.00	0.00		No
Medium	No	A10	6300.8	NE	Regular	No						Yes	Yes	Yes	No	Yes	5.30	0.10	6.40	7.40	13.60	0.80	1.10	0.00	0.00	0.00	0.00		No
Medium	No	A10	6019.4	SE	Regular	No						Yes	Yes	Yes	No	Yes	3.30	0.50	4.90	7.40	9.40	3.10	0.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	5635.6	SE	Regular	No						Yes	Yes	No	No	Yes	7.80	2.20	5.80	9.90	9.00	3.40	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A10	4350.4	SE	Regular	No						Yes	No	No	No	Yes	8.30	3.30	10.90	7.00	13.70	6.70	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A10	3417.3	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	2.30	1.10	3.60	0.70	8.70	3.00		No
Medium	No	C4	2240.3	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	6.00	0.30	1.20	4.20	1.40	6.40	0.00		No
Medium	No	A10	3066.8	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	2.00	3.60	5.00	0.10	5.20	5.30		No
Medium	No	A10	3344.1	NW	Parallel	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.90	0.20	0.30	9.40	0.20	4.70	1.40		No
Medium	No	A10	5993.5	SW	Regular	No						Yes	Yes	No	No	Yes	9.50	1.80	6.00	4.40	10.50	2.40	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A10	6292.7	NW	Regular	No						Yes	Yes	Yes	No	Yes	7.10	2.30	11.40	2.90	10.50	1.60	2.40	0.00	0.00	0.00	0.00		No
Medium	No	A10	6316.6	NW	Regular	No						Yes	Yes	No	No	Yes	8.70	3.50	8.90	8.30	12.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B2	520.1		Regular	No						Yes	No	NA		NA	2.00	0.90	0.9999	5.10	9.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B2	690.0	SE	Regular	Yes	2 inch	No	No	No		Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	10.00	1.90	2.70	0.90	1.50	7.50	2.00		No
Medium	No	B2	617.9	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	8.40	2.40	1.80	6.00	2.00	3.40	4.40		No
Medium	No	B2	690.8	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	2.30	3.00	4.60	14.60	2.70	2.00	6.90	0.00	0.00	0.00	0.00		No
Medium	No	B3	37.3	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	5.90	1.80	3.20	4.50	0.80	1.70	2.80		No
Medium	No	B3	2215.8	NW	Parallel	No							Yes	NA			0.00	0.00	0.00	0.00	10.90	2.20	0.30	6.80	0.90	0.9999	0.9999		No
Medium	No	B2	8562.7	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.40	2.00	1.10	7.90	2.20	5.40	0.10		No
Medium	No	B2	8483.4	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	1.80	8.00	8.10	0.30	8.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B2	9534.2		Regular	No						Yes	Yes	Yes		NA	7.40	3.50	8.10	7.60	10.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B2	9570.9		Regular	No						Yes	Yes	Yes		NA	3.20	1.80	2.60	12.40	11.40	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	B2	10860.2		Regular	No						Yes	No	NA		Yes	9.50	2.30	7.10	3.30	10.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B2	14341.7	SW	Regular	No						Yes	No	Yes		Yes	3.00	2.20	3.10	8.60	8.30	7.50	4.10	0.00	0.00	0.00	0.00		No
Medium	No	B2	16934.6		Regular	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No	Yes	4.30	5.70	6.50	5.70	5.40	2.60	1.40	0.00	0.00	0.00	0.00		No
Medium	No	B2	16738.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.50	1.70	4.00	7.70	11.40	7.20	3.30	0.00	0.00	0.00	0.00		No
Medium	No	B2	16669.5		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	4.20	14.20	4.10	3.60	0.20	2.10	0.00	0.00	0.00	0.00		No
Medium	No	B2	16466.7		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	1.90	2.20	1.20	11.90	8.40	0.40	1.10	0.00	0.00	0.00	0.00		No
Medium	No	B2	16017.4	SE	Regular	No						Yes	No	Yes		Yes	7.50	0.70	8.30	3.20	13.10	5.30	0.60	0.00	0.00	0.00	0.00		No
Medium	No	B2	17592.7	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.70	1.40	8.80	13.00	2.20	0.9999	0.9999		No
Medium	No	B2	17484.4		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	5.80	1.70	5.60	6.00	13.20	1.40	2.30	0.00	0.00	0.00	0.00		No
Medium	No	C5	9931.7	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	2.00	1.10	0.60	8.20	3.00	4.10	0.50		No
Medium	No	C5	10001.9	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	2.60	1.40	0.70	6.20	1.40	8.50	1.60		No
Medium	No	C5	10586.3	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	Yes	6.10	0.00	0.00	7.50	7.50	0.00	0.90	0.00	0.00	0.00	0.00		No
Medium	No	C5	10540.6	NW	Regular	No					No	Yes	No	Yes		Yes	5.60	1.00	4.10	4.00	10.40	1.10	1.00	0.00	0.00	0.00	0.00		No
Medium	No	C5	1948.3	SW	Regular	No					No	Yes	No	No	No	Yes	8.80	0.30	9.40	7.60	13.90	8.80	0.70	0.00	0.00	0.00	0.00	space for landing but sloped	No
Medium	No	C5	1674.5	NE	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	2.10	0.30	2.50	5.60	1.10	6.30	1.10		No
Medium	No	C2	5008.3		Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	3.60	1.40	1.80	0.9999	0.9999	7.20	0.00		No
Medium	No	C2	4456.8	NW	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	6.10	1.50	0.70	9.60	0.50	12.40	0.40		No
Medium	No	C2	4512.4	NE	Parallel	No				No		Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	7.50	2.20	3.20	8.40	1.50	5.20	2.50		No
Medium	No	C2	977.6	NE	Regular	No						Yes	No	NA		NA	9.20	0.20	8.20	7.50	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C4	5373.6	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.60	2.30	2.30	9.00	0.90	5.40	1.60		No
Medium	No	C4	4477.2		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	6.20	1.20	3.40	5.70	1.40	12.90	3.30		No
Medium	No	C4	345.7		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	4.30	2.50	1.60	7.10	1.50	3.30	3.70		No
Medium	No	C4	422.0		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.20	2.00	7.50	5.10	12.20	0.80	2.50	0.00	0.00	0.00	0.00		No
Medium	No	C4	5640.4		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	1.90	0.80	3.00	8.80	1.90	7.00	1.60		No
Medium	No	C4	5745.5		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	4.40	1.00	1.10	5.50	2.60	7.40	2.30		No
Medium	No	C5	769.5	NW	Regular	No						Yes	No	NA		Yes	7.70	1.60	7.00	7.60	10.30	3.50	1.10	0.00	0.00	0.00	0.00		No
Medium	No	C5	772.4	NW	Regular	No						Yes	No	Yes		Yes	7.00	0.50	8.40	12.30	11.50	5.20	1.90	0.00	0.00	0.00	0.00		No
Medium	No	C5	781.7	NW	Regular	No					No	Yes	Yes	Yes	No	Yes	8.60	3.70	10.50	4.60	13.70	2.40	3.30	0.00	0.00	0.00	0.00		No
Medium	No	C5	1378.5	NW	Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.10	1.40	2.90	7.60	0.60	3.30	0.00		No
Medium	No	C5	1438.5	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.70	1.50	0.60	4.60	2.40	6.70	0.50		No
Medium	No	C5	1614.6	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.30	1.00	1.20	9.40	2.40	3.90	0.10		No
Medium	No	A1	871.1	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.20	3.60	5.40	0.20	0.80	13.10	4.50		No
Medium	No	A1	1194.4	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.90	1.10	4.50	2.60	0.90	9.70	1.30		No
Medium	No	A1	1615.0	NW	Parallel	Yes	2 inch	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.60	2.10	4.20	2.30	3.60	13.00	3.10		No
Medium	No	A1	1657.7	SE	Regular	Yes		No	No	Yes	No	Yes	Yes	Yes	Yes	Yes	1.60	0.80	0.9999	3.30	8.60	1.60	1.40	0.00	0.00	0.00	0.00	pic jim1	No
Medium	No	A1	1631.7	NE	Regular	Yes	2 inch	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	1.30	2.60	2.20	0.9999	9.90	2.30	4.00	0.00	0.00	0.00	0.00		No
Medium	No	A1	571.4	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.80	0.30	1.10	5.40	0.40	9.50	0.50		No
Medium	No	A1	546.7	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.90	1.50	7.60	16.90	2.60	0.50	2.40		No
Medium	No	A1	1923.4		Regular	No						Yes	No	Yes	No	Yes	5.00	3.40	8.60	1.60	13.30	2.40	3.00	0.00	0.00	0.00	0.00		No
Medium	No	A1	2621.0		Regular	No						Yes	No	Yes	No	Yes	9.00	1.00	9.60	7.00	13.00	1.20	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A1	2973.1	SE	Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	3.40	4.60	2.90	13.50	8.80	2.00	3.50	0.00	0.00	0.00	0.00		No
Medium	No	A1	3622.6	NW	Parallel	Yes	2 inch	No	Yes	Yes	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	9.00	2.00	0.40	8.90	0.60	5.50	2.00		No
Medium	No	A1	5548.4	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.10	0.10	10.20	6.30	12.90	5.80	2.80	0.00	0.00	0.00	0.00		No
Medium	No	A1	5574.8	SE	Regular	No						Yes	Yes	Yes	No	Yes	3.00	0.30	4.20	8.00	4.40	1.10	3.00	0.00	0.00	0.00	0.00		No
Medium	No	A1	5551.2	NE	Regular	No						Yes	Yes	Yes	No	Yes	6.40	0.00	6.10	6.20	12.70	8.00	2.20	0.00	0.00	0.00	0.00		No
Medium	No	A2	2509.0	NW	Regular	No						Yes	Yes	NA		Yes	5.00	0.80	5.90	5.70	12.20	4.40	2.10	0.00	0.00	0.00	0.00		No
Medium	No	A3	987.7	NW	Regular	No						Yes	Yes	NA		Yes	5.30	5.60	8.70	5.10	7.00	4.50	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A3	1157.4	SE	Regular	No						Yes	Yes	NA		Yes	6.10	3.20	6.00	7.60	11.70	0.10	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A3	1082.0	NE	Regular	No						Yes	No	Yes		Yes	8.00	1.60	10.40	6.70	12.40	1.00	2.00	0.00	0.00	0.00	0.00		No
Medium	No	A3	933.9		Regular	No						Yes	No	Yes	No	Yes	6.90	1.80	9.30	6.10	9.00	3.20	2.70	0.00	0.00	0.00	0.00		No
Medium	No	A3	894.2		Regular	No						Yes	No	Yes	No	Yes	7.20	0.50	8.60	8.80	10.80	1.30	0.80	0.00	0.00	0.00	0.00		No
Medium	No	A3	762.2	SE	Regular	No						Yes	No	Yes	No	Yes	6.90	1.70	6.20	8.40	12.20	9.10	3.30	0.00	0.00	0.00	0.00		No
Medium	No	A3	700.2	NE	Regular	No						Yes	No	Yes	No	Yes	6.80	5.20	13.70	3.50	10.30	1.60	8.00	0.00	0.00	0.00	0.00		No
Medium	No	A3	691.7	NE	Regular	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.90	2.60	1.90	9.10	0.60	0.60	1.90		No
Medium	No	A3	2510.2	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	13.00	0.30	3.90	3.00	2.40	7.90	1.30		No
Medium	No	A3	3095.6	NW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	6.30	2.10	9.20	4.00	14.00	5.60	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A3	2477.4	NE	Regular	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.00	1.20	1.00	4.60	2.20	6.70	4.60		No
Medium	No	A3	2034.7	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	6.50	1.30	10.80	6.70	13.70	1.50	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A3	1977.1	NE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	6.00	1.00	15.10	20.60	12.70	4.20	0.90	0.00	0.00	0.00	0.00		No
Medium	No	A4	1456.7	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	8.80	0.60	16.70	13.80	14.00	2.60	1.90	0.00	0.00	0.00	0.00		No
Medium	No	A4	2065.4	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.50	1.30	3.80	4.50	2.00	7.60	1.20		No
Medium	No	A4	2031.1	NE	Regular	No						Yes	Yes	Yes	No	Yes	6.00	4.60	9.00	4.40	12.40	0.50	6.50	0.00	0.00	0.00	0.00		No
Medium	No	A4	3858.5	SE	Regular	No						Yes	Yes	Yes	No	Yes	8.60	6.60	16.60	8.80	12.80	8.70	9.10	0.00	0.00	0.00	0.00		No
Medium	No	A4	4260.9	NW	Regular	No						Yes	No	Yes	No	Yes	6.00	2.10	15.20	4.00	12.40	3.20	3.50	0.00	0.00	0.00	0.00		No
Medium	No	A4	4862.3	NW	Regular	No						Yes	Yes	NA		Yes	5.60	2.00	6.70	7.00	13.90	2.20	0.90	0.00	0.00	0.00	0.00		No
Medium	No	A6	10383.5	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	5.40	0.30	8.40	7.10	5.40	2.90	0.20	0.00	0.00	0.00	0.00		No
Medium	No	A5	802.7	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	6.70	0.90	9.40	6.50	11.40	1.50	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A5	1889.0	SE	Regular	No	BTN_TYPE_0003.jpg						No	Yes	No		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	concrete missing, filledwith rough asphalt pic 89	No
Medium	No	A5	2414.9	SE	Regular	Yes					No	Yes	No	Yes	No	Yes	1.50	0.90	5.10	4.50	13.00	0.00	1.80	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	A5	2553.0		Regular	No						Yes	Yes	NA		Yes	9.10	0.10	9.20	7.40	12.90	2.40	1.00	0.00	0.00	0.00	0.00		No
Medium	No	A5	2727.8		Regular	No						Yes	No	NA		Yes	5.90	1.20	7.30	6.70	13.50	3.00	0.20	0.00	0.00	0.00	0.00		No
Medium	No	A5	2767.9	NE	Regular	No						Yes	No	Yes	No	Yes	2.50	1.40	8.00	4.90	11.20	2.80	0.10	0.00	0.00	0.00	0.00		No
Medium	No	A5	2785.6	NW	Regular	No						Yes	No	Yes	Yes	Yes	6.30	0.20	6.00	7.70	11.80	3.20	0.70	0.00	0.00	0.00	0.00		No
Medium	No	A5	2415.6	SW	Regular	Yes					No	Yes	Yes	Yes	No	Yes	7.60	0.40	6.70	7.90	14.00	3.10	1.10	0.00	0.00	0.00	0.00		No
Medium	No	A5	1275.6	SW	Regular	Yes						Yes	Yes	Yes	No	Yes	5.50	0.20	7.70	9.60	8.10	4.40	1.10	0.00	0.00	0.00	0.00		No
Medium	No	A6	7747.0	NE	Regular	No						Yes	Yes	Yes	No	Yes	3.30	2.80	5.20	9.60	11.70	1.30	2.60	0.00	0.00	0.00	0.00		No
Medium	No	A6	10324.3	NE	Parallel	Yes					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.70	1.80	0.00	6.00	3.30	9.10	0.20		No
Medium	No	A6	6474.7		Regular	No						Yes	Yes	Yes	No	Yes	8.10	0.90	13.40	12.00	13.30	2.60	0.50	0.00	0.00	0.00	0.00		No
Medium	No	A6	6394.7	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	4.50	1.20	6.80	6.00	11.50	0.20	1.00	0.00	0.00	0.00	0.00		No
Medium	No	A6	6129.8		Regular	No						Yes	No	NA		Yes	7.20	2.60	7.90	11.20	7.70	1.20	1.20	0.00	0.00	0.00	0.00		No
Medium	No	A6	6761.3	NW	Regular	Yes					No	Yes	No	Yes	No	Yes	5.70	0.60	6.40	7.50	12.70	7.30	0.00	0.00	0.00	0.00	0.00		No
Medium	No	B5	26576.2		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	7.10	0.10	8.50	5.70	12.10	6.00	1.20	0.00	0.00	0.00	0.00		No
Medium	No	B5	26458.4		Regular	No						Yes	No	Yes	No	Yes	7.80	1.60	5.20	7.40	10.20	4.90	0.30	0.00	0.00	0.00	0.00		No
Medium	No	B5	25355.6		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.80	1.30	3.20	5.00	0.70	8.40	0.00		No
Medium	No	B5	20781.4		Regular	No						Yes	No	NA		Yes	7.20	0.20	7.30	8.50	11.10	5.50	0.30	0.00	0.00	0.00	0.00		No
Medium	No	B5	2463.6	SE	Regular	No						Yes	No	NA		Yes	5.70	0.70	7.20	7.70	11.50	1.50	2.10	0.00	0.00	0.00	0.00		No
Medium	No	B5	2805.0	SW	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.70	1.70	1.70	4.90	1.40	11.20	2.50		No
Medium	No	B5	3627.5	SW	Regular	No					No	Yes	No	No		Yes	8.20	1.00	6.20	8.90	13.40	3.10	0.30	0.00	0.00	0.00	0.00		No
Medium	No	B5	3681.7	NE	Regular	No					No	Yes	No	No		Yes	8.80	1.70	7.60	8.20	12.40	7.80	1.10	0.00	0.00	0.00	0.00		No
Medium	No	B5	3641.0	NW	Parallel	No							Yes	No			0.00	0.00	0.00	0.00	0.40	0.40	0.90	8.70	3.10	5.30	1.20		No
Medium	No	B5	3292.6	NE	Parallel	No							No	No			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	can't measure covered with debris	No
Medium	No	B1	8552.0	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	6.20	1.70	4.10	5.90	10.60	3.50	2.30	0.00	0.00	0.00	0.00		No
Medium	No	B5	1705.0	NE	Regular	No					No	Yes	No	No		Yes	3.80	2.70	10.80	6.40	9.50	4.70	1.50	0.00	0.00	0.00	0.00		No
Medium	No	B5	8573.8		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	6.80	3.00	7.30	9.30	7.40	2.50	6.40	0.00	0.00	0.00	0.00		No
Medium	No	B5	7413.4	NE	Parallel	No						Yes	No	NA		Yes	0.00	0.00	0.00	0.00	2.30	0.70	5.00	6.20	0.10	5.10	0.00		No
Medium	No	B5	7387.8	NW	Parallel	No						Yes	No	NA		Yes	0.00	0.00	0.00	0.00	5.00	1.80	1.50	6.10	1.40	4.50	1.20		No
Medium	No	B5	10494.2	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	4.80	0.50	8.30	5.60	10.60	1.60	2.30	0.00	0.00	0.00	0.00		No
Medium	No	B5	11558.0	SW	Regular	No					No	Yes	Yes	No		Yes	6.90	0.40	5.60	6.10	12.00	3.80	1.00	0.00	0.00	0.00	0.00		No
Medium	No	B5	12689.6	NW	Parallel	No							Yes	No			0.00	0.00	0.00	0.00	9.90	1.50	1.50	6.80	0.30	4.90	0.10		No
Medium	No	B8	7101.7	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	1.90	0.20	7.00	3.30	5.00	3.20	0.50	0.00	0.00	0.00	0.00		No
Medium	No	B8	7445.6	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	0.50	1.10	4.30	4.30	1.10	3.20	1.00	0.00	0.00	0.00	0.00		No
Medium	No	B8	7464.4	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	1.40	1.00	3.30	3.40	3.50	3.40	0.30	0.00	0.00	0.00	0.00		No
Medium	No	B8	7802.6	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	2.00	0.20	3.00	2.60	4.10	2.60	0.90	0.00	0.00	0.00	0.00		No
Medium	No	B8	8078.1	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.80	0.10	6.10	4.90	8.80	2.90	0.40	0.00	0.00	0.00	0.00		No
Medium	No	B8	8108.0	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	0.80	0.10	3.90	3.30	1.60	2.40	2.00	0.00	0.00	0.00	0.00		No
Medium	No	B8	8129.0	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	1.00	0.40	3.30	2.50	3.00	2.30	1.50	0.00	0.00	0.00	0.00		No
Medium	No	B8	8438.6	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	1.80	1.20	3.00	3.30	2.60	2.70	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	8454.3	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	5.20	0.20	3.90	3.30	7.90	2.60	1.30	0.00	0.00	0.00	0.00		No
Medium	No	B8	8788.0	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	2.80	0.80	4.20	2.90	5.90	2.30	0.80	0.00	0.00	0.00	0.00		No
Medium	No	B8	9103.1	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	0.80	1.50	3.60	5.30	3.80	3.30	2.00	0.00	0.00	0.00	0.00		No
Medium	No	B8	9121.9	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	3.20	1.50	3.80	4.10	6.00	0.70	2.40	0.00	0.00	0.00	0.00		No
Medium	No	B8	9441.7	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	1.70	0.80	4.30	3.10	3.30	4.30	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	9453.6	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	1.10	0.50	3.50	4.20	2.20	3.10	0.90	0.00	0.00	0.00	0.00		No
Medium	No	B8	10148.1	NW	Regular	No						Yes	Yes	Yes	No	Yes	3.00	1.10	6.60	3.80	11.30	3.50	1.50	0.00	0.00	0.00	0.00		No
Medium	No	B8	6013.8	NW	Regular	No						Yes	No	Yes	No	Yes	6.00	0.70	10.70	10.30	8.70	2.10	0.70	0.00	0.00	0.00	0.00		No
Medium	No	B8	5616.5	SW	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	Yes	Yes	3.30	2.30	0.20	6.30	9.60	4.90	4.60	0.00	0.00	0.00	0.00		No
Medium	No	B4	6859.6		Regular	No							No	Yes			0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	debris covering ramp	No
Medium	No	B6	788.3		Parallel	No					No	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	5.20	1.50	0.50	90.00	90.00	90.00	90.00		No
Medium	No	B6	806.6	NW	Parallel	Yes	2 inch	Yes	No	No	Yes	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	3.20	0.50	1.10	90.00	90.00	90.00	90.00		No
Medium	No	B4	8538.7	SW	Parallel	No					No	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	3.30	0.90	0.30	90.00	90.00	90.00	90.00		No
Medium	No	B4	8527.7	NW	Parallel	Yes	2 inch	Yes	No	No	Yes	Yes	No	Yes		Yes	0.00	0.00	0.00	0.00	8.00	2.10	1.70	90.00	90.00	90.00	90.00		No
Medium	No	B4	7232.2	SE	Regular	Yes					No	Yes	No	Yes		Yes	8.40	0.60	7.50	9.10	14.00	1.40	1.00	0.00	0.00	0.00	0.00		No
Medium	No	B10	174.2	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	1.80	0.00	1.30	8.90	0.20	1.20	0.20		No
Medium	No	B10	6780.8	SW	Regular	No					No	Yes	Yes	Yes		Yes	7.00	1.70	7.80	3.90	10.70	4.20	4.10	0.00	0.00	0.00	0.00		No
Medium	No	B10	7127.8	SW	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	7.80	0.80	2.10	7.00	3.40	4.90	0.00		No
Medium	No	B10	6061.1	SE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	1.00	0.80	1.00	8.70	1.70	5.10	0.20		No
Medium	No	B8	5164.2		Regular	No						Yes	Yes	NA		Yes	5.40	0.70	8.00	5.40	6.50	7.20	2.70	0.00	0.00	0.00	0.00		No
Medium	No	B8	5207.7		Regular	No						Yes	Yes	Yes	No	Yes	6.30	1.10	6.70	6.40	9.80	7.00	0.70	0.00	0.00	0.00	0.00		No
Medium	No	B8	5188.2		Regular	No						Yes	No	Yes	No	Yes	3.00	0.30	6.80	4.00	8.20	1.20	0.40	0.00	0.00	0.00	0.00		No
Medium	No	B8	5015.4		Regular	No						Yes	No	No		Yes	6.30	2.50	6.30	7.30	7.60	0.80	0.80	0.00	0.00	0.00	0.00		No
Medium	No	B8	4854.5		Regular	No						Yes	No	Yes	No	Yes	8.70	1.10	10.10	10.30	9.70	0.40	0.60	0.00	0.00	0.00	0.00		No
Medium	No	B8	4824.0		Regular	No						Yes	No	Yes	No	Yes	9.10	1.20	12.10	13.00	10.70	0.80	1.00	0.00	0.00	0.00	0.00		No
Medium	No	B8	4602.4	SE	Regular	Yes	2 inch	Yes	No	No	Yes	Yes	No	Yes	No	Yes	1.80	0.50	1.10	0.30	10.60	1.20	1.10	0.00	0.00	0.00	0.00		No
Medium	No	B8	4586.2	SW	Regular	No						Yes	No	Yes	No	Yes	0.60	1.10	0.80	0.30	7.40	0.70	0.10	0.00	0.00	0.00	0.00		No
Medium	No	B8	3621.1	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	No	Yes	5.60	0.10	9.70	7.50	12.70	6.50	0.50	0.00	0.00	0.00	0.00		No
Medium	No	B8	4378.9		Regular	No						Yes	No	NA		Yes	6.60	0.20	21.30	12.40	10.10	0.60	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	4572.5	NW	Regular	Yes	2 inch	No	Yes	No	No	Yes	No	Yes	Yes	Yes	4.30	1.30	8.20	7.60	13.80	1.40	1.90	0.00	0.00	0.00	0.00		No
Medium	No	B8	4995.3		Regular	No						Yes	Yes	Yes	No	Yes	5.70	0.30	9.80	4.00	6.40	3.80	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	5139.7		Regular	No						Yes	Yes	Yes	No	Yes	3.40	2.10	5.80	5.70	6.10	0.50	1.60	0.00	0.00	0.00	0.00		No
Medium	No	B8	1528.8	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	7.40	1.50	7.70	6.80	13.10	0.40	2.20	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	B8	1782.9	SE	Regular	No					No	Yes	Yes	Yes		Yes	8.30	1.20	8.40	7.30	9.80	3.80	1.30	0.00	0.00	0.00	0.00		No
Medium	No	B8	2190.9	SW	Regular	No							Yes	Yes			6.60	0.10	4.40	6.30	6.90	3.60	0.70	0.00	0.00	0.00	0.00		No
Medium	No	B8	2240.9	SE	Regular	No					No	Yes	Yes	No		Yes	6.90	0.40	5.90	5.50	6.90	1.30	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	2660.4	SW	Regular	No					No	Yes	Yes	Yes		Yes	7.30	0.60	7.60	10.40	8.50	4.30	2.10	0.00	0.00	0.00	0.00		No
Medium	No	B8	2723.2	SE	Regular	No					No	Yes	Yes	No		Yes	7.50	3.00	5.00	7.60	8.20	1.60	1.30	0.00	0.00	0.00	0.00		No
Medium	No	B8	2716.6	NE	Regular	No					No	Yes	Yes	No		Yes	3.30	1.10	5.90	5.90	6.10	2.60	0.80	0.00	0.00	0.00	0.00		No
Medium	No	B8	2249.7	NE	Regular	No				No	No	Yes	No	No		Yes	5.00	2.70	9.10	6.00	6.10	5.90	2.10	0.00	0.00	0.00	0.00		No
Medium	No	B8	2197.7	NW	Regular	No					No	Yes	Yes	Yes		Yes	5.20	0.30	7.20	6.00	5.90	4.50	0.20	0.00	0.00	0.00	0.00		No
Medium	No	B8	1770.3	NE	Regular	No				No	No	Yes	Yes	No		Yes	3.70	0.50	7.30	5.40	8.50	5.00	0.90	0.00	0.00	0.00	0.00		No
Medium	No	B8	1710.0	NW	Regular	No					No	Yes	Yes	Yes		Yes	6.40	1.80	9.80	8.70	7.00	4.70	1.30	0.00	0.00	0.00	0.00		No
Medium	No	B8	547.7	SE	Regular	No					No	Yes	Yes	Yes		Yes	7.80	0.20	8.30	5.90	12.10	3.90	0.80	0.00	0.00	0.00	0.00		No
Medium	No	B8	1478.9	SW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	2.80	1.20	7.90	11.80	8.60	8.20	1.70	0.00	0.00	0.00	0.00		No
Medium	No	B4	167.1		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	6.20	0.40	0.9999	0.9999	10.90	0.60	4.00	0.00	0.00	0.00	0.00		No
Medium	No	A10	118.0		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes		Yes	7.10	2.10	0.9999	0.9999	10.70	5.00	2.60	0.00	0.00	0.00	0.00		No
Medium	No	A10	743.9	SE	Regular	No					No	Yes	No	Yes		Yes	10.00	0.40	14.40	10.10	10.10	0.30	1.30	0.00	0.00	0.00	0.00		No
Medium	No	A10	284.1	NE	Regular	No					No	Yes	Yes	Yes		Yes	6.60	1.10	9.50	10.90	13.70	1.90	1.10	0.00	0.00	0.00	0.00		No
Medium	No	A10	174.1		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	3.80	0.90	0.9999	0.9999	12.00	2.20	0.90	0.00	0.00	0.00	0.00	ped button does not activate signal	No
Medium	No	C1	8034.3	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.60	0.80	2.40	3.30	1.90	8.90	0.10		No
Medium	No	C1	6817.9		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	4.60	3.40	1.40	9.00	1.60	6.30	1.70		No
Medium	No	C1	6598.5	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	1.90	1.60	1.00	9.30	0.90	7.30	0.90		No
Medium	No	C1	4791.0	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.50	0.20	0.90	8.20	4.20	9.20	0.60		No
Medium	No	C1	5019.7	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	4.00	3.70	0.60	6.30	2.00	6.80	2.00		No
Medium	No	C1	5573.6	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	13.60	2.20	1.00	5.50	1.20	8.40	1.00		No
Medium	No	C1	6316.0	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	13.60	1.50	0.20	6.30	1.40	9.70	0.60		No
Medium	No	C1	6597.3	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	13.60	2.50	0.10	9.30	0.10	7.90	0.20		No
Medium	No	C1	6882.3	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.00	1.80	1.20	5.50	0.90	9.20	1.70		No
Medium	No	C1	6900.0	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	12.00	3.10	0.10	4.00	0.20	7.30	0.60		No
Medium	No	C1	7143.7	SE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.90	0.80	0.70	5.90	2.00	4.90	0.10		No
Medium	No	C1	7130.6	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.50	2.00	0.60	9.00	1.20	7.10	1.20		No
Medium	No	C1	2792.7	SE	Regular	No					No	Yes	Yes	No		Yes	6.00	1.30	4.50	5.50	10.70	5.10	0.80	0.00	0.00	0.00	0.00		No
Medium	No	B7	435.5		Regular	No					No	Yes	Yes	No		Yes	5.00	0.70	0.9999	0.9999	5.80	0.70	3.10	0.00	0.00	0.00	0.00		No
Medium	No	B7	490.3		Regular	No					No	Yes	Yes	No		Yes	7.20	2.40	0.9999	0.9999	8.50	2.00	3.30	0.00	0.00	0.00	0.00		No
Medium	No	B7	1542.4		Regular	No					No	Yes	No	No		Yes	7.70	2.30	0.9999	0.9999	8.90	0.20	1.80	0.00	0.00	0.00	0.00		No
Medium	No	B7	1575.1		Regular	No					No	Yes	No	No		Yes	8.30	3.20	0.9999	0.9999	9.30	0.30	3.70	0.00	0.00	0.00	0.00		No
Medium	No	B1	7957.8	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.70	1.30	1.30	8.60	1.20	2.00	8.10		No
Medium	No	B1	7973.3	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.90	2.10	0.40	7.20	2.80	7.10	0.10		No
Medium	No	B1	7906.6	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.40	1.40	1.10	5.70	2.00	7.60	2.50		No
Medium	No	B1	9324.3	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.00	0.00	1.40	10.30	3.10	4.90	1.70	debris on ramp	No
Medium	No	B9	4088.9		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.80	0.70	1.10	8.40	0.10	9.00	1.50		No
Medium	No	B6	0.0	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.60	1.00	2.00	7.90	2.30	5.00	3.50		No
Medium	No	B9	7567.9	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.50	1.70	1.30	4.60	2.90	6.20	2.20		No
Medium	No	B9	7599.4	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	13.90	1.70	3.10	0.9999	0.9999	8.70	0.60		No
Medium	No	B9	7649.4		Regular	No						Yes	Yes	NA		Yes	4.80	1.90	7.00	0.9999	13.10	2.20	0.70	0.00	0.00	0.00	0.00		No
Medium	No	B9	7888.4	NW	Regular	Yes	2 inch	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	0.40	0.40	6.30	9.30	12.10	0.70	1.30	0.00	0.00	0.00	0.00		No
Medium	No	B9	7915.8	NE	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.90	0.10	0.90	7.00	0.60	6.80	0.40		No
Medium	No	B9	7556.7	NE	Regular	No						Yes	Yes	Yes	No	Yes	1.70	1.80	9.50	5.50	12.60	5.00	3.80	0.00	0.00	0.00	0.00		No
Medium	No	B9	5924.8	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.80	0.80	0.40	8.60	1.10	8.50	1.80		No
Medium	No	B9	5932.9	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.30	0.50	0.90	8.20	0.30	8.40	0.30		No
Medium	No	B9	6239.7	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.50	0.00	0.40	8.80	1.10	7.60	1.00		No
Medium	No	B9	6571.6	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.90	1.20	0.70	8.40	0.90	6.80	0.60		No
Medium	No	B9	6590.2	NW	Regular	No						Yes	Yes	NA		Yes	6.40	0.20	0.9999	7.00	10.70	2.10	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A6	10323.9	NW	Parallel	Yes					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.80	2.50	0.00	9.30	1.60	8.90	1.60		No
Medium	No	E9	386.5	NE	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	9.40	8.40	6.40	2.60	6.40	12.70	6.70		No
Medium	No	F1	1563.2		Parallel	No					No	Yes	Yes	NA			1.30	1.20	0.00	8.80	4.10	1.30	1.20	7.50	0.90	8.80	2.20		No
Medium	No	F1	1537.8		Parallel	No					No	Yes	Yes	NA			0.00	0.00	0.00	0.00	0.90	0.70	1.90	4.10	1.20	8.10	2.90		No
Medium	No	F2	2013.9		Regular	No					No	Yes	Yes	NA		Yes	8.10	2.60	7.20	10.50	9.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F2	11212.6		Parallel	No					No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	11.20	0.50	3.60	4.30	1.80	8.80	1.30		No
Medium	No	F3	1002.9	NW	Parallel	No					No	Yes	Yes	NA			0.00	0.00	0.00	0.00	11.70	1.60	3.40	11.30	1.30	4.10	1.50		No
Medium	No	F4	1832.7	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	6.30	2.80	0.9999	0.9999	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F4	2435.2	NE	Parallel	No					No	Yes	Yes	Yes	No	Yes	1.00	2.10	9.50	1.40	3.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	F4	2463.2	NE	Regular	No					No	Yes	No	Yes	No	Yes	0.30	1.20	6.40	8.90	6.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	A8	934.6	NW	Parallel	Yes	Older	Yes	No	No	No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	2.80	0.90	0.10	6.00	0.10	5.70	1.80		No
Medium	No	F5	1155.5		Parallel	No					No	Yes	No	NA			0.00	0.00	0.00	0.00	1.40	1.00	2.10	5.50	0.20	10.10	5.20		No
Medium	No	A7	861.4	SE	Regular	No					No	Yes	Yes	NA		Yes	5.30	1.30	7.70	5.80	13.60	2.20	1.50	0.00	0.00	0.00	0.00		No
Medium	No	A8	674.9		Regular	No					No	Yes	Yes	NA		Yes	1.00	2.10	0.9999	0.9999	4.60	6.60	0.90	0.00	0.00	0.00	0.00		No
Medium	No	A9	19205.8		Regular	Yes	2 inch	No	No	Yes	No	Yes	Yes	Yes	No	Yes	4.60	6.10	3.80	7.80	7.00	4.80	7.50	0.00	0.00	0.00	0.00		No
Medium	No	A9	25553.2	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	6.50	3.40	16.80	18.40	10.40	1.90	0.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	25569.1	NW	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.00	2.30	15.70	16.70	14.00	0.80	1.70	0.00	0.00	0.00	0.00		No
Medium	No	A9	26214.4		Regular	No					No	Yes	No	NA		Yes	8.10	1.80	9.10	8.20	11.10	1.60	2.50	0.00	0.00	0.00	0.00		No
Medium	No	A9	26241.0		Regular	No					No	Yes	No	NA		Yes	8.50	2.60	5.40	8.90	10.90	2.70	3.10	0.00	0.00	0.00	0.00		No
Medium	No	A9	27981.0	NW	Regular	No					No	Yes	No	Yes	No	Yes	5.20	0.80	8.20	3.30	10.10	6.30	0.80	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	A9	35283.5	NW	Regular	Yes	Older	No	No	No	No	Yes	Yes	Yes	No	Yes	9.20	2.40	10.40	6.50	10.60	7.70	4.40	0.00	0.00	0.00	0.00	fire hydrant in landing	No
Medium	No	A9	36018.2	NW	Regular	Yes	Older	Yes	No	No	No	Yes	No	No	No	Yes	8.70	1.40	19.20	11.90	10.20	3.50	1.30	0.00	0.00	0.00	0.00		No
Medium	No	A9	43289.9		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	5.20	5.00	7.70	9.30	5.90	0.30	0.80	0.00	0.00	0.00	0.00		No
Medium	No	A9	43216.1		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.60	0.30	9.90	7.70	12.10	1.40	0.80	0.00	0.00	0.00	0.00		No
Medium	No	A9	40378.0		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	4.30	1.70	2.50	11.40	1.70	6.10	0.30		No
Medium	No	A9	40154.1		Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	7.30	1.10	4.40	6.90	8.00	5.50	3.20	0.00	0.00	0.00	0.00		No
Medium	No	A9	39980.0		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	Yes	Yes	7.20	3.60	9.20	3.30	9.20	7.10	4.00	0.00	0.00	0.00	0.00		No
Medium	No	A9	39577.3	SW	Parallel	No	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	0.70	2.30	6.80	1.40	8.20	0.70		No
Medium	No	A9	37848.7		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	2.10	1.20	2.70	6.50	1.20	7.50	1.20	crosswalk markings faded	No
Medium	No	A9	49931.7	NW	Parallel	No					No	Yes	No	NA		Yes	0.00	0.00	0.00	0.00	8.70	2.90	2.10	2.50	3.30	13.70	1.20		No
Medium	No	A9	49296.1		Regular	No					No	Yes	Yes	No		Yes	5.90	1.20	0.9999	0.9999	6.70	0.60	1.40	0.00	0.00	0.00	0.00		No
Medium	No	A9	49130.7	NW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	4.50	1.20	6.40	7.80	12.10	4.30	1.80	0.00	0.00	0.00	0.00		No
Medium	No	A9	48164.5		Parallel	No					No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	10.60	1.70	3.30	11.60	2.50	4.40	0.50		No
Medium	No	A9	47104.1		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	5.00	0.20	4.00	7.30	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	22605.5		Regular	Yes	Older	No	No	No	No	Yes	No	Yes	No	Yes	1.70	0.30	5.90	2.30	5.30	7.50	2.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	22586.4		Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	Yes	7.70	4.40	11.10	7.90	11.30	1.70	2.40	0.00	0.00	0.00	0.00		No
Medium	No	A9	45991.8		Regular	Yes	Older	Yes	No	No	No	Yes	No	Yes	No	Yes	6.00	1.50	10.00	5.80	7.60	3.90	1.40	0.00	0.00	0.00	0.00		No
Medium	No	E1	9888.2	SW	Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.20	2.00	2.60	7.60	2.40	3.10	0.40		No
Medium	No	E1	11000.9		Regular	No					No	Yes	Yes	NA		Yes	8.20	3.60	9.00	12.70	12.10	1.40	1.50	0.00	0.00	0.00	0.00		No
Medium	No	E1	11151.9		Regular	No					No	Yes	Yes	NA		Yes	3.70	4.20	12.90	7.10	5.60	3.40	0.80	0.00	0.00	0.00	0.00		No
Medium	No	C3	28087.2		Regular	No						Yes	Yes	Yes	No	Yes	5.30	2.00	3.30	5.70	10.70	2.40	2.10	0.00	0.00	0.00	0.00		No
Medium	No	C3	25409.6		Regular	No						Yes	No	Yes	No	Yes	1.80	3.20	4.90	6.70	11.70	1.20	2.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	25356.4		Regular	No						Yes	No	Yes	No	Yes	2.60	3.80	8.20	4.80	11.30	5.90	2.90	0.00	0.00	0.00	0.00		No
Medium	No	C3	20600.2	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	3.40	6.30	6.20	6.70	10.10	0.40	7.30	0.00	0.00	0.00	0.00		No
Medium	No	C3	20586.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	3.20	0.80	10.30	7.60	6.40	2.80	0.90	0.00	0.00	0.00	0.00		No
Medium	No	C3	20580.6	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	3.20	0.80	4.90	9.30	6.50	2.70	1.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	20577.4	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	4.00	0.10	9.10	10.60	4.20	4.70	3.20	0.00	0.00	0.00	0.00		No
Medium	No	C3	20296.8		Regular	No					No	Yes	Yes	NA		Yes	8.10	2.60	0.9999	0.9999	11.70	0.00	3.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	20250.6		Regular	No					No	Yes	Yes	NA		Yes	8.90	0.30	0.9999	0.9999	9.30	1.00	0.60	0.00	0.00	0.00	0.00		No
Medium	No	C3	19100.7		Regular	No					No	Yes	No	NA		Yes	6.50	1.90	0.9999	0.9999	6.70	2.40	5.00	0.00	0.00	0.00	0.00		No
Medium	No	C3	18776.6		Regular	No					No	Yes	No	NA		Yes	6.90	1.50	0.9999	0.9999	7.90	0.20	2.50	0.00	0.00	0.00	0.00		No
Medium	No	C3	18719.7		Regular	No					No	Yes	No	NA		Yes	4.40	0.70	0.9999	0.9999	5.40	0.90	1.20	0.00	0.00	0.00	0.00		No
Medium	No	C3	18633.5		Regular	No					No	Yes	No	NA		Yes	5.90	1.30	0.9999	0.9999	6.30	0.70	2.50	0.00	0.00	0.00	0.00		No
Medium	No	C3	18585.5		Regular	No					No	Yes	No	NA		Yes	6.10	1.80	0.9999	0.9999	6.60	0.40	2.90	0.00	0.00	0.00	0.00		No
Medium	No	D7	2303.2		Regular	No					No	Yes	No	NA		Yes	8.30	1.40	0.9999	0.9999	8.90	3.30	1.10	0.00	0.00	0.00	0.00		No
Medium	No	D7	2317.1		Parallel	No					No	Yes	No	NA		Yes	3.90	2.80	0.9999	0.9999	3.40	1.80	1.90	0.00	0.00	0.00	0.00		No
Medium	No	D7	2448.5		Regular	No					No	Yes	No	NA		Yes	7.70	1.00	0.9999	0.9999	8.00	0.10	1.50	0.00	0.00	0.00	0.00		No
Medium	No	D7	2471.5		Regular	No					No	Yes	No	NA		Yes	5.40	0.30	0.9999	0.9999	5.50	0.50	0.60	0.00	0.00	0.00	0.00		No
Medium	No	D9	37.3	NE	Parallel							Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.40	2.10	0.00	7.60	0.60	6.80	0.70		No
Medium	No	E1	4071.3	NW	Parallel	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.20	1.70	0.40	7.90	1.30	5.80	0.60		No
Medium	No	E1	6063.9	SW	Regular	No						Yes	Yes	NA		Yes	8.80	3.40	0.9999	0.9999	11.60	0.20	6.20	0.00	0.00	0.00	0.00		No
Medium	No	E1	6156.1	NW	Regular	No						Yes	Yes	NA		Yes	8.40	5.00	0.9999	0.9999	8.50	0.40	6.10	0.00	0.00	0.00	0.00		No
Medium	No	E1	6185.6	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.40	1.70	0.30	7.90	0.10	8.50	0.30		No
Medium	No	E1	6463.9	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.00	1.70	2.80	8.90	0.40	6.10	1.50		No
Medium	No	E1	6477.0	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.10	1.80	0.80	7.60	1.10	8.90	1.30		No
Medium	No	D6	4082.1	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	7.90	0.30	4.50	7.50	11.00	1.40	0.70	0.00	0.00	0.00	0.00		No
Medium	No	C3	15024.9	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	6.70	1.30	3.90	0.9999	7.40	3.90	3.80	0.00	0.00	0.00	0.00		No
Medium	No	C3	15080.8	SE	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.10	2.80	0.40	7.60	1.50	7.50	1.40		No
Medium	No	C3	15773.4		Regular	No					No	Yes	No	NA		Yes	5.00	6.30	0.9999	0.9999	5.60	2.60	0.10	0.00	0.00	0.00	0.00		No
Medium	No	D6	4958.8	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	No	Yes	No	Yes	7.70	3.20	13.30	8.50	13.50	4.40	6.50	0.00	0.00	0.00	0.00	utility cover on ramp	No
Medium	No	D6	7104.1		Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	3.20	1.80	7.40	6.10	10.30	1.10	1.10	0.00	0.00	0.00	0.00		No
Medium	No	D6	7085.4		Parallel	Yes	2 inch	No	No	Yes			Yes	Yes	No		0.00	0.00	0.00	0.00	7.10	1.30	1.30	6.90	1.40	6.20	1.60		No
Medium	No	D4	4996.2	NE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	Yes	1.60	4.30	0.30	1.90	9.40	7.00	4.90	0.00	0.00	0.00	0.00		No
Medium	No	D6	4208.7		Regular	No					No	Yes	Yes	Yes	No	Yes	9.90	0.60	4.90	8.50	11.20	4.50	0.30	0.00	0.00	0.00	0.00		No
Medium	No	D5	2251.1	NW	Parallel	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	Yes	0.00	0.00	0.00	0.00	7.20	5.00	1.10	0.9999	0.9999	5.80	2.30		No
Medium	No	D4	4051.2	NE	Regular	No						Yes	No	Yes	No	Yes	8.40	1.60	9.10	10.20	9.80	1.50	0.20	0.00	0.00	0.00	0.00		No
Medium	No	D4	4918.8	NE	Regular	No						Yes	No	No	No	Yes	7.40	0.70	8.80	11.40	8.40	0.50	0.50	0.00	0.00	0.00	0.00		No
Medium	No	C9	7016.0	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	1.80	0.80	7.90	2.10	6.20	1.80		No
Medium	No	C9	6938.0		Regular	No						Yes	No	NA		Yes	4.50	4.00	0.9999	0.9999	5.10	2.40	0.50	0.00	0.00	0.00	0.00		No
Medium	No	C9	4539.4	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.20	1.20	2.10	7.20	0.50	5.60	0.40		No
Medium	No	B8	523.1		Regular	No						Yes	Yes	Yes	No	Yes	6.30	0.50	5.20	6.80	13.60	2.10	0.80	0.00	0.00	0.00	0.00		No
Medium	No	C3	5737.1		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.60	2.10	0.80	8.60	1.10	3.40	2.30	dirt covering detectible warning	No
Medium	No	C2	5638.0		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.20	0.90	0.70	5.00	0.30	8.00	3.80		No
Medium	No	C3	6276.0	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.20	1.60	2.00	9.30	1.60	6.00	1.60		No
Medium	No	C3	6300.7	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.10	0.70	2.40	8.70	1.10	2.40	2.30		No
Medium	No	C3	7072.4	NE	Parallel							Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.90	1.30	7.50	8.50	2.30	1.50	0.90		No
Medium	No	C3	9273.9	NE	Regular	No						Yes	No	No		Yes	7.20	4.90	11.70	3.80	13.90	1.50	6.20	0.00	0.00	0.00	0.00		No
Low	Yes	B9	1034.6	SE	Missing	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	17.60	0.40	0.90	10.00	0.20	8.70	0.80		No
Low	Yes	D2	284.6	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D2	221.6	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	A1	845.6	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Low	Yes	A2	0.0	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	15093.6		Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	15184.4	NE	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	15148.3	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C1	2732.8	NW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3350.5	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	6556.7	NE	Missing	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.10	1.60	1.40	7.20	0.50	6.90	1.40		No
Low	Yes	F2	1388.1	SW	Missing												0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	E1	1624.7	SE	Regular	No						Yes	No	NA		No	6.50	0.90	4.80	8.90	11.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	2979.0	SW	Regular	No					No	Yes	No	NA		No	8.20	1.20	8.40	10.40	9.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	3150.3	SW	Regular	No						Yes	No	No		No	6.60	0.70	5.70	6.80	7.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	4252.7	NW	Regular	No						Yes	No	Yes	No	No	5.60	0.40	7.30	6.10	13.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	4309.8	SW	Regular	No					No	Yes	No	Yes		No	7.10	0.10	8.50	8.60	11.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	4503.3	NW	Regular	No						Yes	No	Yes	No	No	7.60	1.70	8.80	8.60	14.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D4	4568.1	SW	Regular	No						Yes	No	Yes	No	No	1.80	7.20	3.30	6.20	9.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C10	364.3	NW	Regular	No						Yes	Yes	No	No	Yes	10.00	0.70	7.10	6.80	19.00	1.00	0.80	0.00	0.00	0.00	0.00		No
Low	Yes	C7	3199.1	SE	Regular	No						Yes	No	NA		No	6.20	1.60	7.20	3.70	17.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C7	3413.9	SW	Regular	No						Yes	No	NA		No	6.20	1.40	8.70	8.80	15.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C7	3463.6	SE	Regular	No						Yes	No	NA		No	5.90	1.30	7.70	7.40	14.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C7	4747.8	SW	Regular	No						Yes	No	NA		No	5.10	2.20	5.90	6.70	14.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C7	4799.0	SE	Regular	No						Yes	No	NA		No	6.70	0.00	8.40	7.60	12.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C7	545.5	NW	Regular	No						Yes	Yes	NA		Yes	7.50	0.40	6.30	7.00	14.40	1.60	0.30	0.00	0.00	0.00	0.00		No
Low	Yes	B1	15293.5	NW	Regular	No						Yes	No	No	No	Yes	10.70	1.00	8.40	15.60	18.30	3.80	2.00	0.00	0.00	0.00	0.00		No
Low	Yes	B1	13665.0	SW	Regular	No						Yes	No	No	No	Yes	9.00	2.30	7.30	8.00	20.60	4.90	2.10	0.00	0.00	0.00	0.00		No
Low	Yes	B1	12607.8	SW	Regular	No						Yes	No	No	No	No	10.60	5.10	3.00	13.50	13.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B1	13279.5	NE	Regular	No					No	Yes	No	No	No	No	8.30	3.80	5.60	11.90	17.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B1	15294.0	NE	Regular	No						Yes	No	No	No	No	9.00	2.00	8.70	5.40	19.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B1	15383.9	SE	Regular	No						Yes	No	No	No	No	9.90	2.70	7.40	10.00	20.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D1	4907.2	NW	Regular	No						Yes	No	No	No	Yes	9.30	0.10	12.20	7.40	21.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D1	4982.6	SW	Regular	No						Yes	No	No	No	Yes	9.80	0.40	10.50	11.10	23.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D1	2608.2	SW	Regular	No						Yes	No	NA		Yes	10.30	1.10	6.90	8.30	10.60	3.60	1.50	0.00	0.00	0.00	0.00		No
Low	Yes	D1	2173.6	NW	Regular	No						Yes	No	NA		Yes	8.70	0.70	13.70	4.80	17.80	3.00	1.70	0.00	0.00	0.00	0.00		No
Low	Yes	D1	2553.5	NE	Regular	No						Yes	No	NA		No	9.10	2.30	7.70	3.30	15.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D1	2908.8	NE	Regular	No						Yes	No	NA		Yes	8.80	0.20	11.60	5.20	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	D1	3678.7	SE	Regular	No						Yes	No	NA		Yes	8.70	0.70	6.50	7.90	18.40	2.70	2.40	0.00	0.00	0.00	0.00		No
Low	Yes	A6	4768.3	SW	Regular	No						Yes	No	NA		No	10.40	9.00	11.10	17.90	16.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	31305.9	NW	Regular	No						Yes	No	Yes	No	No	8.00	8.30	1.60	17.50	23.20	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	30689.0		Regular	No						Yes	No	Yes	No	No	8.40	7.40	2.10	15.70	12.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	18713.2	NE	Regular	No					No	Yes	No	Yes		No	6.40	0.70	3.90	6.30	13.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	19456.7	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		No	0.00	0.00	0.00	0.00	15.00	1.40	2.80	6.80	0.20	5.30	0.90	pedestrian yield signal	No
Low	Yes	B5	19524.4	NE	Regular	No					No	Yes	No	Yes		No	8.90	1.10	9.80	4.50	24.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	19191.6	SE	Regular	No					No	Yes	No	Yes		No	7.20	1.00	7.00	8.70	24.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	19138.5	SW	Regular	No					No	Yes	No	Yes		No	5.70	0.20	4.80	6.80	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	18936.0	SE	Regular	No					No	Yes	No	Yes		No	9.60	0.10	6.50	7.00	24.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	18695.0	SE	Regular	No					No	No	No	Yes		No	12.90	0.30	12.70	13.60	16.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B5	18620.3	SW	Regular	No					No	Yes	No	Yes		No	13.40	1.40	19.20	16.90	23.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3967.1	NE	Regular	Yes	2 inch	No	No	No	No	No	No	Yes	No	No	12.20	3.40	6.60	16.00	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3967.0	NW	Regular	Yes	2 inch	No	No	Yes	No	No	No	Yes	No	No	13.90	2.40	15.20	11.70	17.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B10	1971.3	SE	Parallel	No						No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.30	1.80	0.70	5.10	1.30	6.10	0.10		No
Low	Yes	B10	1353.4	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	0.50	2.10	7.60	0.9999	8.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B10	1337.1	SE	Regular	Yes	2 inch	No	No	No	No	Yes	Yes	Yes	No	No	4.00	2.00	6.30	0.9999	16.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B10	1279.3	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	No	2.60	4.30	3.50	0.9999	10.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B10	1265.9	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	No	0.10	4.00	8.00	0.9999	5.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B10	657.0	SE	Parallel	Yes	2 inch	Yes	No	No	No	No	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.50	2.10	0.40	7.60	0.70	6.00	1.60		No
Low	Yes	B10	7270.5		Regular	No					No	Yes	Yes	No		No	8.50	1.40	0.9999	90.00	9.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	C1	3128.7	NE	Regular	No					No	Yes	No	No		Yes	8.50	0.30	9.90	6.70	22.80	5.20	1.10	0.00	0.00	0.00	0.00		No
Low	Yes	C1	2459.8	NE	Regular	No					No	Yes	No	No		Yes	5.80	2.40	7.10	5.70	18.30	4.70	1.20	0.00	0.00	0.00	0.00		No
Low	Yes	C1	2730.9	SW	Regular	No					No	Yes	No	No		Yes	12.30	0.20	8.40	6.10	18.70	1.80	0.50	0.00	0.00	0.00	0.00		No
Low	Yes	B1	7463.8	SW	Regular	No						No	No	NA		No	9.10	3.70	10.60	0.9999	18.60	0.00	0.00	0.00	0.00	0.00	0.00	very skinny	No
Low	Yes	B9	2501.3	NW	Regular	No						Yes	No	Yes	No	No	7.80	0.50	7.00	10.10	21.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	2541.4	SW	Regular	No						Yes	No	Yes	No	No	9.60	0.90	6.90	10.20	23.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3273.5	NW	Regular	No						No	No	Yes	No	No	10.80	0.80	9.50	7.60	20.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3339.8	SW	Regular	No						Yes	No	Yes	No	No	7.00	2.30	6.40	8.90	15.00	0.00	0.00	0.00	0.00	0.00	0.00	covered with rocks	No
Low	Yes	B9	3542.0	NW	Regular	No						Yes	No	Yes	No	No	8.50	1.80	9.60	6.30	20.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3579.0	SW	Regular	No						Yes	No	Yes	No	No	11.90	0.70	9.10	10.40	29.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3799.6	NW	Regular	No						Yes	No	Yes	No	No	9.40	1.70	9.10	7.70	17.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3794.8	NE	Regular	No						Yes	No	Yes	No	No	10.40	0.70	10.40	7.70	30.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3333.6	SE	Regular	No						Yes	No	Yes	No	No	5.00	0.70	6.20	5.20	15.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3272.4	NE	Regular	No						Yes	No	Yes	No	No	9.10	0.50	9.50	7.50	22.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3073.8	SE	Regular	No						Yes	No	Yes	No	No	8.30	2.40	12.10	9.00	22.60	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	3033.7	NE	Regular	No						Yes	No	Yes	No	No	9.50	0.90	9.50	7.20	20.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	2773.7	NE	Regular	No						Yes	No	Yes	No	No	10.60	1.20	9.90	9.30	23.00	0.00	0.00	0.00	0.00	0.00	0.00		No

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Low	Yes	B9	2497.3	NE	Regular	No						Yes	No	Yes	No	No	8.90	0.30	8.10	8.00	24.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	2252.8	NE	Regular	No						Yes	No	Yes	No	No	11.80	1.50	6.80	10.80	17.00	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	2136.7	SW	Regular	No						Yes	No	Yes	No	No	8.50	0.10	8.10	4.70	19.50	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3091.6	NW	Regular	No						Yes	No	Yes	No	No	7.60	5.90	2.50	10.00	16.30	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3118.0	SW	Regular	No						Yes	No	Yes	No	No	2.60	0.10	7.40	9.30	8.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3334.6	NW	Regular	No						No	No	Yes	No	No	9.90	0.80	7.70	8.20	11.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3329.7	NE	Regular	No						No	No	Yes	No	No	8.80	0.60	8.80	4.40	11.80	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3350.5	SE	Regular	No						Yes	No	Yes	No	No	14.30	1.10	6.10	8.30	21.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	3122.1	SE	Regular	No						Yes	No	Yes	No	No	3.50	2.60	6.50	7.40	9.70	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	2848.7	NE	Regular	No						No	No	Yes	No	No	3.50	0.80	5.60	7.60	9.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B6	2606.5	NE	Regular	No						No	No	Yes	No	No	6.90	0.00	4.40	4.10	14.90	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	B9	6579.9	NE	Regular	No						Yes	Yes	NA		Yes	8.30	1.40	7.90	0.9999	20.40	1.70	2.10	0.00	0.00	0.00	0.00		No
Low	Yes	B9	5975.5	SE	Parallel	No						No	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.60	1.10	2.50	6.10	0.20	5.70	0.60		No
Low	Yes	F2	8831.7	SE	Regular	Yes	2 inch	No	No	No	No	Yes	No	Yes	No	No	8.30	2.80	3.20	9.50	16.10	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	F2	10267.8	NE	Regular	No					No	Yes	No	NA		No	8.00	0.20	7.50	8.00	17.40	0.00	0.00	0.00	0.00	0.00	0.00		No
Low	Yes	A7	2646.6	NW	Regular	Yes	2 inch	No	No	No	Yes	Yes	No	Yes	Yes	No	12.60	3.80	19.80	7.60	20.30	0.00	0.00	0.00	0.00	0.00	0.00	pavement flashers activated by button, dont work	No
Low	Yes	C10	389.5	SE	Regular	No						Yes	Yes	NA		Yes	5.80	1.80	8.20	7.90	15.50	0.50	3.30	0.00	0.00	0.00	0.00		No
Low	No	F4	3165.1	SE	Parallel	No						Yes	Yes	No	No	Yes	0.00	0.00	0.00	0.00	6.40	1.50	0.40	9.40	0.80	8.70	0.90		No
Low	No	A8	0.0	NE	Parallel	No	2 inch	No	No	No		Yes	No	Yes	Yes	Yes	0.00	0.00	0.00	0.00	7.70	5.60	0.90	5.80	3.20	10.80	4.00		No
Low	No	C9	4556.1	NE	Parallel	No							Yes	Yes	No		0.00	0.00	0.00	0.00	8.50	0.60	0.00	10.30	2.20	7.80	2.10		No
Low	No	C9	4491.7	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.70	1.60	0.00	7.50	2.10	9.20	0.30		No
Low	No	C9	4345.7		Parallel	No							Yes	Yes	Yes		0.00	0.00	0.00	0.00	8.30	0.30	0.40	7.40	0.30	6.20	3.00		No
Low	No	C7	4957.3	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.90	0.80	3.70	5.90	0.90	6.20	1.30		No
Low	No	C8	36.9	SE	Regular	No						Yes	Yes	NA		Yes	4.10	3.20	5.20	8.60	7.00	6.50	3.50	0.00	0.00	0.00	0.00		No
Low	No	C8	1412.0	SW	Regular	No						Yes	Yes	NA		Yes	4.10	1.20	2.40	5.60	12.40	2.60	0.30	0.00	0.00	0.00	0.00		No
Low	No	C8	44.0	NE	Regular	No						Yes	Yes	NA		Yes	6.60	2.70	10.80	8.00	11.50	1.80	2.00	0.00	0.00	0.00	0.00		No
Low	No	D1	4961.5	SE	Regular	No						Yes	No	No	No	Yes	1.40	7.70	9.50	8.70	13.20	3.00	2.10	0.00	0.00	0.00	0.00		No
Low	No	D1	4905.8	NE	Regular	No						Yes	No	No	No	Yes	4.30	0.30	8.60	5.10	4.70	1.50	0.20	0.00	0.00	0.00	0.00		No
Low	No	D1	3670.2	SW	Regular	No						Yes	No	NA		Yes	8.00	2.90	2.50	6.60	13.60	1.40	1.40	0.00	0.00	0.00	0.00		No
Low	No	D1	2171.7	NE	Parallel	No						Yes	No	Yes		Yes	8.90	1.70	8.40	8.20	11.20	2.10	2.30	0.00	0.00	0.00	0.00		No
Low	No	A1	21.9	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.80	0.60	2.20	8.30	2.50	11.20	1.80		No
Low	No	B10	2049.3	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	0.40	3.30	8.70	0.70	6.50	1.40		No
Low	No	B10	7092.0	NW	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	9.90	1.40	0.00	7.30	0.30	15.60	1.50		No
Low	No	B10	7311.4		Regular	No					No	Yes	Yes	No		Yes	7.40	1.20	90.00	0.9999	9.10	0.40	1.80	0.00	0.00	0.00	0.00		No
Low	No	C1	5027.2	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.30	1.80	0.90	8.50	1.50	6.20	1.50		No
Low	No	C1	5591.7	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.90	1.20	1.30	8.40	1.20	4.30	1.60		No
Low	No	B9	977.9	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.70	1.70	1.30	8.00	0.70	8.70	0.30		No
Low	No	B9	733.6	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.20	1.10	1.40	9.80	1.90	5.00	0.10		No
Low	No	B9	6258.4	NE	Regular	No						Yes	Yes	NA		Yes	5.00	0.60	6.10	0.9999	12.70	2.20	0.60	0.00	0.00	0.00	0.00		No
Low	No	B9	6233.1	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.90	0.70	0.40	7.90	0.10	8.90	1.00		No
Low	No	B9	5918.0	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.80	1.10	0.20	7.40	0.50	8.80	0.10		No
Low	No	C9	2684.2	SW	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.00	0.70	3.50	1.80	0.70	7.41	0.00		No
High	No	B1	15913.1		Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	8.50	0.30	0.50	7.70	0.60	6.10	0.70		Yes
High	No	D1	5564.9	NE	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	10.70	1.00	1.80	7.80	1.00	3.10	0.70		Yes
High	No	C8	1084.0	SE	Regular	No						Yes	Yes	Yes	Yes	Yes	1.60	0.60	5.10	4.80	9.80	0.80	0.70	0.00	0.00	0.00	0.00		Yes
High	No	C8	602.4	NE	Regular	No						Yes	Yes	NA		Yes	4.50	1.10	6.70	7.30	10.80	1.20	0.80	0.00	0.00	0.00	0.00		Yes
High	No	C7	1382.8	SW	Regular	No						Yes	Yes	NA		Yes	5.30	1.10	7.80	8.00	13.10	2.00	0.70	0.00	0.00	0.00	0.00		Yes
High	No	C7	1451.4	SE	Regular	No						Yes	Yes	NA		Yes	5.10	0.30	7.00	7.00	11.80	0.70	1.60	0.00	0.00	0.00	0.00		Yes
High	No	C7	1393.3	NW	Regular	No						Yes	Yes	NA		Yes	5.90	1.60	4.90	8.40	12.90	0.30	1.00	0.00	0.00	0.00	0.00		Yes
High	No	A10	9360.6	NE	Parallel	No						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	7.10	0.10	0.70	7.40	1.30	6.80	0.30		Yes
High	No	A10	7949.9	NW	Regular	No						Yes	Yes	Yes	No	Yes	6.80	0.10	6.50	8.30	11.50	0.30	1.50	0.00	0.00	0.00	0.00		Yes
High	No	A10	7941.0	NE	Regular	No						Yes	Yes	Yes	No	Yes	0.00	1.10	9.10	1.90	8.10	1.70	1.00	0.00	0.00	0.00	0.00		Yes
High	No	B3	2650.3	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.30	1.10	0.50	8.10	2.00	8.00	0.70		Yes
High	No	B2	9133.3		Regular	No						Yes	Yes	Yes	No	NA	6.40	2.00	3.60	9.60	10.00	0.00	0.00	0.00	0.00	0.00	0.00		Yes
High	No	C5	5104.7	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.70	0.50	0.9999	0.9999	8.00	0.20	1.30	0.00	0.00	0.00	0.00		Yes
High	No	C5	5100.6	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	1.60	0.70	0.9999	0.9999	5.00	0.20	0.60	0.00	0.00	0.00	0.00		Yes
High	No	C5	5052.5	NW	Regular	Yes	2 inch	Yes	No	No		Yes	Yes	Yes	No	Yes	3.20	0.90	5.00	5.90	5.10	1.80	0.60	0.00	0.00	0.00	0.00		Yes
High	No	C5	4422.6		Regular	No						Yes	Yes	NA		Yes	5.20	1.10	8.10	4.40	9.80	0.10	1.90	0.00	0.00	0.00	0.00		Yes
High	No	A6	10908.1	SE	Regular	Yes						Yes	Yes	Yes	Yes	Yes	1.00	1.50	4.30	5.30	11.50	0.20	1.70	0.00	0.00	0.00	0.00		Yes
High	No	B5	27736.4	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.70	0.20	1.00	6.70	0.60	8.20	1.30		Yes
High	No	B5	27709.3	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	12.60	1.20	1.10	6.70	0.60	8.00	1.10		Yes
High	No	B5	11283.1	SE	Regular	No					No	Yes	Yes	Yes		Yes	7.50	0.80	7.30	6.20	11.00	0.70	1.80	0.00	0.00	0.00	0.00		Yes
High	No	E8	47.8	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.80	0.70	1.10	8.20	0.60	5.20	1.30		Yes
High	No	B8	8504.1	NE	Regular	No						Yes	Yes	NA		Yes	3.70	0.40	4.50	3.80	4.30	1.80	0.20	0.00	0.00	0.00	0.00		Yes
High	No	B8	8504.5	NE	Regular	No						Yes	Yes	NA		Yes	2.30	1.60	0.9999	0.9999	3.60	1.70	2.00	0.00	0.00	0.00	0.00		Yes
High	No	B8	9531.5		Regular	No						Yes	Yes	NA		Yes	5.50	0.10	4.50	5.00	9.10	1.70	0.30	0.00	0.00	0.00	0.00		Yes
High	No	B8	9532.7		Regular	No						Yes	Yes	NA		Yes	0.30	0.30	0.9999	9.30	2.00	0.90	0.10	0.00	0.00	0.00	0.00		Yes
High	No	B8	7921.3		Regular	No						Yes	Yes	NA		Yes	6.90	0.20	3.90	3.40	7.10	0.30	0.60	0.00	0.00	0.00	0.00		Yes
High	No	C1	2028.6	SW	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	1.80	1.10	1.40	7.30	1.70	8.30	0.50		Yes
High	No	B10	6709.1	NW	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	4.20	1.70	0.00	6.80	0.20	5.40	1.70		Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
High	No	B10	6421.8	SE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	1.00	0.70	0.50	7.80	0.90	6.60	0.50		Yes
High	No	C1	2088.9	NE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	1.00	0.80	1.70	5.60	1.30	5.10	1.20		Yes
High	No	B9	1566.1		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.10	1.60	0.80	7.00	1.50	0.00	1.40		Yes
High	No	B9	180.7	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.80	0.90	0.90	7.10	1.20	8.20	1.10		Yes
High	No	B9	152.3	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.50	0.80	1.40	6.00	0.60	4.90	0.50		Yes
High	No	B9	6953.5	SW	Regular	No						Yes	Yes	NA		Yes	2.80	0.60	6.40	0.9999	11.70	2.00	1.10	0.00	0.00	0.00	0.00		Yes
High	No	B9	6956.2	SW	Regular	No						Yes	Yes	Yes	No	Yes	1.70	1.00	6.30	6.70	11.30	1.00	0.50	0.00	0.00	0.00	0.00		Yes
High	No	F1	701.9	NE	Parallel	No					No	Yes	Yes	Yes	No		0.00	0.00	0.00	0.00	0.90	0.10	1.30	8.30	0.90	6.50	0.50		Yes
High	No	F1	631.6	NW	Parallel	No					No	Yes	Yes	NA			0.00	0.00	0.00	0.00	3.20	0.70	1.00	3.80	0.70	6.90	1.30		Yes
High	No	F1	509.3		Regular	No					No	Yes	Yes	NA		Yes	7.00	1.90	0.9999	0.9999	7.20	0.00	0.00	0.00	0.00	0.00	0.00		Yes
High	No	F1	475.0		Regular	No					No	Yes	Yes	NA		Yes	6.20	0.50	0.9999	0.9999	7.10	0.00	0.00	0.00	0.00	0.00	0.00		Yes
High	No	F1	192.6		Regular	No					No	Yes	Yes	NA		Yes	7.60	1.00	0.9999	0.9999	8.40	0.00	0.00	0.00	0.00	0.00	0.00		Yes
High	No	F1	98.5		Regular	No	BTN_TYPE_0002.jpg				No	Yes	Yes	NA		Yes	1.20	1.10	0.9999	0.9999	3.30	0.00	0.00	0.00	0.00	0.00	0.00	pic 37	Yes
High	No	F1	54.4	NE	Parallel	No					No	Yes	Yes	Yes	Yes		0.00	0.00	0.00	0.00	9.00	1.10	0.90	7.20	0.60	0.60	1.10	pic 37	Yes
High	No	A9	29248.1	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	6.10	0.60	8.20	4.70	12.30	1.90	1.90	0.00	0.00	0.00	0.00		Yes
High	No	D6	6293.1		Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.60	1.00	0.10	5.40	1.50	7.70	0.90		Yes
High	No	D6	6515.1		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.70	1.80	9.70	4.50	6.60	0.70	1.20	0.00	0.00	0.00	0.00		Yes
High	No	D6	6535.2		Regular	Yes					No	Yes	Yes	Yes	No	Yes	5.80	0.60	8.70	8.40	8.70	0.90	0.70	0.00	0.00	0.00	0.00		Yes
High	No	D6	6626.8		Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.70	1.80	1.50	3.60	0.80	1.30	1.40		Yes
High	No	C9	3737.3		Regular	No					No	Yes	Yes	Yes	No	Yes	0.00	1.30	4.90	6.30	10.20	0.30	1.00	0.00	0.00	0.00	0.00		Yes
High	No	C9	3701.7	SE	Regular	No					No	Yes	Yes	Yes	No	Yes	3.60	0.70	6.80	4.20	9.60	0.40	0.80	0.00	0.00	0.00	0.00		Yes
High	No	C9	3658.9	SW	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.80	0.90	1.00	7.10	1.10	7.50	1.10		Yes
High	No	C9	3621.8	SW	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.30	0.60	1.10	6.50	0.40	6.50	1.10		Yes
High	No	C9	3197.6		Parallel	No					No	Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.90	1.10	1.70	0.9999	0.9999	7.00	1.40		Yes
High	No	C3	8480.9	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.10	1.50	0.40	7.10	1.70	6.90	1.80		Yes
Medium	No	F4	1783.3	SW	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	5.60	1.00	0.90	2.70	0.10	8.10	1.90		Yes
Medium	No	F4	2434.9	SW	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	8.30	0.80	1.20	3.30	1.90	8.20	0.70		Yes
Medium	No	F4	2475.7	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.70	1.30	0.30	6.10	1.50	8.20	0.20		Yes
Medium	No	F4	3626.0	SE	Parallel	No						Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	10.20	1.90	0.50	7.70	0.50	7.10	1.00		Yes
Medium	No	A9	27936.7	SE	Regular	Yes					No	Yes	Yes	Yes	No	Yes	2.40	0.90	2.50	4.10	3.50	1.80	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	43144.7		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	5.30	0.40	7.80	9.00	6.20	1.00	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	39532.4	NE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.10	0.80	0.90	7.30	1.10	5.20	0.30		Yes
Medium	No	E1	10551.5	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	2.80	1.10	0.40	7.40	1.30	6.60	2.00		Yes
Medium	No	D8	694.2	NE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	8.60	0.80	1.00	6.80	1.60	4.80	1.20		Yes
Medium	No	D8	805.1		Parallel												0.00	0.00	0.00	0.00	3.50	1.30	0.70	3.00	0.30	4.40	1.20		Yes
Medium	No	D7	3158.0		Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.30	0.40	1.60	8.00	0.50	1.60	0.40		Yes
Medium	No	D7	3575.2		Parallel	Yes	2 inch	Yes	No	No			Yes	Yes	No		0.00	0.00	0.00	0.00	0.90	0.10	0.50	5.60	0.40	0.00	0.60		Yes
Medium	No	D7	3624.9		Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.60	0.80	1.00	4.80	1.00	3.70	1.60		Yes
Medium	No	E1	430.5	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.80	0.40	1.00	8.00	1.50	6.80	0.20		Yes
Medium	No	E1	996.4	NE	Regular	No						Yes	Yes	Yes	No	Yes	5.10	1.90	7.10	5.00	8.60	1.00	0.70	0.00	0.00	0.00	0.00		Yes
Medium	No	E1	4097.1	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.50	1.60	0.10	6.40	0.00	6.90	0.40		Yes
Medium	No	C9	127.2	NW	Parallel	Yes	2 inch	Yes	No	No		Yes	Yes		No	Yes	0.00	0.00	0.00	0.00	9.70	1.40	1.30	6.00	2.00	8.30	1.40	no crosswalk, construction	Yes
Medium	No	C9	140.5	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes		No	Yes	0.00	0.00	0.00	0.00	7.60	1.10	0.30	6.40	0.70	6.80	0.80	construction	Yes
Medium	No	C3	10199.2	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	2.80	0.30	0.30	6.10	1.20	6.50	0.40		Yes
Medium	No	C3	4130.3		Regular	No						Yes	Yes	NA	No	NA	6.50	0.40	0.9999	0.9999	11.70	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	C2	5468.2		Regular	No						Yes	Yes	Yes	No	NA	5.60	1.20	4.20	7.40	7.50	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	C2	5500.8	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	NA	0.50	0.90	3.70	6.80	1.10	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	C3	6255.2	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.30	2.00	1.10	0.9999	0.9999	6.30	1.40		Yes
Medium	No	C3	7898.2	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.70	0.20	0.50	7.90	1.70	5.60	0.40		Yes
Medium	No	C3	8091.8	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.00	1.50	0.00	7.90	0.50	7.60	0.20		Yes
Medium	No	A10	7106.0	SE	Regular	No						Yes	Yes	NA		Yes	3.60	1.80	4.50	4.70	9.60	1.00	0.20	0.00	0.00	0.00	0.00		Yes
Medium	No	C7	33.2	NE	Regular	No						Yes	Yes	NA		Yes	6.70	1.50	5.70	7.30	10.40	1.90	0.40	0.00	0.00	0.00	0.00		Yes
Medium	No	A10	9979.9	SW	Regular	No						Yes	Yes	Yes		Yes	6.70	0.20	5.20	7.90	11.50	1.90	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	A10	10353.6	NE	Regular	No						Yes	Yes	NA		Yes	3.90	0.00	5.70	5.70	9.80	0.90	0.40	0.00	0.00	0.00	0.00		Yes
Medium	No	A10	9996.5	SE	Regular	No						Yes	Yes	Yes		Yes	1.70	0.30	3.40	6.60	4.50	0.50	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	A10	9905.8	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	7.50	0.10	0.60	7.80	1.70	5.50	1.20		Yes
Medium	No	A10	9355.9	NW	Parallel	No						Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	8.00	1.50	1.30	7.20	1.00	6.90	0.10		Yes
Medium	No	B3	2264.5	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.10	1.20	0.30	0.9999	0.9999	1.40	1.30		Yes
Medium	No	B2	8496.0	NW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.90	1.30	5.80	5.10	5.20	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	C5	9471.3	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	4.90	0.10	0.9999	0.9999	9.10	1.20	1.40	0.00	0.00	0.00	0.00		Yes
Medium	No	C5	9313.0		Regular	No					No	Yes	Yes	Yes	No	Yes	7.60	0.70	6.20	5.50	8.10	0.80	1.70	0.00	0.00	0.00	0.00		Yes
Medium	No	C5	9521.6	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	2.40	1.00	0.9999	0.9999	7.10	0.30	0.40	0.00	0.00	0.00	0.00		Yes
Medium	No	C2	4780.2	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.60	1.40	1.20	7.30	0.70	4.80	0.30		Yes
Medium	No	C4	607.6	NE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.30	0.20	6.10	5.20	12.90	1.00	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	C4	4785.1	SW	Regular	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	9.20	1.80	1.90	6.00	1.10	6.40	0.40		Yes
Medium	No	C4	5430.2	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	4.20	0.30	0.00	8.20	1.60	8.10	1.10		Yes
Medium	No	C4	5578.8		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	4.90	1.10	1.20	6.60	1.80	7.20	0.50		Yes
Medium	No	C4	5786.0		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	2.20	1.10	0.10	7.00	1.60	6.80	1.60		Yes
Medium	No	A1	6075.3	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	6.50	1.60	1.00	0.9999	0.9999	5.70	0.80		Yes
Medium	No	A3	1101.0	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	7.80	0.10	7.50	6.10	12.90	1.40	0.50	0.00	0.00	0.00	0.00		Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Medium	No	A4	1886.6	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.10	0.60	1.80	5.80	1.90	6.80	0.00		Yes
Medium	No	A4	2056.0	SE	Regular	No						Yes	Yes	Yes	No	Yes	1.20	1.20	7.80	3.50	7.40	1.50	0.70	0.00	0.00	0.00	0.00		Yes
Medium	No	A4	1901.1	NE	Regular	No						Yes	Yes	Yes	No	Yes	1.60	1.30	7.50	1.10	10.60	0.50	0.80	0.00	0.00	0.00	0.00		Yes
Medium	No	A4	4870.3	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	8.60	0.00	1.70	8.20	1.20	0.9999	0.9999		Yes
Medium	No	A5	2612.7		Built-up	No	BTN_TYPE_0004.jpg					Yes	Yes	NA		Yes	7.60	0.60	0.9999	0.9999	8.60	0.30	1.30	0.00	0.00	0.00	0.00	Picture A5-2612	Yes
Medium	No	A6	7911.6	SE	Regular	No						Yes	Yes	Yes	No	Yes	4.70	0.90	7.40	8.00	12.70	2.00	1.00	0.00	0.00	0.00	0.00		Yes
Medium	No	B5	25313.2		Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.80	1.50	1.30	5.70	0.70	7.30	0.10		Yes
Medium	No	B5	9457.3	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	2.90	1.10	0.9999	0.9999	12.50	1.20	0.80	0.00	0.00	0.00	0.00		Yes
Medium	No	C3	29.9	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	0.80	0.60	0.9999	0.9999	10.70	1.50	0.20	0.00	0.00	0.00	0.00		Yes
Medium	No	B5	12745.9	SE	Parallel	No							Yes	Yes			0.00	0.00	0.00	0.00	9.00	1.70	1.00	7.20	0.20	5.40	1.20		Yes
Medium	No	B8	7129.0	NE	Regular	No						Yes	Yes	Yes	Yes	Yes	3.00	0.50	3.40	4.10	4.50	1.90	0.10	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	7672.0		Regular	No						Yes	Yes	NA		Yes	7.20	0.30	5.00	2.90	7.20	2.00	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	7775.1	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	0.40	0.90	1.70	1.20	2.60	0.90	0.80	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	8693.1		Regular	No						Yes	Yes	NA		Yes	5.30	0.00	4.80	3.60	5.40	1.10	0.30	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	8773.5	NW	Regular	No						Yes	Yes	Yes	Yes	Yes	2.00	0.80	2.30	4.40	4.30	0.70	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	8888.3		Regular	No						Yes	Yes	NA		Yes	6.80	0.30	3.50	2.60	7.90	1.10	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	9743.7		Regular	No						Yes	Yes	NA		Yes	5.70	0.70	3.30	3.30	7.20	1.60	0.20	0.00	0.00	0.00	0.00		Yes
Medium	No	B8	9742.8		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.50	0.50	0.00	0.9999	0.9999	6.00	0.70		Yes
Medium	No	B8	8075.2	SW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	11.00	1.50	0.20	0.9999	0.9999	6.00	1.40		Yes
Medium	No	B8	6039.1	NE													0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	raised crosswalks even with sidewalk, no ramp needed	Yes
Medium	No	B10	143.6	NE	Regular	No						Yes	Yes	Yes	No	Yes	0.20	1.10	0.9999	8.10	3.60	1.30	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	B10	0.0	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	0.50	0.40	0.9999	0.9999	4.00	1.60	0.10	0.00	0.00	0.00	0.00		Yes
Medium	No	B10	5078.8	NW	Regular	No					No	Yes	Yes	Yes		Yes	5.40	0.00	6.50	9.90	13.00	1.20	1.20	0.00	0.00	0.00	0.00		Yes
Medium	No	B10	7132.8	SE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	8.10	1.60	0.40	7.90	1.40	7.90	1.80		Yes
Medium	No	B10	7091.1	NE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	7.10	1.20	0.90	5.70	0.60	5.80	1.30		Yes
Medium	No	B10	6780.4	SE	Parallel	No					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	3.00	1.20	1.40	7.90	0.60	5.80	2.00		Yes
Medium	No	B8	5018.3		Regular	No						Yes	Yes	Yes	No	Yes	3.50	1.20	4.50	7.20	4.80	1.50	1.00	0.00	0.00	0.00	0.00		Yes
Medium	No	A10	750.4	SE	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes		Yes	5.30	0.10	4.70	9.20	10.40	0.10	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	C1	8041.2	NW	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	6.00	1.90	0.20	5.90	1.70	6.20	0.50		Yes
Medium	No	C1	7136.1	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	5.90	1.50	0.00	6.80	1.50	7.30	0.40		Yes
Medium	No	C1	6837.4	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	6.10	1.20	0.20	7.10	1.90	7.60	1.40		Yes
Medium	No	C1	4792.0	NE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	7.50	1.40	0.00	6.30	0.30	7.40	0.60		Yes
Medium	No	B1	7442.7	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	5.60	1.20	1.90	3.00	0.90	5.90	1.50		Yes
Medium	No	B9	768.0	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.60	1.90	1.40	5.90	1.00	7.90	1.80		Yes
Medium	No	B9	7958.0	SW	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.50	0.60	0.80	7.20	0.70	8.10	0.80		Yes
Medium	No	B9	7983.7		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.30	0.60	1.20	5.50	0.70	6.90	1.00		Yes
Medium	No	B9	7964.1	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	2.40	1.00	0.10	0.9999	0.9999	0.9999	0.9999		Yes
Medium	No	B9	7953.5	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	9.70	1.10	0.40	0.9999	0.9999	0.9999	0.9999		Yes
Medium	No	B9	7936.9	SE	Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	8.10	0.50	1.30	0.9999	0.9999	0.9999	0.9999		Yes
Medium	No	B9	7617.1	SE	Regular	No						Yes	Yes	NA		Yes	4.20	1.60	0.9999	7.20	13.20	1.20	1.40	0.00	0.00	0.00	0.00		Yes
Medium	No	B9	5973.4	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	10.90	0.70	0.40	5.70	1.00	8.20	0.30		Yes
Medium	No	B9	6266.7	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.10	0.20	1.50	5.80	0.10	7.10	0.10		Yes
Medium	No	F1	857.4		Regular	No	BTN_TYPE_0001.jpg				No	Yes	Yes	NA		Yes	5.00	1.70	0.9999	0.9999	6.80	0.00	0.00	0.00	0.00	0.00	0.00	Picture F1-798_857	Yes
Medium	No	F4	1805.6	NW	Regular	No					No	Yes	Yes	Yes	No	Yes	7.80	2.00	0.9999	0.9999	12.00	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	F4	1858.5	NE	Regular	No					No	Yes	Yes	Yes	No	Yes	7.20	1.40	0.9999	0.9999	12.10	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	F5	2495.9		Regular	No					No	Yes	Yes	NA		Yes	4.70	0.90	0.9999	0.9999	6.60	0.00	0.00	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	27541.9	SW	Regular	Yes					Yes	Yes	Yes	Yes	No	Yes	4.60	1.00	2.70	3.10	9.90	0.60	0.70	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	28149.3	SW	Regular	No					No	Yes	Yes	Yes	No	Yes	4.70	0.40	6.10	3.70	9.80	1.50	1.20	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	37802.9		Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	3.00	1.40	1.10	7.20	0.90	6.80	0.50		Yes
Medium	No	A9	37647.5		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.30	1.10	0.10	4.90	0.80	5.70	1.70		Yes
Medium	No	A9	37585.1		Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	1.70	1.20	0.70	6.40	0.40	5.90	1.30		Yes
Medium	No	A9	49216.8		Parallel	No					No	Yes	Yes	NA		Yes	7.80	0.30	0.9999	0.9999	3.00	0.40	1.50	0.00	0.00	0.00	0.00		Yes
Medium	No	A9	49079.3	NW	Parallel	Yes					No	Yes	Yes	Yes		Yes	0.00	0.00	0.00	0.00	6.80	2.00	1.50	6.50	0.40	6.80	1.20		Yes
Medium	No	C3	22612.9		Regular	No					No	Yes	Yes	Yes	No	Yes	5.70	2.00	7.40	7.90	6.60	0.40	0.80	0.00	0.00	0.00	0.00		Yes
Medium	No	C3	25546.3		Regular	No						Yes	Yes	Yes	Yes	Yes	7.40	0.70	0.9999	0.9999	13.10	0.10	1.20	0.00	0.00	0.00	0.00		Yes
Medium	No	D7	3187.1		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	1.00	0.50	4.30	2.10	1.20	0.80	0.20	0.00	0.00	0.00	0.00		Yes
Medium	No	D9	45.3	NW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.60	1.00	1.80	6.40	0.70	5.40	1.30		Yes
Medium	No	D6	4082.8		Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	3.30	0.30	1.70	4.60	4.60	1.80	0.60	0.00	0.00	0.00	0.00		Yes
Medium	No	C3	13786.5	SW	Regular	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	No	Yes	7.40	1.90	6.10	8.10	8.90	0.40	1.90	0.00	0.00	0.00	0.00		Yes
Medium	No	C9	4495.3	SW	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.20	1.40	1.60	6.80	0.50	7.20	1.90		Yes
Medium	No	C9	4309.1		Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	8.10	0.50	0.70	7.90	1.10	7.20	1.10		Yes
Medium	No	C3	7577.5		Regular	No						Yes	Yes	NA		Yes	6.80	0.20	0.9999	0.9999	7.20	0.50	1.90	0.00	0.00	0.00	0.00		Yes
Low	No	C6	3214.2		Parallel	Yes	2 inch	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	0.00	0.00	0.00	0.00	13.20	2.00	0.90	4.10	1.00	6.30	2.00		Yes
Low	No	B8	8221.4		Regular	No						Yes	Yes	NA		Yes	5.50	0.40	5.10	1.70	5.80	1.40	0.50	0.00	0.00	0.00	0.00		Yes
Low	No	B10	2077.1	SE	Parallel	No						Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	9.30	0.80	0.70	8.00	1.10	8.10	0.10		Yes
Low	No	C1	5378.0	SE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.90	1.10	0.50	7.20	0.60	8.00	1.20		Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Intersection Corner	Ramp Type	Signalized Intersection	Button Type	Button Level	Button Too High	Button Out of Reach	Audible Signal	Flush Transition	Detectable Warning	Terminates in Crosswalk	Straight Curb	Top Landing	Ramp Slope	Ramp X-Slope	Right Flare Slope	Left Flare Slope	Gutter Slope + Ramp Slope	Landing Slope	Landing X-Slope	Right Slope	Right X-Slope	Left Slope	Left X-Slope	Other	Compliant
Low	No	C1	5354.9	SW	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	3.60	1.60	0.90	6.40	1.30	8.10	1.60		Yes
Low	No	C1	5232.5	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	2.60	1.40	0.70	6.00	0.50	4.30	1.60		Yes
Low	No	C1	5255.0	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	2.60	1.50	0.90	7.60	1.40	6.50	1.80		Yes
Low	No	B9	6310.5	SE	Regular	No						Yes	Yes	NA		Yes	4.30	0.80	0.9999	7.20	12.40	1.70	0.90	0.00	0.00	0.00	0.00		Yes
Low	No	B9	5933.8	NE	Parallel	No						Yes	Yes	NA		Yes	0.00	0.00	0.00	0.00	11.90	1.50	1.60	5.60	0.30	6.20	1.10		Yes
Low	No	C9	2739.1	SE	Parallel	No					No	Yes	Yes	Yes	No	Yes	0.00	0.00	0.00	0.00	10.10	0.90	1.20	7.20	0.60	5.20	1.30		Yes
																												Number of Non-Compliant Curb Ramps	2735

Compliant

Non-Compliant

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	A9	31536.1	Com	21.5	No	21.7	14.4	No
High	Yes	C2	1379.6	Com	17.6	No	28.2	19.2	No
High	Yes	C1	116.3	Com	17.5	Yes	10.7	16.9	No
High	Yes	B1	5937.2	Res	16.4	No	22.7	17.6	No
High	Yes	D6	3595.5	Com	16.2	No	24.9	17.8	No
High	Yes	B5	14551.7	Res	15.9	No	17.1	13.3	No
High	Yes	F1	821.7	Res	15.7	No	17.1	11.6	No
High	Yes	C1	57.1	Com	15.5	No	23.1	15.2	No
High	Yes	C5	7172.4	Com	15.4	No	11.0	14.9	No
High	Yes	B5	13696.3	Com	15.4	No	9.4	15.0	No
High	Yes	A9	25741.1	Com	15.3	No	100.0	100.0	No
High	Yes	B5	31563.3	Res	15.1	No	2.1	16.6	No
High	Yes	B5	14169.8	Res	15.1	No	13.2	12.1	No
High	Yes	B6	2353.0	Res	14.9	No	14.3	17.6	No
High	Yes	B1	6890.4	Res	14.8	No	18.8	11.4	No
High	Yes	B1	5842.0	Res	14.7	No	28.1	26.4	No
High	Yes	E1	7691.5	Com	14.6	No	17.2	16.4	No
High	Yes	C7	4490.6	Res	14.6	No	17.5	17.2	No
High	Yes	E1	9466.0	Res	14.6	No	14.0	13.2	No
High	Yes	B1	5122.1	Com	14.5	No	15.9	16.2	No
High	Yes	B5	31436.2	Res	14.5	No	2.2	15.2	No
High	Yes	B1	4858.7	Res	14.5	No	15.3	13.5	No
High	Yes	B5	21951.8	Com	14.4	No	8.5	9.8	No
High	Yes	B5	13835.5	Com	14.4	No	14.7	21.5	No
High	Yes	B1	4611.9	Res	14.4	No	22.6	19.2	No
High	Yes	E1	2172.4	Res	14.3	No	13.6	9.0	No
High	Yes	B1	4423.2	Res	14.3	No	19.1	12.5	No
High	Yes	B5	23955.3	Com	14.2	No	15.4	12.9	No
High	Yes	B5	18275.2	Res	14.1	No	12.4	9.0	No
High	Yes	C6	1979.9	Com	14.0	No	5.9	6.6	No
High	Yes	B5	11067.0	Com	14.0	No	14.9	15.2	No
High	Yes	B1	15161.2	Res	13.9	No	8.9	6.5	No
High	Yes	B9	279.1	Res	13.9	No	18.7	13.4	No
High	Yes	B9	6873.7	Com	13.7	No	14.4	20.0	No
High	Yes	C2	3277.8	Com	13.4	No	18.6	21.1	No
High	Yes	B1	6710.2	Res	13.4	No	15.9	13.6	No
High	Yes	B1	6764.8	Res	13.4	No	10.9	12.5	No
High	Yes	D1	1801.9	Com	13.3	No	3.5	20.7	No
High	Yes	C8	862.8	Com	13.2	No	12.6	17.2	No
High	Yes	A9	20540.3	Com	13.2	No	15.4	22.4	No
High	Yes	D5	705.8	Com	13.2	No	7.8	6.0	No
High	Yes	E4	5634.2	Com	13.1	No	14.5	18.7	No
High	Yes	D7	4396.8	Com	13.1	No	12.7	12.0	No
High	Yes	B4	3497.9	Com	13.1	No	18.5	12.3	No
High	Yes	A9	23005.4	Res	13.1	No	17.0	18.0	No
High	Yes	C2	2169.8	Com	13.0	No	9.2	6.6	No
High	Yes	C6	2464.8	Com	12.9	No	17.2	15.9	No
High	Yes	C2	3444.5	Com	12.9	No	10.1	18.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B5	18029.1	Res	12.9	No	15.0	11.1	No
High	Yes	B1	4180.9	Res	12.9	No	16.9	14.5	No
High	Yes	B1	10601.2	Com	12.8	No	20.2	22.2	No
High	Yes	C2	2662.0	Com	12.8	No	19.1	30.3	No
High	Yes	A6	3235.0	Com	12.8	No	18.4	2.5	No
High	Yes	E8	16.8	Com	12.8	No	12.3	25.2	No
High	Yes	B1	5457.3	Com	12.8	No	25.5	28.4	No
High	Yes	C3	7782.1	Com	12.8	No	21.9	16.2	No
High	Yes	B1	6814.5	Res	12.8	No	16.5	10.6	No
High	Yes	C2	2773.0	Com	12.7	No	17.2	21.4	No
High	Yes	A6	4611.7	Com	12.7	No	19.8	6.8	No
High	Yes	A9	31250.2	Com	12.7	No	12.5	17.1	No
High	Yes	C5	7303.5	Com	12.6	No	20.2	21.0	No
High	Yes	C3	7700.3	Com	12.6	No	21.9	23.3	No
High	Yes	A3	304.2	Res	12.6	No	24.0	22.1	No
High	Yes	B4	2483.3	Res	12.6	No	19.8	21.3	No
High	Yes	B1	4361.5	Res	12.6	No	20.0	15.7	No
High	Yes	B9	1836.1	Res	12.6	No	16.5	16.8	No
High	Yes	B9	220.6	Res	12.6	No	16.0	13.7	No
High	Yes	C5	2574.6		12.6	No	16.0	18.3	No
High	Yes	C4	3839.2	Com	12.5	No	31.1	20.3	No
High	Yes	B1	5580.4	Com	12.5	No	10.4	20.8	No
High	Yes	A9	21255.7	Com	12.5	No	13.3	19.0	No
High	Yes	B10	3906.5	Res	12.5	No	38.1	26.0	No
High	Yes	C6	1968.8	Com	12.4	No	18.2	9.0	No
High	Yes	C2	2874.2	Com	12.4	No	20.5	32.9	No
High	Yes	C5	1358.9	Com	12.4	No	22.1	20.6	No
High	Yes	B1	5015.6	Com	12.4	No	20.4	8.3	No
High	Yes	C3	18242.2	Com	12.4	No	23.0	23.3	No
High	Yes	F2	4296.6	Res	12.4	No	20.1	15.7	No
High	Yes	C2	3659.8	Com	12.3	No	16.9	18.8	No
High	Yes	C2	2606.4	Com	12.3	No	15.4	21.4	No
High	Yes	B6	142.1	Com	12.3	No	7.7	5.9	No
High	Yes	B9	7180.0	Com	12.3	No	14.5	14.2	No
High	Yes	A9	32665.5	Com	12.3	No	16.8	25.2	No
High	Yes	F2	703.5	Res	12.3	No	10.2	7.9	No
High	Yes	A6	4644.4	Res	12.3	No	3.4	14.7	No
High	Yes	A6	272.8	Com	12.2	No	7.3	15.5	No
High	Yes	C1	3688.8	Com	12.2	No	11.9	11.4	No
High	Yes	B9	4616.3	Com	12.2	No	9.1	5.2	No
High	Yes	C9	3414.7	Com	12.1	No	8.1	5.7	No
High	Yes	C6	2570.8	Com	12.1	No	5.8	9.2	No
High	Yes	A6	4344.9	Com	12.1	No	11.0	17.1	No
High	Yes	F2	4407.2	Res	12.1		7.8	18.3	No
High	Yes	F2	4442.6	Res	12.1	No	12.6	17.0	No
High	Yes	F2	4509.2	Res	12.1	No	12.0	14.0	No
High	Yes	B1	6848.1	Res	12.1	No	18.4	10.3	No
High	Yes	B9	1361.5	Res	12.1	No	16.7	14.5	No
High	Yes	B9	1677.0	Res	12.1	No	13.6	18.2	No
High	Yes	C6	2515.2	Com	12.0	No	5.2	9.2	No
High	Yes	C2	2831.8	Com	12.0	No	13.5	16.3	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B5	7599.3	Com	12.0	No	14.7	17.7	No
High	Yes	C1	4236.3	Com	12.0	No	10.5	6.3	No
High	Yes	B6	1145.2	Com	12.0	No	13.3	26.2	No
High	Yes	A9	20461.3	Com	12.0	No	12.1	22.9	No
High	Yes	F2	3965.8	Res	12.0	No	9.8	12.8	No
High	Yes	E1	1312.1	Res	12.0	No	8.0	8.1	No
High	Yes	B5	14216.9	Res	12.0	No	15.8	15.1	No
High	Yes	B1	7688.4	Res	12.0	No	11.0	7.6	No
High	Yes	B9	1442.0	Res	12.0	No	12.4	12.7	No
High	Yes	A9	30718.5	Com	11.9	No	14.1	19.8	No
High	Yes	A9	34034.9	Com	11.9	No	22.7	33.8	No
High	Yes	B5	15729.7	Com	11.9	No	24.3	19.3	No
High	Yes	F2	614.8	Res	11.9	No	7.0	7.2	No
High	Yes	D4	3599.6	Res	11.9	No	9.0	15.6	No
High	Yes	B9	41.6	Res	11.9	No	14.2	18.2	No
High	Yes	B1	14775.1	Com	11.8	No	8.9	7.1	No
High	Yes	D3	1117.1	Com	11.8	No	24.5	22.9	No
High	Yes	B5	29524.1	Com	11.8	No	11.3	8.5	No
High	Yes	B5	14016.7	Com	11.8	No	16.4	13.2	No
High	Yes	C7	2516.9	Res	11.8	No	17.5	15.4	No
High	Yes	B5	16342.2	Res	11.8	No	10.8	11.2	No
High	Yes	B5	18296.5	Res	11.8	No	11.4	11.7	No
High	Yes	B10	3641.6	Res	11.8	No	19.2	17.8	No
High	Yes	A9	30961.6	Com	11.7	No	9.5	13.0	No
High	Yes	A2	1552.3	Com	11.7	No	5.0	12.3	No
High	Yes	B7	1961.6	Com	11.7	No	13.2	7.2	No
High	Yes	B9	664.8	Res	11.7	No	11.7	13.5	No
High	Yes	B9	2136.6	Res	11.7	No	16.6	14.6	No
High	Yes	C2	3369.3	Com	11.6	No	26.6	19.4	No
High	Yes	A1	1300.6	Com	11.6	No	7.6	7.2	No
High	Yes	A3	218.0	Res	11.6	No	26.9	5.3	No
High	Yes	B1	4770.8	Res	11.6	No	22.0	24.1	No
High	Yes	B9	625.5	Res	11.6	No	13.4	16.9	No
High	Yes	B9	2430.9	Res	11.6	No	11.1	9.3	No
High	Yes	C2	2727.2	Com	11.5	No	16.2	28.0	No
High	Yes	C2	2181.2	Com	11.5	No	6.5	8.5	No
High	Yes	C4	3894.9	Com	11.5	No	14.1	18.1	No
High	Yes	A2	1616.1	Com	11.5	No	13.4	7.6	No
High	Yes	B9	7381.3	Com	11.5	No	15.3	15.2	No
High	Yes	F2	564.5	Res	11.5	No	8.3	8.1	No
High	Yes	F2	4120.1	Res	11.5	No	9.1	16.2	No
High	Yes	F2	4367.6	Res	11.5	No	16.5	17.8	No
High	Yes	E1	2418.8	Res	11.5	No	7.6	7.8	No
High	Yes	B10	3674.0	Res	11.5	No	16.0	16.7	No
High	Yes	A9	22743.6	Res	11.5	No	19.2	16.2	No
High	Yes	C9	2464.3	Res	11.5	No	4.8	6.7	No
High	Yes	A9	40065.9	Com	11.4	No	7.6	8.1	No
High	Yes	A9	38499.5	Com	11.4	No	6.0	5.7	No
High	Yes	B4	3789.6	Com	11.4	No	20.0	12.4	No
High	Yes	A9	25043.8	Com	11.4	No	9.2	23.4	No
High	Yes	D4	3562.0	Res	11.4	No	12.9	15.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B1	13358.8	Res	11.4	No	5.3	8.8	No
High	Yes	C6	2036.9	Res	11.4	No	13.0	9.0	No
High	Yes	C9	3496.2	Com	11.3	No	9.2	5.3	No
High	Yes	D9	608.8	Com	11.3	No	15.2	14.9	No
High	Yes	F2	4029.3	Res	11.3	No	10.5	14.3	No
High	Yes	F2	4468.5	Res	11.3	No	13.6	16.0	No
High	Yes	B9	1518.3	Res	11.3	No	17.3	13.4	No
High	Yes	B6	2243.4	Res	11.3	No	11.4	8.0	No
High	Yes	D5	864.4	Res	11.3	No	6.1	5.8	No
High	Yes	A9	24883.1	Com	11.2	No	12.2	13.1	No
High	Yes	A10	5379.2	Com	11.2	No	5.4	23.6	No
High	Yes	C2	2723.6	Com	11.2	No	19.6	13.6	No
High	Yes	A6	4120.0	Com	11.2	No	11.2	16.0	No
High	Yes	F2	4178.2	Res	11.2	No	10.4	11.8	No
High	Yes	F2	4273.4	Res	11.2	No	18.3	17.6	No
High	Yes	E1	3715.4	Res	11.2	No	20.4	16.3	No
High	Yes	A6	3508.9	Res	11.2	No	4.5	9.3	No
High	Yes	B5	18244.3	Res	11.2	No	12.8	13.3	No
High	Yes	E1	2956.6	Res	11.2	No	18.2	12.7	No
High	Yes	F4	174.0	Com	11.1	No	11.5	16.3	No
High	Yes	B1	3924.3	Com	11.1	No	11.3	12.4	No
High	Yes	B1	8878.4	Com	11.1	No	19.3	29.5	No
High	Yes	F2	4568.2	Res	11.1	No	12.0	7.5	No
High	Yes	C2	2857.6	Com	11.0	No	17.9	14.2	No
High	Yes	B4	1411.8	Com	11.0	No	11.6	11.6	No
High	Yes	B1	5351.1	Com	11.0	No	28.9	20.8	No
High	Yes	E1	2230.9	Res	11.0	Yes	7.0	7.3	No
High	Yes	B4	2575.8	Res	11.0	No	18.7	24.8	No
High	Yes	C1	4538.8	Res	11.0	No	8.1	6.9	No
High	Yes	A9	22402.9	Res	11.0	No	19.0	20.3	No
High	Yes	B5	11157.6	Com	10.9	No	15.3	15.1	No
High	Yes	C1	3571.1	Com	10.9	No	13.7	13.8	No
High	Yes	B1	7173.7	Com	10.9	No	16.3	10.0	No
High	Yes	B1	6956.3	Com	10.9	No	5.9	6.5	No
High	Yes	F2	3820.7	Res	10.9	No	11.2	19.8	No
High	Yes	F2	4538.4	Res	10.9	No	13.0	13.3	No
High	Yes	B5	15424.8	Res	10.9	No	23.4	17.7	No
High	Yes	B4	2585.4	Res	10.9	No	22.1	32.5	No
High	Yes	B7	2341.8	Res	10.9	No	19.3	19.5	No
High	Yes	B9	3225.7	Res	10.9	No	17.7	15.4	No
High	Yes	E1	1099.4	Res	10.9	No	9.9	7.4	No
High	Yes	D9	619.0	Res	10.9	No	17.7	7.3	No
High	Yes	F2	12189.4	Com	10.8	No	14.6	13.7	No
High	Yes	B1	11116.4	Com	10.8	No	19.3	20.8	No
High	Yes	C2	3195.9	Com	10.8	No	18.1	16.4	No
High	Yes	E8	726.2	Com	10.8	No	7.2	8.6	No
High	Yes	B1	3407.2	Com	10.8	No	11.6	23.4	No
High	Yes	B9	355.6	Com	10.8	No	8.6	12.8	No
High	Yes	B6	188.6	Com	10.8	No	5.2	6.8	No
High	Yes	F2	4062.0	Res	10.8	No	20.2	13.0	No
High	Yes	B4	2335.6	Res	10.8	No	22.0	18.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B9	1713.9	Res	10.8	No	12.0	18.4	No
High	Yes	C8	694.7	Com	10.7	No	4.4	6.0	No
High	Yes	E7	225.1	Com	10.7	No	6.6	9.7	No
High	Yes	A6	10765.5	Com	10.7	No	16.0	14.6	No
High	Yes	B5	13729.7	Com	10.7	No	13.2	11.9	No
High	Yes	F2	6457.2	Com	10.7	No	11.9	22.1	No
High	Yes	A10	5197.5	Res	10.7	No	26.9	11.8	No
High	Yes	B4	2368.9	Res	10.7	No	18.5	24.0	No
High	Yes	C9	3921.0		10.7	No	6.2	8.4	No
High	Yes	B1	12211.0	Com	10.6	No	6.6	9.9	No
High	Yes	B10	5588.1	Com	10.6	No	16.5	15.2	No
High	Yes	B10	6541.1	Com	10.6	No	13.3	14.8	No
High	Yes	C7	2498.1	Res	10.6	No	17.8	9.5	No
High	Yes	A6	3382.9	Res	10.6	No	14.4	12.7	No
High	Yes	A6	3155.3	Res	10.6	No	14.4	4.2	No
High	Yes	C1	4506.9	Res	10.6	No	8.1	6.3	No
High	Yes	C2	3101.2	Com	10.5	No	18.2	20.7	No
High	Yes	C4	3816.3	Com	10.5	No	21.3	20.2	No
High	Yes	A6	8985.5	Com	10.5	No	5.8	10.3	No
High	Yes	B5	1997.7	Com	10.5	No	19.4	25.3	No
High	Yes	F2	4194.5	Res	10.5	No	11.7	13.7	No
High	Yes	B5	14801.0	Res	10.5	No	14.7	12.7	No
High	Yes	B5	1354.8	Com	10.4	No	6.5	14.8	No
High	Yes	A9	30850.8	Com	10.4	No	19.1	20.0	No
High	Yes	A4	4307.4	Com	10.4	No	9.2	18.3	No
High	Yes	A6	174.0	Com	10.4	No	24.2	11.7	No
High	Yes	B7	1815.6	Com	10.4	No	19.3	11.5	No
High	Yes	B9	7124.3	Com	10.4	No	16.9	17.6	No
High	Yes	E9	2063.6	Com	10.4	No	3.5	9.3	No
High	Yes	F2	4145.3	Res	10.4	No	15.8	12.7	No
High	Yes	B5	30423.5	Res	10.4	No	7.3	6.9	No
High	Yes	B5	14839.8	Res	10.4	No	20.3	16.7	No
High	Yes	B5	18344.4	Res	10.4	No	12.5	999.0	No
High	Yes	B1	3525.8	Res	10.4	No	14.0	15.7	No
High	Yes	A9	20683.1	Res	10.4	No	9.8	20.0	No
High	Yes	C9	5363.7	Com	10.3	No	13.5	19.1	No
High	Yes	C9	2409.7	Com	10.3	No	9.6	7.3	No
High	Yes	C2	2622.4	Com	10.3	No	7.3	7.1	No
High	Yes	A2	1781.6	Com	10.3	No	6.5	8.2	No
High	Yes	B10	3136.9	Com	10.3	No	16.8	17.4	No
High	Yes	B7	1878.5	Com	10.3	No	14.6	13.7	No
High	Yes	B1	8274.8	Com	10.3	No	8.2	9.8	No
High	Yes	B4	2516.3	Res	10.3	No	21.6	21.4	No
High	Yes	B4	2100.7	Res	10.3	No	12.8	15.1	No
High	Yes	C1	4469.4	Res	10.3	No	8.8	6.5	No
High	Yes	B1	10957.9	Com	10.2	No	19.6	13.4	No
High	Yes	A6	4089.4	Com	10.2	No	10.8	17.7	No
High	Yes	B10	3931.5	Com	10.2	No	19.0	18.1	No
High	Yes	A9	21107.1	Com	10.2	No	4.7	21.1	No
High	Yes	C9	6252.8	Com	10.2	No	13.7	14.3	No
High	Yes	F2	4100.0	Res	10.2	No	8.0	13.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	D4	3852.7	Res	10.2	No	16.9	8.6	No
High	Yes	C9	2463.3	Res	10.2	No	10.2	3.2	No
High	Yes	B1	15241.0	Res	10.2	No	10.3	7.0	No
High	Yes	A6	2995.5	Res	10.2	No	20.3	1.7	No
High	Yes	B10	4182.2	Res	10.2	No	13.1	22.0	No
High	Yes	B10	6236.8	Res	10.2	No	8.5	14.4	No
High	Yes	E1	5593.0	Com	10.1	No	6.3	7.0	No
High	Yes	A10	8044.0	Com	10.1	No	9.2	7.3	No
High	Yes	C6	1807.3	Com	10.1	No	7.1	17.6	No
High	Yes	B4	3730.0	Com	10.1	No	20.1	16.0	No
High	Yes	A9	31497.9	Com	10.1	No	15.9	21.1	No
High	Yes	E1	5336.8	Com	10.1	No	6.7	3.1	No
High	Yes	D4	3758.0	Res	10.1	No	3.2	7.1	No
High	Yes	A10	5461.9	Res	10.1	No	12.3	5.8	No
High	Yes	A10	5569.7	Res	10.1	No	17.1	15.6	No
High	Yes	E8	412.2	Res	10.1	No	7.1	7.9	No
High	Yes	B10	6599.9	Res	10.1	No	15.5	9.5	No
High	Yes	B10	6280.5	Res	10.1	No	16.9	12.2	No
High	Yes	B4	2466.9	Res	10.1	No	17.7	23.0	No
High	Yes	C1	4424.2	Res	10.1	No	7.1	7.2	No
High	Yes	A9	25010.2	Res	10.1	No	18.6	28.5	No
High	No	F4	84.5	Com	10.0	No	13.4	16.2	No
High	No	E1	2123.8	Com	10.0	No	18.1	13.0	No
High	No	B1	12156.4	Com	10.0	No	4.9	7.8	No
High	No	C2	3552.0	Com	10.0	No	3.7	11.3	No
High	No	B1	3970.5	Com	10.0	No	9.1	12.7	No
High	No	E1	2546.9	Res	10.0	No	16.6	12.8	No
High	No	B1	3597.0	Res	10.0	No	13.9	12.0	No
High	No	D9	681.9	Res	10.0	No	11.9	15.2	No
High	No	A9	39975.0	Com	9.9	No	7.8	5.4	No
High	No	C3	15920.9	Com	9.9	No	24.9	28.1	No
High	No	D3	1252.2	Com	9.9	No	11.0	15.7	No
High	No	A6	82.5	Com	9.9	No	20.1	12.2	No
High	No	B5	22676.0	Com	9.9	No	12.6	10.0	No
High	No	A9	21598.6	Res	9.9	No	12.2	22.6	No
High	No	D4	3442.5	Res	9.9	No	13.2	11.1	No
High	No	B1	6930.3	Res	9.9	No	14.8	14.5	No
High	No	D9	551.0	Res	9.9	No	7.4	6.1	No
High	No	E1	2651.4		9.9	No	12.5	15.1	No
High	No	A10	7292.1	Com	9.8	No	4.5	15.6	No
High	No	B10	6489.8	Com	9.8	No	15.4	23.2	No
High	No	F5	2438.5	Com	9.7	No	5.7	6.3	No
High	No	A2	1607.4	Com	9.7	No	6.5	12.5	No
High	No	A2	1641.3	Com	9.7	No	8.1	8.1	No
High	No	A6	4442.8	Com	9.7	No	15.7	6.8	No
High	No	B8	3946.5	Com	9.7	No	11.5	6.4	No
High	No	B1	7191.3	Com	9.7	No	8.9	4.9	No
High	No	E9	1177.1	Com	9.7	No	2.8	15.1	No
High	No	F2	3794.7	Res	9.7	No	10.3	16.0	No
High	No	A6	3058.3	Res	9.7	No	16.0	5.3	No
High	No	A9	31063.2	Com	9.6	Yes	15.2	19.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	E1	2370.0	Com	9.6	No	18.9	14.7	No
High	No	E1	5725.6	Com	9.6	No	18.3	22.3	No
High	No	B5	11980.6	Com	9.6	No	9.8	7.1	No
High	No	B8	3833.5	Com	9.6	No	11.6	18.9	No
High	No	B1	3971.4	Com	9.6	No	9.6	11.6	No
High	No	C3	8570.2	Com	9.6	No	12.6	15.4	No
High	No	C7	3829.5	Res	9.6	No	8.2	5.0	No
High	No	A3	60.2	Res	9.6	No	28.8	4.0	No
High	No	B10	3695.0	Res	9.6	No	16.1	17.8	No
High	No	C1	3343.5	Res	9.6	No	13.8	14.8	No
High	No	A9	22589.6	Res	9.6	No	21.2	17.0	No
High	No	D6	3191.5	Com	9.5	No	13.2	12.0	No
High	No	A6	3282.2	Com	9.5	No	11.8	2.4	No
High	No	B5	14434.2	Com	9.5	No	10.6	13.0	No
High	No	A9	34607.2	Com	9.5	No	3.0	5.7	No
High	No	F2	4242.1	Res	9.5	No	11.0	18.5	No
High	No	F4	538.8	Res	9.5	No	13.8	18.9	No
High	No	B5	17177.6	Res	9.5	No	14.7	13.7	No
High	No	A10	8405.4	Com	9.4	No	29.0	9.7	No
High	No	C5	5865.7	Com	9.4	No	23.4	28.0	No
High	No	A6	47.2	Com	9.4	No	18.5	13.1	No
High	No	B5	30143.0	Com	9.4	No	5.0	6.3	No
High	No	B10	3403.9	Com	9.4	No	19.4	22.9	No
High	No	B9	7450.9	Com	9.4	No	7.2	7.2	No
High	No	D2	597.8	Res	9.4	No	5.3	9.6	No
High	No	A1	4971.0	Res	9.4	No	18.9	16.4	No
High	No	C1	4490.4	Res	9.4	No	10.5	8.1	No
High	No	A6	10830.4	Com	9.3	No	7.1	11.0	No
High	No	B5	17398.0	Com	9.3		8.5	6.0	No
High	No	B1	3640.6	Com	9.3	No	20.2	16.7	No
High	No	B6	264.4	Com	9.3	No	8.8	14.6	No
High	No	F2	3646.0	Res	9.3	No	10.4	10.2	No
High	No	E1	2041.2	Res	9.3	No	19.2	16.9	No
High	No	C7	4424.8	Res	9.3	No	8.2	6.9	No
High	No	C3	19246.5	Com	9.2	No	25.8	22.7	No
High	No	A10	5109.8	Com	9.2	No	20.2	13.2	No
High	No	D3	1363.1	Com	9.2	No	13.7	20.2	No
High	No	C3	6850.4	Com	9.2	No	14.7	14.9	No
High	No	B4	2435.8	Res	9.2	No	16.0	23.8	No
High	No	B7	2394.8	Res	9.2	No	24.1	18.8	No
High	No	C6	806.1	Com	9.1	No	17.2	28.2	No
High	No	B5	17515.4	Com	9.1	No	4.4	4.0	No
High	No	E9	951.7	Com	9.1	No	5.4	15.5	No
High	No	D2	640.7	Res	9.1	No	23.5	23.6	No
High	No	B10	4224.2	Res	9.1	No	12.5	13.3	No
High	No	B1	3832.5	Res	9.1	No	18.1	16.8	No
High	No	A9	31002.2	Com	9.0	Yes	10.4	28.3	No
High	No	C5	5724.2	Com	9.0	No	13.3	19.2	No
High	No	A4	730.5	Com	9.0	No	20.1	18.4	No
High	No	A6	0.0	Com	9.0	No	8.6	4.4	No
High	No	A6	128.3	Com	9.0	No	7.5	14.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B9	6870.3	Com	9.0	No	13.1	15.8	No
High	No	A6	3846.3	Res	9.0	No	16.0	13.8	No
High	No	E8	494.2	Res	9.0	No	7.0	10.9	No
High	No	B1	3649.0	Res	9.0	No	12.8	9.9	No
High	No	D1	1728.4	Com	8.9	No	15.7	13.1	No
High	No	C5	5994.8	Com	8.9	No	16.0	25.1	No
High	No	A4	3684.6	Com	8.9	No	10.3	17.8	No
High	No	A6	10621.9	Com	8.9	No	14.7	13.8	No
High	No	B1	6880.4	Com	8.9	No	7.5	7.1	No
High	No	E1	9473.4	Res	8.9	No	19.2	17.7	No
High	No	E1	1937.8	Res	8.9	No	7.1	6.3	No
High	No	D4	3338.7	Res	8.9	Yes	11.9	12.1	No
High	No	D2	632.8	Res	8.9	No	37.9	3.5	No
High	No	B5	11108.3	Res	8.9	No	8.8	6.6	No
High	No	B10	6633.1	Res	8.9	No	11.2	4.1	No
High	No	A9	22649.6	Res	8.9	No	18.3	17.2	No
High	No	F2	12407.5	Com	8.8	No	14.0	16.1	No
High	No	A9	25374.6	Com	8.8	No	20.2	10.1	No
High	No	B1	3859.7	Com	8.8	No	8.1	16.4	No
High	No	B1	6258.6	Com	8.8	No	8.8	15.4	No
High	No	A9	34651.3	Com	8.8	No	4.9	6.7	No
High	No	C3	17563.4	Com	8.8	No	11.5	12.3	No
High	No	F2	3665.2	Res	8.8	No	9.3	15.6	No
High	No	B4	2146.3	Res	8.8	No	20.5	34.2	No
High	No	C9	6730.6	Com	8.7	No	8.9	6.3	No
High	No	A10	7334.1	Com	8.7	No	14.9	7.8	No
High	No	C5	5926.1	Com	8.7	No	33.9	24.9	No
High	No	B5	13674.8	Com	8.7	No	14.6	13.2	No
High	No	B5	15814.2	Com	8.7	No	18.4	25.4	No
High	No	B6	1198.7	Com	8.7	No	14.2	10.2	No
High	No	F4	236.3	Res	8.7	No	7.0	18.5	No
High	No	A9	24972.9	Com	8.6	No	15.2	10.3	No
High	No	A9	31176.0	Com	8.6	No	13.0	6.6	No
High	No	C9	1901.3	Com	8.6	No	7.5	5.8	No
High	No	B1	11856.1	Com	8.6	No	15.6	4.9	No
High	No	A2	1669.5	Com	8.6	No	10.5	6.1	No
High	No	E1	5379.7	Com	8.6	No	5.2	4.6	No
High	No	D4	3797.0	Res	8.6	No	5.7	7.0	No
High	No	C7	2467.2	Res	8.6	No	15.1	15.7	No
High	No	A6	3187.8	Res	8.6	No	14.7	7.6	No
High	No	A9	30914.8	Com	8.5	No	17.9	23.6	No
High	No	A4	720.0	Com	8.5	No	11.1	9.5	No
High	No	B5	14489.4	Com	8.5	No	10.8	9.9	No
High	No	B4	3840.5	Com	8.5	No	25.8	15.2	No
High	No	A9	23122.6	Res	8.5	No	19.8	15.6	No
High	No	A9	31074.7	Com	8.4	No	10.4	5.8	No
High	No	A9	35453.5	Com	8.4	No	25.5	12.6	No
High	No	A1	1310.8	Com	8.4	No	11.4	19.8	No
High	No	B5	9790.5	Com	8.4	No	7.4	4.6	No
High	No	B5	11410.7	Com	8.4	No	7.8	6.0	No
High	No	B10	5761.4	Com	8.4	No	16.4	14.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B5	747.9	Com	8.4	No	11.5	6.9	No
High	No	A6	3262.5	Res	8.4	No	6.1	16.5	No
High	No	B5	11495.9	Res	8.4	No	15.5	26.7	No
High	No	A9	30803.5	Com	8.3	No	20.6	15.9	No
High	No	D6	2583.4	Com	8.3	No	21.5	21.1	No
High	No	B1	11458.6	Com	8.3	No	23.6	6.8	No
High	No	A10	5501.8	Com	8.3	No	9.3	16.5	No
High	No	A4	3698.5	Com	8.3	No	19.7	4.5	No
High	No	A9	21530.8	Res	8.3	No	10.2	22.7	No
High	No	C9	1584.8	Res	8.3	No	9.6	6.0	No
High	No	B5	17407.5	Res	8.3	No	14.2	13.5	No
High	No	B1	3386.1	Res	8.3	No	17.3	10.5	No
High	No	A9	22798.4	Res	8.3	No	10.9	14.4	No
High	No	D9	801.7	Res	8.3	No	15.1	22.6	No
High	No	A9	24758.9	Com	8.2	No	13.9	5.7	No
High	No	B5	16791.5	Com	8.2	No	16.5	18.7	No
High	No	B8	3661.2	Com	8.2	No	9.0	7.1	No
High	No	D6	2949.4	Res	8.2	No	5.4	5.4	No
High	No	D2	688.7	Res	8.2	No	23.9	16.4	No
High	No	B10	6235.7	Res	8.2	No	8.4	12.2	No
High	No	B10	6547.8	Res	8.2	No	13.2	13.1	No
High	No	A9	23297.7	Res	8.2	No	17.1	9.9	No
High	No	B4	2794.7	Com	8.1	No	17.0	16.1	No
High	No	E9	1359.8	Com	8.1	Yes	0.4	11.9	No
High	No	D4	3538.6	Res	8.1	No	14.8	9.6	No
High	No	A6	3109.7	Res	8.1	No	5.5	19.1	No
High	No	C5	5957.7	Com	8.0	No	22.4	24.8	No
High	No	C5	2569.0	Com	8.0	No	15.8	23.5	No
High	No	B5	11326.7	Com	8.0	No	22.9	13.0	No
High	No	B5	11437.8	Com	8.0	No	16.7	13.5	No
High	No	B10	5658.7	Com	8.0	No	13.0	13.2	No
High	No	F5	2471.3	Com	7.9	No	4.2	11.0	No
High	No	A9	25505.7	Com	7.9	No	5.3	15.3	No
High	No	C9	7944.5	Com	7.9	No	30.8	15.7	No
High	No	A6	395.3	Com	7.9	No	19.3	2.4	No
High	No	B5	110.0	Com	7.9	No	12.1	12.2	No
High	No	B1	3750.3	Res	7.9	No	9.0	12.8	No
High	No	A9	22955.1	Res	7.9	No	14.3	12.5	No
High	No	D6	2843.8	Com	7.8	No	12.9	19.3	No
High	No	D6	2762.5	Com	7.8	No	5.0	7.4	No
High	No	A2	1997.8	Com	7.8	No	16.5	18.8	No
High	No	A6	5879.6	Com	7.8	No	10.8	4.0	No
High	No	B5	16946.9	Com	7.8	Yes	17.7	18.9	No
High	No	C1	4399.0	Com	7.8	No	6.1	10.9	No
High	No	A9	22012.5	Res	7.8	No	15.2	13.4	No
High	No	D6	2998.2	Res	7.8	No	6.5	4.9	No
High	No	B5	10984.7	Com	7.7	No	9.3	9.8	No
High	No	B4	2752.0	Com	7.7	No	11.0	17.4	No
High	No	B4	2045.2	Res	7.7	No	20.4	15.4	No
High	No	C1	4601.2	Res	7.7	No	6.7	8.2	No
High	No	A10	7202.3	Com	7.6	No	8.7	4.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	A4	2280.4	Com	7.6	No	10.9	12.6	No
High	No	B10	3060.0	Com	7.6	No	17.1	16.9	No
High	No	E1	5310.9	Com	7.6	No	5.2	6.2	No
High	No	D6	2431.7	Res	7.6	No	8.4	10.2	No
High	No	B5	16719.7	Res	7.6	No	18.1	13.9	No
High	No	B10	6291.2	Res	7.6	No	11.7	6.9	No
High	No	A9	24799.7	Com	7.5	No	13.2	14.0	No
High	No	C5	1304.9	Com	7.5	No	21.8	20.5	No
High	No	A6	10689.9	Com	7.5	No	14.4	11.2	No
High	No	A6	10770.9	Com	7.5	No	7.2	13.2	No
High	No	A9	22084.7	Res	7.5	No	23.6	19.3	No
High	No	D4	3481.5	Res	7.5	No	11.2	11.9	No
High	No	E8	466.4	Res	7.5	No	13.5	16.1	No
High	No	B9	6988.7	Res	7.5	No	15.3	13.7	No
High	No	E1	5719.0	Res	7.5	No	5.4	5.0	No
High	No	C3	16952.2	Res	7.5	Yes	5.4	5.6	No
High	No	B1	10549.3	Com	7.4	No	8.9	8.8	No
High	No	B5	12139.2	Com	7.4	No	7.3	8.4	No
High	No	B5	11333.8	Com	7.4	No	5.9	8.0	No
High	No	D4	3628.2	Res	7.4	No	11.3	10.8	No
High	No	B5	15584.4	Res	7.4	No	13.8	21.5	No
High	No	C5	4141.6	Com	7.3	No	8.0	6.4	No
High	No	A9	20222.3	Com	7.3	No	6.4	9.4	No
High	No	A9	22443.5	Res	7.3	No	17.5	11.3	No
High	No	A2	1935.5	Com	7.2	No	18.6	15.4	No
High	No	A9	36444.8	Com	7.2	No	15.4	20.5	No
High	No	F2	512.5	Com	7.1	No	7.1	7.9	No
High	No	C5	2075.7	Com	7.1	No	8.0	8.6	No
High	No	B5	4115.6	Com	7.1	No	17.6	18.1	No
High	No	B5	15524.0	Res	7.1	No	22.2	30.4	No
High	No	E8	329.8	Res	7.1	No	6.8	6.6	No
High	No	C1	4451.2	Res	7.1	No	8.7	8.0	No
High	No	B1	5247.9	Com	7.0	No	5.6	3.1	No
High	No	C3	8409.8	Com	6.9	No	14.7	13.2	No
High	No	B1	10847.3	Com	6.9	No	7.6	7.6	No
High	No	B5	10675.8	Com	6.9	No	6.2	8.0	No
High	No	B1	3761.2	Com	6.9	No	12.4	15.6	No
High	No	B1	6472.4	Com	6.9	No	12.5	13.7	No
High	No	E1	2906.9	Res	6.9	No	10.3	13.0	No
High	No	D2	736.5	Res	6.9	No	6.4	6.4	No
High	No	B5	7666.2	Com	6.8	No	17.4	16.4	No
High	No	A9	30443.5	Com	6.8	No	7.5	9.8	No
High	No	B4	2209.7	Res	6.8	No	6.4	9.1	No
High	No	B10	2911.9	Com	6.7	No	10.7	18.6	No
High	No	B10	3875.9	Res	6.7	No	19.7	15.6	No
High	No	C6	2223.5	Com	6.6	No	14.9	14.5	No
High	No	A3	169.0	Res	6.6	No	27.1	3.7	No
High	No	A9	23403.8	Res	6.6	No	17.9	15.2	No
High	No	D6	2870.8	Com	6.5	No	12.4	10.6	No
High	No	B1	14548.0	Com	6.5	Yes	0.0	0.0	No
High	No	E7	308.4	Com	6.5	No	5.7	7.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	A6	9100.6	Com	6.5	No	10.4	12.9	No
High	No	B1	15840.6	Res	6.4	Yes	0.0	0.0	No
High	No	D6	2480.5	Com	6.3	No	7.1	15.5	No
High	No	B5	16850.7	Com	6.3	No	20.0	12.6	No
High	No	A9	25503.1	Res	6.3	No	15.6	13.4	No
High	No	B1	15885.0	Res	6.3	Yes	0.0	0.0	No
High	No	A2	1838.4	Com	6.2	No	12.9	7.8	No
High	No	A6	9849.8	Com	6.2	No	10.4	1.9	No
High	No	B1	11019.1	Com	6.0	No	24.6	18.3	No
High	No	B9	7384.7	Com	6.0	No	8.3	7.3	No
High	No	D1	5093.0	Res	6.0	Yes	0.0	0.0	No
High	No	B5	11533.7	Res	6.0	No	24.4	16.8	No
High	No	C9	5310.9	Com	5.9	No	25.2	19.1	No
High	No	B5	922.8	Com	5.9	No	15.0	11.4	No
High	No	A10	6482.1	Com	5.8	No	8.1	8.5	No
High	No	B1	15927.9	Res	5.8	Yes	0.0	0.0	No
High	No	B1	11246.9	Com	5.7	No	21.8	18.7	No
High	No	A9	20254.6	Com	5.7	No	10.6	18.2	No
High	No	A6	9439.8	Com	5.6	No	2.4	12.0	No
High	No	A5	67.2	Com	5.5	Yes	8.3	15.6	No
High	No	A6	10651.5	Com	5.5	No	7.0	8.4	No
High	No	C3	6867.9	Com	5.5	No	20.1	12.7	No
High	No	B1	15478.6	Res	5.5	No	6.0	8.4	No
High	No	B9	47.9	Res	5.5	No	8.4	7.0	No
High	No	A9	22269.2	Res	5.5	No	11.2	1.4	No
High	No	E8	669.0	Com	5.4	No	10.7	8.3	No
High	No	B5	11695.8	Res	5.4	No	24.8	22.4	No
High	No	E8	140.0	Res	5.4	No	21.8	14.7	No
High	No	A9	26170.6	Com	5.2	No	17.6	15.2	No
High	No	B1	10903.6	Com	5.2	No	21.5	21.0	No
High	No	A9	30295.1	Com	5.2	No	15.1	7.5	No
High	No	A10	8485.1	Com	5.1	No	4.0	7.6	No
High	No	A10	7595.4	Com	5.1	No	11.4	6.2	No
High	No	A9	20985.7	Com	5.1	No	2.4	18.5	No
High	No	A9	35596.4	Com	5.1	No	5.8	5.6	No
High	No	B1	14476.2	Res	5.1	No	12.1	6.5	No
High	No	C9	2283.5	Res	5.1	No	5.9	5.7	No
High	No	F2	12546.0	Com	5.0	No	23.5	17.8	No
High	No	B1	14969.9	Res	5.0	No	9.1	4.9	No
High	No	B5	14878.5	Res	5.0	No	17.1	19.4	No
High	No	B8	3842.8	Com	4.9	No	10.8	6.5	No
High	No	A4	2225.7	Com	4.8	No	6.8	5.2	No
High	No	C1	4410.6	Res	4.8	No	7.5	6.5	No
High	No	D1	1464.9	Com	4.7	Yes	0.0	0.0	No
High	No	A2	1762.2	Com	4.7	No	10.1	7.0	No
High	No	B10	2607.6	Com	4.7	No	15.3	17.3	No
High	No	A9	41304.8	Com	4.7	No	10.6	11.8	No
High	No	C5	2037.8	Com	4.6	No	16.4	17.2	No
High	No	D5	742.3	Com	4.6	No	6.4	6.7	No
High	No	B5	18426.7	Res	4.6	No	8.4	6.7	No
High	No	D6	3082.1	Com	4.5	No	5.5	8.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	A6	4719.1	Com	4.5	No	17.3	15.1	No
High	No	D1	5543.3	Res	4.5	Yes	0.0	0.0	No
High	No	A9	23206.9	Res	4.5	No	18.4	14.5	No
High	No	B1	15561.5	Res	4.4	Yes	0.0	0.0	No
High	No	A10	9631.8	Com	4.3	No	6.5	14.5	No
High	No	B5	12393.4	Com	4.2	No	18.2	23.7	No
High	No	C9	1546.2	Res	4.2	Yes	0.0	0.0	No
High	No	C8	1185.4	Res	4.2	Yes	0.0	0.0	No
High	No	B4	3619.2	Res	4.2	No	14.8	12.2	No
High	No	B10	4729.7	Com	4.1	No	15.5	15.2	No
High	No	B1	14606.6	Com	4.0	Yes	0.0	0.0	No
High	No	A9	28970.9	Com	4.0	Yes	1.4	6.2	No
High	No	C8	859.6	Res	4.0	Yes	0.0	0.0	No
High	No	B10	4464.7	Res	4.0	No	18.9	15.3	No
High	No	B4	3573.9	Com	3.9	No	4.8	8.5	No
High	No	A9	44192.8	Com	3.9	No	17.7	11.3	No
High	No	D2	713.7	Res	3.9	Yes	0.0	0.0	No
High	No	A9	23389.2	Res	3.9	No	17.7	15.8	No
High	No	A6	271.6	Com	3.8	No	20.7	6.0	No
High	No	A9	41498.5	Com	3.7	No	18.4	23.5	No
High	No	C10	802.6	Com	3.7	Yes	0.0	0.0	No
High	No	B10	4065.9	Com	3.7	No	6.6	8.0	No
High	No	E9	2022.8	Com	3.7	No	4.7	8.9	No
High	No	A9	23275.4	Res	3.7	No	18.7	16.9	No
High	No	A5	514.1	Com	3.6	Yes	7.6	5.4	No
High	No	C1	2233.8	Com	3.5	Yes	6.8	7.6	No
High	No	C7	1524.5	Res	3.5	No	0.0	0.0	No
High	No	D1	5134.5	Res	3.5	Yes	0.0	0.0	No
High	No	C1	3312.5	Res	3.5	No	16.0	13.7	No
High	No	C9	7963.9	Com	3.4		28.3	18.2	No
High	No	C7	3865.6	Com	3.4	No	9.7	12.5	No
High	No	D1	4889.9	Res	3.4	Yes	0.0	0.0	No
High	No	B10	4269.9	Com	3.3	No	6.7	9.1	No
High	No	B9	7055.7	Com	3.3	No	6.0	6.5	No
High	No	C8	752.9	Res	3.3	Yes	0.0	0.0	No
High	No	C7	1305.2	Res	3.3	Yes	0.0	0.0	No
High	No	A9	24885.3	Res	3.3	No	1.5	12.5	No
High	No	B1	14462.0	Com	3.2	Yes	0.0	0.0	No
High	No	A9	29415.1	Com	3.1	No	2.3	8.1	No
High	No	D1	1526.4	Com	3.1	Yes	0.0	0.0	No
High	No	C7	2160.9	Res	3.1	Yes	0.0	0.0	No
High	No	B10	6061.4	Res	3.1	Yes	11.9	7.5	No
High	No	C3	16757.8	Com	3.0	Yes	0.0	0.0	No
High	No	D1	5096.0	Res	3.0	Yes	0.0	0.0	No
High	No	C9	1927.1	Res	2.9	Yes	8.0	9.4	No
High	No	B5	1421.5	Com	2.8	Yes	14.7	10.9	No
High	No	B5	3113.4	Com	2.8	Yes	1.6	0.9	No
High	No	B1	14265.8	Res	2.8	Yes	0.0	0.0	No
High	No	D2	612.6	Res	2.8	Yes	0.0	0.0	No
High	No	B5	2679.9	Com	2.7	Yes	2.9	0.8	No
High	No	D6	3186.4		2.7	No	4.7	6.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B9	1848.9	Com	2.6	Yes	8.1	3.8	No
High	No	C10	163.7	Res	2.6	Yes	0.0	0.0	No
High	No	C7	2000.1	Res	2.6	Yes	0.0	0.0	No
High	No	C9	2227.2	Res	2.6	Yes	2.6	6.5	No
High	No	B5	2647.5	Com	2.5	Yes	22.6	9.1	No
High	No	A9	44239.8	Com	2.5	No	12.1	11.3	No
High	No	D1	4220.5	Com	2.4	Yes	0.0	0.0	No
High	No	B1	15452.5	Res	2.4	Yes	0.0	0.0	No
High	No	C10	295.2	Res	2.4	Yes	19.0	26.3	No
High	No	B5	2152.6	Com	2.3	Yes	8.3	5.4	No
High	No	C8	1666.7	Res	2.3	Yes	0.0	0.0	No
High	No	C9	6321.8	Com	2.2	No	6.8	6.0	No
High	No	A10	7247.8	Com	2.2	No	14.0	6.2	No
High	No	D5	1402.5	Com	2.2	No	11.1	7.9	No
High	No	C7	2064.4	Res	2.2	Yes	0.0	0.0	No
High	No	C7	1628.8	Res	2.2	Yes	0.0	0.0	No
High	No	C9	1987.5	Res	2.2	Yes	3.6	10.0	No
High	No	D1	1465.6	Com	2.1	Yes	0.0	0.0	No
High	No	C8	497.1	Res	2.1	Yes	0.0	0.0	No
High	No	C1	2339.1	Res	2.1	Yes	4.3	1.2	No
High	No	B5	3900.7	Com	2.0	Yes	16.9	15.8	No
High	No	D1	4496.2	Res	2.0	Yes	0.0	0.0	No
High	No	C1	3274.0	Res	1.9	No	14.0	17.9	No
High	No	C1	4131.1	Com	1.7	No	14.2	18.4	No
High	No	A9	20956.3	Res	1.7	No	5.1	3.7	No
High	No	D3	937.6	Com	1.6	No	7.7	9999.0	No
High	No	C2	3235.4	Com	1.5	No	17.1	14.8	No
High	No	B10	5517.6	Res	1.4	No	10.6	3.8	No
High	No	D7	2585.5	Com	1.3	No	9.5	4.7	No
High	No	A9	20405.3	Res	0.3	No	10.8	13.2	No
High	No	B1	15191.4	Com	0.0		0.0	0.0	No
High	No	B3	147.7	Res	0.0		0.0	0.0	No
High	No	C8	1619.9		0.0		0.0	0.0	No
High	No	C8	1698.3		0.0		0.0	0.0	No
High	No	C8	1628.0		0.0		0.0	0.0	No
High	No	C8	1550.5		0.0		0.0	0.0	No
High	No	C8	1497.9		0.0		0.0	0.0	No
High	No	C8	1358.1		0.0		0.0	0.0	No
High	No	C8	989.3		0.0		0.0	0.0	No
High	No	C8	970.2		0.0		0.0	0.0	No
High	No	C8	795.3		0.0		0.0	0.0	No
High	No	C7	1286.3		0.0		0.0	0.0	No
High	No	C7	1555.2		0.0		0.0	0.0	No
High	No	C7	1594.6		0.0		0.0	0.0	No
High	No	C7	1615.1		0.0		0.0	0.0	No
High	No	C7	1658.9		0.0		0.0	0.0	No
High	No	C7	2276.4		0.0		0.0	0.0	No
High	No	C7	1574.7		0.0		0.0	0.0	No
High	No	C7	1544.0		0.0		0.0	0.0	No
High	No	B1	14030.3		0.0		0.0	0.0	No
High	No	B1	12269.8		0.0		0.0	0.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	D1	4485.9		0.0		0.0	0.0	No
High	No	D1	4216.0		0.0		0.0	0.0	No
High	No	D1	4113.0		0.0		0.0	0.0	No
High	No	D1	4083.9		0.0		0.0	0.0	No
High	No	D1	4062.8		0.0		0.0	0.0	No
High	No	D1	3921.2		0.0		0.0	0.0	No
High	No	B3	181.1		0.0		0.0	0.0	No
High	No	B3	2065.9		0.0		0.0	0.0	No
High	No	B3	2113.3		0.0		0.0	0.0	No
High	No	B3	2163.3		0.0		0.0	0.0	No
Medium	Yes	C2	6045.3	Com	27.7	No	27.1	29.7	No
Medium	Yes	A9	33970.7	Com	19.8	No	13.1	9.9	No
Medium	Yes	A9	34158.8	Com	18.8	No	21.6	22.8	No
Medium	Yes	A10	2685.8	Com	18.5	No	25.0	13.0	No
Medium	Yes	A2	48.5	Com	16.8	No	12.1	17.5	No
Medium	Yes	A1	214.4	Res	16.6	No	25.2	7.8	No
Medium	Yes	C2	1747.1	Com	16.4	No	9999.0	25.4	No
Medium	Yes	B5	10218.4	Com	16.1	No	90.0	11.2	No
Medium	Yes	C5	3696.4	Com	15.9	No	21.0	17.4	No
Medium	Yes	C4	2998.2	Com	15.9	No	19.8	20.8	No
Medium	Yes	A1	261.6	Res	15.9	No	19.2	19.1	No
Medium	Yes	C2	2065.8	Com	15.8	No	17.9	19.0	No
Medium	Yes	C5	2769.8	Com	15.6	No	17.1	15.1	No
Medium	Yes	C2	1729.0	Com	15.6	No	18.3	14.2	No
Medium	Yes	C9	8092.5	Com	15.6	No	15.5	14.4	No
Medium	Yes	A9	33626.3	Com	15.3	No	19.7	23.6	No
Medium	Yes	C2	739.9	Com	15.3	No	15.3	22.0	No
Medium	Yes	C3	19006.6	Com	15.1	No	10.4	28.5	No
Medium	Yes	E6	473.4	Com	15.1	No	17.3	16.3	No
Medium	Yes	A9	32833.5	Res	15.1	No	16.3	13.0	No
Medium	Yes	F3	944.6	Res	15.0	No	14.9	10.6	No
Medium	Yes	F2	5890.2	Com	14.9	No	14.0	22.7	No
Medium	Yes	C6	1190.4	Com	14.9	No	14.3	15.1	No
Medium	Yes	C5	7447.3	Com	14.9	No	12.9	11.1	No
Medium	Yes	C5	6788.0	Com	14.8	Yes	13.4	18.2	No
Medium	Yes	C9	8151.7	Com	14.8	No	12.9	17.2	No
Medium	Yes	D1	1093.1	Res	14.8	No	7.2	7.9	No
Medium	Yes	C4	3239.8	Res	14.8	No	22.4	22.1	No
Medium	Yes	D7	3732.1	Res	14.7	No	12.8	12.6	No
Medium	Yes	E1	1348.7	Res	14.7	No	13.0	10.5	No
Medium	Yes	C5	7028.8	Com	14.6	No	24.8	19.9	No
Medium	Yes	C2	678.6	Com	14.6	No	25.3	16.3	No
Medium	Yes	C4	2017.4	Com	14.6	No	6.1	6.2	No
Medium	Yes	C4	2316.4	Com	14.5	No	17.3	21.6	No
Medium	Yes	C4	1986.0	Com	14.5	No	12.1	16.8	No
Medium	Yes	A6	5153.6	Com	14.3	No	19.1	18.5	No
Medium	Yes	A4	986.1	Com	14.2	No	0.0	15.3	No
Medium	Yes	E1	1289.3	Res	14.2	No	12.7	14.5	No
Medium	Yes	E1	3330.4	Res	14.2	No	17.1	10.9	No
Medium	Yes	C3	14546.2	Com	14.1	No	18.5	13.2	No
Medium	Yes	C5	7401.7	Com	14.1	No	16.3	17.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	C2	881.0	Com	14.1	No	17.2	19.7	No
Medium	Yes	B5	1152.8	Com	14.1	No	18.1	14.1	No
Medium	Yes	C2	6165.2	Com	14.0	No	11.6	15.9	No
Medium	Yes	B9	6706.5	Com	14.0	No	19.1	14.9	No
Medium	Yes	F3	828.9	Res	14.0	No	19.8	9.5	No
Medium	Yes	A10	10880.4	Com	13.9	No	6.2	8.0	No
Medium	Yes	A2	190.6	Com	13.9	No	17.1	20.5	No
Medium	Yes	A6	5706.2	Com	13.9	No	7.6	9.4	No
Medium	Yes	C9	7501.8	Com	13.9	No	14.6	13.2	No
Medium	Yes	B10	6936.3	Res	13.9	No	9.1	13.2	No
Medium	Yes	A10	6141.1	Com	13.8	No	7.1	6.9	No
Medium	Yes	C4	1533.8	Com	13.7	No	13.7	16.3	No
Medium	Yes	A1	3088.5	Com	13.7	No	20.3	17.0	No
Medium	Yes	B5	20766.1	Com	13.7	No	9.1	9.1	No
Medium	Yes	B9	5726.5	Com	13.7	No	17.2	11.7	No
Medium	Yes	D7	3903.2	Res	13.7	No	14.3	15.9	No
Medium	Yes	C4	1424.1	Res	13.7	No	18.5	15.7	No
Medium	Yes	D4	1957.0	Res	13.6	No	14.1	12.9	No
Medium	Yes	A9	36623.1	Com	13.5	No	21.4	26.0	No
Medium	Yes	D4	5723.8	Com	13.5	No	6.5	2.5	No
Medium	Yes	C2	4661.4	Com	13.5	No	6.5	8.2	No
Medium	Yes	C2	1783.9	Com	13.5	No	12.9	28.9	No
Medium	Yes	C1	7344.7	Com	13.5	No	9.2	7.9	No
Medium	Yes	C2	765.0	Com	13.4	No	18.1	18.3	No
Medium	Yes	A1	169.1	Res	13.4	No	22.9	6.9	No
Medium	Yes	D7	3931.5	Res	13.4	No	10.0	11.2	No
Medium	Yes	A10	4971.3	Com	13.3	No	8.7	5.1	No
Medium	Yes	C2	808.1	Com	13.3	No	23.6	21.0	No
Medium	Yes	A3	690.4	Com	13.3	No	13.4	17.8	No
Medium	Yes	E1	3699.5	Com	13.3	No	17.5	16.9	No
Medium	Yes	C5	2428.1	Res	13.3	No	21.5	21.3	No
Medium	Yes	C5	8112.2	Com	13.2	No	4.2	4.8	No
Medium	Yes	C5	8332.0	Com	13.2	No	21.1	19.9	No
Medium	Yes	B9	5258.6	Com	13.2	No	8.4	6.7	No
Medium	Yes	A9	33865.4	Com	13.1	No	14.5	17.8	No
Medium	Yes	A10	9207.7	Com	13.1	No	10.5	12.1	No
Medium	Yes	C2	608.0	Com	13.1	No	21.6	25.6	No
Medium	Yes	C4	3039.2	Com	13.1	No	16.2	16.4	No
Medium	Yes	A1	3042.0	Com	13.1	No	19.2	13.0	No
Medium	Yes	B7	3200.6	Com	13.1	No	16.2	23.6	No
Medium	Yes	E1	4260.0	Com	13.0	No	5.9	8.8	No
Medium	Yes	B5	12944.4	Res	13.0	No	90.0	9.2	No
Medium	Yes	E1	1661.1	Res	13.0	No	20.3	20.7	No
Medium	Yes	A9	36772.3	Com	12.9	No	7.3	7.3	No
Medium	Yes	C3	15173.2	Com	12.9	No	19.0	2.4	No
Medium	Yes	D4	5674.4	Com	12.9	No	5.7	5.1	No
Medium	Yes	C5	8297.1	Com	12.9	No	12.6	21.2	No
Medium	Yes	B5	30551.1	Com	12.9	No	18.8	4.7	No
Medium	Yes	B5	30906.5	Com	12.9	No	15.6	6.0	No
Medium	Yes	B7	1648.3	Res	12.9	No	17.0	21.1	No
Medium	Yes	E1	485.8	Com	12.8	No	9.7	7.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	D4	2216.6	Com	12.8	No	14.8	15.5	No
Medium	Yes	C5	10525.8	Com	12.8	No	7.9	4.6	No
Medium	Yes	C2	6210.8	Com	12.8	No	11.8	11.0	No
Medium	Yes	C2	1144.4	Com	12.8	No	27.3	12.8	No
Medium	Yes	B5	1937.1	Com	12.8	No	11.0	10.3	No
Medium	Yes	B5	12449.2	Com	12.8	No	22.9	16.2	No
Medium	Yes	B5	13383.7	Com	12.8	No	16.4	19.9	No
Medium	Yes	B9	5590.1	Com	12.8	No	6.8	5.6	No
Medium	Yes	A9	34523.6	Com	12.8	No	21.3	20.6	No
Medium	Yes	C3	21336.0	Com	12.8	No	13.6	17.2	No
Medium	Yes	E1	3964.6	Com	12.7	No	8.5	14.6	No
Medium	Yes	C3	14772.4	Com	12.7	No	17.2	18.6	No
Medium	Yes	C3	18242.7	Com	12.7	No	24.7	2.8	No
Medium	Yes	D1	481.6	Com	12.7	No	11.7	15.9	No
Medium	Yes	C6	1172.9	Com	12.7	No	17.2	13.9	No
Medium	Yes	C6	1137.4	Com	12.7	No	15.7	10.7	No
Medium	Yes	C5	3675.5	Com	12.7	No	18.5	25.2	No
Medium	Yes	C5	2373.0	Com	12.7	No	24.7	18.6	No
Medium	Yes	E6	274.3	Com	12.7	No	14.7	11.5	No
Medium	Yes	A10	491.7	Com	12.7	No	15.9	7.8	No
Medium	Yes	E1	1165.6	Res	12.7	No	18.7	13.5	No
Medium	Yes	E1	1381.9	Res	12.7	No	13.1	17.2	No
Medium	Yes	C5	7229.5	Com	12.6	No	12.9	11.2	No
Medium	Yes	C5	3599.2	Com	12.6	No	19.9	15.3	No
Medium	Yes	B9	5153.1	Com	12.6	No	8.6	6.7	No
Medium	Yes	C5	3179.1	Res	12.6	No	18.7	18.0	No
Medium	Yes	F3	735.8	Res	12.6	No	15.3	11.4	No
Medium	Yes	E1	1159.5	Res	12.6	No	10.0	12.2	No
Medium	Yes	D7	4284.1		12.6	No	14.6	14.0	No
Medium	Yes	D4	4725.2	Com	12.5	No	6.1	7.5	No
Medium	Yes	D4	4748.6	Com	12.5	No	5.7	5.4	No
Medium	Yes	C5	2923.6	Com	12.5	No	23.2	19.1	No
Medium	Yes	B1	8971.6	Com	12.5	No	11.9	16.4	No
Medium	Yes	B6	1676.1	Com	12.5	No	10.6	15.3	No
Medium	Yes	B9	4920.5	Com	12.5	No	7.3	3.9	No
Medium	Yes	D4	2325.9	Com	12.4	No	12.3	9.6	No
Medium	Yes	C2	1914.4	Com	12.4	No	23.5	25.3	No
Medium	Yes	C2	1117.4	Com	12.4	No	26.4	25.0	No
Medium	Yes	E1	7812.9	Com	12.4	No	10.3	12.4	No
Medium	Yes	F4	1010.4	Res	12.4	No	14.3	20.4	No
Medium	Yes	C1	6508.2	Res	12.4	No	5.3	10.3	No
Medium	Yes	E1	3252.8	Res	12.4	No	15.3	13.9	No
Medium	Yes	C7	3556.9	Com	12.3	No	11.4	15.3	No
Medium	Yes	C4	2536.2	Com	12.3	No	15.8	21.5	No
Medium	Yes	C4	2040.3	Com	12.3	No	17.6	30.1	No
Medium	Yes	A1	5259.4	Com	12.3	No	18.0	21.7	No
Medium	Yes	C1	7862.5	Com	12.3	No	11.6	10.1	No
Medium	Yes	B1	8986.4	Com	12.3	No	17.3	20.0	No
Medium	Yes	B6	630.1	Com	12.3	No	7.7	10.8	No
Medium	Yes	F2	6794.0	Com	12.3	No	7.4	8.4	No
Medium	Yes	A9	33884.4	Com	12.3	No	17.0	16.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	E1	3485.0	Res	12.3	No	16.1	18.8	No
Medium	Yes	A10	4256.7	Com	12.2	No	8.6	4.8	No
Medium	Yes	C6	1417.4	Com	12.2	No	14.3	15.5	No
Medium	Yes	C5	8196.7	Com	12.2	No	16.0	19.5	No
Medium	Yes	C5	2260.0	Com	12.2	No	13.5	20.1	No
Medium	Yes	C4	1751.5	Com	12.2	No	26.9	17.6	No
Medium	Yes	A6	1238.4	Com	12.2	No	13.3	9.6	No
Medium	Yes	B9	5121.6	Com	12.2	No	7.3	8.0	No
Medium	Yes	C3	16699.6	Com	12.2	Yes	5.5	4.8	No
Medium	Yes	B2	15454.0	Res	12.2	No	6.5	8.3	No
Medium	Yes	A9	32872.6	Res	12.2	No	14.7	14.5	No
Medium	Yes	D1	466.2	Com	12.1	No	21.7	21.8	No
Medium	Yes	C5	7357.4	Com	12.1	No	16.7	16.0	No
Medium	Yes	A4	1115.0	Com	12.1	No	19.8	6.5	No
Medium	Yes	B8	192.5	Com	12.1	No	19.0	30.8	No
Medium	Yes	E9	0.0	Com	12.1	No	0.8	13.4	No
Medium	Yes	C3	18115.8	Com	12.1	No	13.0	29.9	No
Medium	Yes	A10	4119.0	Res	12.1	No	16.4	15.2	No
Medium	Yes	C5	1495.5	Com	12.0	No	8.5	5.9	No
Medium	Yes	A3	796.1	Com	12.0	No	20.9	23.2	No
Medium	Yes	D5	948.5	Com	12.0	No	4.9	8.4	No
Medium	Yes	F4	787.8	Res	12.0	No	11.9	15.4	No
Medium	Yes	E1	3493.5	Res	12.0		12.7	14.5	No
Medium	Yes	E1	3934.9	Com	11.9	No	10.2	13.8	No
Medium	Yes	A1	3350.7	Com	11.9	No	9.4	6.4	No
Medium	Yes	B9	5044.3	Com	11.9	No	5.3	5.5	No
Medium	Yes	F3	780.8	Res	11.9	No	17.8	11.5	No
Medium	Yes	C5	3578.6	Com	11.8	No	16.6	23.4	No
Medium	Yes	C5	2864.6	Com	11.8	No	15.3	13.6	No
Medium	Yes	C5	3651.1	Com	11.8	No	26.2	15.0	No
Medium	Yes	C2	1225.7	Com	11.8	No	21.6	23.5	No
Medium	Yes	C4	3302.7	Com	11.8	No	6.8	5.8	No
Medium	Yes	A1	4528.4	Com	11.8	No	19.5	17.3	No
Medium	Yes	B6	83.2	Com	11.8	No	6.3	6.5	No
Medium	Yes	E1	5020.8	Com	11.8	No	6.6	3.2	No
Medium	Yes	C3	8921.6	Com	11.8	No	16.1	10.1	No
Medium	Yes	F4	1339.2	Res	11.8	No	8.4	9.0	No
Medium	Yes	C5	2151.2	Res	11.8	No	23.5	17.6	No
Medium	Yes	B10	5521.9	Res	11.8	No	17.7	35.9	No
Medium	Yes	C5	1751.5		11.8	No	34.7	16.3	No
Medium	Yes	E1	7383.3	Com	11.7	No	10.1	12.8	No
Medium	Yes	C3	14584.2	Com	11.7	No	14.9	17.8	No
Medium	Yes	C3	16339.3	Com	11.7	No	16.9	13.6	No
Medium	Yes	D4	5291.9	Com	11.7	No	17.0	12.8	No
Medium	Yes	C6	1256.0	Com	11.7	No	16.1	15.2	No
Medium	Yes	C6	1525.6	Com	11.7	No	19.0	17.0	No
Medium	Yes	B5	19832.5	Com	11.7	No	14.6	9.6	No
Medium	Yes	B9	5647.7	Com	11.7	No	12.8	11.6	No
Medium	Yes	A9	35030.8	Com	11.7	No	20.4	24.8	No
Medium	Yes	A9	33041.4	Com	11.7	No	12.8	12.8	No
Medium	Yes	C9	7842.8	Com	11.7	No	3.9	7.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	E1	1458.2	Res	11.7	No	6.2	1.7	No
Medium	Yes	C2	6196.7	Res	11.7	No	17.0	12.3	No
Medium	Yes	C1	4708.4	Res	11.7	No	7.0	6.3	No
Medium	Yes	B7	3813.4	Res	11.7	No	20.5	14.3	No
Medium	Yes	D7	4104.1		11.7	No	13.0	14.9	No
Medium	Yes	E1	4001.6	Com	11.6	No	11.3	18.7	No
Medium	Yes	D7	514.8	Com	11.6	No	22.4	22.3	No
Medium	Yes	C6	1475.4	Com	11.6	No	17.4	16.9	No
Medium	Yes	C6	292.0	Com	11.6	No	14.3	10.1	No
Medium	Yes	C2	4414.5	Com	11.6	No	19.3	17.0	No
Medium	Yes	B5	19368.5	Com	11.6	No	11.1	11.5	No
Medium	Yes	B7	1300.4	Com	11.6	No	14.2	16.9	No
Medium	Yes	B9	6205.0	Com	11.6	No	16.6	12.8	No
Medium	Yes	C3	22302.7	Com	11.6	No	7.3	15.0	No
Medium	Yes	E1	3535.1	Res	11.6	No	9.6	12.9	No
Medium	Yes	D6	2068.7	Res	11.6	No	11.1	11.4	No
Medium	Yes	E1	4183.1	Com	11.5	No	3.9	7.7	No
Medium	Yes	A10	3674.8	Com	11.5	No	19.9	17.4	No
Medium	Yes	B5	12423.6	Com	11.5	No	10.7	90.0	No
Medium	Yes	B10	1479.1	Com	11.5	No	16.6	17.1	No
Medium	Yes	B10	1679.7	Com	11.5	No	19.0	20.9	No
Medium	Yes	E1	5050.5	Com	11.5	No	6.7	5.1	No
Medium	Yes	C9	2519.1	Res	11.5	No	8.0	4.3	No
Medium	Yes	A1	5954.2	Res	11.5	No	13.0	20.4	No
Medium	Yes	D6	2380.5	Com	11.4	No	9.5	13.6	No
Medium	Yes	A10	10749.3	Com	11.4	No	19.3	13.9	No
Medium	Yes	C5	7745.9	Com	11.4	No	18.1	11.8	No
Medium	Yes	C5	2892.8	Com	11.4	No	16.6	20.1	No
Medium	Yes	C2	4736.5	Com	11.4	No	10.9	13.3	No
Medium	Yes	C4	2580.8	Com	11.4	No	15.4	17.5	No
Medium	Yes	C4	1691.5	Com	11.4	No	16.1	19.7	No
Medium	Yes	E6	569.9	Com	11.4	No	14.9	16.4	No
Medium	Yes	B5	13372.0	Com	11.4	No	17.3	17.6	No
Medium	Yes	C1	7622.1	Com	11.4	No	15.0	20.8	No
Medium	Yes	B1	10200.3	Com	11.4	No	23.2	14.4	No
Medium	Yes	C3	21559.1	Com	11.4	No	15.2	16.4	No
Medium	Yes	D6	5302.4	Com	11.4	No	22.2	8.3	No
Medium	Yes	C7	2590.1	Res	11.4	No	23.5	23.1	No
Medium	Yes	A1	5745.5	Res	11.4	No	14.8	9.9	No
Medium	Yes	C1	6749.1	Res	11.4	No	8.1	7.2	No
Medium	Yes	E1	9361.4	Res	11.4	No	21.3	17.9	No
Medium	Yes	E1	3432.4	Res	11.4	No	14.5	10.2	No
Medium	Yes	C5	1697.8		11.4	No	9.0	14.8	No
Medium	Yes	C5	6755.3	Com	11.3	Yes	12.5	15.4	No
Medium	Yes	D3	383.4	Com	11.3	No	9999.0	19.5	No
Medium	Yes	C4	1957.0	Com	11.3	No	14.9	9.5	No
Medium	Yes	C4	4987.2	Com	11.3	No	8.9	4.3	No
Medium	Yes	A6	1122.9	Com	11.3	No	12.8	1.9	No
Medium	Yes	B5	28526.1	Com	11.3	No	18.3	14.6	No
Medium	Yes	B7	2531.8	Com	11.3	No	13.9	14.6	No
Medium	Yes	B1	8420.6	Com	11.3	No	6.6	6.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B5	359.9	Com	11.3	Yes	8.5	21.4	No
Medium	Yes	A9	33837.4	Com	11.3	No	24.9	17.0	No
Medium	Yes	C3	16646.6	Com	11.3	Yes	6.8	4.8	No
Medium	Yes	C9	4624.5	Com	11.3	No	7.8	6.9	No
Medium	Yes	D7	2736.7	Com	11.2	No	23.0	21.5	No
Medium	Yes	D4	5339.3	Com	11.2	No	21.1	12.8	No
Medium	Yes	D1	1760.1	Com	11.2	No	21.3	6.4	No
Medium	Yes	A10	4572.8	Com	11.2	No	17.8	11.0	No
Medium	Yes	C4	4500.3	Com	11.2	No	14.9	22.8	No
Medium	Yes	A1	2854.1	Com	11.2	No	16.9	1.9	No
Medium	Yes	B5	26688.6	Com	11.2	No	12.3	11.7	No
Medium	Yes	B5	12505.4	Com	11.2	No	90.0	12.6	No
Medium	Yes	B10	6875.7	Com	11.2	No	11.9	23.4	No
Medium	Yes	B8	1933.2	Com	11.2	No	10.0	9.9	No
Medium	Yes	B9	7546.8	Com	11.2	No	4.7	12.0	No
Medium	Yes	C3	20810.9	Com	11.2	No	10.8	17.0	No
Medium	Yes	C7	3246.9	Res	11.2	No	14.6	17.4	No
Medium	Yes	C5	2134.6	Res	11.2	No	20.5	16.2	No
Medium	Yes	C2	6098.7	Res	11.2	No	15.0	9.0	No
Medium	Yes	C2	1871.5	Res	11.2	No	23.2	25.2	No
Medium	Yes	C2	5943.2		11.2	Yes	10.5	12.5	No
Medium	Yes	C5	3795.7	Com	11.1	No	14.0	18.7	No
Medium	Yes	C4	2618.3	Com	11.1	No	18.8	27.4	No
Medium	Yes	A1	4815.8	Com	11.1	No	16.0	14.6	No
Medium	Yes	B8	33.1	Com	11.1	No	16.8	16.5	No
Medium	Yes	B10	6105.3	Com	11.1	No	12.6	11.7	No
Medium	Yes	B9	4967.9	Com	11.1	No	5.6	8.1	No
Medium	Yes	A9	35089.2	Com	11.1	No	13.4	15.6	No
Medium	Yes	A9	38368.8	Com	11.1	No	6.9	7.1	No
Medium	Yes	C4	3400.5	Res	11.1	No	6.9	5.1	No
Medium	Yes	A1	5226.0	Res	11.1	No	25.6	13.9	No
Medium	Yes	A6	5015.0	Res	11.1	No	19.5	5.2	No
Medium	Yes	B5	19429.5	Res	11.1	No	8.1	10.4	No
Medium	Yes	B1	7774.8	Res	11.1	No	12.1	13.0	No
Medium	Yes	F4	2604.8	Res	11.1	Yes	13.8	12.0	No
Medium	Yes	A9	41344.5	Com	11.0	No	18.7	13.4	No
Medium	Yes	A9	38547.4	Com	11.0	No	7.4	6.8	No
Medium	Yes	D1	1941.8	Com	11.0	No	3.4	15.0	No
Medium	Yes	C6	1379.6	Com	11.0	No	14.3	18.9	No
Medium	Yes	C5	7022.1	Com	11.0	No	21.6	12.3	No
Medium	Yes	C2	4674.4	Com	11.0	No	15.8	19.1	No
Medium	Yes	A4	4009.5	Com	11.0	No	9.2	8.6	No
Medium	Yes	C1	7408.4	Com	11.0	No	6.9	5.8	No
Medium	Yes	B1	8405.5	Com	11.0	No	7.5	3.4	No
Medium	Yes	B1	8677.4	Com	11.0	No	14.6	13.0	No
Medium	Yes	B9	5462.4	Com	11.0	No	6.8	8.8	No
Medium	Yes	E1	50.2	Res	11.0	No	14.0	19.2	No
Medium	Yes	B10	7186.2	Res	11.0	No	16.1	11.4	No
Medium	Yes	A10	1419.6	Res	11.0	No	9.5	9.1	No
Medium	Yes	A9	38769.0	Com	10.9	No	6.7	5.3	No
Medium	Yes	A4	1606.4	Com	10.9	No	12.2	17.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B8	3086.3	Com	10.9	No	9.1	7.5	No
Medium	Yes	B1	8748.5	Com	10.9	No	19.3	21.0	No
Medium	Yes	B9	7542.5	Com	10.9	No	8.9	4.9	No
Medium	Yes	D9	289.9	Com	10.9	No	24.3	13.5	No
Medium	Yes	C3	8086.2	Com	10.9	No	20.6	15.8	No
Medium	Yes	F2	13288.3	Com	10.8	No	13.4	15.7	No
Medium	Yes	A9	42123.7	Com	10.8	No	7.6	8.7	No
Medium	Yes	A9	40830.8	Com	10.8	No	16.0	15.2	No
Medium	Yes	E4	1170.8	Com	10.8	No	12.9	9.9	No
Medium	Yes	E1	4388.8	Com	10.8	No	6.1	7.9	No
Medium	Yes	D6	2488.9	Com	10.8	No	14.5	16.0	No
Medium	Yes	C3	6355.3	Com	10.8	No	16.5	22.3	No
Medium	Yes	A10	8961.9	Com	10.8	No	13.6	4.1	No
Medium	Yes	C4	2103.1	Com	10.8	No	28.1	26.3	No
Medium	Yes	A1	3496.1	Com	10.8	No	21.2	18.7	No
Medium	Yes	E9	15.7	Com	10.8	Yes	1.1	12.9	No
Medium	Yes	A9	37460.3	Com	10.8	No	5.9	6.0	No
Medium	Yes	C3	10871.2	Com	10.8	No	30.7	22.8	No
Medium	Yes	C3	8612.3	Com	10.8	No	16.0	12.0	No
Medium	Yes	F2	1009.9	Res	10.8	No	8.5	6.4	No
Medium	Yes	E1	3217.3	Res	10.8	No	16.9	10.0	No
Medium	Yes	C3	16527.6	Com	10.7	No	19.4	19.7	No
Medium	Yes	D4	1468.8	Com	10.7	No	20.3	12.8	No
Medium	Yes	C9	5535.8	Com	10.7	No	7.8	5.9	No
Medium	Yes	C6	1314.0	Com	10.7	No	17.3	14.1	No
Medium	Yes	C2	6093.1	Com	10.7	No	12.7	13.2	No
Medium	Yes	E6	712.4	Com	10.7	No	14.5	7.2	No
Medium	Yes	A2	530.5	Com	10.7	No	12.6	17.6	No
Medium	Yes	A4	4436.3	Com	10.7	No	18.5	14.9	No
Medium	Yes	A4	4659.9	Com	10.7	No	17.7	24.9	No
Medium	Yes	A6	5226.6	Com	10.7	No	11.7	5.8	No
Medium	Yes	B8	10842.7	Com	10.7	No	6.8	6.0	No
Medium	Yes	B8	2596.6	Com	10.7	No	6.6	12.1	No
Medium	Yes	A9	32786.1	Com	10.7	No	19.7	12.7	No
Medium	Yes	A9	39147.2	Com	10.7	No	6.0	7.1	No
Medium	Yes	A9	38710.9	Com	10.7	No	4.4	6.5	No
Medium	Yes	C3	10818.5	Com	10.7	No	23.0	13.3	No
Medium	Yes	D4	2183.1	Res	10.7	No	17.0	6.0	No
Medium	Yes	A1	5678.5	Res	10.7	No	13.2	23.2	No
Medium	Yes	A6	5066.3	Res	10.7	No	12.2	21.3	No
Medium	Yes	E1	4274.9	Res	10.7	No	6.5	5.3	No
Medium	Yes	C9	5702.6	Com	10.6	No	13.7	12.8	No
Medium	Yes	C3	8632.3	Com	10.6	No	20.3	16.5	No
Medium	Yes	A10	9231.2	Com	10.6	No	15.8	10.0	No
Medium	Yes	A10	3256.3	Com	10.6	No	5.7	8.0	No
Medium	Yes	C6	1583.6	Com	10.6	No	11.3	6.8	No
Medium	Yes	C6	734.7	Com	10.6	No	19.7	12.4	No
Medium	Yes	C5	2834.0	Com	10.6	No	15.1	11.0	No
Medium	Yes	C2	5992.5	Com	10.6	No	11.9	16.5	No
Medium	Yes	C2	716.0	Com	10.6	No	19.2	24.7	No
Medium	Yes	A4	1772.6	Com	10.6	No	12.5	14.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B9	4735.8	Com	10.6	No	8.6	5.3	No
Medium	Yes	B9	4886.3	Com	10.6	No	8.2	7.0	No
Medium	Yes	B1	13472.4	Res	10.6	No	8.6	5.0	No
Medium	Yes	C6	488.2	Res	10.6	No	20.7	13.9	No
Medium	Yes	C6	595.3	Res	10.6	No	13.9	13.7	No
Medium	Yes	F2	13589.1	Com	10.5	No	13.6	15.5	No
Medium	Yes	A9	39481.8	Com	10.5	No	7.1	7.0	No
Medium	Yes	E4	5657.6	Com	10.5	No	17.2	14.0	No
Medium	Yes	A10	6841.0	Com	10.5	No	6.9	10.3	No
Medium	Yes	C5	7885.4	Com	10.5	No	5.4	9.7	No
Medium	Yes	E6	753.9	Com	10.5	No	13.2	15.2	No
Medium	Yes	A2	682.0	Com	10.5	No	19.5	9.1	No
Medium	Yes	B9	4958.5	Com	10.5	No	5.8	5.5	No
Medium	Yes	C9	4784.0	Com	10.5	No	7.6	7.0	No
Medium	Yes	C9	4339.4	Com	10.5	No	7.4	6.0	No
Medium	Yes	C3	10812.9	Com	10.5	No	13.2	14.0	No
Medium	Yes	C3	6741.6	Com	10.5	No	15.2	11.6	No
Medium	Yes	D4	2760.4	Res	10.5		12.4	10.7	No
Medium	Yes	C5	1717.0		10.5	No	22.7	15.8	No
Medium	Yes	A9	33930.9	Com	10.4	No	14.5	10.5	No
Medium	Yes	E1	7879.1	Com	10.4	No	8.5	13.9	No
Medium	Yes	E1	7956.8	Com	10.4	No	11.4	12.1	No
Medium	Yes	C3	11257.8	Com	10.4	No	11.3	15.7	No
Medium	Yes	C3	8703.1	Com	10.4	No	26.8	21.6	No
Medium	Yes	C6	1374.7	Com	10.4	No	6.7	9.3	No
Medium	Yes	A1	5326.9	Com	10.4	No	15.9	16.4	No
Medium	Yes	A2	247.9	Com	10.4	No	15.2	23.3	No
Medium	Yes	A2	734.9	Com	10.4	No	16.4	18.9	No
Medium	Yes	B5	19413.5	Com	10.4	No	12.2	7.7	No
Medium	Yes	B10	6143.3	Com	10.4	No	7.9	10.5	No
Medium	Yes	A10	431.0	Com	10.4	No	9.7	9.7	No
Medium	Yes	B7	3502.4	Com	10.4	No	15.4	12.0	No
Medium	Yes	B1	8893.0	Com	10.4	No	12.5	10.1	No
Medium	Yes	B6	1346.9	Com	10.4	No	11.6	14.0	No
Medium	Yes	B9	5030.7	Com	10.4	No	6.8	6.5	No
Medium	Yes	A10	6254.8	Res	10.4	No	9.5	11.5	No
Medium	Yes	B2	15198.3	Res	10.4	No	8.0	8.7	No
Medium	Yes	C5	1383.7	Res	10.4	No	26.0	17.1	No
Medium	Yes	A1	5659.3	Res	10.4	No	16.6	21.4	No
Medium	Yes	B5	19591.8	Res	10.4	No	23.3	19.2	No
Medium	Yes	C9	2675.7		10.4	No	8.2	4.5	No
Medium	Yes	A9	38587.6	Com	10.3	No	9.1	6.3	No
Medium	Yes	C7	3578.8	Com	10.3	No	17.2	10.4	No
Medium	Yes	B1	12823.4	Com	10.3	No	7.3	10.2	No
Medium	Yes	A10	9158.4	Com	10.3	No	18.4	13.3	No
Medium	Yes	A10	3914.9	Com	10.3	No	21.8	14.8	No
Medium	Yes	A10	3456.5	Com	10.3	No	10.7	13.7	No
Medium	Yes	C5	2361.9	Com	10.3	No	7.4	6.5	No
Medium	Yes	A2	1448.4	Com	10.3	No	9.3	4.0	No
Medium	Yes	B5	10323.9	Com	10.3	No	14.8	7.6	No
Medium	Yes	B8	2929.4	Com	10.3	No	9.0	8.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B1	8113.1	Com	10.3	No	8.8	7.1	No
Medium	Yes	B5	425.1	Com	10.3	Yes	21.5	26.2	No
Medium	Yes	D6	6897.2	Com	10.3	No	18.6	13.6	No
Medium	Yes	C3	7985.2	Com	10.3	No	19.4	10.7	No
Medium	Yes	C3	8436.0	Com	10.3	No	20.0	15.7	No
Medium	Yes	C5	2906.9	Res	10.3		21.0	10.1	No
Medium	Yes	C3	14738.5	Com	10.2	No	15.0	16.6	No
Medium	Yes	C3	17131.6	Com	10.2	No	22.5	17.4	No
Medium	Yes	D4	5228.7	Com	10.2	No	14.0	16.4	No
Medium	Yes	C3	11532.6	Com	10.2		15.5	14.7	No
Medium	Yes	C3	411.5	Com	10.2	No	28.0	20.9	No
Medium	Yes	B1	12456.9	Com	10.2	No	2.7	11.8	No
Medium	Yes	A10	5899.6	Com	10.2	No	13.1	28.4	No
Medium	Yes	C4	5804.7	Com	10.2	No	6.8	10.2	No
Medium	Yes	A1	3150.9	Com	10.2	No	10.9	6.9	No
Medium	Yes	A1	5460.4	Com	10.2	No	15.8	15.9	No
Medium	Yes	A4	4072.3	Com	10.2	No	24.8	23.3	No
Medium	Yes	A6	4760.4	Com	10.2	No	25.3	1.9	No
Medium	Yes	B5	10375.9	Com	10.2	No	13.1	11.4	No
Medium	Yes	B8	2974.0	Com	10.2	No	12.3	7.5	No
Medium	Yes	B6	978.7	Com	10.2	No	11.9	16.2	No
Medium	Yes	A9	41702.5	Com	10.2	No	19.8	20.4	No
Medium	Yes	E1	3415.4	Res	10.2	No	13.2	10.0	No
Medium	Yes	C2	6249.0	Res	10.2	No	16.2	12.3	No
Medium	Yes	A6	1485.8	Res	10.2	No	14.7	22.2	No
Medium	Yes	A8	1454.0		10.2	No	8.6	4.4	No
Medium	Yes	A9	39767.6	Com	10.1	No	6.3	3.6	No
Medium	Yes	A9	38692.9	Com	10.1	No	6.6	5.4	No
Medium	Yes	E1	8606.8	Com	10.1	No	5.4	7.6	No
Medium	Yes	C3	16822.8	Com	10.1	No	17.7	18.7	No
Medium	Yes	C9	5549.8	Com	10.1	No	18.8	9.4	No
Medium	Yes	C3	8838.6	Com	10.1	No	20.9	19.5	No
Medium	Yes	A10	6577.6	Com	10.1	No	4.2	11.6	No
Medium	Yes	C5	6707.7	Com	10.1	No	18.4	13.4	No
Medium	Yes	D3	308.2	Com	10.1	No	22.5	9999.0	No
Medium	Yes	C4	6154.3	Com	10.1	No	2.7	13.7	No
Medium	Yes	C4	2730.6	Com	10.1	No	7.1	8.0	No
Medium	Yes	A6	5270.4	Com	10.1	No	10.3	7.1	No
Medium	Yes	B1	7840.1	Com	10.1	No	7.5	7.9	No
Medium	Yes	B9	7762.7	Com	10.1	No	6.4	13.5	No
Medium	Yes	B5	870.0	Com	10.1	No	7.5	9.5	No
Medium	Yes	C3	10855.2	Com	10.1	No	21.8	29.6	No
Medium	Yes	A6	1357.1	Res	10.1	No	14.7	22.9	No
Medium	No	A9	33722.4	Com	10.0	No	20.6	18.9	No
Medium	No	A9	37078.7	Com	10.0	No	6.1	5.1	No
Medium	No	A10	3509.3	Com	10.0	No	25.5	23.2	No
Medium	No	C5	7103.4	Com	10.0	No	17.2	12.3	No
Medium	No	A4	4597.4	Com	10.0	No	23.9	18.3	No
Medium	No	B8	3025.3	Com	10.0	No	8.3	8.3	No
Medium	No	C3	101.7	Com	10.0	No	14.3	13.0	No
Medium	No	F2	1138.3	Com	10.0	No	13.5	14.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	F2	1245.4	Com	10.0	No	13.7	12.0	No
Medium	No	A9	31641.7	Com	10.0	No	0.6	10.5	No
Medium	No	C3	19691.1	Com	10.0	No	15.2	22.1	No
Medium	No	C3	6566.2	Com	10.0	No	20.9	26.2	No
Medium	No	F4	900.9	Res	10.0	No	15.0	13.3	No
Medium	No	B1	12635.4	Res	10.0	No	7.0	4.6	No
Medium	No	A6	797.2	Res	10.0	No	24.1	5.1	No
Medium	No	B9	7835.7	Res	10.0	No	13.6	12.5	No
Medium	No	F2	11116.4	Res	10.0	No	17.7	26.6	No
Medium	No	D7	176.3	Com	9.9	No	6.2	5.0	No
Medium	No	A10	10470.4	Com	9.9	No	7.7	14.5	No
Medium	No	A10	6398.5	Com	9.9	No	9.2	5.9	No
Medium	No	D2	157.4	Com	9.9	No	16.4	11.0	No
Medium	No	C4	5901.3	Com	9.9	No	5.3	5.7	No
Medium	No	C4	2679.8	Com	9.9	No	7.0	7.6	No
Medium	No	A2	1432.5	Com	9.9	No	8.0	8.1	No
Medium	No	B10	6903.8	Com	9.9	No	16.5	16.7	No
Medium	No	B8	2800.5	Com	9.9	No	9.6	6.7	No
Medium	No	B4	510.2	Com	9.9	No	25.9	25.7	No
Medium	No	A9	41816.8	Com	9.8	No	6.3	7.5	No
Medium	No	A9	38196.5	Com	9.8	No	7.1	6.5	No
Medium	No	D7	319.6	Com	9.8	Yes	19.7	17.4	No
Medium	No	D6	2163.5	Com	9.8	No	17.6	13.6	No
Medium	No	A10	3833.1	Com	9.8	No	20.3	18.9	No
Medium	No	C5	3661.3	Com	9.8	No	18.7	20.7	No
Medium	No	C5	3507.7	Com	9.8	No	15.7	18.7	No
Medium	No	C2	325.7	Com	9.8	No	10.0	2.3	No
Medium	No	A2	1138.6	Com	9.8	No	20.9	15.0	No
Medium	No	A4	4702.7	Com	9.8	No	8.5	5.4	No
Medium	No	B5	12585.5	Com	9.8	No	22.7	19.7	No
Medium	No	B1	8825.2	Com	9.8	No	13.1	9.8	No
Medium	No	A9	42093.3	Com	9.8	No	21.5	21.1	No
Medium	No	A9	38977.3	Com	9.8	No	4.8	6.8	No
Medium	No	A9	38437.9	Com	9.8	No	6.0	7.0	No
Medium	No	A9	37503.8	Com	9.8	No	6.0	7.0	No
Medium	No	C3	6525.9	Com	9.8	No	17.6	18.4	No
Medium	No	A10	8514.8	Res	9.8	No	4.4	9.5	No
Medium	No	C3	16182.2	Com	9.7	No	11.7	12.5	No
Medium	No	C3	9030.5	Com	9.7	No	22.2	29.2	No
Medium	No	A10	8729.4	Com	9.7	No	12.2	11.6	No
Medium	No	A10	8234.1	Com	9.7	No	10.9	14.2	No
Medium	No	C5	3577.8	Com	9.7	No	18.3	18.7	No
Medium	No	C2	4368.7	Com	9.7	No	22.1	17.3	No
Medium	No	D6	5512.6	Com	9.7	No	18.0	12.0	No
Medium	No	C9	7995.9	Com	9.7	No	4.8	7.9	No
Medium	No	C9	7709.0	Com	9.7	No	7.1	12.2	No
Medium	No	B10	6191.6	Res	9.7	No	14.2	10.9	No
Medium	No	B5	537.7	Com	9.6	No	0.9	2.1	No
Medium	No	E1	7115.1	Com	9.6	No	11.6	15.6	No
Medium	No	D8	188.5	Com	9.6	No	19.4	17.0	No
Medium	No	C3	17903.2	Com	9.6	No	22.8	4.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A10	9821.3	Com	9.6	No	16.0	7.6	No
Medium	No	A1	4238.0	Com	9.6	No	13.1	4.0	No
Medium	No	B8	2964.5	Com	9.6	No	10.0	6.9	No
Medium	No	B9	5276.3	Com	9.6	No	10.1	8.1	No
Medium	No	B9	5194.1	Com	9.6	No	7.3	10.3	No
Medium	No	E3	1040.9	Com	9.6	No	8.2	14.2	No
Medium	No	E1	3175.0	Res	9.6	No	13.9	15.6	No
Medium	No	D4	4691.5	Res	9.6	No	10.7	12.3	No
Medium	No	B2	15690.2	Res	9.6	No	7.8	8.0	No
Medium	No	C4	3324.0	Res	9.6	No	12.2	14.6	No
Medium	No	C1	7040.1	Res	9.6	No	11.3	22.4	No
Medium	No	A9	40921.2	Com	9.5	No	13.7	6.9	No
Medium	No	D7	2832.3	Com	9.5	No	14.1	15.7	No
Medium	No	C4	3958.9	Com	9.5	No	19.5	16.9	No
Medium	No	A1	4350.6	Com	9.5	No	9.1	12.0	No
Medium	No	A2	213.2	Com	9.5	No	20.4	18.1	No
Medium	No	A2	1101.3	Com	9.5	No	17.6	7.3	No
Medium	No	A4	4458.5	Com	9.5	No	27.1	17.3	No
Medium	No	A6	5073.1	Com	9.5	No	13.5	9.6	No
Medium	No	B8	2500.1	Com	9.5	No	7.8	8.7	No
Medium	No	C3	169.9	Com	9.5	No	10.1	7.4	No
Medium	No	B1	10121.3	Com	9.5	No	9.9	11.4	No
Medium	No	A9	45186.4	Com	9.5	No	15.8	12.4	No
Medium	No	C6	1273.8	Res	9.5	No	7.2	19.0	No
Medium	No	A2	1306.7	Res	9.5	No	7.3	5.3	No
Medium	No	A9	34345.2	Com	9.4	No	15.8	17.0	No
Medium	No	A10	8405.3	Com	9.4	No	11.8	3.7	No
Medium	No	A10	3870.3	Com	9.4	No	5.3	6.3	No
Medium	No	A10	5724.2	Com	9.4	No	7.6	10.6	No
Medium	No	C2	2246.3	Com	9.4	No	15.2	13.5	No
Medium	No	A1	3981.3	Com	9.4	No	3.9	9.0	No
Medium	No	A2	572.6	Com	9.4	No	15.8	16.6	No
Medium	No	B5	7789.5	Com	9.4	No	18.4	11.2	No
Medium	No	F2	1104.0	Com	9.4	No	14.1	13.5	No
Medium	No	D7	1496.5	Com	9.4	No	5.6	9.3	No
Medium	No	C3	16390.7	Res	9.4	No	17.0	17.4	No
Medium	No	B5	314.2	Com	9.3	No	23.6	9.9	No
Medium	No	A9	35213.3	Com	9.3	No	4.7	5.3	No
Medium	No	A9	34254.9	Com	9.3	No	13.6	13.2	No
Medium	No	A9	33822.1	Com	9.3	No	29.4	23.1	No
Medium	No	A9	38425.6	Com	9.3	No	9.8	7.0	No
Medium	No	E4	5707.0	Com	9.3	No	11.8	22.5	No
Medium	No	A10	10607.8	Com	9.3	No	12.7	15.1	No
Medium	No	A10	6043.4	Com	9.3	No	12.5	10.2	No
Medium	No	A1	4465.6	Com	9.3	No	20.2	21.4	No
Medium	No	A4	4454.9	Com	9.3	No	12.3	16.2	No
Medium	No	A6	10138.8	Com	9.3	No	7.7	9.7	No
Medium	No	A6	10143.2	Com	9.3	No	9.8	4.9	No
Medium	No	B8	3422.4	Com	9.3	No	8.0	10.1	No
Medium	No	B8	2310.7	Com	9.3	No	9.9	6.6	No
Medium	No	B1	8306.1	Com	9.3	No	5.0	8.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A9	37284.9	Res	9.3	No	8.5	6.0	No
Medium	No	E1	3900.3	Res	9.3	No	15.4	21.1	No
Medium	No	E1	4844.8	Res	9.3	No	18.9	20.5	No
Medium	No	D5	888.8	Res	9.3	No	7.9	3.7	No
Medium	No	C3	26130.7		9.3	No	6.0	8.2	No
Medium	No	D8	279.9	Com	9.2	No	13.8	3.9	No
Medium	No	C3	17250.8	Com	9.2	No	17.3	14.3	No
Medium	No	C3	17805.7	Com	9.2	No	6.4	4.7	No
Medium	No	A10	10872.8	Com	9.2	No	8.7	7.3	No
Medium	No	A10	9040.1	Com	9.2	No	12.1	7.4	No
Medium	No	A10	6542.1	Com	9.2	No	9.6	4.6	No
Medium	No	C5	3791.0	Com	9.2	No	10.7	8.3	No
Medium	No	C2	1164.0	Com	9.2	No	17.0	24.3	No
Medium	No	C2	1557.7	Com	9.2	No	19.8	12.1	No
Medium	No	C4	5244.1	Com	9.2	No	20.2	14.4	No
Medium	No	A1	3791.2	Com	9.2	No	8.4	7.5	No
Medium	No	A2	1326.9	Com	9.2	No	12.1	15.2	No
Medium	No	A6	10080.5	Com	9.2	No	8.0	7.3	No
Medium	No	B8	3452.0	Com	9.2	No	10.8	9.9	No
Medium	No	B8	2801.7	Com	9.2	No	9.2	9.2	No
Medium	No	B8	724.4	Com	9.2	No	11.0	8.2	No
Medium	No	B9	4318.8	Com	9.2	No	4.7	9.0	No
Medium	No	A9	35123.9	Com	9.2	No	17.6	16.9	No
Medium	No	A9	35908.8	Com	9.2	No	15.8	12.3	No
Medium	No	A9	44986.7	Com	9.2	No	5.1	3.7	No
Medium	No	C3	21632.7	Com	9.2	No	10.2	24.5	No
Medium	No	C3	16414.4	Com	9.2	No	10.4	15.0	No
Medium	No	C9	4800.5	Com	9.2	No	5.8	6.8	No
Medium	No	B7	1447.8	Res	9.2	No	12.6	16.2	No
Medium	No	B9	7816.9	Res	9.2	No	12.1	10.6	No
Medium	No	B5	68.5	Com	9.1	No	13.3	23.2	No
Medium	No	A9	2034.5	Com	9.1	No	7.0	7.3	No
Medium	No	D8	738.2	Com	9.1	Yes	7.7	10.0	No
Medium	No	C3	16482.8	Com	9.1	No	20.8	17.8	No
Medium	No	A10	9284.5	Com	9.1	No	8.0	7.8	No
Medium	No	A10	5649.5	Com	9.1	No	16.7	9.0	No
Medium	No	C4	4023.3	Com	9.1	No	16.5	16.2	No
Medium	No	C5	1531.0	Com	9.1	No	18.1	20.9	No
Medium	No	A1	4277.7	Com	9.1	No	7.6	4.5	No
Medium	No	A6	653.6	Com	9.1	No	20.1	1.6	No
Medium	No	B5	7564.1	Com	9.1	No	18.4	18.8	No
Medium	No	B5	12830.2	Com	9.1	No	20.7	11.4	No
Medium	No	B8	1847.3	Com	9.1	No	9.1	7.0	No
Medium	No	B1	9166.8	Com	9.1	No	12.2	12.5	No
Medium	No	B5	294.4	Com	9.1	No	17.5	14.0	No
Medium	No	B5	693.3	Com	9.1	No	10.0	10.7	No
Medium	No	C3	20428.1	Com	9.1	No	10.6	14.1	No
Medium	No	C3	16250.4	Com	9.1	No	17.4	17.4	No
Medium	No	C3	10979.0	Com	9.1	No	19.9	14.4	No
Medium	No	C3	7430.7	Com	9.1	No	12.7	11.5	No
Medium	No	A9	34850.2	Com	9.0	No	28.3	14.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A10	4848.5	Com	9.0	No	7.8	9.9	No
Medium	No	A1	3562.8	Com	9.0	No	5.5	5.8	No
Medium	No	B8	3539.7	Com	9.0	No	7.1	9.0	No
Medium	No	A10	485.2	Com	9.0	No	4.3	5.8	No
Medium	No	B9	7709.9	Com	9.0	No	5.9	4.2	No
Medium	No	A9	39178.6	Com	9.0	No	7.1	5.9	No
Medium	No	A9	44613.9	Com	9.0	No	12.8	5.0	No
Medium	No	C3	6640.3	Com	9.0	No	23.4	8.2	No
Medium	No	A10	6165.0	Res	9.0	No	7.6	9.2	No
Medium	No	B2	14650.7		9.0	No	5.0	8.4	No
Medium	No	A9	34696.1	Com	8.9	No	25.2	19.3	No
Medium	No	A9	34184.7	Com	8.9	No	19.5	17.8	No
Medium	No	C3	17840.9	Com	8.9	No	7.4	3.8	No
Medium	No	C3	18299.2	Com	8.9	No	16.4	20.8	No
Medium	No	D7	1081.1	Com	8.9	No	14.9	12.6	No
Medium	No	C9	5751.8	Com	8.9	No	6.5	5.3	No
Medium	No	C2	721.6	Com	8.9	No	23.0	23.1	No
Medium	No	C2	1100.2	Com	8.9	No	22.6	4.9	No
Medium	No	E6	732.7	Com	8.9	No	14.1	15.0	No
Medium	No	A3	1941.8	Com	8.9	No	25.1	34.3	No
Medium	No	B5	10078.5	Com	8.9	No	13.5	90.0	No
Medium	No	A10	355.0	Com	8.9	No	4.7	4.5	No
Medium	No	B6	65.5	Com	8.9	No	8.4	21.1	No
Medium	No	B5	1010.4	Com	8.9	No	11.5	10.8	No
Medium	No	C3	16172.8	Com	8.9	No	12.6	16.7	No
Medium	No	C7	2974.1	Res	8.9	No	17.4	5.9	No
Medium	No	A9	36935.9	Com	8.8	No	4.5	5.8	No
Medium	No	A9	37034.7	Com	8.8	No	8.2	4.6	No
Medium	No	E3	1426.5	Com	8.8		14.4	14.8	No
Medium	No	C3	15685.3	Com	8.8	No	7.3	7.4	No
Medium	No	A10	10565.5	Com	8.8	No	15.3	12.3	No
Medium	No	A10	9607.8	Com	8.8	No	6.7	6.0	No
Medium	No	A10	6816.4	Com	8.8	No	6.7	6.4	No
Medium	No	E6	634.7	Com	8.8	No	4.7	17.1	No
Medium	No	A2	1232.6	Com	8.8	No	12.7	11.1	No
Medium	No	A4	4072.1	Com	8.8	No	6.0	8.9	No
Medium	No	B5	12514.2	Com	8.8	No	14.8	15.3	No
Medium	No	B8	3609.5	Com	8.8	No	8.7	9.3	No
Medium	No	C3	7313.5	Com	8.8	No	13.2	8.6	No
Medium	No	A6	2961.7	Res	8.8	No	1.5	22.8	No
Medium	No	C3	18481.0	Com	8.7	No	19.6	15.8	No
Medium	No	C3	14630.3	Com	8.7	No	15.7	17.7	No
Medium	No	D7	2055.3	Com	8.7	Yes	6.5	13.8	No
Medium	No	D7	672.7	Com	8.7	No	4.8	9.3	No
Medium	No	A10	9644.8	Com	8.7	No	4.4	4.8	No
Medium	No	A10	4959.1	Com	8.7	No	7.1	9.3	No
Medium	No	E6	537.9	Com	8.7	No	13.3	21.8	No
Medium	No	A2	1364.1	Com	8.7	No	7.4	6.5	No
Medium	No	B5	8741.1	Com	8.7	No	15.1	9.6	No
Medium	No	B5	12666.4	Com	8.7	No	5.8	8.3	No
Medium	No	B8	2421.2	Com	8.7	No	8.6	8.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B6	1854.7	Com	8.7	No	4.9	7.3	No
Medium	No	C9	6052.7	Com	8.7	No	10.6	14.7	No
Medium	No	B9	7874.4	Res	8.7	No	13.0	13.2	No
Medium	No	A9	1772.8	Res	8.7	No	6.9	4.7	No
Medium	No	C3	16327.3		8.7	No	20.5	15.6	No
Medium	No	C3	17759.7	Com	8.6	No	8.6	7.8	No
Medium	No	D7	574.5	Com	8.6	No	25.1	28.0	No
Medium	No	A10	6444.3	Com	8.6	No	9.6	7.1	No
Medium	No	C5	6391.3	Com	8.6	No	8.2	3.8	No
Medium	No	A1	3826.8	Com	8.6	No	9.4	6.1	No
Medium	No	A4	2096.1	Com	8.6	No	11.3	12.5	No
Medium	No	B5	10209.8	Com	8.6	No	8.5	7.1	No
Medium	No	B5	10436.1	Com	8.6	No	12.9	6.1	No
Medium	No	C3	20058.9	Com	8.6	No	12.8	19.0	No
Medium	No	D7	2994.6	Com	8.6	No	9.3	15.0	No
Medium	No	C9	5673.1	Com	8.6	No	14.5	12.8	No
Medium	No	E1	357.8	Res	8.6	No	10.6	8.9	No
Medium	No	A10	5818.0	Res	8.6	No	6.6	10.7	No
Medium	No	E1	1626.4	Res	8.6	No	17.7	16.0	No
Medium	No	C5	3642.3	Com	8.5	No	12.2	20.7	No
Medium	No	A1	4663.1	Com	8.5	No	16.5	17.1	No
Medium	No	A1	3913.6	Com	8.5	No	6.0	10.1	No
Medium	No	A2	354.3	Com	8.5	No	24.0	24.7	No
Medium	No	A2	617.1	Com	8.5	No	11.8	14.1	No
Medium	No	B10	985.4	Com	8.5	No	8.4	10.2	No
Medium	No	B10	2108.2	Com	8.5	No	14.4	15.7	No
Medium	No	A10	428.1	Com	8.5	No	5.6	5.9	No
Medium	No	B9	5881.8	Com	8.5	No	14.4	8.5	No
Medium	No	A9	34834.5	Com	8.5	No	13.5	17.6	No
Medium	No	C3	10743.7	Com	8.5	No	16.8	17.0	No
Medium	No	A10	4143.0	Res	8.5	No	5.7	9.9	No
Medium	No	B5	201.2	Com	8.4	Yes	29.0	13.8	No
Medium	No	C7	3777.9	Com	8.4	No	12.6	15.6	No
Medium	No	A10	8564.6	Com	8.4	No	3.6	9.7	No
Medium	No	C6	1079.4	Com	8.4	No	14.6	7.4	No
Medium	No	C5	7175.9	Com	8.4	No	7.3	5.8	No
Medium	No	A1	4158.4	Com	8.4	No	6.8	9.4	No
Medium	No	E6	461.2	Com	8.4	No	15.7	15.3	No
Medium	No	B5	6288.0	Com	8.4	No	24.0	13.5	No
Medium	No	B10	1778.0	Com	8.4	No	7.0	6.4	No
Medium	No	B5	64.6	Com	8.4	No	8.7	19.1	No
Medium	No	C3	19525.9	Com	8.4	No	6.9	9.3	No
Medium	No	C3	17838.6	Com	8.4	No	10.4	18.8	No
Medium	No	A1	4915.1	Res	8.4	No	21.7	14.0	No
Medium	No	D6	1840.1	Com	8.3	No	14.6	18.8	No
Medium	No	C3	4911.2	Com	8.3	No	2.1	6.0	No
Medium	No	C3	9046.6	Com	8.3	No	23.4	25.3	No
Medium	No	A10	9850.3	Com	8.3	No	10.5	10.7	No
Medium	No	A10	10823.8	Com	8.3	No	16.7	13.0	No
Medium	No	C5	6641.1	Com	8.3	No	5.6	6.9	No
Medium	No	A1	4707.9	Com	8.3	No	18.6	14.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A4	1691.0	Com	8.3	No	14.4	11.4	No
Medium	No	A6	7494.3	Com	8.3	No	18.9	12.5	No
Medium	No	B5	2032.6	Com	8.3	No	11.1	17.1	No
Medium	No	B10	2234.0	Com	8.3	No	12.9	14.8	No
Medium	No	B8	2375.0	Com	8.3		7.7	9.0	No
Medium	No	C6	614.6	Res	8.3	No	12.3	15.2	No
Medium	No	B5	16123.5	Res	8.3	No	5.7	7.4	No
Medium	No	C3	16304.1	Com	8.2	No	10.5	16.9	No
Medium	No	D7	1974.1	Com	8.2	No	15.7	12.8	No
Medium	No	D6	330.1	Com	8.2	No	8.2	15.2	No
Medium	No	D4	2268.9	Com	8.2	No	6.8	7.5	No
Medium	No	C5	6826.1	Com	8.2	No	15.6	14.0	No
Medium	No	C4	1659.9	Com	8.2	No	20.1	16.6	No
Medium	No	B5	12760.5	Com	8.2	No	19.4	29.3	No
Medium	No	B1	8739.8	Com	8.2	No	7.0	10.8	No
Medium	No	B6	1041.8	Com	8.2	No	17.5	10.2	No
Medium	No	A9	34057.4	Com	8.2	No	5.5	5.4	No
Medium	No	C3	17619.1	Com	8.2	No	12.1	13.7	No
Medium	No	C3	6689.3	Com	8.2	No	12.8	13.5	No
Medium	No	C3	16048.1	Res	8.2	No	22.8	23.4	No
Medium	No	D4	6428.0	Com	8.1	No	7.8	3.5	No
Medium	No	A10	9847.7	Com	8.1	No	7.9	5.5	No
Medium	No	A1	1412.5	Com	8.1	No	15.0	15.0	No
Medium	No	A1	1367.6	Com	8.1	No	24.2	16.7	No
Medium	No	A4	4153.9	Com	8.1	No	19.4	19.7	No
Medium	No	B10	764.1	Com	8.1	No	7.7	9.1	No
Medium	No	A10	516.1	Com	8.1	No	9.1	13.7	No
Medium	No	A9	35185.9	Com	8.1	No	19.0	24.8	No
Medium	No	C3	19833.9	Com	8.1	No	17.4	14.1	No
Medium	No	D7	1937.4	Com	8.1	No	18.7	13.7	No
Medium	No	E1	3622.9	Res	8.1	No	10.3	12.8	No
Medium	No	B10	6195.5	Res	8.1	No	16.8	13.1	No
Medium	No	A9	51256.6		8.1	No	15.0	15.1	No
Medium	No	D6	1943.0	Com	8.0	No	12.7	16.3	No
Medium	No	C3	9970.6	Com	8.0	Yes	18.9	12.7	No
Medium	No	A10	6762.5	Com	8.0	No	7.9	4.3	No
Medium	No	A10	5062.0	Com	8.0	No	12.2	16.4	No
Medium	No	A2	1090.2	Com	8.0	No	5.9	11.6	No
Medium	No	A4	4017.3	Com	8.0	No	9.9	7.5	No
Medium	No	A5	1587.5	Com	8.0	Yes	14.1	8.9	No
Medium	No	B10	2158.9	Com	8.0	No	16.2	27.3	No
Medium	No	B8	3234.9	Com	8.0	No	10.4	8.5	No
Medium	No	B8	3218.5	Com	8.0	No	10.2	7.9	No
Medium	No	B4	441.7	Com	8.0	No	25.0	24.6	No
Medium	No	A9	36062.0	Com	8.0	No	10.2	17.2	No
Medium	No	A9	42447.1	Com	8.0	No	13.1	9.2	No
Medium	No	D6	5245.4	Com	8.0	No	15.1	15.1	No
Medium	No	A6	907.1	Res	8.0	No	21.3	2.3	No
Medium	No	A9	35420.2	Com	7.9	No	19.8	19.7	No
Medium	No	D7	638.8	Com	7.9	No	3.2	23.4	No
Medium	No	C9	7901.6	Com	7.9	No	21.5	15.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A10	4517.2	Com	7.9	No	7.9	8.1	No
Medium	No	A1	5196.5	Com	7.9	No	15.7	12.7	No
Medium	No	B10	2057.4	Com	7.9	No	21.6	22.5	No
Medium	No	B8	1065.6	Com	7.9	No	8.8	8.2	No
Medium	No	A9	740.4	Com	7.9	No	9999.0	3.8	No
Medium	No	D7	1874.7	Com	7.9	No	18.8	20.1	No
Medium	No	C3	10852.0	Com	7.9	No	11.4	11.7	No
Medium	No	E1	8680.1	Res	7.9	No	16.6	19.3	No
Medium	No	C7	2706.5	Res	7.9	No	14.3	10.9	No
Medium	No	C5	1767.9	Res	7.9	No	20.3	20.9	No
Medium	No	A6	2852.6	Res	7.9	No	20.8	8.5	No
Medium	No	C3	16777.9	Res	7.9	No	5.2	5.5	No
Medium	No	A1	4668.4	Com	7.8	No	18.0	16.2	No
Medium	No	A4	1546.7	Com	7.8	No	14.3	18.9	No
Medium	No	A6	7626.4	Com	7.8	No	7.9	6.2	No
Medium	No	B10	1839.7	Com	7.8	No	9.1	4.6	No
Medium	No	B10	2008.9	Com	7.8	No	16.2	22.6	No
Medium	No	A10	564.9	Com	7.8	No	19.8	18.1	No
Medium	No	A9	41869.6	Com	7.8	No	20.5	16.9	No
Medium	No	A9	1036.4	Com	7.7		4.5	9.0	No
Medium	No	A9	34774.9	Com	7.7	No	26.2	22.1	No
Medium	No	A9	35829.3	Com	7.7	No	7.6	5.5	No
Medium	No	C9	1127.9	Com	7.7	No	12.1	8.3	No
Medium	No	C5	1858.4	Com	7.7	No	9.8	11.9	No
Medium	No	C5	1488.2	Com	7.7	No	16.2	16.1	No
Medium	No	E6	225.4	Com	7.7	No	16.8	15.0	No
Medium	No	A6	10530.3	Com	7.7	No	9.3	7.8	No
Medium	No	A6	550.3	Com	7.7	No	17.1	0.9	No
Medium	No	B5	9362.2	Com	7.7	No	12.0	17.6	No
Medium	No	B8	2106.5	Com	7.7	No	8.0	6.5	No
Medium	No	A9	40867.7	Com	7.7	No	19.3	22.2	No
Medium	No	C3	17912.4	Com	7.7	No	10.0	11.0	No
Medium	No	D5	1974.7	Com	7.7	No	13.8	14.0	No
Medium	No	B10	5422.8	Res	7.7	No	16.9	20.8	No
Medium	No	A9	26930.2	Com	7.6	No	11.9	10.9	No
Medium	No	E4	250.1	Com	7.6	No	8.9	6.6	No
Medium	No	D6	2274.8	Com	7.6	No	6.8	8.8	No
Medium	No	C5	6540.7	Com	7.6	No	4.1	7.0	No
Medium	No	A4	1357.5	Com	7.6	No	15.6	15.4	No
Medium	No	A4	4524.5	Com	7.6	No	10.7	17.8	No
Medium	No	B5	6240.4	Com	7.6	No	23.0	16.8	No
Medium	No	C7	3301.0	Res	7.6	No	16.8	19.0	No
Medium	No	B5	9631.2	Res	7.6	No	90.0	90.0	No
Medium	No	A9	26487.1	Com	7.5	No	9.7	10.3	No
Medium	No	E3	2589.7	Com	7.5	No	11.3	10.4	No
Medium	No	D7	1492.2	Com	7.5	No	25.0	21.1	No
Medium	No	C4	2408.1	Com	7.5	No	13.6	17.5	No
Medium	No	C5	945.4	Com	7.5	No	11.6	14.1	No
Medium	No	B5	20465.4	Com	7.5	No	3.0	4.5	No
Medium	No	A9	41024.5	Com	7.5	No	15.0	22.6	No
Medium	No	A4	4658.7	Res	7.5	No	10.7	7.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A4	4656.3	Res	7.5	No	10.2	7.7	No
Medium	No	A9	26890.6	Com	7.4	No	16.0	11.4	No
Medium	No	D6	1509.6	Com	7.4	No	14.5	21.9	No
Medium	No	D6	2315.2	Com	7.4	No	19.8	24.6	No
Medium	No	C3	8222.6	Com	7.4	No	17.5	20.8	No
Medium	No	C2	1960.8	Com	7.4	No	14.5	16.3	No
Medium	No	C2	1533.4	Com	7.4	No	18.2	16.4	No
Medium	No	A6	8170.6	Com	7.4	Yes	9.3	8.0	No
Medium	No	B5	20057.3	Com	7.4	No	5.3	2.8	No
Medium	No	B8	2868.0	Com	7.4	No	6.6	8.6	No
Medium	No	B8	658.6	Com	7.4	No	10.3	8.3	No
Medium	No	B9	4388.4	Com	7.4	No	5.8	11.5	No
Medium	No	A9	609.5	Com	7.4	No	16.9	6.2	No
Medium	No	A9	42032.0	Com	7.4	No	16.4	18.8	No
Medium	No	A9	41964.0	Com	7.4	No	16.3	16.3	No
Medium	No	E1	7758.2	Com	7.4	No	14.4	5.8	No
Medium	No	E1	256.0	Res	7.4	No	11.6	12.7	No
Medium	No	D7	1343.0	Com	7.3	No	27.3	20.8	No
Medium	No	D7	399.8	Com	7.3	No	20.0	17.8	No
Medium	No	C3	10566.8	Com	7.3	No	5.4	3.1	No
Medium	No	A10	10262.5	Com	7.3	No	5.2	9.2	No
Medium	No	B5	1850.6	Com	7.3	Yes	16.9	25.6	No
Medium	No	B5	4257.3	Com	7.3	No	24.5	18.6	No
Medium	No	C9	623.0	Com	7.3	No	4.6	5.3	No
Medium	No	C3	6959.3	Com	7.3	No	15.1	13.2	No
Medium	No	C9	1111.8	Res	7.3	No	4.6	9.8	No
Medium	No	D6	1190.7	Com	7.2	No	12.9	13.4	No
Medium	No	B5	16050.3	Com	7.2	No	13.7	11.5	No
Medium	No	D6	2307.4	Res	7.2	No	15.4	41.4	No
Medium	No	E4	1375.8	Com	7.1	No	19.7	12.5	No
Medium	No	E3	1619.8	Com	7.1	No	21.6	12.1	No
Medium	No	D7	1973.7	Com	7.1	No	10.4	12.6	No
Medium	No	D6	1867.2	Com	7.1	No	17.1	10.5	No
Medium	No	D6	1590.8	Com	7.1	No	21.9	16.0	No
Medium	No	C3	7936.9	Com	7.1	No	12.7	16.2	No
Medium	No	E6	398.9	Com	7.1	No	29.0	25.4	No
Medium	No	E6	172.6	Com	7.1	No	10.1	5.2	No
Medium	No	A5	2622.2	Com	7.1	No	7.0	8.3	No
Medium	No	B9	8093.1	Com	7.1	No	9.9	6.6	No
Medium	No	A9	44570.2	Com	7.1	No	5.3	8.6	No
Medium	No	D6	2388.4	Res	7.1	No	4.7	8.8	No
Medium	No	D1	2315.7	Res	7.1	No	11.7	6.2	No
Medium	No	A9	26768.4	Com	7.0	No	9.8	12.3	No
Medium	No	A9	33522.7	Com	7.0	No	13.8	18.4	No
Medium	No	A9	33478.5	Com	7.0	No	7.7	9.9	No
Medium	No	D6	1655.9	Com	7.0	No	11.7	16.5	No
Medium	No	A10	6626.9	Com	7.0	No	8.8	2.9	No
Medium	No	A5	2135.9	Com	7.0	No	6.3	8.7	No
Medium	No	B5	20346.2	Com	7.0	No	3.5	6.0	No
Medium	No	B5	10360.9	Com	7.0	No	5.0	6.3	No
Medium	No	B8	1036.9	Com	7.0	No	8.9	6.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B9	6521.9	Com	7.0	No	8.5	6.8	No
Medium	No	D7	703.5	Com	7.0	No	13.7	7.9	No
Medium	No	A9	26708.3	Com	6.9	No	14.4	12.6	No
Medium	No	D6	1007.1	Com	6.9	No	7.5	5.4	No
Medium	No	C2	1594.4	Com	6.9	No	7.4	24.8	No
Medium	No	A1	3097.4	Com	6.9	No	9.9	10.2	No
Medium	No	A1	4710.2	Com	6.9	No	12.4	19.6	No
Medium	No	B5	5318.0	Com	6.9	No	6.3	9.9	No
Medium	No	B8	1111.2	Com	6.9	No	13.2	6.0	No
Medium	No	C5	1121.6	Res	6.9	No	19.0	22.2	No
Medium	No	B8	2038.7	Res	6.9	No	6.6	8.2	No
Medium	No	D6	2215.0	Com	6.8	No	23.5	12.2	No
Medium	No	C3	9489.8	Com	6.8	No	15.7	15.0	No
Medium	No	C3	470.4	Com	6.8	No	11.0	14.7	No
Medium	No	A10	3099.8	Com	6.8	No	9.2	0.5	No
Medium	No	A1	1475.1	Com	6.8	No	6.8	8.3	No
Medium	No	A4	2033.0	Com	6.8	No	1.2	7.9	No
Medium	No	A6	8189.0	Com	6.8	Yes	8.5	7.9	No
Medium	No	B8	8746.7	Com	6.8	Yes	7.8	7.3	No
Medium	No	B1	8019.4	Com	6.8	No	7.2	5.5	No
Medium	No	A9	44389.1	Com	6.8	No	16.0	8.5	No
Medium	No	D7	1425.4	Com	6.8	No	16.4	15.5	No
Medium	No	B8	2112.0	Com	6.7	No	7.8	6.6	No
Medium	No	D9	350.7	Com	6.7	No	13.5	14.2	No
Medium	No	A6	2157.7	Res	6.7	No	16.6	7.0	No
Medium	No	C1	3018.0	Res	6.7	No	12.4	13.9	No
Medium	No	D6	2440.1	Com	6.6	No	6.8	18.6	No
Medium	No	D1	1169.1	Com	6.6	No	6.6	6.6	No
Medium	No	B5	13322.2	Com	6.6	Yes	11.1	9.6	No
Medium	No	B7	1144.2	Com	6.6	No	13.0	12.8	No
Medium	No	B6	732.1	Com	6.6	No	21.7	11.3	No
Medium	No	B5	1097.5	Com	6.5	No	7.6	13.6	No
Medium	No	D4	5338.1	Com	6.5	No	6.9	5.9	No
Medium	No	C9	852.1	Com	6.5	Yes	0.0	0.0	No
Medium	No	B1	12401.6	Com	6.5	No	6.3	7.7	No
Medium	No	A5	2028.3	Com	6.5	No	11.6	9.5	No
Medium	No	B5	3346.9	Com	6.5	Yes	6.4	11.6	No
Medium	No	B5	4093.7	Com	6.5	No	25.2	25.5	No
Medium	No	B5	4119.2	Com	6.5	No	15.4	12.6	No
Medium	No	B5	9804.0	Com	6.5	No	11.0	6.7	No
Medium	No	B8	1623.0	Com	6.5	No	7.5	9.1	No
Medium	No	B7	3313.4	Com	6.5	No	15.7	5.3	No
Medium	No	D5	1318.5	Com	6.5	No	14.9	15.6	No
Medium	No	A5	821.9	Com	6.4	Yes	5.6	7.9	No
Medium	No	B5	3878.2	Com	6.4	No	17.4	22.3	No
Medium	No	C3	17992.5	Com	6.4	No	15.8	17.7	No
Medium	No	C9	1186.7	Com	6.4	No	11.3	8.2	No
Medium	No	E1	8950.5	Res	6.4	No	24.3	22.3	No
Medium	No	D1	2316.2	Res	6.4	Yes	0.0	0.0	No
Medium	No	A9	31711.8	Res	6.4	No	3.0	11.2	No
Medium	No	B5	1159.8	Com	6.3	No	8.6	12.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A9	40557.6	Com	6.3	No	19.8	24.4	No
Medium	No	C5	1021.9	Com	6.3	No	27.8	16.7	No
Medium	No	A6	10558.8	Com	6.3	No	9.7	16.4	No
Medium	No	B8	1197.3	Com	6.3	No	9.2	5.6	No
Medium	No	C7	2823.5	Res	6.3	No	11.8	11.6	No
Medium	No	A9	40204.4		6.3	No	9.5	10.4	No
Medium	No	A9	40635.5	Com	6.2	No	23.7	20.3	No
Medium	No	B8	3295.2	Com	6.2	No	6.7	6.8	No
Medium	No	A9	25982.9		6.2	No	13.1	14.0	No
Medium	No	A9	51363.6	Com	6.1	No	14.9	14.5	No
Medium	No	B5	13598.2	Com	6.1	No	14.9	17.7	No
Medium	No	D7	2005.1	Com	6.1	No	19.5	17.8	No
Medium	No	C9	5189.6	Com	6.0	No	24.4	12.9	No
Medium	No	C2	1820.9	Com	6.0	No	24.7	25.6	No
Medium	No	B5	1760.7	Com	6.0	No	17.2	17.0	No
Medium	No	B8	365.1	Com	6.0	No	15.0	15.8	No
Medium	No	B8	601.6	Com	6.0	No	10.5	6.6	No
Medium	No	B6	627.5	Com	6.0	No	4.8	7.9	No
Medium	No	B5	1130.7	Com	6.0	No	6.4	12.3	No
Medium	No	B10	7229.8	Res	6.0	No	17.4	18.7	No
Medium	No	D1	825.1		6.0	Yes	0.0	0.0	No
Medium	No	D6	1756.1	Com	5.9	No	10.0	10.8	No
Medium	No	A10	10127.3	Com	5.9	No	6.8	8.4	No
Medium	No	A5	2206.8	Com	5.9	No	12.6	10.2	No
Medium	No	B10	2288.8	Com	5.9	No	27.5	21.0	No
Medium	No	A9	26737.6	Com	5.9	No	7.5	11.8	No
Medium	No	A9	35479.6	Com	5.9	No	7.0	5.0	No
Medium	No	C3	17445.2	Com	5.9	No	10.9	15.3	No
Medium	No	A9	26335.5	Com	5.8	No	6.5	14.9	No
Medium	No	D6	2154.3	Com	5.8	No	12.1	11.1	No
Medium	No	D2	471.5	Com	5.8	No	7.1	3.9	No
Medium	No	B8	1571.3	Com	5.8	No	5.8	6.6	No
Medium	No	A9	25398.3	Com	5.8	No	7.7	15.3	No
Medium	No	E1	1394.1	Res	5.8	No	15.2	13.2	No
Medium	No	F2	13290.3	Com	5.7	No	8.6	6.0	No
Medium	No	A9	40345.8	Com	5.7	No	8.2	24.7	No
Medium	No	D7	1656.6	Com	5.7	No	11.5	11.9	No
Medium	No	A9	42637.1	Com	5.7	No	12.1	13.0	No
Medium	No	D1	2790.4	Res	5.7	Yes	0.0	0.0	No
Medium	No	C3	19531.3	Com	5.6	No	19.0	13.3	No
Medium	No	D6	2081.2	Com	5.6	No	26.4	9.8	No
Medium	No	D1	189.9	Com	5.6	No	4.9	23.5	No
Medium	No	C4	713.5	Com	5.6	No	19.2	17.1	No
Medium	No	A1	4513.8	Com	5.6	No	14.6	14.4	No
Medium	No	A5	1994.1	Com	5.6	No	12.5	11.1	No
Medium	No	F1	2299.2	Res	5.6	No	2.4	17.8	No
Medium	No	A1	5609.4	Res	5.6	No	19.0	24.9	No
Medium	No	A9	40754.8	Com	5.5	Yes	0.0	0.0	No
Medium	No	A3	2071.5	Com	5.5	Yes	16.7	11.5	No
Medium	No	E1	6313.6	Res	5.5	No	4.9	6.2	No
Medium	No	D6	6831.2		5.5	No	12.7	7.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A5	687.3	Com	5.4	No	11.4	11.5	No
Medium	No	B5	9603.4	Com	5.4	No	7.6	9.0	No
Medium	No	A9	42425.9	Com	5.4	No	7.7	13.5	No
Medium	No	A9	44285.1	Com	5.4	No	10.8	9.0	No
Medium	No	D6	6790.5		5.4	No	10.5	8.8	No
Medium	No	B5	1058.4	Com	5.3		5.8	2.5	No
Medium	No	D1	171.3	Com	5.3		0.0	0.0	No
Medium	No	A1	3296.4	Com	5.3	No	12.9	18.8	No
Medium	No	B5	5069.2	Com	5.3	No	19.4	9.0	No
Medium	No	A9	41471.7	Com	5.3	No	11.9	9.7	No
Medium	No	A3	1936.7	Res	5.3	Yes	10.2	12.6	No
Medium	No	A9	41740.3	Com	5.2	No	10.2	11.4	No
Medium	No	A9	41675.5	Com	5.2	No	8.5	8.9	No
Medium	No	A9	46519.7	Com	5.2	No	10.5	10.2	No
Medium	No	D4	6126.1	Com	5.2	No	6.5	5.0	No
Medium	No	C9	7714.9	Com	5.2	No	17.3	17.7	No
Medium	No	A10	8909.6	Com	5.2	No	10.1	10.5	No
Medium	No	A5	2063.8	Com	5.2	Yes	7.0	7.0	No
Medium	No	B5	10083.7	Com	5.2	No	6.6	6.8	No
Medium	No	C9	320.1	Com	5.1	Yes	0.0	0.0	No
Medium	No	A4	1758.2	Com	5.1	No	14.8	17.2	No
Medium	No	B10	5314.9	Com	5.1	No	6.5	4.8	No
Medium	No	A9	45218.2	Com	5.1	No	9.0	14.2	No
Medium	No	E4	328.1	Com	5.1	No	4.3	8.7	No
Medium	No	B10	4893.7	Res	5.1	No	15.9	13.4	No
Medium	No	A9	36092.3	Com	4.9		10.5	14.2	No
Medium	No	D6	2192.3	Com	4.9	No	15.5	12.6	No
Medium	No	A9	27302.6	Com	4.9	No	17.4	18.0	No
Medium	No	D6	5447.7	Com	4.9	No	8.8	10.3	No
Medium	No	A9	26303.5	Com	4.8	No	14.1	11.9	No
Medium	No	A9	41601.1	Com	4.8	No	16.6	14.1	No
Medium	No	C3	18803.2	Com	4.8	No	19.9	22.2	No
Medium	No	A10	6514.2	Com	4.8	No	10.7	4.2	No
Medium	No	A6	7148.1	Com	4.8	No	8.7	11.2	No
Medium	No	B6	690.2	Com	4.8	No	18.8	12.9	No
Medium	No	D7	1353.6	Com	4.7	No	22.3	15.5	No
Medium	No	A9	27391.9	Com	4.7	No	14.7	13.4	No
Medium	No	D1	819.1	Res	4.7		0.0	0.0	No
Medium	No	B7	3538.7	Res	4.7	No	14.8	17.7	No
Medium	No	A9	36122.2	Com	4.6	No	14.1	12.1	No
Medium	No	A10	8135.1	Com	4.6	No	6.4	7.8	No
Medium	No	C5	6676.0	Com	4.6	No	7.3	3.8	No
Medium	No	A5	1588.2	Com	4.6	Yes	10.8	9.7	No
Medium	No	B5	2272.8	Com	4.6	Yes	27.9	26.4	No
Medium	No	B5	2796.1	Com	4.6	Yes	8.7	11.2	No
Medium	No	A9	43872.5	Com	4.6	No	14.8	20.5	No
Medium	No	C3	26821.8	Com	4.6	No	7.9	8.9	No
Medium	No	A10	8856.6	Com	4.5		2.3	10.6	No
Medium	No	C4	1462.6	Com	4.5	No	18.9	10.9	No
Medium	No	A5	892.3	Com	4.5	Yes	5.2	7.1	No
Medium	No	A9	34225.9	Com	4.5	No	11.6	11.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	F2	13555.5	Com	4.4	No	7.8	6.2	No
Medium	No	F2	13685.3	Com	4.4	No	8.3	4.2	No
Medium	No	A9	41990.7	Com	4.4	Yes	17.6	15.1	No
Medium	No	A10	10468.9	Com	4.4	No	22.2	23.4	No
Medium	No	A3	2774.1	Com	4.4	Yes	8.2	3.0	No
Medium	No	A5	2648.1	Com	4.4	Yes	4.9	7.7	No
Medium	No	A9	45296.9	Com	4.4	No	9.2	4.0	No
Medium	No	A3	2136.2	Res	4.4	Yes	16.6	15.6	No
Medium	No	A9	35624.5	Com	4.3	No	21.4	24.3	No
Medium	No	A4	2154.3	Com	4.3	No	14.2	9.2	No
Medium	No	B5	10379.6	Com	4.3	No	4.4	8.7	No
Medium	No	A9	41549.9	Com	4.3	No	3.3	10.5	No
Medium	No	E1	4587.8	Res	4.3	No	7.1	6.0	No
Medium	No	A9	26609.5	Com	4.2	No	16.5	10.3	No
Medium	No	A9	36148.5	Com	4.2	No	11.6	12.0	No
Medium	No	C3	10470.5	Com	4.2	No	3.5	4.4	No
Medium	No	A4	1780.4	Com	4.2	No	17.1	19.2	No
Medium	No	B8	6171.6	Com	4.2	No	17.1	13.7	No
Medium	No	B10	5376.2	Com	4.2	No	7.3	8.5	No
Medium	No	B6	1422.9	Com	4.2	No	9.6	11.9	No
Medium	No	B9	7758.1	Com	4.2	No	9.6	5.9	No
Medium	No	A3	3379.5	Res	4.2	Yes	10.3	9.3	No
Medium	No	A9	27345.3	Com	4.1	No	16.2	18.0	No
Medium	No	B5	2766.9	Com	4.1	Yes	9.0	10.9	No
Medium	No	B5	6172.2	Com	4.1	No	8.3	13.3	No
Medium	No	B5	4678.5	Com	4.1	No	36.0	50.3	No
Medium	No	E9	1742.7	Com	4.1	No	0.5	14.3	No
Medium	No	A9	34306.8	Com	4.1	No	12.5	15.2	No
Medium	No	C3	21956.1	Com	4.1	No	16.7	29.6	No
Medium	No	C9	779.2	Com	4.0	Yes	0.0	0.0	No
Medium	No	B9	8154.7	Com	4.0	No	6.9	6.5	No
Medium	No	C5	1184.7	Res	4.0	No	17.2	22.0	No
Medium	No	E1	4200.6	Res	4.0	No	7.3	5.9	No
Medium	No	B8	226.1	Com	3.9	No	23.1	18.5	No
Medium	No	B8	242.4	Com	3.9	No	13.1	15.6	No
Medium	No	A9	35679.1	Com	3.9	No	6.5	4.9	No
Medium	No	A9	42787.0	Com	3.9	No	11.8	8.2	No
Medium	No	D9	158.0	Com	3.9	No	11.5	11.9	No
Medium	No	C9	461.8	Com	3.9	Yes	6.7	16.0	No
Medium	No	D4	1905.1	Res	3.9	No	5.5	7.0	No
Medium	No	C7	888.2	Res	3.8	Yes	0.0	0.0	No
Medium	No	C3	15102.6	Com	3.7	No	6.0	3.4	No
Medium	No	C2	470.4	Com	3.7	No	7.1	14.2	No
Medium	No	D1	5062.0	Res	3.7	Yes	0.0	0.0	No
Medium	No	A9	41915.9	Com	3.6	No	19.2	21.4	No
Medium	No	C5	2942.4	Com	3.6		23.2	21.6	No
Medium	No	A5	2288.7	Com	3.6	Yes	8.5	6.4	No
Medium	No	C7	787.9	Res	3.6	Yes	0.0	0.0	No
Medium	No	D1	3369.2	Res	3.6	Yes	0.0	0.0	No
Medium	No	D1	2840.7	Res	3.6	Yes	0.0	0.0	No
Medium	No	E1	4435.0	Res	3.6	No	6.8	4.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C9	7471.5	Com	3.5	No	22.8	18.2	No
Medium	No	A10	6860.4	Com	3.5	No	9.1	5.6	No
Medium	No	A4	2730.2	Com	3.5	Yes	10.3	9.0	No
Medium	No	A5	2744.9	Com	3.5	Yes	9.2	14.8	No
Medium	No	A9	35342.9	Com	3.5	No	5.2	6.1	No
Medium	No	C3	17185.1	Com	3.5	No	15.3	18.0	No
Medium	No	B5	433.0	Com	3.4	No	0.0	0.0	No
Medium	No	F2	12941.9	Com	3.4	No	8.6	2.6	No
Medium	No	B5	13066.3	Com	3.4	No	17.2	18.2	No
Medium	No	D1	2366.4	Res	3.4	Yes	0.0	0.0	No
Medium	No	C1	2949.6	Res	3.4	Yes	8.9	20.2	No
Medium	No	A10	10328.1	Com	3.3	No	7.2	7.0	No
Medium	No	C1	7793.3	Com	3.3	No	8.6	18.1	No
Medium	No	C3	17300.6	Com	3.3	No	4.8	11.7	No
Medium	No	A3	2161.2	Res	3.3	Yes	999.0	999.0	No
Medium	No	B7	3227.5	Res	3.3	No	27.4	13.0	No
Medium	No	C9	7679.0	Com	3.2	No	24.4	18.8	No
Medium	No	C9	899.3	Com	3.2	Yes	0.0	0.0	No
Medium	No	A10	4180.8	Com	3.2	No	8.4	11.1	No
Medium	No	A3	3292.9	Com	3.2	Yes	11.8	7.9	No
Medium	No	A5	1319.9	Com	3.2	Yes	9.6	11.3	No
Medium	No	E1	6627.8	Res	3.2	No	3.5	3.2	No
Medium	No	A9	40452.8	Com	3.1	No	21.7	18.4	No
Medium	No	C3	9096.7	Com	3.1	No	4.9	5.2	No
Medium	No	A1	1552.2	Com	3.1	No	10.2	12.4	No
Medium	No	A5	2481.7	Com	3.1	Yes	14.1	12.4	No
Medium	No	B7	3425.1	Com	3.1	No	23.4	20.3	No
Medium	No	D7	2661.0	Com	3.0	No	8.8	7.6	No
Medium	No	E6	626.6	Com	3.0	Yes	10.6	19.9	No
Medium	No	B5	9260.3	Com	3.0	No	3.7	29.0	No
Medium	No	B9	6776.5	Com	3.0	No	5.2	11.3	No
Medium	No	F1	825.8	Com	3.0	No	3.6	5.0	No
Medium	No	C9	890.3	Com	3.0	Yes	16.3	11.8	No
Medium	No	C9	448.6	Com	3.0	Yes	18.4	9.1	No
Medium	No	C8	1535.1	Res	3.0	Yes	0.0	0.0	No
Medium	No	B5	690.0	Com	2.9	Yes	6.1	3.1	No
Medium	No	F2	12937.7	Com	2.9	No	17.7	16.9	No
Medium	No	C7	952.4	Com	2.9	Yes	0.0	0.0	No
Medium	No	C7	1184.3	Com	2.9	Yes	0.0	0.0	No
Medium	No	A6	10503.1	Com	2.9	Yes	27.0	18.3	No
Medium	No	A5	2013.1	Com	2.9	Yes	11.7	7.7	No
Medium	No	B9	8102.5	Com	2.9	No	18.6	12.5	No
Medium	No	B10	5419.9	Res	2.9	No	5.2	11.5	No
Medium	No	C3	17368.7	Com	2.8	No	17.0	12.2	No
Medium	No	C5	2980.2	Com	2.8	No	15.0	18.0	No
Medium	No	C2	1911.8	Com	2.8	No	16.7	11.4	No
Medium	No	C2	1872.3	Com	2.8	No	25.3	28.8	No
Medium	No	A3	2620.7	Com	2.8	Yes	7.6	14.1	No
Medium	No	A3	3518.0	Com	2.8	Yes	6.5	6.5	No
Medium	No	D1	2495.9	Res	2.8	Yes	0.0	0.0	No
Medium	No	B10	6120.7	Res	2.8	No	9.3	8.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A9	41440.8	Com	2.7	No	23.4	12.5	No
Medium	No	C3	18585.0	Com	2.7	No	23.5	18.5	No
Medium	No	A3	3199.5	Com	2.7	Yes	7.1	8.9	No
Medium	No	B5	3543.5	Com	2.7	Yes	0.5	9.5	No
Medium	No	C9	1413.2	Com	2.6	Yes	0.0	0.0	No
Medium	No	C7	387.1	Com	2.6	Yes	0.0	0.0	No
Medium	No	B5	3761.1	Com	2.6	Yes	22.4	20.3	No
Medium	No	A9	44366.2	Com	2.6	No	13.8	13.6	No
Medium	No	C7	775.6	Res	2.6	Yes	0.0	0.0	No
Medium	No	C7	752.7	Res	2.6	Yes	0.0	0.0	No
Medium	No	C9	521.6	Res	2.6	Yes	10.2	9999.0	No
Medium	No	A3	1343.2	Com	2.5	Yes	9.6	11.4	No
Medium	No	A3	1260.7	Com	2.5	Yes	13.6	9.3	No
Medium	No	A5	1129.2	Com	2.5	Yes	13.5	6.2	No
Medium	No	B5	1545.4	Com	2.5	Yes	20.7	27.0	No
Medium	No	B5	3817.5	Com	2.5	Yes	22.1	14.6	No
Medium	No	C7	249.5	Res	2.5	Yes	0.0	0.0	No
Medium	No	D1	2427.2	Res	2.5	Yes	0.0	0.0	No
Medium	No	D1	537.1	Res	2.5	Yes	0.0	0.0	No
Medium	No	A9	40277.5	Com	2.4	Yes	16.7	16.2	No
Medium	No	C9	255.7	Com	2.4	Yes	0.0	0.0	No
Medium	No	C7	151.8	Com	2.4	Yes	0.0	0.0	No
Medium	No	D1	532.3	Com	2.4	Yes	0.0	0.0	No
Medium	No	A3	1347.2	Com	2.4	Yes	11.4	10.4	No
Medium	No	A6	8048.1	Com	2.4	Yes	10.5	4.4	No
Medium	No	C1	7203.2	Com	2.4	Yes	6.8	6.4	No
Medium	No	C3	17001.7	Res	2.4	Yes	0.0	0.0	No
Medium	No	C8	1560.0	Res	2.4	Yes	0.0	0.0	No
Medium	No	C7	670.8	Res	2.4	Yes	0.0	0.0	No
Medium	No	C7	346.0	Res	2.4	Yes	0.0	0.0	No
Medium	No	D1	3496.2	Res	2.4	Yes	0.0	0.0	No
Medium	No	C3	16137.4	Com	2.3	Yes	0.0	0.0	No
Medium	No	C3	10407.8	Com	2.3	No	6.0	4.4	No
Medium	No	A3	2108.4	Com	2.3	Yes	12.7	16.4	No
Medium	No	C1	7248.9	Com	2.3	Yes	7.3	5.3	No
Medium	No	D1	2392.8	Res	2.3	Yes	0.0	0.0	No
Medium	No	D1	2021.6	Res	2.3	Yes	0.0	0.0	No
Medium	No	D1	3398.7	Res	2.3	Yes	0.0	0.0	No
Medium	No	A9	43321.2	Com	2.2	No	8.5	9.0	No
Medium	No	A3	2763.7	Com	2.2	Yes	9.2	4.0	No
Medium	No	A3	3351.0	Com	2.2	Yes	11.8	9.7	No
Medium	No	C3	22053.5	Res	2.2	No	12.6	18.3	No
Medium	No	A3	2422.8	Com	2.1	Yes	17.8	23.5	No
Medium	No	B5	2747.7	Com	2.1	Yes	21.2	21.5	No
Medium	No	B5	3692.7	Com	2.1	Yes	999.0	999.0	No
Medium	No	B5	3065.9	Com	2.1	Yes	4.4	8.0	No
Medium	No	B5	2980.8	Com	2.1	Yes	6.2	8.1	No
Medium	No	A10	1489.0	Com	2.1	Yes	5.0	4.3	No
Medium	No	A3	1292.7	Res	2.1	Yes	10.7	9.3	No
Medium	No	B5	10680.9	Res	2.1	No	90.0	90.0	No
Medium	No	C1	3227.1	Res	2.1	Yes	6.6	6.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B8	7567.2	Com	2.0	Yes	6.3	5.2	No
Medium	No	C1	2525.1	Res	2.0	Yes	8.7	4.9	No
Medium	No	C3	7628.9	Com	1.9	No	3.8	6.9	No
Medium	No	A10	6870.7	Com	1.9	No	9.9	8.5	No
Medium	No	C9	8049.6	Com	1.7	No	22.4	17.0	No
Medium	No	A10	5799.2	Res	1.7	No	9.4	3.2	No
Medium	No	C3	8241.9	Com	1.6	No	3.4	5.4	No
Medium	No	C5	7677.2	Com	1.6	No	6.1	7.4	No
Medium	No	E1	6065.9	Res	1.4	No	5.2	7.0	No
Medium	No	B5	9926.7	Res	1.3	No	90.0	90.0	No
Medium	No	A8	1095.2	Com	1.2	No	10.6	4.7	No
Medium	No	C9	93.3	Com	1.1		6.6	7.2	No
Medium	No	A10	10709.3	Com	1.1	No	8.9	7.0	No
Medium	No	A10	3806.5	Com	0.9	No	8.4	4.2	No
Medium	No	B7	3333.9	Res	0.9	No	12.1	12.1	No
Medium	No	D7	2330.7	Com	0.8	No	10.5	4.8	No
Medium	No	B5	6127.8	Com	0.7	No	27.5	15.3	No
Medium	No	A10	1131.4	Com	0.7	No	10.2	13.8	No
Medium	No	C6	674.2	Com	0.6	No	6.0	9.7	No
Medium	No	B9	6432.7	Com	0.5	No	6.6	7.6	No
Medium	No	C1	2914.0	Com	0.2	No	8.0	5.3	No
Medium	No	A10	4513.7	Com	0.1	No	5.9	8.7	No
Medium	No	C5	1641.0	Com	0.0	No	14.8	18.3	No
Medium	No	D1	605.7	Res	0.0		0.0	0.0	No
Medium	No	D1	3498.9	Res	0.0		0.0	0.0	No
Medium	No	C8	288.0		0.0		0.0	0.0	No
Medium	No	C7	813.6		0.0		0.0	0.0	No
Medium	No	C7	851.6		0.0		0.0	0.0	No
Medium	No	C7	923.2		0.0		0.0	0.0	No
Medium	No	C7	1242.8		0.0		0.0	0.0	No
Medium	No	D1	3803.1		0.0		0.0	0.0	No
Medium	No	D1	3166.6		0.0		0.0	0.0	No
Medium	No	D1	753.0		0.0		0.0	0.0	No
Medium	No	B3	317.3		0.0		0.0	0.0	No
Medium	No	B3	697.3		0.0		0.0	0.0	No
Medium	No	B3	829.2		0.0		0.0	0.0	No
Medium	No	B3	1042.0		0.0		0.0	0.0	No
Medium	No	B3	1131.7		0.0		0.0	0.0	No
Medium	No	B3	1168.8		0.0		0.0	0.0	No
Medium	No	B3	2317.7		0.0		0.0	0.0	No
Medium	No	B3	2374.0		0.0		0.0	0.0	No
Medium	No	B3	2476.6		0.0		0.0	0.0	No
Medium	No	B3	2544.5		0.0		0.0	0.0	No
Low	Yes	F2	1427.7	Res	15.2	No	14.6	14.0	No
Low	Yes	E1	3656.0	Com	14.6	No	11.6	14.5	No
Low	Yes	D4	4234.6	Res	14.6	No	8.7	8.9	No
Low	Yes	B6	2685.9	Res	14.6	No	17.4	17.3	No
Low	Yes	C1	5246.4	Res	14.5	No	7.3	13.7	No
Low	Yes	C2	1951.6	Com	14.4	No	20.2	23.2	No
Low	Yes	F2	1492.6	Res	14.4	No	10.1	9999.0	No
Low	Yes	C2	1486.0	Res	14.3	No	26.4	19.3	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	Yes	B5	19557.8	Res	14.3	No	19.9	7.3	No
Low	Yes	B6	2287.3	Res	14.2	No	15.3	18.5	No
Low	Yes	B9	2389.4	Res	14.1	No	19.8	20.9	No
Low	Yes	B6	2561.8	Res	13.9	No	15.4	14.7	No
Low	Yes	A1	669.6	Res	13.8	No	14.0	19.6	No
Low	Yes	B9	2250.2	Res	13.8	No	6.7	10.5	No
Low	Yes	B9	6121.6	Com	13.7	No	16.3	11.3	No
Low	Yes	A1	589.5	Res	13.6	No	11.3	11.6	No
Low	Yes	C1	6297.9	Res	13.6	No	15.6	14.4	No
Low	Yes	B6	2603.1	Res	13.5	No	13.3	15.6	No
Low	Yes	B1	7550.2	Com	13.4	No	11.3	7.9	No
Low	Yes	A1	323.6	Res	13.4	No	5.6	9.5	No
Low	Yes	C5	3089.3	Res	13.3	No	15.6	20.2	No
Low	Yes	B9	759.3	Res	13.3	No	16.4	15.3	No
Low	Yes	A9	32602.2	Com	13.2	No	17.6	23.6	No
Low	Yes	C1	5361.0	Res	13.1	No	10.1	6.8	No
Low	Yes	B6	2875.3	Res	13.1	No	15.2	15.1	No
Low	Yes	A6	5197.7	Res	13.0	No	9.6	15.3	No
Low	Yes	C2	1432.1	Res	12.9	No	21.9	19.1	No
Low	Yes	A1	1027.5	Com	12.6	No	11.1	26.1	No
Low	Yes	D4	4120.2	Res	12.6	No	9.7	10.1	No
Low	Yes	A1	538.0	Res	12.6	No	13.9	18.6	No
Low	Yes	C1	6284.3	Res	12.5	No	22.7	21.8	No
Low	Yes	C1	5278.4	Res	12.5	No	24.9	19.7	No
Low	Yes	B9	907.1	Res	12.5	No	13.9	14.3	No
Low	Yes	B6	2535.4	Res	12.5	No	19.0	17.9	No
Low	Yes	B6	2799.8	Res	12.5	No	13.2	10.5	No
Low	Yes	C4	3127.5	Com	12.3	No	7.3	13.7	No
Low	Yes	B5	15093.6	Res	12.3	No	21.5	19.0	No
Low	Yes	D4	4164.4	Res	12.2	No	11.5	10.9	No
Low	Yes	B9	802.8	Res	12.2	No	14.2	14.3	No
Low	Yes	B9	2280.3	Res	12.2	No	9.8	18.1	No
Low	Yes	B6	2631.6	Res	12.2	No	18.7	16.6	No
Low	Yes	D4	3998.2	Res	12.1	No	9.8	8.7	No
Low	Yes	B5	18582.0	Res	12.1	No	9.2	12.9	No
Low	Yes	B9	2147.9	Res	12.1	No	13.4	15.2	No
Low	Yes	F1	1922.3	Res	12.1	No	11.2	8.7	No
Low	Yes	B5	13407.1	Com	12.0	No	14.8	15.7	No
Low	Yes	C1	5429.1	Res	12.0	No	7.1	8.5	No
Low	Yes	C1	5004.0	Res	12.0	No	7.1	7.8	No
Low	Yes	B9	6021.6	Res	12.0	No	14.1	13.8	No
Low	Yes	A1	5285.1	Res	11.9	No	17.9	15.7	No
Low	Yes	B9	959.2	Res	11.9	No	12.1	13.3	No
Low	Yes	B9	1106.5	Res	11.9	No	13.0	13.3	No
Low	Yes	A6	2301.8	Res	11.8	No	12.7	14.8	No
Low	Yes	B5	15369.6	Res	11.8	No	18.6	15.0	No
Low	Yes	B5	16431.7	Res	11.8	No	19.2	9.3	No
Low	Yes	C1	5619.5	Res	11.8	No	16.9	14.1	No
Low	Yes	B6	2691.8	Res	11.8	No	14.0	10.3	No
Low	Yes	B6	2788.2	Res	11.8	No	15.1	13.5	No
Low	Yes	A1	441.5	Res	11.7	No	18.3	15.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	Yes	B9	3449.0	Res	11.7	No	15.8	12.5	No
Low	Yes	B6	2887.1	Res	11.7	No	13.0	12.7	No
Low	Yes	D4	3239.9	Res	11.6	No	12.5	12.2	No
Low	Yes	B9	3010.5	Res	11.6	No	17.9	18.6	No
Low	Yes	B9	5882.3	Res	11.6	No	13.0	11.0	No
Low	Yes	F3	185.9	Res	11.6	No	13.9	12.8	No
Low	Yes	C1	5589.8	Res	11.5	No	17.0	20.0	No
Low	Yes	B9	3149.7	Res	11.5	No	19.0	16.1	No
Low	Yes	C5	2474.6	Com	11.4	No	15.5	18.7	No
Low	Yes	D4	3948.8	Res	11.4	No	10.0	9.4	No
Low	Yes	B6	2845.0	Res	11.4	No	17.1	9.0	No
Low	Yes	C7	4695.3	Res	11.3	No	16.3	20.1	No
Low	Yes	A1	5322.5	Res	11.3	No	17.9	11.9	No
Low	Yes	B5	14978.6	Res	11.3	No	15.2	20.1	No
Low	Yes	B5	16520.7	Res	11.3	No	14.9	12.2	No
Low	Yes	B9	2787.0	Res	11.3	No	16.5	20.9	No
Low	Yes	F2	908.3	Res	11.2	No	8.3	9.2	No
Low	Yes	C1	5573.6	Res	11.2	No	11.9	14.6	No
Low	Yes	B9	6087.4	Res	11.2	No	17.1	19.3	No
Low	Yes	E1	810.2	Res	11.2	No	12.6	10.4	No
Low	Yes	F2	852.3	Res	11.1	No	9.7	6.8	No
Low	Yes	E1	1698.1	Res	11.1	No	13.0	16.1	No
Low	Yes	A1	588.7	Res	11.1	No	17.9	14.1	No
Low	Yes	C7	4615.9	Res	11.0	No	20.0	12.3	No
Low	Yes	B1	13485.3	Res	11.0	No	5.2	7.5	No
Low	Yes	B1	13246.7	Res	11.0	No	2.5	11.4	No
Low	Yes	A1	4352.1	Res	11.0	No	8.1	5.3	No
Low	Yes	B9	2739.2	Res	11.0	No	18.7	19.4	No
Low	Yes	C9	4581.9	Res	10.8	No	7.6	6.8	No
Low	Yes	B5	19669.0	Res	10.8	No	11.8	11.1	No
Low	Yes	C1	4928.0	Res	10.8	No	8.5	8.8	No
Low	Yes	B9	1160.7	Res	10.8	No	10.5	16.2	No
Low	Yes	E1	3327.6	Res	10.7	No	12.5	11.5	No
Low	Yes	A1	345.5	Res	10.7	No	12.8	15.7	No
Low	Yes	A2	144.1	Res	10.7	No	12.1	12.2	No
Low	Yes	B9	840.7	Res	10.7	No	14.0	10.7	No
Low	Yes	E1	1744.2	Res	10.6	No	14.0	15.0	No
Low	Yes	C7	3533.8	Res	10.6	No	22.4	17.4	No
Low	Yes	C1	4916.2	Res	10.6	No	22.0	15.8	No
Low	Yes	B9	2912.7	Res	10.6	No	22.2	19.7	No
Low	Yes	B9	3090.9	Res	10.6	No	15.0	17.1	No
Low	Yes	B6	3168.4	Res	10.6	No	11.5	5.8	No
Low	Yes	E1	824.6	Res	10.6	No	13.1	10.5	No
Low	Yes	B6	3301.0	Res	10.5	No	8.1	12.6	No
Low	Yes	C6	3133.4	Com	10.4	No	0.2	8.8	No
Low	Yes	B2	18301.2	Res	10.3	No	18.3	9.7	No
Low	Yes	B6	2960.1	Res	10.3	No	14.1	10.5	No
Low	Yes	B6	2579.0	Res	10.3	No	13.1	15.3	No
Low	Yes	D4	3870.9	Res	10.1	No	23.3	27.9	No
Low	Yes	A1	375.2	Res	10.1	No	9.5	18.4	No
Low	Yes	A6	5289.5	Res	10.1	No	6.9	12.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	Yes	B5	15403.5	Res	10.1	No	18.6	20.2	No
Low	Yes	C1	4715.7	Res	10.1	No	9.4	7.8	No
Low	Yes	B9	6759.2	Res	10.1	No	5.1	17.1	No
Low	No	C9	4659.1	Com	10.0	No	14.7	13.9	No
Low	No	B1	14180.5	Com	3.3	Yes	0.0	0.0	No
Low	No	B1	12699.8	Com	3.8	No	5.9	7.9	No
Low	No	D1	3807.6	Com	4.4	Yes	0.0	0.0	No
Low	No	D1	2066.0	Com	8.0	No	4.8	7.0	No
Low	No	A10	8116.9	Com	6.8	No	5.1	8.9	No
Low	No	C5	2985.1	Com	10.0	No	16.6	21.2	No
Low	No	C5	3249.4	Com	8.8	Yes	17.0	23.0	No
Low	No	A3	2240.0	Com	4.6	Yes	12.7	14.8	No
Low	No	A3	2273.7	Com	2.0	Yes	12.3	22.6	No
Low	No	A3	3305.4	Com	2.6	Yes	7.1	12.4	No
Low	No	A3	1819.9	Com	7.5	No	19.1	4.8	No
Low	No	A5	1434.3	Com	4.8	Yes	14.4	7.6	No
Low	No	A6	1891.9	Com	5.5	No	6.4	16.3	No
Low	No	B5	29320.8	Com	10.0	No	14.8	10.6	No
Low	No	B5	13480.3	Com	8.1	Yes	13.6	17.2	No
Low	No	B8	2386.6	Com	7.7	No	7.5	9.4	No
Low	No	B8	1836.4	Com	8.0	No	7.3	8.5	No
Low	No	B9	6438.0	Com	3.0	No	5.9	2.8	No
Low	No	B9	6094.2	Com	1.6	No	6.3	5.9	No
Low	No	C9	4276.1	Com	9.3	No	6.0	5.5	No
Low	No	D4	3291.9	Res	9.3	No	11.4	10.9	No
Low	No	C9	4395.2	Res	4.6	No	7.2	8.2	No
Low	No	C9	3043.7	Res	9.4	No	8.3	3.1	No
Low	No	C9	2778.9	Res	9.7	No	9.1	4.7	No
Low	No	C9	740.6	Res	2.2	Yes	0.0	0.0	No
Low	No	C10	481.7	Res	2.2	Yes	0.0	0.0	No
Low	No	C7	3280.9	Res	2.2	No	17.0	11.1	No
Low	No	C7	3320.4	Res	7.5	No	14.0	24.7	No
Low	No	B1	15358.4	Res	5.0	Yes	0.0	0.0	No
Low	No	B1	13550.3	Res	6.4	No	5.2	8.5	No
Low	No	D1	3857.9	Res	2.3	Yes	0.0	0.0	No
Low	No	D1	3097.9	Res	2.8	Yes	0.0	0.0	No
Low	No	D1	2740.2	Res	9.1	Yes	0.0	0.0	No
Low	No	D1	2671.6	Res	3.9	Yes	0.0	0.0	No
Low	No	D1	2097.8	Res	2.6	Yes	0.0	0.0	No
Low	No	D1	2429.2	Res	0.5	No	12.0	13.9	No
Low	No	D1	3070.2	Res	2.0	Yes	0.0	0.0	No
Low	No	D1	3104.6	Res	2.2	Yes	0.0	0.0	No
Low	No	D1	3207.6	Res	3.2	Yes	0.0	0.0	No
Low	No	A10	3728.4	Res	9.7	No	16.0	17.2	No
Low	No	B2	15451.2	Res	10.0	No	7.6	2.8	No
Low	No	D2	135.8	Res	1.8	No	11.6	11.4	No
Low	No	C6	3273.2	Res	3.1	No	19.1	21.1	No
Low	No	A1	806.9	Res	9.8	No	1.5	19.4	No
Low	No	A1	1132.0	Res	3.3	No	31.4	10.6	No
Low	No	A1	4863.1	Res	9.9	No	11.7	15.6	No
Low	No	A1	5446.0	Res	8.2	No	23.8	15.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	A1	4460.7	Res	8.8	No	14.9	18.0	No
Low	No	A2	88.5	Res	10.0	No	19.0	11.0	No
Low	No	A3	3234.7	Res	2.2	Yes	11.1	16.4	No
Low	No	A3	1695.9	Res	2.9	Yes	11.8	8.4	No
Low	No	A6	5166.6	Res	8.9		9.9	15.8	No
Low	No	A6	2277.7	Res	1.8	No	10.5	7.5	No
Low	No	A6	2131.5	Res	3.1	Yes	15.0	19.8	No
Low	No	A6	2090.9	Res	2.5	Yes	14.7	19.1	No
Low	No	A6	3021.8	Res	9.1	No	1.9	20.7	No
Low	No	B5	14920.9	Res	7.6	No	18.2	15.0	No
Low	No	B5	15323.2	Res	6.5	No	23.3	17.2	No
Low	No	B5	15029.5	Res	9.3	No	145.7	23.6	No
Low	No	B5	16484.8	Res	7.4	No	15.2	15.9	No
Low	No	B5	18474.8	Res	9.8	No	14.6	11.6	No
Low	No	B5	18767.9	Res	8.8	No	13.5	15.6	No
Low	No	B5	19253.6	Res	4.0	No	16.9	15.8	No
Low	No	B5	19582.7	Res	1.0	No	11.0	11.9	No
Low	No	B8	8178.1	Res	2.0	Yes	4.6	6.7	No
Low	No	B10	5216.7	Res	4.5	No	9.8	15.0	No
Low	No	B10	5373.6	Res	6.9	No	9.1	4.1	No
Low	No	B10	5311.6	Res	6.8	No	18.6	25.6	No
Low	No	B10	5248.3	Res	8.4	No	30.6	38.0	No
Low	No	B10	5163.8	Res	7.3	No	17.3	24.8	No
Low	No	B10	5056.5	Res	8.4	No	19.4	18.2	No
Low	No	B10	4992.7	Res	7.8	No	20.9	18.2	No
Low	No	B10	7342.9	Res	9.6	No	14.9	12.7	No
Low	No	B8	1959.8	Res	9.2	No	10.8	7.2	No
Low	No	C1	5210.9	Res	8.8	No	25.0	21.1	No
Low	No	C1	5035.5	Res	10.0	No	5.9	8.4	No
Low	No	C1	4646.1	Res	9.8	No	6.2	7.9	No
Low	No	C1	4643.5	Res	9.9	No	6.7	7.7	No
Low	No	C1	5145.6	Res	8.9	No	16.5	17.4	No
Low	No	C1	6456.5	Res	1.1	No	9.9	14.6	No
Low	No	C1	2639.1	Res	3.3	Yes	11.3	4.5	No
Low	No	B1	7583.6	Res	7.8	No	9.6	4.8	No
Low	No	B1	7730.5	Res	0.5	No	17.2	8.4	No
Low	No	B9	2091.0	Res	9.0	No	16.2	24.1	No
Low	No	B9	2593.6	Res	9.4	No	24.1	19.7	No
Low	No	B9	2836.6	Res	9.1	No	18.3	12.6	No
Low	No	B9	3923.5	Res	6.5	No	11.8	7.6	No
Low	No	B6	2208.0	Res	9.3	No	12.2	10.6	No
Low	No	B6	2316.7	Res	8.7	No	11.6	10.8	No
Low	No	B6	3298.7	Res	9.1	No	15.4	8.4	No
Low	No	B6	3170.0	Res	8.5	No	12.2	8.7	No
Low	No	B9	6084.2	Res	4.5	No	5.3	7.2	No
Low	No	E1	3559.7	Res	7.8	No	13.2	12.4	No
Low	No	C10	419.1	Res	2.6	Yes	12.2	19.4	No
Low	No	C10	462.8	Res	3.4	Yes	22.3	21.9	No
Low	No	C8	429.8		0.0		0.0	0.0	No
Low	No	C8	266.1		0.0		0.0	0.0	No
Low	No	C8	244.1		0.0		0.0	0.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	C7	1216.1		0.0		0.0	0.0	No
Low	No	C7	429.3		0.0		0.0	0.0	No
Low	No	B1	14083.2		0.0		0.0	0.0	No
Low	No	B1	13903.6		0.0		0.0	0.0	No
Low	No	B1	13868.3		0.0		0.0	0.0	No
Low	No	B1	13806.7		0.0		0.0	0.0	No
Low	No	B1	13779.9		0.0		0.0	0.0	No
Low	No	B1	13741.6		0.0		0.0	0.0	No
Low	No	D1	3717.8		0.0		0.0	0.0	No
Low	No	D1	3050.4		0.0		0.0	0.0	No
Low	No	D1	2987.0		0.0		0.0	0.0	No
Low	No	B3	509.5		0.0		0.0	0.0	No
Low	No	B3	644.7		0.0		0.0	0.0	No
Low	No	B3	886.9		0.0		0.0	0.0	No
Low	No	B3	992.0		0.0		0.0	0.0	No
Low	No	A8	402.4		8.7	No	26.3	12.9	No
High	No	B5	1387.7	Com	1.3	Yes	0.0	0.0	Yes
High	No	A9	29246.6	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1371.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1298.0	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1263.0	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1162.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	1865.8	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	1982.7	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	2092.4	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	2196.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	B1	11782.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	B1	11537.9	Com	0.0	Yes	0.0	0.0	Yes
High	No	D1	4149.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1428.3	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1644.3	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1705.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	A1	3056.4	Com	0.0	Yes	16.2	20.3	Yes
High	No	E7	203.3	Com	0.0	Yes	9.2	3.9	Yes
High	No	E7	149.1	Com	0.0	Yes	7.1	4.4	Yes
High	No	A5	506.2	Com	1.4	Yes	4.5	4.3	Yes
High	No	A5	591.6	Com	0.7	Yes	4.8	3.8	Yes
High	No	A5	654.4	Com	0.0	Yes	9.2	7.5	Yes
High	No	A6	8723.4	Com	0.0	Yes	8.4	6.3	Yes
High	No	B5	18163.2	Com	1.5	Yes	7.7	4.4	Yes
High	No	B5	17660.1	Com	1.1	Yes	8.2	4.9	Yes
High	No	B8	6868.9	Com	1.6	Yes	4.3	5.4	Yes
High	No	C1	3805.9	Com	1.6	Yes	9.1	10.3	Yes
High	No	B9	1622.8	Com	1.4	Yes	6.8	6.3	Yes
High	No	A9	25219.0	Com	1.9	Yes	0.6	20.5	Yes
High	No	C3	8535.3	Com	0.0	Yes	5.2	3.8	Yes
High	No	C10	210.7	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1219.0	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1276.1	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1321.4	Res	0.0	Yes	0.0	0.0	Yes
High	No	D1	4836.8	Res	0.0	Yes	0.0	0.0	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	D1	5508.8	Res	1.0	Yes	0.0	0.0	Yes
High	No	B3	1685.3	Res	0.0	Yes	0.0	0.0	Yes
High	No	B5	15715.2	Res	0.1	Yes	3.6	3.5	Yes
High	No	B5	15624.2	Res	0.0	Yes	19.8	24.7	Yes
High	No	C1	2301.7	Res	0.8	Yes	19.9	13.6	Yes
High	No	C1	2170.7	Res	1.8	Yes	3.1	5.6	Yes
High	No	C9	2179.0	Res	0.0	Yes	6.5	9.8	Yes
High	No	C9	2133.7	Res	0.0	Yes	9.7	8.6	Yes
High	No	C9	2053.7	Res	0.0	Yes	24.9	29.9	Yes
High	No	C9	1667.1	Res	0.0	Yes	10.8	8.8	Yes
High	No	C9	1638.9	Res	0.0	Yes	13.7	13.2	Yes
High	No	C9	1587.0	Res	0.0	Yes	12.4	9.2	Yes
High	No	C10	120.3	Res	0.0	Yes	11.6	23.8	Yes
High	No	C10	638.5	Res	0.0	Yes	14.9	17.4	Yes
High	No	C10	834.0	Res	0.0	Yes	14.1	18.8	Yes
High	No	C10	859.9	Res	0.0	Yes	13.3	17.1	Yes
High	No	C10	906.8	Res	0.0	Yes	15.7	19.5	Yes
High	No	C10	929.5	Res	0.0	Yes	11.1	17.6	Yes
High	No	C10	987.0	Res	0.0	Yes	8.0	14.7	Yes
High	No	C10	1029.1	Res	0.0	Yes	7.6	8.1	Yes
High	No	C10	1051.0	Res	0.0	Yes	15.5	10.1	Yes
High	No	C10	1081.8	Res	0.0	Yes	13.3	17.6	Yes
High	No	C10	1176.5	Res	0.0	Yes	8.8	18.5	Yes
High	No	C10	1276.9	Res	0.0	Yes	14.0	13.1	Yes
High	No	C8	478.4		0.0	Yes	0.0	0.0	Yes
High	No	A9	28269.5		0.1	Yes	2.8	3.9	Yes
Medium	No	A9	27594.7	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	27660.0	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	34745.2	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	34463.3	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C3	15796.3	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C3	8056.2	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C7	1121.8	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C7	167.7	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	D1	3440.6	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C5	7482.1	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C2	1480.9	Com	1.6	Yes	0.0	0.0	Yes
Medium	No	A1	1747.4	Com	0.9	Yes	8.4	0.7	Yes
Medium	No	A1	4303.6	Com	1.7	Yes	7.1	11.0	Yes
Medium	No	A1	3802.5	Com	1.8	Yes	5.0	11.3	Yes
Medium	No	A3	919.4	Com	0.0	Yes	7.4	10.7	Yes
Medium	No	A3	1206.4	Com	0.0	Yes	11.3	11.4	Yes
Medium	No	A3	1659.5	Com	0.0	Yes	9.7	8.3	Yes
Medium	No	A3	1679.3	Com	0.0	Yes	9.1	15.0	Yes
Medium	No	A3	2848.9	Com	1.1	Yes	2.0	6.6	Yes
Medium	No	A3	2915.1	Com	0.0	Yes	8.7	6.7	Yes
Medium	No	A3	2239.8	Com	0.0	Yes	9.2	11.9	Yes
Medium	No	A4	1050.7	Com	0.0	Yes	21.0	16.9	Yes
Medium	No	A4	2812.3	Com	0.0	Yes	9.6	10.6	Yes
Medium	No	A4	1279.8	Com	1.7	Yes	7.5	3.6	Yes
Medium	No	A5	1491.9	Com	0.0	Yes	7.0	9.3	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A5	1544.5	Com	0.0	Yes	8.1	15.5	Yes
Medium	No	A5	1673.4	Com	0.0	Yes	14.0	12.1	Yes
Medium	No	A5	1498.2	Com	0.0	Yes	12.5	11.2	Yes
Medium	No	A5	1049.9	Com	0.0	Yes	8.3	15.2	Yes
Medium	No	A6	7413.9	Com	0.0	Yes	7.0	9.3	Yes
Medium	No	A6	8506.6	Com	0.0	Yes	9.2	7.7	Yes
Medium	No	A6	10066.9	Com	0.0	Yes	9.6	5.7	Yes
Medium	No	A6	6439.6	Com	0.0	Yes	5.1	6.8	Yes
Medium	No	A6	6624.5	Com	0.0	Yes	12.0	9.9	Yes
Medium	No	B5	1449.3	Com	1.4	Yes	24.9	25.4	Yes
Medium	No	B5	2177.6	Com	1.1	Yes	28.4	18.1	Yes
Medium	No	B5	2892.7	Com	0.4	Yes	14.6	13.9	Yes
Medium	No	B5	3013.4	Com	0.1	Yes	28.2	26.2	Yes
Medium	No	B5	3208.4	Com	1.0	Yes	15.6	7.4	Yes
Medium	No	B8	7156.7	Com	1.6	Yes	6.1	5.8	Yes
Medium	No	B8	7356.7	Com	1.0	Yes	4.5	3.8	Yes
Medium	No	B8	8048.6	Com	0.7	Yes	6.3	6.4	Yes
Medium	No	B8	8347.1	Com	1.9	Yes	7.5	8.3	Yes
Medium	No	B8	8827.9	Com	1.2	Yes	7.9	5.5	Yes
Medium	No	B8	8940.8	Com	1.4	Yes	5.6	3.6	Yes
Medium	No	B8	9245.4	Com	1.3	Yes	4.9	8.1	Yes
Medium	No	B8	9675.7	Com	1.5	Yes	4.2	6.6	Yes
Medium	No	B8	9705.4	Com	1.6	Yes	6.3	5.0	Yes
Medium	No	B8	9804.6	Com	1.7	Yes	5.4	4.7	Yes
Medium	No	B8	9952.9	Com	1.7	Yes	3.6	5.6	Yes
Medium	No	A10	1834.9	Com	1.3	Yes	6.8	6.2	Yes
Medium	No	A10	1331.7	Com	1.1	Yes	6.8	4.4	Yes
Medium	No	C1	7245.4	Com	1.4	Yes	6.7	7.4	Yes
Medium	No	C1	7162.7	Com	1.7	Yes	6.8	7.9	Yes
Medium	No	C1	7171.6	Com	1.0	Yes	8.4	6.8	Yes
Medium	No	B1	9226.7	Com	1.5	Yes	7.5	5.4	Yes
Medium	No	F1	1754.1	Com	1.1	Yes	7.3	7.4	Yes
Medium	No	C3	27016.5	Com	1.6	Yes	9.4	7.4	Yes
Medium	No	C9	923.8	Com	0.0	Yes	8.5	10.4	Yes
Medium	No	C9	709.3	Com	0.9	Yes	9.9	8.9	Yes
Medium	No	C9	591.2	Com	0.0	Yes	8.3	10.4	Yes
Medium	No	C9	315.1	Com	0.0	Yes	19.3	16.7	Yes
Medium	No	C3	7033.4	Com	0.0	Yes	5.2	7.8	Yes
Medium	No	C3	8174.0	Com	1.8	Yes	6.8	6.1	Yes
Medium	No	C3	17058.4	Res	0.7	Yes	0.0	0.0	Yes
Medium	No	C7	215.9	Res	0.0	Yes	0.0	0.0	Yes
Medium	No	D1	1177.7	Res	0.0	Yes	0.0	0.0	Yes
Medium	No	A3	1798.2	Res	1.7	Yes	1.5	1.7	Yes
Medium	No	A3	2978.6	Res	1.4	Yes	9.8	7.5	Yes
Medium	No	A3	3345.5	Res	1.3	Yes	12.1	8.8	Yes
Medium	No	C1	2970.7	Res	1.7	Yes	8.5	5.1	Yes
Medium	No	C1	2504.6	Res	1.0	Yes	7.1	8.0	Yes
Medium	No	C9	1313.5	Res	0.0	Yes	6.9	8.2	Yes
Medium	No	C9	557.8	Res	0.0	Yes	5.9	10.5	Yes
Medium	No	C10	484.7	Res	0.0	Yes	16.8	25.8	Yes
Medium	No	F4	2568.4		0.0	Yes	0.0	0.0	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C8	137.7		0.0	Yes	0.0	0.0	Yes
Medium	No	C8	159.7		0.0	Yes	0.0	0.0	Yes
Low	No	C9	706.4	Com	0.0	Yes	0.0	0.0	Yes
Low	No	A5	1384.3	Com	0.0	Yes	7.7	8.8	Yes
Low	No	C9	659.1	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C9	622.6	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C10	452.3	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C10	540.4	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C10	565.8	Res	0.0	Yes	0.0	0.0	Yes
Low	No	D1	5006.3	Res	0.0	Yes	0.0	0.0	Yes
Low	No	D1	2071.9	Res	0.0	Yes	0.0	0.0	Yes
Low	No	A1	4405.1	Res	1.4	Yes	7.4	7.3	Yes
Low	No	A3	3269.6	Res	1.0	Yes	11.5	15.2	Yes
Low	No	A3	1631.8	Res	0.0	Yes	9.4	7.0	Yes
Low	No	A3	1609.4	Res	0.0	Yes	13.6	11.1	Yes
Low	No	B8	9023.6	Res	1.5	Yes	6.9	6.9	Yes
Low	No	C1	2669.0	Res	1.6	Yes	5.6	5.9	Yes
Low	No	C1	2610.9	Res	1.4	Yes	8.2	8.7	Yes
Low	No	C9	1442.1	Res	0.0	Yes	10.8	11.4	Yes
Low	No	C9	1397.2	Res	0.0	Yes	12.9	13.5	Yes
Low	No	C8	215.2		0.0	Yes	0.0	0.0	Yes
Low	No	C8	256.1		0.0	Yes	0.0	0.0	Yes
Low	No	C8	314.6		0.0	Yes	0.0	0.0	Yes
Low	No	C8	340.9		0.0	Yes	0.0	0.0	Yes
								Number of Non-Compliant Driveways	2104

Compliant

Non-Compliant

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	B5	110.0	No	No	No	0.00		No
High	Yes	B5	733.2	No	No	No	0.00	bench	No
High	Yes	F2	6504.7	No	No	No	0.00		No
High	Yes	F2	7174.5	No	No	No	0.00	bench	No
High	Yes	F2	8856.6	No		No	0.00	bench	No
High	Yes	F2	10338.2	No	No	No	0.00		No
High	Yes	F2	11329.3	No	No	No	0.00	bench	No
High	Yes	F4	3501.8	No		No	0.00		No
High	Yes	A9	16382.3	No		No	0.00		No
High	Yes	A9	21087.5	No	No	No	0.00		No
High	Yes	A9	34633.9	No	No	No	0.00		No
High	Yes	A9	33305.4	No	No	No	0.00		No
High	Yes	A9	32695.8	No	No	No	0.00		No
High	Yes	A9	31320.1	No	No	No	0.00		No
High	Yes	A9	36356.0	No	No	No	0.00		No
High	Yes	A9	46914.5	No		No	0.00		No
High	Yes	A9	44268.3	No		No	0.00		No
High	Yes	E1	9452.0	No		No	0.00		No
High	Yes	C3	22160.5	No		No	0.00		No
High	Yes	E1	2813.9	Yes	Yes	No	0.00		No
High	Yes	E1	5362.5	No	No	No	0.00		No
High	Yes	E1	6440.8	No	No	No	0.00		No
High	Yes	E3	1144.5	No	No	No	0.00		No
High	Yes	C3	14314.0	No		No	0.00		No
High	Yes	C3	16865.8	No		No	0.00		No
High	Yes	C3	17532.2	No		No	0.00		No
High	Yes	C3	18284.2	No		No	0.00		No
High	Yes	D7	1095.2	No		No	0.00		No
High	Yes	D7	565.8	No		No	0.00		No
High	Yes	D6	5100.3	No		No	0.00		No
High	Yes	D4	3835.3	No	No	No	0.00		No
High	Yes	C9	1765.0	No		No	0.00		No
High	Yes	C3	6793.8	No	No	No	0.00		No
High	Yes	C3	7749.2	No	No	No	0.00		No
High	Yes	F2	8682.7	No		No	0.00		No
High	Yes	F2	11207.8	No		No	0.00		No
High	Yes	F2	12103.4	No		No	0.00		No
High	Yes	A9	11223.4	Yes	Yes	No	0.00		No
High	Yes	A9	20465.5	No		No	0.00		No
High	Yes	A9	21026.5	No		No	0.00		No
High	Yes	A9	22138.6	No		No	0.00		No
High	Yes	A9	23225.6	No		No	0.00		No
High	Yes	A9	23339.4	No		No	0.00		No
High	Yes	A9	25720.7	No		No	0.00		No
High	Yes	A9	33968.5	No		No	0.00		No
High	Yes	A9	31782.1	No		No	0.00		No
High	Yes	A9	36359.6	Yes	Yes	No	0.00		No
High	Yes	A9	38524.0	No		No	0.00		No
High	Yes	A9	46856.0	No		No	0.00		No
High	Yes	E1	7224.0	No		No	0.00		No
High	Yes	E1	7795.4	No		No	0.00		No
High	Yes	E1	9511.3	No		No	0.00		No
High	Yes	E1	1340.3	No		No	0.00		No
High	Yes	E1	1891.7	No		No	0.00		No
High	Yes	E1	2679.7	Yes	Yes	No	0.00		No
High	Yes	E1	5355.3	No		No	0.00		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	D7	753.6	No		No	0.00		No
High	Yes	D6	3270.4	No		No	0.00		No
High	Yes	D6	2499.4	No		No	0.00		No
High	Yes	D6	3278.1	No		No	0.00		No
High	Yes	D4	2668.7	No		No	0.00		No
High	Yes	D4	3046.5	No		No	0.00		No
High	Yes	D4	5478.4	Yes	Yes	No	0.00		No
High	Yes	C9	6244.6	No		No	0.00		No
High	Yes	C9	5372.4	No		No	0.00		No
High	Yes	C3	10239.3	No		No	0.00		No
High	Yes	C3	9621.2	No		No	0.00		No
High	Yes	B1	13441.0	No		No	0.00		No
High	Yes	B1	11085.7	No		No	0.00		No
High	Yes	B1	10454.9	No		No	0.00		No
High	Yes	D1	2993.6	No		No	0.00		No
High	Yes	D1	3594.1	No		No	0.00		No
High	Yes	A10	9647.6	No		No	0.00		No
High	Yes	A10	10802.6	No		No	0.00		No
High	Yes	A10	9455.8	No		No	0.00		No
High	Yes	A10	6447.1	No		No	0.00		No
High	Yes	A10	7668.1	No		No	0.00		No
High	Yes	A10	5515.7	No		No	0.00		No
High	Yes	B3	1474.5	No		No	0.00		No
High	Yes	B2	4745.4	No		No	0.00		No
High	Yes	B2	8413.4	No		No	0.00		No
High	Yes	B2	8730.2	No		No	0.00		No
High	Yes	B2	12903.8	No		No	0.00		No
High	Yes	B2	14163.4	No		No	0.00		No
High	Yes	C6	1865.4	No		No	0.00		No
High	Yes	C5	7961.1	No		No	0.00		No
High	Yes	C5	7369.6	No	No	No	0.00		No
High	Yes	C5	6468.5	No		No	0.00		No
High	Yes	C5	4170.8	Yes	Yes	No	0.00		No
High	Yes	C5	4297.8	No		No	0.00		No
High	Yes	C5	5659.6	No		No	0.00		No
High	Yes	C5	2049.7	No		No	0.00		No
High	Yes	C5	1985.7	No		No	0.00		No
High	Yes	C5	3284.9	No		No	0.00		No
High	Yes	C2	5237.0	Yes		No	0.00		No
High	Yes	C2	6328.5	No		No	0.00		No
High	Yes	C2	6328.1	No		No	0.00		No
High	Yes	C2	3303.7	No		No	0.00		No
High	Yes	C2	1394.8	No		No	0.00		No
High	Yes	C4	1255.6	No		No	0.00		No
High	Yes	C4	3734.8	No		No	0.00		No
High	Yes	C4	4875.2	No		No	0.00		No
High	Yes	C5	1340.0	No		No	0.00		No
High	Yes	A1	5036.6	No	No	No	0.00		No
High	Yes	A1	5006.7	No	No	No	0.00		No
High	Yes	A4	1501.5	No	No	No	0.00	sign attached to light pole	No
High	Yes	A4	2253.1	No	No	No	0.00	temporary	No
High	Yes	A4	4271.1	No	No	No	0.00		No
High	Yes	A4	3323.4	No	No	No	0.00		No
High	Yes	A4	4170.6	No	No	No	0.00		No
High	Yes	A6	5942.4	No	No	No	0.00		No
High	Yes	B5	31200.0	No	No	No	0.00		No
High	Yes	B5	27655.7	No	No	No	0.00	bench	No
High	Yes	B5	27967.4	No	No	No	0.00	bench	No
High	Yes	B5	29049.0	No	No	No	0.00	bench	No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	B5	29971.0	No	No	No	0.00	bench	No
High	Yes	B5	25962.3	No	No	No	0.00	bench	No
High	Yes	B5	24589.8	No	No	No	0.00		No
High	Yes	B5	24689.8	No	No	No	0.00		No
High	Yes	B5	23375.3	No	No	No	0.00		No
High	Yes	B5	20307.6	No	No	No	0.00	bench	No
High	Yes	B5	1407.6	No	No	No	0.00	bench	No
High	Yes	B5	3971.5	No	No	No	0.00	bench	No
High	Yes	B5	4976.3	No	No	No	0.00		No
High	Yes	B5	4181.6	No	No	No	0.00		No
High	Yes	B5	7717.9	No	No	No	0.00		No
High	Yes	B5	14024.7	No	No	No	0.00		No
High	Yes	B5	14560.0	No	No	No	0.00		No
High	Yes	B5	16298.6	No	No	No	0.00		No
High	Yes	B5	16688.1	No	No	No	0.00		No
High	Yes	B5	17360.5	No	No	No	0.00		No
High	Yes	B5	18210.3	No	No	No	0.00		No
High	Yes	B5	19366.1	No	No	No	0.00		No
High	Yes	B5	19076.5	No	No	No	0.00		No
High	Yes	B5	18271.9	No	No	No	0.00		No
High	Yes	B10	3944.6	No	No	No	0.00		No
High	Yes	B10	4673.2	No	No	No	0.00	bench	No
High	Yes	B10	5569.3	No	No	No	0.00		No
High	Yes	B10	5629.2	No	No	No	0.00		No
High	Yes	B1	3717.5	No	No	No	0.00	bench	No
High	Yes	B1	5287.8	No	No	No	0.00	benches	No
High	Yes	B1	4454.1	No	No	No	0.00	bench	No
High	Yes	B1	10206.8	No	No	No	0.00		No
High	Yes	B9	1959.8	No	No	No	0.00	bench	No
High	Yes	B9	2472.1	No	No	No	0.00	temporary	No
High	Yes	B9	3247.4	No	No	No	0.00	bench	No
High	Yes	B9	3194.8	No	No	No	0.00		No
High	Yes	B9	2560.4	No	No	No	0.00	bench	No
High	Yes	B9	2053.5	No	No	No	0.00		No
High	Yes	B9	1329.4	No	No	No	0.00	bench	No
High	Yes	B6	3063.8	No	No	No	0.00	bench	No
High	Yes	B6	3053.8	No	No	No	0.00	bench	No
High	Yes	B6	1173.9	No	No	No	0.00		No
High	No	F1	753.1	No	Yes	Yes	2.20		No
High	No	F5	2420.2	No		Yes	2.20		No
High	No	F5	1511.4	No		Yes	2.30		No
High	No	A9	2166.7	Yes	Yes	Yes	2.10		No
High	No	A9	20381.4	No	No	Yes	2.20		No
High	No	A9	23465.5	No	No	Yes	1.60		No
High	No	A9	24271.3	No	Yes	Yes	5.70		No
High	No	A9	24657.4	No		Yes	3.40		No
High	No	A9	41268.1	No	No	Yes	2.70		No
High	No	A9	43710.7	Yes	Yes	Yes	6.10		No
High	No	D4	2630.3	Yes	Yes	Yes	2.90		No
High	No	D4	4435.8	No	No	Yes	1.40		No
High	No	C9	5314.5	No	No	Yes	2.00		No
High	No	B5	926.4	No		Yes	4.20		No
High	No	F2	6295.9	No	Yes	Yes	3.90		No
High	No	F2	9623.3	No		Yes	2.60		No
High	No	F2	10229.2	No		Yes	2.30		No
High	No	F4	143.3	No	Yes	Yes	3.60		No
High	No	F5	1737.0	No		Yes	3.50		No
High	No	A9	20750.7	No		Yes	5.80		No
High	No	A9	22023.3	No	Yes	Yes	4.90		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	No	A9	41544.9	No		Yes	3.00		No
High	No	C3	23456.1	Yes	Yes	Yes	3.30		No
High	No	C3	20780.7	No		Yes	2.10		No
High	No	D7	4437.1	No		Yes	3.20		No
High	No	C3	16725.3	No		Yes	2.70		No
High	No	D4	4626.6	No		Yes	3.00		No
High	No	B1	14960.3	Yes	No	Yes	3.50		No
High	No	B1	13962.3	No		Yes	5.40		No
High	No	B1	12311.4	No		Yes	4.30		No
High	No	B2	577.2	Yes	Yes	Yes	3.20		No
High	No	C5	9777.5	No		Yes	2.40		No
High	No	C5	5547.0	Yes	Yes	Yes	2.80		No
High	No	C5	3474.6	No		Yes	2.70		No
High	No	C5	2519.4	No		Yes	3.50		No
High	No	C2	3734.9	Yes		Yes	2.50		No
High	No	C4	2987.7	No		Yes	3.80		No
High	No	A1	2999.6	No	No	Yes	5.00		No
High	No	A4	2651.8	No	No	Yes	1.80		No
High	No	A4	3461.0	No	No	Yes	4.30		No
High	No	B5	29968.9	No	No	Yes	2.10		No
High	No	B5	28918.1	No	No	Yes	2.30		No
High	No	B5	25803.2	No	No	Yes	2.50	bench	No
High	No	B5	24014.6	No	No	Yes	2.20	bench	No
High	No	B5	9767.7	No	No	Yes	1.50		No
High	No	B5	12066.6	No	No	Yes	2.50	bench	No
High	No	B5	11485.4	No	No	Yes	0.30		No
High	No	B5	10710.7	No	No	Yes	1.70		No
High	No	B5	10782.3	Yes	Yes	Yes	2.70		No
High	No	B5	17228.9	Yes	Yes	Yes	2.80		No
High	No	B8	8497.2	No	No	Yes	1.70		No
High	No	B8	9520.4	No	No	Yes	0.60		No
High	No	B8	5743.2	Yes	No	Yes	1.70		No
High	No	B8	5230.3	Yes	No	Yes	1.30		No
High	No	B8	3589.4	No	No	Yes	2.80		No
High	No	B1	4633.6	Yes	Yes	Yes	2.40		No
High	No	B1	7361.2	No	Yes	Yes	2.10		No
High	No	B1	7674.4	No	Yes	Yes	2.30		No
High	No	B6	2197.5	Yes	Yes	Yes	3.40		No
Medium	Yes	A9	14.5	No		No	0.00		No
Medium	Yes	A9	10230.0	No		No	0.00		No
Medium	Yes	A9	17544.7	No		No	0.00		No
Medium	Yes	A9	39457.2	No	No	No	0.00		No
Medium	Yes	A9	50694.5	No		No	0.00		No
Medium	Yes	A9	48898.3	No		No	0.00		No
Medium	Yes	A9	45124.9	No		No	0.00		No
Medium	Yes	E1	6851.4	No		No	0.00		No
Medium	Yes	E1	7629.0	No		No	0.00		No
Medium	Yes	E1	8281.8	No		No	0.00		No
Medium	Yes	C3	23681.2	No	No	No	0.00		No
Medium	Yes	C3	21233.2	No		No	0.00		No
Medium	Yes	C3	20332.7	No		No	0.00		No
Medium	Yes	C3	19316.0	No		No	0.00		No
Medium	Yes	D7	2508.8	No		No	0.00		No
Medium	Yes	C3	8474.5	No	No	No	0.00		No
Medium	Yes	F2	7941.7	No		No	0.00		No
Medium	Yes	A8	1223.1	No		No	0.00		No
Medium	Yes	A9	2138.6	No		No	0.00		No
Medium	Yes	A9	35426.1	No		No	0.00		No
Medium	Yes	C3	21879.7	No		No	0.00		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
Medium	Yes	C3	19404.5	No		No	0.00		No
Medium	Yes	C3	18557.6	No		No	0.00		No
Medium	Yes	E1	4644.3	No		No	0.00		No
Medium	Yes	D7	1871.0	No		No	0.00		No
Medium	Yes	D6	2518.6	No		No	0.00		No
Medium	Yes	D6	869.0	No		No	0.00		No
Medium	Yes	D6	1257.8	No		No	0.00		No
Medium	Yes	D4	6357.4	No		No	0.00		No
Medium	Yes	D1	1997.3	No		No	0.00		No
Medium	Yes	B2	9729.9	No		No	0.00		No
Medium	Yes	C6	537.9	No		No	0.00		No
Medium	Yes	C5	2428.2	No		No	0.00		No
Medium	Yes	C2	5345.7	No		No	0.00		No
Medium	Yes	C2	2120.7	No		No	0.00		No
Medium	Yes	C2	486.8	No		No	0.00		No
Medium	Yes	A1	1377.6	No	No	No	0.00		No
Medium	Yes	A1	1226.3	No	No	No	0.00		No
Medium	Yes	A3	1416.2	No	No	No	0.00		No
Medium	Yes	B5	30676.5	No	No	No	0.00		No
Medium	Yes	B5	23334.1	No	No	No	0.00		No
Medium	Yes	B5	20347.0	No	No	No	0.00		No
Medium	Yes	B5	1466.3	No	No	No	0.00		No
Medium	Yes	B5	4242.9	No	No	No	0.00		No
Medium	Yes	B5	4819.5	No	No	No	0.00		No
Medium	Yes	B5	7536.3	No	No	No	0.00	bench	No
Medium	Yes	B5	6448.4	No	No	No	0.00		No
Medium	Yes	B8	3238.8	No	No	No	0.00		No
Medium	Yes	B1	9077.2	No	No	No	0.00		No
Medium	Yes	B1	8196.7	No	No	No	0.00		No
Medium	No	E9	1440.0	Yes	Yes	Yes	2.90		No
Medium	No	F1	1626.7	Yes	Yes	Yes	2.20		No
Medium	No	F2	2746.8	No	No	Yes	1.80		No
Medium	No	F4	2404.1	No		Yes	7.00		No
Medium	No	A9	5716.1	No		Yes	2.80		No
Medium	No	A9	48853.2	Yes	Yes	Yes	2.20		No
Medium	No	A9	26816.3	No		Yes	4.80		No
Medium	No	A9	42882.7	Yes	Yes	Yes	4.00		No
Medium	No	A9	39930.8	Yes	Yes	Yes	2.80		No
Medium	No	A9	49012.3	Yes	Yes	Yes	3.00		No
Medium	No	E3	1262.6	No		Yes	2.90		No
Medium	No	D4	5761.6	Yes	Yes	Yes	2.50		No
Medium	No	B2	7486.3	Yes	Yes	Yes	2.80		No
Medium	No	C5	6596.8	No	No	Yes	1.50	displacement	No
Medium	No	A9	27366.4	No		Yes	2.30		No
Medium	No	A1	3227.9	No	No	Yes	3.60		No
Medium	No	B8	9734.2	No	No	Yes	3.10		No
Medium	No	B8	8067.5	No	No	Yes	2.30		No
Medium	No	B8	6948.4	No	No	Yes	2.80		No
Medium	No	B8	4363.3	Yes	No	Yes	0.30		No
Medium	No	B6	25.1	No	No	Yes	2.30	bench	No
Medium	No	B6	118.7	Yes	Yes	Yes	2.70		No
Medium	No	B6	2083.3	Yes	Yes	Yes	2.90	bench	No
Low	Yes	E1	863.3	No		No	0.00		No
Low	Yes	B9	3507.2	No	No	No	0.00	bench	No
Low	Yes	B6	2482.9	No	No	No	0.00	bench	No
High	No	A9	14721.3	Yes	Yes	Yes	0.60		Yes
High	No	A9	42288.5	Yes	Yes	Yes	0.50		Yes
High	No	A9	40579.8	Yes	Yes	Yes	1.80		Yes
High	No	D7	3965.1	No		Yes	1.20		Yes

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	No	E1	2093.7	No		Yes	1.90		Yes
High	No	F2	6925.3	Yes	Yes	Yes	0.40		Yes
High	No	F4	1199.9	No		Yes	2.00		Yes
High	No	F4	2397.5	No		Yes	1.10		Yes
High	No	A9	24345.2	No	Yes	Yes	1.50		Yes
High	No	A9	26211.4	No		Yes	1.40		Yes
High	No	A9	26399.5	No		Yes	2.00		Yes
High	No	A9	30771.9	No		Yes	1.90		Yes
High	No	A9	32725.7	No		Yes	1.40		Yes
High	No	A9	31260.1	No		Yes	2.00		Yes
High	No	A9	37940.5	Yes	Yes	Yes	1.80		Yes
High	No	A9	50132.1	No		Yes	1.80		Yes
High	No	E4	5594.5	No		Yes	0.00		Yes
High	No	D1	4414.4	Yes	Yes	Yes	1.70		Yes
High	No	B3	2650.7	Yes	Yes	Yes	1.00		Yes
High	No	B2	11402.0	No		Yes	1.50		Yes
High	No	B2	14106.9	Yes	Yes	Yes	2.00		Yes
High	No	B5	22659.7	Yes	Yes	Yes	1.50		Yes
High	No	B5	3111.7	Yes	Yes	Yes	0.30		Yes
High	No	B5	2707.0	Yes	Yes	Yes	0.20		Yes
High	No	B5	9247.2	Yes	Yes	Yes	0.60	bench	Yes
High	No	B5	12119.9	Yes	Yes	Yes	1.00		Yes
High	No	B1	3828.2	Yes	Yes	Yes	1.70	bench	Yes
High	No	B1	5466.6	Yes	Yes	Yes	1.80	bench	Yes
High	No	B1	6487.2	Yes	Yes	Yes	1.10		Yes
High	No	B1	6745.7	Yes	Yes	Yes	0.30		Yes
High	No	B6	1169.3	Yes	Yes	Yes	1.30		Yes
High	No	B6	1799.0	Yes	Yes	Yes	1.40	bench	Yes
High	No	B6	1777.9	Yes	Yes	Yes	1.60	bench	Yes
Medium	No	F1	1959.7	Yes	Yes	Yes	1.80		Yes
Medium	No	F4	1219.7	No	Yes	Yes	1.70		Yes
Medium	No	A9	2652.2	No		Yes	2.00		Yes
Medium	No	A9	11034.3	Yes	Yes	Yes	1.90		Yes
Medium	No	A9	35423.1	Yes	Yes	Yes	1.90		Yes
Medium	No	A9	39426.5	Yes	Yes	Yes	1.10		Yes
Medium	No	A9	37745.3	Yes	Yes	Yes	1.30		Yes
Medium	No	E1	4234.7	No		Yes	0.70		Yes
Medium	No	A9	278.8	No		Yes	1.60		Yes
Medium	No	A9	28384.8	No		Yes	1.80		Yes
Medium	No	A9	45054.7	Yes	Yes	Yes	1.10		Yes
Medium	No	A9	43909.9	Yes	Yes	Yes	1.30		Yes
Medium	No	E1	3874.7	Yes	Yes	Yes	1.60		Yes
Medium	No	A10	6566.9	No		Yes	0.00		Yes
Medium	No	B3	112.0	Yes	Yes	Yes	2.00		Yes
Medium	No	C5	7524.4	No		Yes	1.60		Yes
Medium	No	B5	21866.9	Yes	Yes	Yes	2.00		Yes
Medium	No	B10	4840.2	Yes	Yes	Yes	1.10	benches	Yes
Medium	No	A9	18803.6	No			0.00		Yes
Medium	No	A9	17484.6	No			0.00		Yes
Medium	No	A9	16301.9	No			0.00		Yes
Medium	No	A9	14746.8	No			0.00		Yes
Medium	No	A9	12203.0	No			0.00		Yes
Medium	No	A9	10726.0	No			0.00		Yes
Medium	No	A9	5536.6	No			0.00		Yes
Medium	No	A9	2294.7	No			0.00		Yes
Low	No	F4	3557.1	No		Yes	1.70		Yes
								Number of Non-Compliant Transit Stops	288

Location Priority	Severe? (Y/N)	Route	Postmile	Obstruction Type	Protruding Object	Overhanging Object	Other	Change in Level	Horizontal Gap
High	Yes	E1	2021.3	Utility Pole				Pot Hole	
High	Yes	A9	34047.4	Utility Pole	Veg				
High	Yes	D6	2648.7	Utility Pole			fire hydrant		
High	Yes	C7	4509.6	Utility Pole					
High	Yes	B1	15890.4			Guy Wire			
High	Yes	C2	3081.6	Utility Pole					
High	Yes	A3	182.8			Guy Wire			
High	Yes	A6	4703.7			Guy Wire			
High	Yes	A6	4070.4			Guy Wire			
High	Yes	B5	14198.7	Utility Pole					
High	Yes	E8	426.2	Utility Pole					
High	Yes	B5	16835.0			Guy Wire			
High	Yes	B6	1155.5	Utility Pole					
High	Yes	B9	7211.4	Utility Pole					
High	Yes	B5	110.0	Utility Pole					
High	Yes	A9	25182.5	Utility Pole			pole and fire hydrant		
High	Yes	C3	16962.5			Guy Wire			
High	Yes	D5	1764.1	Utility Pole					
High	Yes	D5	1460.0	Utility Pole					
High	Yes	C3	8543.1			Guy Wire			
High	Yes	F2	4039.7					Utility Cover	
High	Yes	F2	4366.3					Pot Hole	
High	Yes	F2	6182.0					Pot Hole	
High	Yes	F2	6925.5					Pot Hole	
High	Yes	F2	12181.0					Pot Hole	
High	Yes	F2	12275.7					Pot Hole	
High	Yes	F2	12546.2					Displacement	
High	Yes	F4	38.2					Utility Cover	
High	Yes	F5	2298.0					Pot Hole	
High	Yes	F5	1851.6				rough crossing	Pot Hole	
High	Yes	A9	24416.0				rough crossing	Utility Cover	
High	Yes	A9	24758.9					Pot Hole	
High	Yes	A9	24799.7					Displacement	
High	Yes	A9	24816.2					Displacement	
High	Yes	A9	25519.5					Utility Cover	
High	Yes	A9	26182.4					Tree Well	
High	Yes	A9	26228.3					Tree Well	Pot Hole
High	Yes	A9	29399.6					Pot Hole	
High	Yes	A9	29412.2					Displacement	
High	Yes	A9	29432.0					Displacement	
High	Yes	A9	31046.3					Displacement	
High	Yes	A9	30798.7					Pot Hole	
High	Yes	A9	34520.4					Utility Cover	
High	Yes	E4	5624.3					Pot Hole	
High	Yes	E1	9473.4					Pot Hole	Pot Hole
High	Yes	C3	23445.0					Displacement	
High	Yes	D7	2589.5					Pot Hole	
High	Yes	E1	2078.3					Displacement	
High	Yes	E1	2159.1					Displacement	
High	Yes	D6	3869.1					Displacement	
High	Yes	D6	2876.2				severe	Displacement	
High	Yes	D6	2832.9					Utility Cover	
High	Yes	D6	2494.0					Utility Cover	
High	Yes	D6	2575.3					Utility Cover	
High	Yes	D4	3646.3					Displacement	
High	Yes	C9	5347.8	Veg		Veg			
High	Yes	C9	1584.8	Veg		Veg			
High	Yes	C9	1552.7					Displacement	
High	Yes	C9	1526.9					Displacement	
High	Yes	A10	7733.0	Veg		Veg			
High	Yes	C10	173.7					Displacement	Pot Hole

High	Yes	C10	200.8					Displacement	Pot Hole
High	Yes	C10	212.8					Displacement	
High	Yes	C8	1111.6					Displacement	
High	Yes	C7	3883.2					Displacement	
High	Yes	C7	3841.2					Pot Hole	
High	Yes	C7	2479.0					Displacement	
High	Yes	C7	1646.4					Displacement	
High	Yes	B1	14030.2					Displacement	
High	Yes	B1	13341.0	Veg		Veg			
High	Yes	B1	11632.0	Veg		Veg			
High	Yes	B1	11047.4	Veg		Veg			
High	Yes	B1	10592.3					Utility Cover	Pot Hole
High	Yes	D1	5134.5	Veg		Veg			
High	Yes	D1	4062.8					Displacement	
High	Yes	D1	4065.4					Displacement	
High	Yes	D1	2965.8			Veg			
High	Yes	A10	9642.3			Veg			
High	Yes	A10	7589.4				x2	Displacement	
High	Yes	A10	5443.7					Displacement	
High	Yes	D2	655.8					Displacement	
High	Yes	D2	678.4					Pot Hole	
High	Yes	D2	734.0					Pot Hole	
High	Yes	C6	2497.6					Utility Cover	Pot Hole
High	Yes	C6	1855.3			Veg			
High	Yes	C6	804.0					Pot Hole	
High	Yes	C5	5943.9					Pot Hole	
High	Yes	C5	2584.5					Displacement	
High	Yes	C2	3617.3					Displacement	
High	Yes	C2	3081.6					Pot Hole	Pot Hole
High	Yes	C2	2857.9					Displacement	
High	Yes	C2	2789.3					Utility Cover	
High	Yes	C2	1362.8			Veg			
High	Yes	C4	2971.1			Veg			
High	Yes	C5	1376.0					Displacement	
High	Yes	A1	3070.9					Displacement	Displacement
High	Yes	A2	1930.5					Displacement	Displacement
High	Yes	A4	3555.3					Utility Cover	Utility Cover
High	Yes	A4	4161.3					Displacement	Displacement
High	Yes	A5	523.4					Displacement	Displacement
High	Yes	A6	10857.6	Veg		Veg			
High	Yes	A6	9084.6					Displacement	Displacement
High	Yes	A6	9117.1					Displacement	Displacement
High	Yes	A6	5626.4					Displacement	Displacement
High	Yes	A6	5652.6					Displacement	Displacement
High	Yes	A6	3522.9					Displacement	Displacement
High	Yes	A6	3865.5					Displacement	
High	Yes	A6	4060.1					Displacement	Displacement
High	Yes	A6	3800.1					Utility Cover	
High	Yes	B5	23970.5					Utility Cover	
High	Yes	B5	23956.1					Displacement	
High	Yes	B5	23950.3					Displacement	
High	Yes	B5	22683.1					Pot Hole	Pot Hole
High	Yes	B5	11076.6	Rough Xing			very rough sidewalk with multiple horizontal displacement	Pot Hole	Pot Hole
High	Yes	B5	11504.2	Rough Xing			tree roots ulifting up section of sidewalk	Displacement	Displacement
High	Yes	B5	11694.2					Displacement	Displacement
High	Yes	B5	13676.7	Rough Xing				Displacement	Displacement
High	Yes	B5	13668.8					Displacement	Displacement
High	Yes	B5	14175.7	Veg		Veg			
High	Yes	B5	15637.5	Veg		Veg			
High	Yes	E8	550.6					Displacement	Displacement

High	Yes	B5	16684.6					Utility Cover	Utility Cover
High	Yes	B5	18445.6					Displacement	Displacement
High	Yes	B5	18144.0					Utility Cover	Utility Cover
High	Yes	B5	17415.4					Utility Cover	Utility Cover
High	Yes	B10	4507.4					Displacement	Utility Cover
High	Yes	B10	3787.4					Displacement	
High	Yes	B10	3338.1					Displacement	
High	Yes	B10	4475.8					Displacement	
High	Yes	B10	3057.0					Displacement	
High	Yes	B10	2900.1	Rough Xing				Displacement	
High	Yes	B10	5553.6					Displacement	
High	Yes	B10	5657.0	Rough Xing				Displacement	Displacement
High	Yes	B8	3846.0					Displacement	
High	Yes	B8	3845.8					Tree Well	
High	Yes	B4	2590.2					Pot Hole	Pot Hole
High	Yes	B4	2149.4	Rough Xing				Displacement	Displacement
High	Yes	B4	2049.0	Rough Xing				Displacement	Displacement
High	Yes	C1	2340.2	Rough Xing				Displacement	
High	Yes	C1	3331.2	Veg	Veg	Veg			
High	Yes	B1	3629.9					Displacement	
High	Yes	B1	3873.5					Displacement	Displacement
High	Yes	B1	6251.3	Veg		Veg			
High	Yes	B1	5344.8	Veg		Veg			
High	Yes	B6	2235.5	Rough Xing				Displacement	
High	Yes	B5	110.0					Displacement	
High	Yes	E9	2060.4					Displacement	Displacement
High	Yes	E9	2051.5					Displacement	Displacement
High	Yes	E9	2014.1					Displacement	Displacement
High	Yes	F1	764.0					Displacement	Displacement
High	Yes	F3	53.8					Displacement	Displacement
High	Yes	A9	20016.8					Displacement	Displacement
High	Yes	A9	20215.4	Veg	Veg			Displacement	Displacement
High	Yes	A9	21069.7					Displacement	Displacement
High	Yes	A9	21080.6					Displacement	Displacement
High	Yes	A9	21099.2					Utility Cover	Utility Cover
High	Yes	A9	23313.5					Displacement	Displacement
High	Yes	A9	22396.7					Utility Cover	Displacement
High	Yes	A9	22267.5					Displacement	Displacement
High	Yes	A9	23546.5					Displacement	Displacement
High	Yes	A9	24260.8					Displacement	
High	Yes	A9	25023.6				pic 45	Displacement	Displacement
High	Yes	A9	25056.4					Displacement	Displacement
High	Yes	A9	30010.9					Displacement	Displacement
High	Yes	A9	32752.0	Other			fire hydrant	Displacement	Displacement
High	Yes	A9	36426.8					Displacement	
High	Yes	E1	9454.6					Displacement	Displacement
High	Yes	D9	646.7					Pot Hole	Pot Hole
High	Yes	D9	657.2					Utility Cover	Utility Cover
High	Yes	D7	564.2					Displacement	
High	Yes	D5	43.5					Pot Hole	Pot Hole
High	Yes	C3	7786.7					Utility Cover	Utility Cover
High	Yes	C3	8478.2					Displacement	Displacement
High	Yes	C10	315.0					Displacement	Displacement
High	Yes	A9	21025.2	Street Furniture			bus bench		
High	Yes	A6	4362.7	Rough Xing			very bad crossing		
High	Yes	A9	21100.3	Other			major horizontal and vertical obstructions pic 43		
High	No	B5	923.6						Displacement
High	No	B5	1393.8						Pot Hole
High	No	F2	3954.9						Pot Hole
High	No	F2	6937.5	Veg	Veg				

High	No	F2	10224.2						Displacement
High	No	F2	12094.5						Pot Hole
High	No	A9	11202.7						Displacement
High	No	A9	20944.2				truncated dome plate	Other	
High	No	A9	20986.3				truncated dome plate	Other	
High	No	A9	22649.8				rough crossing	Other	
High	No	A9	23210.3						Pot Hole
High	No	A9	23533.5						Displacement
High	No	A9	24942.8						Pot Hole
High	No	A9	24987.1						Pot Hole
High	No	A9	30753.7						Displacement
High	No	A9	32681.5	Rough Xing					
High	No	A9	31757.6	Rough Xing					
High	No	A9	40011.4	Rough Xing					
High	No	C3	13595.9						Displacement
High	No	C9	3178.8						Pot Hole
High	No	C7	3987.0	Rough Xing					
High	No	C7	4515.4		Veg				
High	No	C7	4510.8		Veg				
High	No	D1	1059.5						Displacement
High	No	C5	7956.2		Veg				
High	No	C5	7359.0		Veg				
High	No	C5	2094.6						Pot Hole
High	No	C5	1999.9						Utility Cover
High	No	D3	1366.2				x3		Pot Hole
High	No	A1	1319.7						Displacement
High	No	A2	1987.6						Displacement
High	No	A4	600.0						Displacement
High	No	A4	2283.8	Rough Xing					
High	No	A4	4246.6	Rough Xing					
High	No	A4	3543.8	Rough Xing					
High	No	E7	34.5	Rough Xing					
High	No	A5	86.6						Displacement
High	No	A6	10760.5						Displacement
High	No	A6	8983.4	Rough Xing					
High	No	A6	5768.2						Displacement
High	No	A6	5632.4	Rough Xing					
High	No	A6	3190.5	Rough Xing					
High	No	A6	3162.4						Displacement
High	No	A6	3401.2						Displacement
High	No	A6	3592.4	Rough Xing					
High	No	A6	4035.1	Rough Xing					
High	No	A6	4337.2	Rough Xing					Utility Cover
High	No	A6	4718.7	Rough Xing					
High	No	A6	4086.9						Displacement
High	No	A6	4055.7	Rough Xing					
High	No	A6	3880.6	Rough Xing					
High	No	A6	3604.0						Utility Cover
High	No	A6	3336.2	Rough Xing					
High	No	A6	388.5						Displacement
High	No	A6	180.2	Rough Xing					
High	No	A6	80.4	Rough Xing					
High	No	A6	43.0	Rough Xing					
High	No	A6	125.1	Rough Xing					
High	No	B5	29822.4	Rough Xing					
High	No	B5	29536.9	Rough Xing					
High	No	B5	27725.7	Rough Xing					
High	No	B5	27206.0	Rough Xing					
High	No	B5	27176.0						Displacement
High	No	B5	24538.7	Rough Xing					
High	No	B5	21951.8	Rough Xing					
High	No	B5	23328.4	Rough Xing					
High	No	B5	22672.9	Rough Xing					

High	No	B5	3971.5	Other			rough pavement		
High	No	B5	3096.7				rough sidewalk		
High	No	B5	12048.0						Displacement
High	No	B5	11160.7	Rough Xing					
High	No	B5	11336.1	Rough Xing					Displacement
High	No	C1	279.1	Rough Xing					
High	No	B5	14845.4	Rough Xing					
High	No	B5	15735.6	Rough Xing					
High	No	E8	127.1	Veg	Veg				
High	No	E8	21.0	Rough Xing					
High	No	B5	16792.3	Rough Xing					
High	No	B5	16283.9						Displacement
High	No	B5	16256.4	Rough Xing					
High	No	B5	17176.5	Rough Xing					
High	No	B5	18167.4	Rough Xing					
High	No	B5	18312.4	Rough Xing					
High	No	B5	17515.4	Rough Xing					
High	No	B10	4210.9	Veg	Veg				
High	No	B10	3937.9	Veg	Veg				
High	No	B10	3902.6	Rough Xing					
High	No	B10	3769.5	Rough Xing					
High	No	B10	3707.4	Veg	Veg				
High	No	B10	3629.2	Rough Xing					
High	No	B10	3514.1	Rough Xing					
High	No	B10	3246.0	Rough Xing					
High	No	B10	3264.2	Rough Xing					
High	No	B10	3931.5	Rough Xing					
High	No	B10	4062.0	Rough Xing					
High	No	B10	4531.1	Rough Xing					
High	No	B10	2609.6	Rough Xing					
High	No	B10	2577.1	Rough Xing					
High	No	B10	5588.1	Rough Xing					
High	No	B8	3623.7	Rough Xing					
High	No	B4	2798.4	Rough Xing					
High	No	B4	2438.6	Rough Xing					
High	No	B4	2373.7	Rough Xing					
High	No	B4	2336.8	Rough Xing					
High	No	B4	1885.1	Rough Xing					
High	No	C1	3853.1	Rough Xing					
High	No	C1	3690.2	Rough Xing					
High	No	C1	3568.8	Rough Xing					
High	No	C1	4477.2	Veg	Veg				
High	No	C1	2234.9	Veg	Veg				
High	No	C1	2429.7	Rough Xing					
High	No	B1	3969.2	Rough Xing					
High	No	B1	3834.0						Displacement
High	No	B1	5457.3	Rough Xing					
High	No	B1	5120.4	Rough Xing					
High	No	B1	4814.9						Displacement
High	No	B1	4533.4	Rough Xing					
High	No	B1	4367.5	Rough Xing					
High	No	B1	4179.4	Rough Xing					
High	No	B9	351.3	Rough Xing					
High	No	B9	1381.1						Displacement
High	No	B9	1507.4	Rough Xing					
High	No	B9	1713.9	Rough Xing					
High	No	B9	3206.2						Displacement
High	No	B9	2013.4	Rough Xing					
High	No	B6	267.6	Rough Xing					
High	No	B9	6870.1	Rough Xing					
High	No	B5	106.3						Displacement
High	No	B5	733.2						Displacement
High	No	E9	797.9	Other			rough crossing		

High	No	F1	616.1	Rough Xing					
High	No	F1	47.0	Rough Xing					
High	No	F2	6355.5	Rough Xing					
High	No	A9	20363.9						Displacement
High	No	A9	20408.1	Rough Xing			rough asphalt driveway		
High	No	A9	21090.0	Veg	Veg				
High	No	A9	23412.8						Displacement
High	No	A9	23000.7						Displacement
High	No	A9	22889.6	Rough Xing					
High	No	A9	22941.8	Veg	Veg				
High	No	A9	24390.3	Rough Xing					
High	No	A9	24783.9	Rough Xing					
High	No	A9	24876.5						Displacement
High	No	A9	28986.1						Displacement
High	No	A9	32730.3	Rough Xing					
High	No	A9	44211.6	Rough Xing					
High	No	E1	9466.2	Rough Xing					
High	No	E10	1853.1	Other			sidewalk ends		
High	No	D5	1444.6	Rough Xing			curb cut does not have detectible warnings		
High	No	D5	1463.1						Utility Cover
High	No	D5	1726.2						Displacement
High	No	D5	1763.1						Displacement
High	No	D4	3852.7						Utility Cover
High	No	C9	1628.4		Veg				
High	No	C3	8488.4						Displacement
Medium	Yes	A9	41315.4	Utility Pole				Utility Cover	
Medium	Yes	C2	2010.3	Utility Pole		Veg			
Medium	Yes	C4	1589.4	Utility Pole				Pot Hole	
Medium	Yes	A2	155.0	Utility Pole				Utility Cover	
Medium	Yes	A2	309.7	Utility Pole				Displacement	Displacement
Medium	Yes	B5	20210.5	Utility Pole				Displacement	
Medium	Yes	A9	42391.7	Utility Pole				Displacement	Displacement
Medium	Yes	A9	50376.4	Utility Pole				Utility Cover	Utility Cover
Medium	Yes	C3	19883.0	Utility Pole				Utility Cover	Utility Cover
Medium	Yes	C3	15735.6			Guy Wire		Displacement	
Medium	Yes	F2	12129.1	Utility Pole					
Medium	Yes	F2	13098.1	Utility Pole					
Medium	Yes	F2	13715.4	Utility Pole					
Medium	Yes	F2	13741.4			Guy Wire			
Medium	Yes	A9	31629.6	Utility Pole					
Medium	Yes	A9	31480.9	Utility Pole					
Medium	Yes	A9	36698.4	Utility Pole					
Medium	Yes	A9	40256.7	Utility Pole					
Medium	Yes	E4	70.0	Utility Pole					
Medium	Yes	A9	47821.1	Utility Pole					
Medium	Yes	A9	47727.7	Utility Pole					
Medium	Yes	A9	47569.5	Utility Pole					
Medium	Yes	A9	47040.0	Utility Pole					
Medium	Yes	A9	46817.5	Utility Pole					
Medium	Yes	A9	46703.4	Utility Pole					
Medium	Yes	A9	46672.0	Utility Pole					
Medium	Yes	A9	46354.9	Utility Pole					
Medium	Yes	A9	46189.9	Utility Pole					
Medium	Yes	A9	46125.8	Utility Pole					
Medium	Yes	C3	20644.2	Utility Pole					
Medium	Yes	E1	2615.7	Utility Pole					
Medium	Yes	E1	3078.0	Utility Pole					
Medium	Yes	C3	17093.6	Utility Pole					
Medium	Yes	C3	17601.6			Guy Wire			
Medium	Yes	C3	17663.9	Utility Pole					
Medium	Yes	D6	3525.2	Utility Pole					
Medium	Yes	C9	7513.1			Guy Wire			

Medium	Yes	C9	5843.2	Utility Pole					
Medium	Yes	C9	5614.8	Utility Pole					
Medium	Yes	C9	5421.6	Utility Pole					
Medium	Yes	C9	5267.0	Utility Pole					
Medium	Yes	C3	10126.8			Guy Wire			
Medium	Yes	C3	9194.0	Utility Pole					
Medium	Yes	C7	3491.4	Utility Pole					
Medium	Yes	C7	4470.1			Guy Wire			
Medium	Yes	C7	4609.0	Utility Pole					
Medium	Yes	C7	4638.2			Guy Wire			
Medium	Yes	C7	4111.6	Utility Pole					
Medium	Yes	B1	10796.4			Guy Wire			
Medium	Yes	D1	5537.8			Guy Wire			
Medium	Yes	D1	1810.3			Guy Wire			
Medium	Yes	D1	422.7			Guy Wire			
Medium	Yes	A10	9993.9			Guy Wire			
Medium	Yes	A10	8430.4			Guy Wire			
Medium	Yes	A10	4236.7	Utility Pole					
Medium	Yes	A10	3780.3	Utility Pole					
Medium	Yes	A10	3440.5	Utility Pole			signal pole		
Medium	Yes	A10	3908.2	Utility Pole					
Medium	Yes	C6	885.5	Utility Pole					
Medium	Yes	B2	18023.0	Utility Pole					
Medium	Yes	B2	19014.2	Utility Pole					
Medium	Yes	B2	19114.0	Utility Pole					
Medium	Yes	C6	2850.8			Guy Wire			
Medium	Yes	C6	2828.2	Utility Pole					
Medium	Yes	C6	2608.6	Utility Pole					
Medium	Yes	C6	2188.2	Utility Pole					
Medium	Yes	C6	1437.8			Guy Wire			
Medium	Yes	C6	1010.2		Veg	Guy Wire			Tree Well
Medium	Yes	C6	1612.7	Utility Pole			fire hydrant		
Medium	Yes	C6	701.6			Guy Wire			
Medium	Yes	C6	683.2	Utility Pole					
Medium	Yes	C6	464.3	Utility Pole					
Medium	Yes	C6	447.7			Guy Wire			
Medium	Yes	C6	309.8			Guy Wire			
Medium	Yes	C5	9658.1			Guy Wire			
Medium	Yes	C5	9611.2	Utility Pole					
Medium	Yes	C5	9124.9	Utility Pole					
Medium	Yes	C5	8890.6		Veg	Guy Wire			
Medium	Yes	C5	7087.9			Guy Wire			
Medium	Yes	C5	7135.5	Utility Pole					
Medium	Yes	C5	7372.2	Utility Pole					
Medium	Yes	C5	1933.5			Guy Wire			
Medium	Yes	C2	6454.2	Utility Pole					
Medium	Yes	C2	4789.0	Utility Pole					
Medium	Yes	C2	4687.5	Utility Pole					
Medium	Yes	C2	4641.8	Utility Pole					
Medium	Yes	C2	3685.9	Utility Pole					
Medium	Yes	C2	3258.0	Utility Pole					
Medium	Yes	C2	3068.5			Guy Wire			Pot Hole
Medium	Yes	C2	2926.5	Utility Pole					
Medium	Yes	C2	2906.9			Guy Wire			
Medium	Yes	C2	2815.1			Guy Wire			
Medium	Yes	C2	1878.6			Guy Wire			
Medium	Yes	C2	1897.7	Utility Pole					
Medium	Yes	C2	2087.3	Utility Pole					
Medium	Yes	C2	1756.4	Utility Pole					
Medium	Yes	C2	1502.3	Utility Pole			bill board		
Medium	Yes	C2	1172.4	Utility Pole					
Medium	Yes	C2	730.5	Utility Pole					
Medium	Yes	C2	585.1	Utility Pole					

Medium	Yes	C2	1265.1	Utility Pole					
Medium	Yes	C4	1491.0			Guy Wire			
Medium	Yes	C4	1554.8			Guy Wire			
Medium	Yes	C4	1889.6			Guy Wire			
Medium	Yes	C4	2099.0	Utility Pole					
Medium	Yes	C4	3181.3	Utility Pole					
Medium	Yes	C4	3343.5	Utility Pole					
Medium	Yes	C4	3355.4			Guy Wire			
Medium	Yes	A1	3389.1	Utility Pole					
Medium	Yes	A1	3110.1	Utility Pole					
Medium	Yes	A1	5147.5	Other		Guy Wire			
Medium	Yes	A1	4259.4	Other		Guy Wire			
Medium	Yes	A2	404.7	Utility Pole					
Medium	Yes	A2	183.7	Utility Pole					
Medium	Yes	A2	397.3	Utility Pole					
Medium	Yes	E6	788.7	Utility Pole					
Medium	Yes	A2	1793.4			Guy Wire			
Medium	Yes	A2	1387.5			Guy Wire			
Medium	Yes	A2	1354.7	Utility Pole					
Medium	Yes	A2	1200.1	Utility Pole					
Medium	Yes	A2	1172.4			Guy Wire			
Medium	Yes	A2	1061.6	Utility Pole					
Medium	Yes	A2	590.1			Guy Wire			
Medium	Yes	A3	1758.4			Guy Wire			
Medium	Yes	A3	1846.8			Guy Wire			
Medium	Yes	A4	2391.8			Guy Wire			Displacement
Medium	Yes	A4	988.3			Guy Wire			
Medium	Yes	A4	788.0			Guy Wire			
Medium	Yes	A4	3648.6			Guy Wire			
Medium	Yes	A6	4597.4	Utility Pole					
Medium	Yes	A6	4657.6	Utility Pole					
Medium	Yes	A6	4321.6	Utility Pole	Veg				
Medium	Yes	A6	438.9			Guy Wire			
Medium	Yes	B5	25083.8			Guy Wire			
Medium	Yes	B5	4941.8	Utility Pole					
Medium	Yes	B5	4347.6			Guy Wire			
Medium	Yes	B5	4984.6			Guy Wire			
Medium	Yes	B5	5589.1			Guy Wire			
Medium	Yes	B5	6316.8			Guy Wire			
Medium	Yes	B5	8855.8	Utility Pole					
Medium	Yes	B5	9087.5			Guy Wire			
Medium	Yes	B5	9476.4	Utility Pole					
Medium	Yes	B5	9666.3			Guy Wire			
Medium	Yes	B5	9703.0	Utility Pole					
Medium	Yes	B5	9827.1	Utility Pole					
Medium	Yes	B5	9954.0	Utility Pole					
Medium	Yes	B5	10097.0	Utility Pole					
Medium	Yes	B5	10251.1	Utility Pole					
Medium	Yes	B5	10463.8	Utility Pole					
Medium	Yes	B5	10478.9			Guy Wire			
Medium	Yes	B5	10571.4	Utility Pole					
Medium	Yes	E8	526.6			Guy Wire			
Medium	Yes	E8	531.0	Utility Pole					
Medium	Yes	B5	16542.9	Utility Pole					
Medium	Yes	B5	16410.7	Utility Pole					
Medium	Yes	B10	3988.0			Guy Wire			
Medium	Yes	B10	2858.6	Utility Pole					
Medium	Yes	B10	5279.6	Utility Pole					
Medium	Yes	B10	5683.7	Utility Pole					
Medium	Yes	B10	5502.1	Utility Pole					
Medium	Yes	B10	5448.3	Utility Pole					
Medium	Yes	B10	5113.8	Utility Pole					
Medium	Yes	B4	896.4	Utility Pole					

Medium	Yes	B4	790.5	Utility Pole					
Medium	Yes	B4	436.4	Utility Pole					
Medium	Yes	B4	306.3	Utility Pole					
Medium	Yes	A10	526.6	Utility Pole					
Medium	Yes	C1	7130.1	Utility Pole					
Medium	Yes	B7	4131.7			Guy Wire			
Medium	Yes	B7	4064.4	Utility Pole					
Medium	Yes	B7	3269.6			Guy Wire			
Medium	Yes	B1	3906.2			Guy Wire			
Medium	Yes	B1	6194.9	Utility Pole					
Medium	Yes	B1	6073.7			Guy Wire			
Medium	Yes	B1	5739.5	Utility Pole					
Medium	Yes	B1	5416.3	Utility Pole					
Medium	Yes	B1	4908.5			Guy Wire			
Medium	Yes	B1	4209.5			Guy Wire			
Medium	Yes	B1	7516.4			Guy Wire			
Medium	Yes	B1	7619.9	Utility Pole					
Medium	Yes	B1	7789.5	Utility Pole					
Medium	Yes	B1	7865.4	Utility Pole					
Medium	Yes	B1	7168.1			Guy Wire			
Medium	Yes	B1	7035.4			Guy Wire			
Medium	Yes	B1	8473.4			Guy Wire			
Medium	Yes	B1	8365.5			Guy Wire			
Medium	Yes	B9	3935.9	Utility Pole					
Medium	Yes	B9	2926.7	Utility Pole					
Medium	Yes	B9	662.7			Guy Wire			
Medium	Yes	B9	249.8			Guy Wire			
Medium	Yes	B6	1089.9			Guy Wire			
Medium	Yes	A9	20514.2	Utility Pole					
Medium	Yes	A9	20705.2	Utility Pole					Displacement
Medium	Yes	A9	34124.9	Utility Pole					
Medium	Yes	A9	34098.6	Utility Pole					
Medium	Yes	A9	33935.9	Utility Pole					
Medium	Yes	A9	33812.1	Utility Pole					
Medium	Yes	A9	32580.2	Utility Pole					
Medium	Yes	A9	47656.8	Utility Pole					
Medium	Yes	C3	22425.9	Utility Pole					
Medium	Yes	C3	22222.2	Utility Pole					
Medium	Yes	C3	21172.9	Utility Pole					
Medium	Yes	C3	20631.6	Utility Pole					
Medium	Yes	C3	19653.3	Utility Pole					
Medium	Yes	C3	18546.8	Utility Pole					
Medium	Yes	E1	1130.4	Utility Pole					
Medium	Yes	E1	1225.8	Utility Pole					
Medium	Yes	E1	1364.1	Utility Pole					
Medium	Yes	E1	1473.2	Utility Pole					
Medium	Yes	E1	1640.4	Utility Pole					
Medium	Yes	E1	1774.6	Utility Pole					
Medium	Yes	E1	1879.7	Utility Pole					
Medium	Yes	E1	3223.8	Utility Pole					
Medium	Yes	E1	3305.4	Utility Pole					
Medium	Yes	E1	3355.3	Utility Pole					
Medium	Yes	C3	16315.0			Guy Wire			
Medium	Yes	C3	17409.2	Utility Pole					
Medium	Yes	C3	17758.5			Guy Wire			
Medium	Yes	C3	17802.3	Utility Pole					
Medium	Yes	C3	18312.7			Guy Wire			
Medium	Yes	D7	345.3	Utility Pole					
Medium	Yes	D6	4448.0	Utility Pole					
Medium	Yes	D6	6110.7			Guy Wire			
Medium	Yes	D6	5768.6			Guy Wire			
Medium	Yes	D6	5028.0			Guy Wire			
Medium	Yes	D6	4630.0	Utility Pole					

Medium	Yes	D6	4528.4	Utility Pole					
Medium	Yes	D6	4351.7	Utility Pole					
Medium	Yes	D6	4240.8	Utility Pole					
Medium	Yes	D5	2254.0	Utility Pole					
Medium	Yes	C9	6220.8			Guy Wire			
Medium	Yes	C3	6231.2			Guy Wire			
Medium	Yes	C5	6996.1	Utility Pole					
Medium	Yes	C3	9332.0			Guy Wire			
Medium	Yes	B5	802.7					Pot Hole	
Medium	Yes	B5	828.7					Pot Hole	
Medium	Yes	B5	1072.7					Pot Hole	
Medium	Yes	B5	1068.3					Utility Cover	
Medium	Yes	B5	1190.5					Pot Hole	
Medium	Yes	B5	1206.3					Utility Cover	
Medium	Yes	A10	1739.5					Displacement	
Medium	Yes	F2	255.0					Pot Hole	
Medium	Yes	F2	962.8					Pot Hole	
Medium	Yes	F1	2273.5					Displacement	
Medium	Yes	F1	2451.6					Displacement	
Medium	Yes	F2	3604.5					Pot Hole	
Medium	Yes	F2	4816.1					Pot Hole	
Medium	Yes	F2	5353.4					Pot Hole	
Medium	Yes	F2	5649.5					Pot Hole	
Medium	Yes	F2	6037.4					Utility Cover	
Medium	Yes	F2	6590.5					Displacement	
Medium	Yes	F2	7449.9					Pot Hole	
Medium	Yes	F2	7511.3					Pot Hole	
Medium	Yes	F2	7598.4					Displacement	
Medium	Yes	F2	8266.8					Pot Hole	
Medium	Yes	F2	8623.5					Displacement	
Medium	Yes	F2	9109.4					Displacement	
Medium	Yes	F2	9317.8					Displacement	
Medium	Yes	F2	9579.4					Displacement	
Medium	Yes	F2	9889.3					Displacement	
Medium	Yes	F2	9914.0					Utility Cover	
Medium	Yes	F2	9975.4	Veg		Veg			
Medium	Yes	F2	13223.7					Pot Hole	
Medium	Yes	F2	13408.9			Veg			
Medium	Yes	F2	13607.4	Veg		Veg			
Medium	Yes	F2	13995.0					Pot Hole	
Medium	Yes	F2	13666.6					Pot Hole	
Medium	Yes	F2	13184.0					Displacement	
Medium	Yes	F2	12815.9					Pot Hole	
Medium	Yes	F2	12764.4					Displacement	
Medium	Yes	F2	12632.9					Displacement	
Medium	Yes	F4	479.6					Utility Cover	
Medium	Yes	F4	830.2					Utility Cover	
Medium	Yes	F4	1250.1	Veg		Veg			
Medium	Yes	F4	1284.2					Utility Cover	
Medium	Yes	F4	2518.0	Veg		Veg			
Medium	Yes	F4	3213.9	Veg		Veg			
Medium	Yes	F4	3313.4	Veg		Veg			
Medium	Yes	F4	3436.7	Veg		Veg			
Medium	Yes	F4	3530.2	Veg		Veg			
Medium	Yes	A8	1019.1					Pot Hole	
Medium	Yes	F5	2656.8					Utility Cover	
Medium	Yes	F5	1408.6					Pot Hole	
Medium	Yes	A7	1863.0	Veg	Veg	Veg			
Medium	Yes	A7	2625.6					Utility Cover	
Medium	Yes	A8	421.4					Displacement	Displacement
Medium	Yes	A8	1039.4					Displacement	
Medium	Yes	A9	21076.5					Pot Hole	
Medium	Yes	A9	21353.1					Pot Hole	

Medium	Yes	A9	21854.4					Displacement	
Medium	Yes	A9	21994.4	Veg		Veg			
Medium	Yes	A9	21708.0					Displacement	
Medium	Yes	A9	22196.3				rough crossing	Pot Hole	
Medium	Yes	A9	22389.2					Displacement	
Medium	Yes	A9	22799.2					Utility Cover	
Medium	Yes	A9	23078.0					Utility Cover	
Medium	Yes	A9	23104.1					Displacement	
Medium	Yes	A9	23141.0					Displacement	
Medium	Yes	A9	23598.5					Utility Cover	
Medium	Yes	A9	23701.6				rough crossing	Utility Cover	
Medium	Yes	A9	24237.7					Utility Cover	
Medium	Yes	A9	24645.6					Displacement	
Medium	Yes	A9	24645.6					Displacement	
Medium	Yes	A9	24699.7					Displacement	
Medium	Yes	A9	25012.8					Displacement	
Medium	Yes	A9	25026.2					Displacement	
Medium	Yes	A9	25053.8					Displacement	
Medium	Yes	A9	25059.7					Displacement	
Medium	Yes	A9	25241.8					Pot Hole	
Medium	Yes	A9	25273.2					Utility Cover	
Medium	Yes	A9	25329.6					Pot Hole	Pot Hole
Medium	Yes	A9	25439.5					Pot Hole	
Medium	Yes	A9	25463.2					Utility Cover	
Medium	Yes	A9	25483.0					Displacement	Pot Hole
Medium	Yes	A9	25526.2					Pot Hole	
Medium	Yes	A9	25537.0					Utility Cover	
Medium	Yes	A9	25646.2					Displacement	
Medium	Yes	A9	25648.8					Utility Cover	
Medium	Yes	A9	25668.9					Pot Hole	
Medium	Yes	A9	25934.9					Pot Hole	
Medium	Yes	A9	26037.5				rough crossing	Pot Hole	
Medium	Yes	A9	26272.4					Tree Well	
Medium	Yes	A9	26443.7					Displacement	
Medium	Yes	A9	26453.0					Tree Well	
Medium	Yes	A9	26542.2				rough crossing	Displacement	
Medium	Yes	A9	26510.1				rough crossing	Displacement	
Medium	Yes	A9	26579.8				in crosswalk	Pot Hole	
Medium	Yes	A9	26812.8					Displacement	
Medium	Yes	A9	26827.1					Pot Hole	
Medium	Yes	A9	28086.6					Pot Hole	Utility Cover
Medium	Yes	A9	28302.2					Tree Well	
Medium	Yes	A9	29274.0					Pot Hole	
Medium	Yes	A9	29353.3					Displacement	
Medium	Yes	A9	29368.7					Displacement	
Medium	Yes	A9	29705.8					Utility Cover	
Medium	Yes	A9	30060.7					Displacement	
Medium	Yes	A9	30365.2					Pot Hole	
Medium	Yes	A9	30394.6					Pot Hole	
Medium	Yes	A9	30804.2					Utility Cover	
Medium	Yes	A9	30843.9					Utility Cover	
Medium	Yes	A9	31103.0					Pot Hole	
Medium	Yes	A9	35260.3					Utility Cover	Pot Hole
Medium	Yes	A9	34886.4					Displacement	Pot Hole
Medium	Yes	A9	34822.7					Displacement	
Medium	Yes	A9	34741.8					Pot Hole	
Medium	Yes	A9	34713.0					Utility Cover	
Medium	Yes	A9	34686.6					Utility Cover	
Medium	Yes	A9	34601.3					Pot Hole	
Medium	Yes	A9	34478.8					Pot Hole	
Medium	Yes	A9	34440.6					Pot Hole	
Medium	Yes	A9	34405.2					Pot Hole	
Medium	Yes	A9	34009.0					Displacement	Pot Hole

Medium	Yes	A9	33903.7					Utility Cover	Utility Cover
Medium	Yes	A9	33758.1					Pot Hole	Pot Hole
Medium	Yes	A9	32099.9					Pot Hole	Pot Hole
Medium	Yes	A9	31593.9					Pot Hole	Pot Hole
Medium	Yes	A9	35361.1					Pot Hole	
Medium	Yes	A9	35384.3					Pot Hole	
Medium	Yes	A9	35410.7					Utility Cover	
Medium	Yes	A9	35592.2					Pot Hole	
Medium	Yes	A9	36085.4					Utility Cover	
Medium	Yes	A9	36577.1					Utility Cover	
Medium	Yes	A9	36657.1					Pot Hole	
Medium	Yes	A9	36688.6					Utility Cover	
Medium	Yes	A9	36731.1					Utility Cover	
Medium	Yes	A9	42802.3	Veg		Veg			
Medium	Yes	D7	31.1					Pot Hole	
Medium	Yes	A9	42093.3				pot hole	Utility Cover	Displacement
Medium	Yes	A9	42044.5					Utility Cover	Utility Cover
Medium	Yes	A9	42021.4					Utility Cover	
Medium	Yes	A9	41765.4	Veg	Veg	Veg		Utility Cover	Pot Hole
Medium	Yes	A9	41601.1					Pot Hole	
Medium	Yes	A9	41568.7					Utility Cover	
Medium	Yes	A9	41403.4					Displacement	
Medium	Yes	A9	41045.5					Displacement	
Medium	Yes	A9	40974.7	Veg		Veg			
Medium	Yes	A9	40883.7					Utility Cover	
Medium	Yes	A9	40680.6					Displacement	
Medium	Yes	A9	40345.2					Displacement	
Medium	Yes	A9	40238.1					Utility Cover	
Medium	Yes	A9	40205.5					Pot Hole	
Medium	Yes	A9	40167.5					Utility Cover	
Medium	Yes	A9	40118.6					Pot Hole	Utility Cover
Medium	Yes	A9	38881.1					Pot Hole	
Medium	Yes	A9	38859.9	Rough Xing				Utility Cover	
Medium	Yes	A9	38344.7					Pot Hole	
Medium	Yes	A9	38148.3	Veg		Veg			
Medium	Yes	A9	38104.4	Veg		Veg			
Medium	Yes	A9	38046.6					Utility Cover	
Medium	Yes	A9	37740.2	Veg		Veg			
Medium	Yes	A9	37691.9					Pot Hole	
Medium	Yes	A9	37544.4	Veg	Other	Veg			
Medium	Yes	A9	37429.6	Veg		Veg			
Medium	Yes	A9	37339.8					Displacement	
Medium	Yes	A9	37290.5					Utility Cover	
Medium	Yes	A9	36962.6	Veg		Veg			
Medium	Yes	A9	51188.7	Veg	Veg	Veg			
Medium	Yes	A9	51262.7					Utility Cover	
Medium	Yes	A9	51164.3	Veg	Veg	Veg		Utility Cover	
Medium	Yes	A9	50066.2					Utility Cover	
Medium	Yes	A9	49978.8					Pot Hole	Pot Hole
Medium	Yes	A9	49896.8					Utility Cover	
Medium	Yes	A9	49060.9					Displacement	
Medium	Yes	A9	48946.7					Displacement	
Medium	Yes	A9	48818.8					Displacement	
Medium	Yes	A9	48706.8				asphalt patch	Displacement	
Medium	Yes	A9	48268.6					Utility Cover	
Medium	Yes	A9	46800.8					Pot Hole	
Medium	Yes	A9	45810.8					Pot Hole	Pot Hole
Medium	Yes	A9	43460.1	Veg		Veg			
Medium	Yes	A9	43415.4					Utility Cover	
Medium	Yes	A9	43274.8					Pot Hole	
Medium	Yes	A9	43429.6					Utility Cover	
Medium	Yes	A9	43641.7					Utility Cover	
Medium	Yes	E4	5734.9					Pot Hole	

Medium	Yes	E4	5690.1					Displacement	
Medium	Yes	E4	5659.2					Pot Hole	
Medium	Yes	E4	5638.7					Displacement	
Medium	Yes	E4	5562.2					Displacement	
Medium	Yes	E4	1316.4	Veg		Veg			
Medium	Yes	E4	1139.8					Displacement	
Medium	Yes	E5	401.0	Veg		Veg			
Medium	Yes	E5	306.4	Veg		Veg			
Medium	Yes	E5	195.4					Pot Hole	
Medium	Yes	E4	901.4					Displacement	
Medium	Yes	E4	765.3	Veg		Veg			
Medium	Yes	E4	728.9	Veg		Veg			
Medium	Yes	E4	603.0					Displacement	
Medium	Yes	E4	559.5					Displacement	
Medium	Yes	E4	377.8					Displacement	
Medium	Yes	E4	235.9					Pot Hole	
Medium	Yes	E1	6760.5					Displacement	
Medium	Yes	E1	6855.1					Pot Hole	
Medium	Yes	E1	7328.6	Veg		Veg			
Medium	Yes	E1	7613.0					Displacement	
Medium	Yes	E1	7663.0					Displacement	
Medium	Yes	E1	7739.5	Veg		Veg			
Medium	Yes	E1	7830.4					Pot Hole	
Medium	Yes	E1	8100.9					Pot Hole	
Medium	Yes	E1	8507.8					Pot Hole	
Medium	Yes	E1	8640.9	Veg		Veg			
Medium	Yes	E1	8964.4					Displacement	
Medium	Yes	E1	9284.3					Pot Hole	
Medium	Yes	E1	9325.1					Displacement	
Medium	Yes	E1	9391.5					Displacement	
Medium	Yes	E1	9651.2					Displacement	
Medium	Yes	E1	9706.4					Displacement	
Medium	Yes	E1	9761.7					Pot Hole	Pot Hole
Medium	Yes	E1	9800.4					Pot Hole	Pot Hole
Medium	Yes	E1	9814.0					Pot Hole	
Medium	Yes	E1	9734.2					Pot Hole	Pot Hole
Medium	Yes	E1	9822.5					Pot Hole	Pot Hole
Medium	Yes	E1	10097.3					Pot Hole	Pot Hole
Medium	Yes	E1	10826.8					Displacement	
Medium	Yes	E1	11057.4	Veg		Veg			
Medium	Yes	E10	1497.4					Displacement	
Medium	Yes	E10	826.1					Displacement	
Medium	Yes	E10	676.0					Pot Hole	
Medium	Yes	E10	404.8					Displacement	
Medium	Yes	E10	339.4					Displacement	
Medium	Yes	E2	1626.1					Displacement	
Medium	Yes	E2	1476.2					Displacement	
Medium	Yes	E2	1197.3					Utility Cover	
Medium	Yes	E2	1381.3					Utility Cover	
Medium	Yes	C3	25754.9					Pot Hole	Pot Hole
Medium	Yes	C3	24218.0					Displacement	
Medium	Yes	C3	24173.2	Veg		Veg			
Medium	Yes	C3	24142.0					Displacement	
Medium	Yes	C3	23905.7					Displacement	Displacement
Medium	Yes	C3	23324.1	Veg		Veg			
Medium	Yes	C3	22823.1					Displacement	
Medium	Yes	C3	22351.3					Displacement	
Medium	Yes	C3	21774.6	Veg		Veg			
Medium	Yes	C3	20739.7					Displacement	
Medium	Yes	D8	113.2					Pot Hole	
Medium	Yes	D8	204.1					Pot Hole	
Medium	Yes	D8	235.3					Utility Cover	
Medium	Yes	A9	43262.0					Pot Hole	

Medium	Yes	D8	732.7					Displacement	
Medium	Yes	C3	19101.8					Utility Cover	
Medium	Yes	C3	18552.9					Displacement	
Medium	Yes	D7	2298.8					Displacement	
Medium	Yes	D7	2347.9					Displacement	
Medium	Yes	D7	2451.4					Displacement	
Medium	Yes	D7	2505.8					Displacement	
Medium	Yes	D7	2529.7					Displacement	
Medium	Yes	D7	2752.7					Utility Cover	
Medium	Yes	D7	2954.4					Displacement	
Medium	Yes	D7	3064.5					Utility Cover	
Medium	Yes	D7	3091.0					Displacement	
Medium	Yes	D7	3269.4					Displacement	
Medium	Yes	D7	3521.3					Pot Hole	
Medium	Yes	D7	3553.7					Utility Cover	Pot Hole
Medium	Yes	D7	3830.8					Displacement	
Medium	Yes	D7	4122.5					Displacement	
Medium	Yes	D7	4264.2					Pot Hole	
Medium	Yes	E1	423.4					Utility Cover	
Medium	Yes	E1	242.1					Pot Hole	
Medium	Yes	E1	107.2					Pot Hole	
Medium	Yes	E1	1097.8					Pot Hole	
Medium	Yes	E1	1549.2					Displacement	
Medium	Yes	E1	1856.3					Displacement	
Medium	Yes	E1	2187.5					Displacement	
Medium	Yes	E1	3008.6					Utility Cover	
Medium	Yes	E1	3267.5	Veg		Veg			
Medium	Yes	E1	3581.3	Veg		Veg		Pot Hole	
Medium	Yes	E1	3678.4					Pot Hole	
Medium	Yes	E1	3851.6					Pot Hole	
Medium	Yes	E1	3952.2					Utility Cover	
Medium	Yes	E1	3981.9					Utility Cover	
Medium	Yes	E1	4009.1					Pot Hole	
Medium	Yes	E1	4417.6					Displacement	
Medium	Yes	E1	4942.9					Pot Hole	
Medium	Yes	E1	6318.4					Displacement	
Medium	Yes	E3	2400.4					Utility Cover	
Medium	Yes	E3	1691.7					Displacement	
Medium	Yes	E3	1642.8					Displacement	
Medium	Yes	E3	1655.9					Displacement	
Medium	Yes	E3	1626.5					Pot Hole	
Medium	Yes	E3	1436.3					Displacement	
Medium	Yes	E3	1370.8					Utility Cover	
Medium	Yes	E3	967.5					Utility Cover	
Medium	Yes	E3	826.6					Displacement	
Medium	Yes	E3	787.2					Utility Cover	
Medium	Yes	E3	687.2					Displacement	
Medium	Yes	E3	621.7					Displacement	
Medium	Yes	E3	467.6					Utility Cover	
Medium	Yes	E3	441.4	Rough Xing				Pot Hole	
Medium	Yes	E3	364.3					Displacement	
Medium	Yes	E3	180.8					Utility Cover	
Medium	Yes	C3	13522.5					Displacement	Displacement
Medium	Yes	C3	13913.9					Displacement	
Medium	Yes	C3	14041.2				FOOTPRINTS	Pot Hole	
Medium	Yes	C3	14670.7	Veg		Veg			
Medium	Yes	C3	14689.9	Veg		Veg			
Medium	Yes	C3	15043.0	Veg		Veg			
Medium	Yes	C3	15067.5					Displacement	
Medium	Yes	C3	15070.1					Displacement	
Medium	Yes	C3	15094.7				X2	Displacement	
Medium	Yes	C3	15140.5					Utility Cover	
Medium	Yes	C3	15200.1					Displacement	

Medium	Yes	C3	15224.5				X4	Pot Hole	
Medium	Yes	C3	16029.1				X2	Utility Cover	
Medium	Yes	C3	16099.6				SEVERAL	Pot Hole	Pot Hole
Medium	Yes	C3	16220.1					Displacement	
Medium	Yes	C3	16271.6				very severe	Displacement	
Medium	Yes	C3	16925.9					Utility Cover	
Medium	Yes	C3	17023.2					Displacement	
Medium	Yes	C3	17044.8					Displacement	
Medium	Yes	C3	17727.1					Utility Cover	
Medium	Yes	C3	18191.2				x3	Pot Hole	Displacement
Medium	Yes	C3	18253.4					Utility Cover	Utility Cover
Medium	Yes	D7	1735.9					Utility Cover	Utility Cover
Medium	Yes	D7	1623.1					Utility Cover	
Medium	Yes	D7	1526.1					Utility Cover	
Medium	Yes	D7	1416.5					Utility Cover	
Medium	Yes	D7	1266.2			Veg			
Medium	Yes	D7	1239.0	Veg		Veg	several trees		
Medium	Yes	D7	1130.9					Displacement	
Medium	Yes	D7	1169.5	Tree		Veg			
Medium	Yes	D7	842.0	Veg		Veg			
Medium	Yes	D7	460.0					Displacement	
Medium	Yes	D6	3749.8					Displacement	
Medium	Yes	D6	3240.5					Displacement	
Medium	Yes	D6	2908.8				severe	Displacement	
Medium	Yes	D6	2583.7					Pot Hole	Pot Hole
Medium	Yes	D6	2561.9					Displacement	
Medium	Yes	D6	2507.8					Displacement	
Medium	Yes	D6	2472.6					Displacement	
Medium	Yes	D6	2345.2					Pot Hole	Pot Hole
Medium	Yes	D6	2224.7					Utility Cover	
Medium	Yes	D6	1794.1					Utility Cover	
Medium	Yes	D6	1296.0					Pot Hole	Pot Hole
Medium	Yes	D6	1072.1					Tree Well	Pot Hole
Medium	Yes	D6	1047.8					Displacement	
Medium	Yes	D6	939.4					Displacement	Tree Well
Medium	Yes	D6	847.3					Displacement	
Medium	Yes	D6	611.9					Tree Well	
Medium	Yes	D6	465.7					Tree Well	
Medium	Yes	D6	270.6					Displacement	Tree Well
Medium	Yes	D6	165.9					Pot Hole	Tree Well
Medium	Yes	D6	164.7	Veg		Veg			
Medium	Yes	D6	115.5					Displacement	
Medium	Yes	D6	181.5				x2	Pot Hole	
Medium	Yes	D6	1751.8					Displacement	
Medium	Yes	D6	2025.4					Displacement	
Medium	Yes	D6	2101.3					Utility Cover	Pot Hole
Medium	Yes	D6	2282.7					Utility Cover	
Medium	Yes	D6	2531.8	Veg		Veg			
Medium	Yes	D6	3492.0	Veg		Veg			
Medium	Yes	D4	2102.6					Displacement	
Medium	Yes	D4	2045.3					Displacement	
Medium	Yes	D4	1944.2					Displacement	
Medium	Yes	D4	1995.8	Veg		Veg			
Medium	Yes	D4	2042.5	Veg		Veg			
Medium	Yes	D4	2097.2	Veg		Veg			
Medium	Yes	D4	2141.2	Veg		Veg			
Medium	Yes	D4	2169.8	Veg		Veg			
Medium	Yes	D4	2271.1	Veg		Veg			
Medium	Yes	D4	2398.9					Displacement	
Medium	Yes	C9	5839.5					Pot Hole	
Medium	Yes	D4	2554.5					Displacement	
Medium	Yes	D4	2733.5					Displacement	
Medium	Yes	D4	2811.5					Displacement	

Medium	Yes	D4	4029.3					Displacement	
Medium	Yes	D4	4078.7					Displacement	
Medium	Yes	D4	4482.4					Displacement	
Medium	Yes	D4	4958.9					Displacement	
Medium	Yes	D4	5548.4					Pot Hole	
Medium	Yes	D4	5561.4					Pot Hole	
Medium	Yes	D4	5626.4				x4	Pot Hole	
Medium	Yes	D4	5773.0	Veg		Veg			
Medium	Yes	D4	5814.6	Veg		Veg			
Medium	Yes	D4	6363.8					Displacement	
Medium	Yes	D4	6178.0					Displacement	
Medium	Yes	D4	5859.7					Displacement	
Medium	Yes	D4	5673.5					Displacement	
Medium	Yes	D4	5380.0					Displacement	
Medium	Yes	D4	5219.3					Pot Hole	Displacement
Medium	Yes	C9	8098.0	Veg		Veg			
Medium	Yes	C9	8022.0	Veg		Veg			
Medium	Yes	C9	7802.1	Veg		Veg			
Medium	Yes	C9	7679.0					Utility Cover	Displacement
Medium	Yes	C9	7580.8					Displacement	
Medium	Yes	C9	5801.0					Pot Hole	
Medium	Yes	C9	5649.9					Pot Hole	
Medium	Yes	C9	5590.2					Pot Hole	
Medium	Yes	C9	5467.3					Displacement	
Medium	Yes	C9	5286.3	Veg		Veg			
Medium	Yes	C3	11333.3	Veg		Veg			
Medium	Yes	C3	11398.4			Veg			
Medium	Yes	C3	11424.4			Veg			
Medium	Yes	C9	5026.5			Veg			
Medium	Yes	C9	5286.6					Displacement	
Medium	Yes	C9	4787.8					Utility Cover	
Medium	Yes	C9	4433.8					Utility Cover	
Medium	Yes	C9	4311.5	Veg		Veg			
Medium	Yes	C9	4223.4			Veg			
Medium	Yes	C9	4107.6					Displacement	
Medium	Yes	C9	4084.1			Veg			
Medium	Yes	C9	3845.9			Veg			
Medium	Yes	C9	3768.6			Veg			
Medium	Yes	C9	3268.9					Pot Hole	
Medium	Yes	C9	2854.0					Displacement	
Medium	Yes	C9	2811.1			Veg			
Medium	Yes	C9	1640.6					Utility Cover	
Medium	Yes	C9	1477.6					Displacement	
Medium	Yes	C9	1451.8					Displacement	
Medium	Yes	C9	1108.6					Pot Hole	
Medium	Yes	C9	1093.6					Pot Hole	
Medium	Yes	C9	1046.4					Pot Hole	
Medium	Yes	C9	830.8					Pot Hole	
Medium	Yes	C9	571.1					Pot Hole	
Medium	Yes	C9	360.8					Displacement	
Medium	Yes	C9	294.3					Displacement	
Medium	Yes	C9	279.3					Pot Hole	
Medium	Yes	C3	9515.1					Pot Hole	
Medium	Yes	C3	9543.9					Pot Hole	
Medium	Yes	C3	9577.6					Pot Hole	
Medium	Yes	C3	439.4					Pot Hole	
Medium	Yes	C3	4980.1			Veg			
Medium	Yes	C3	4386.8			Veg			
Medium	Yes	C3	8309.8					Utility Cover	
Medium	Yes	C3	8982.1					Displacement	
Medium	Yes	C3	9290.1	Veg		Veg			
Medium	Yes	C10	313.4	Veg		Veg			
Medium	Yes	C10	509.1	Veg		Veg			

Medium	Yes	C10	589.2					Pot Hole	
Medium	Yes	C8	286.8					Utility Cover	
Medium	Yes	C8	1481.0					Displacement	
Medium	Yes	C8	1573.1					Displacement	
Medium	Yes	C8	1592.9					Displacement	
Medium	Yes	C8	523.4			Veg			
Medium	Yes	C8	330.4			Veg			
Medium	Yes	C7	77.2					Displacement	
Medium	Yes	C7	248.3					Pot Hole	
Medium	Yes	C7	303.8					Pot Hole	
Medium	Yes	C7	333.0					Pot Hole	
Medium	Yes	C7	742.0				tree root	Displacement	
Medium	Yes	C7	1691.1			Veg			
Medium	Yes	C7	2136.2					Displacement	
Medium	Yes	C7	2638.2					Pot Hole	
Medium	Yes	C7	2875.4					Pot Hole	
Medium	Yes	C7	2888.5			Veg			
Medium	Yes	C7	2888.6					Pot Hole	
Medium	Yes	C7	3027.5					Displacement	
Medium	Yes	C7	3044.8					Pot Hole	
Medium	Yes	C7	3342.3					Displacement	
Medium	Yes	C7	3615.7					Displacement	
Medium	Yes	C7	3634.7					Displacement	
Medium	Yes	C7	3927.0					Displacement	
Medium	Yes	C7	4198.2					Displacement	
Medium	Yes	C7	4883.8		Veg			Displacement	
Medium	Yes	C7	4709.5					Displacement	
Medium	Yes	C7	4327.9					Pot Hole	
Medium	Yes	C7	3630.0					Utility Cover	
Medium	Yes	C7	3324.4					Displacement	Pot Hole
Medium	Yes	C7	3047.4					Displacement	
Medium	Yes	C7	3019.4					Pot Hole	
Medium	Yes	C7	2773.9			Veg			
Medium	Yes	C7	2591.6					Pot Hole	
Medium	Yes	C7	2253.0					Displacement	
Medium	Yes	C7	2124.4					Displacement	
Medium	Yes	C7	1931.4			Veg			
Medium	Yes	C7	1864.2					Displacement	
Medium	Yes	C7	1690.2			Veg			
Medium	Yes	C7	1608.4					Displacement	
Medium	Yes	C7	1509.0			Veg			
Medium	Yes	C7	628.5					Displacement	
Medium	Yes	C7	128.2					Displacement	
Medium	Yes	B1	15697.6					Displacement	
Medium	Yes	B1	15431.9					Displacement	
Medium	Yes	B1	13706.2					Displacement	Displacement
Medium	Yes	B1	12018.3					Utility Cover	Utility Cover
Medium	Yes	B1	11729.1					Displacement	
Medium	Yes	B1	11182.1	Veg		Veg			
Medium	Yes	B1	10392.7	Veg		Veg			
Medium	Yes	B1	10534.2					Displacement	
Medium	Yes	B1	11174.6	Veg		Veg			
Medium	Yes	B1	12186.0	Veg		Veg			
Medium	Yes	B1	13411.6					Utility Cover	
Medium	Yes	B1	14161.3					Displacement	Pot Hole
Medium	Yes	B1	14281.9					Displacement	
Medium	Yes	B1	14888.8					Displacement	
Medium	Yes	B1	15764.6					Displacement	
Medium	Yes	B1	15812.9					Displacement	
Medium	Yes	D1	4851.5	Veg		Veg			
Medium	Yes	D1	5041.3					Pot Hole	Pot Hole
Medium	Yes	D1	5069.0					Displacement	
Medium	Yes	D1	5436.3	Veg		Veg			

Medium	Yes	D1	4099.0					Utility Cover	
Medium	Yes	D1	4112.0					Pot Hole	
Medium	Yes	D1	4290.2					Pot Hole	
Medium	Yes	D1	4260.9					Displacement	
Medium	Yes	D1	4168.4			Veg			
Medium	Yes	D1	3686.3					Displacement	
Medium	Yes	D1	3578.0					Displacement	
Medium	Yes	D1	3556.9			Veg			
Medium	Yes	D1	3525.3			Veg		Displacement	
Medium	Yes	D1	3467.0			Veg			
Medium	Yes	D1	3353.3					Displacement	
Medium	Yes	D1	3018.7		Veg			Displacement	
Medium	Yes	D1	2355.9			Veg			
Medium	Yes	D1	2271.3			Veg			
Medium	Yes	D1	1505.3					Displacement	
Medium	Yes	D1	1441.9					Pot Hole	
Medium	Yes	D1	785.4					Pot Hole	
Medium	Yes	D1	774.8					Displacement	
Medium	Yes	D1	81.6					Displacement	
Medium	Yes	D1	760.9					Displacement	
Medium	Yes	D1	1088.5					Displacement	
Medium	Yes	D1	1129.4					Displacement	
Medium	Yes	D1	1491.3		Veg			Displacement	
Medium	Yes	D1	1852.0					Displacement	
Medium	Yes	D1	3138.9					Displacement	
Medium	Yes	D1	3411.7					Displacement	
Medium	Yes	D1	3493.6					Displacement	
Medium	Yes	A10	9839.6					Utility Cover	
Medium	Yes	A10	10079.9					Displacement	
Medium	Yes	A10	10566.7			Veg			
Medium	Yes	A10	10630.1			Veg			
Medium	Yes	A10	6770.6					Displacement	
Medium	Yes	A10	6807.2					Displacement	
Medium	Yes	A10	7904.5	Veg		Veg			
Medium	Yes	A10	8841.5					Utility Cover	
Medium	Yes	A10	7687.1					Displacement	
Medium	Yes	A10	7511.6					Displacement	
Medium	Yes	A10	6990.9					Displacement	
Medium	Yes	A10	6955.9					Utility Cover	
Medium	Yes	A10	6904.0					Displacement	
Medium	Yes	A10	5936.7					Displacement	
Medium	Yes	A10	5462.0					Displacement	
Medium	Yes	A10	4909.5	Veg		Veg			
Medium	Yes	A10	4865.5	Veg		Veg			
Medium	Yes	A10	4614.4					Displacement	
Medium	Yes	A10	4328.5					Displacement	Displacement
Medium	Yes	A10	3654.6	Veg	Veg	Veg			
Medium	Yes	A10	3559.1					Displacement	
Medium	Yes	A10	3148.7					Utility Cover	
Medium	Yes	A10	4259.6					Displacement	
Medium	Yes	A10	5061.8					Pot Hole	Pot Hole
Medium	Yes	A10	5841.8					Displacement	
Medium	Yes	B3	1261.7			Veg			
Medium	Yes	B2	11293.6					Displacement	
Medium	Yes	B2	14211.2					Pot Hole	
Medium	Yes	B2	14483.1					Pot Hole	
Medium	Yes	B2	14344.1					Pot Hole	
Medium	Yes	B2	16032.3					Displacement	Displacement
Medium	Yes	B2	16023.7					Pot Hole	
Medium	Yes	B2	16984.5	Rough Xing				Pot Hole	
Medium	Yes	B2	17036.0					Pot Hole	
Medium	Yes	B2	17450.8					Displacement	
Medium	Yes	D2	207.8					Displacement	

Medium	Yes	D2	230.7					Displacement	
Medium	Yes	D2	324.0					Pot Hole	
Medium	Yes	D2	399.6					Displacement	
Medium	Yes	D2	366.9					Displacement	
Medium	Yes	D2	526.9					Utility Cover	
Medium	Yes	D2	378.0					Utility Cover	
Medium	Yes	D2	324.9					Displacement	
Medium	Yes	D2	156.0					Pot Hole	
Medium	Yes	C6	2689.3					Pot Hole	
Medium	Yes	C6	2631.4					Utility Cover	
Medium	Yes	C6	2606.2					Pot Hole	
Medium	Yes	C6	2082.3		Veg	Veg			
Medium	Yes	C6	1903.2			Veg			
Medium	Yes	C6	1261.2				x8	Pot Hole	
Medium	Yes	C6	1220.9					Displacement	
Medium	Yes	C6	1034.0			Veg			
Medium	Yes	C6	1114.7		Veg			Displacement	
Medium	Yes	C6	1562.2					Pot Hole	
Medium	Yes	C6	1775.6					Utility Cover	
Medium	Yes	C6	2027.9			Veg			
Medium	Yes	C6	2405.7			Veg		Utility Cover	
Medium	Yes	C6	2461.3			Veg			
Medium	Yes	C6	2498.9			Veg			
Medium	Yes	C6	714.5					Utility Cover	
Medium	Yes	C6	422.0					Pot Hole	
Medium	Yes	C6	368.7					Pot Hole	
Medium	Yes	C6	850.1					Pot Hole	
Medium	Yes	C5	10545.5					Pot Hole	
Medium	Yes	C5	9130.6					Displacement	
Medium	Yes	C5	7992.8					Displacement	
Medium	Yes	C5	7621.4					Displacement	
Medium	Yes	C5	7398.8					Pot Hole	
Medium	Yes	C5	7242.6					Utility Cover	
Medium	Yes	C5	6644.3			Veg			
Medium	Yes	C5	6440.0					Utility Cover	
Medium	Yes	C5	6361.1					Displacement	
Medium	Yes	C5	5740.9					Utility Cover	
Medium	Yes	C5	5607.7					Displacement	
Medium	Yes	C5	4328.5					Utility Cover	
Medium	Yes	C5	4259.8					Pot Hole	
Medium	Yes	C5	4190.2			Veg			
Medium	Yes	C5	4499.9					Pot Hole	
Medium	Yes	C5	4516.9					Displacement	
Medium	Yes	C5	5408.6					Displacement	
Medium	Yes	C5	5602.6					Pot Hole	
Medium	Yes	C5	5767.4					Displacement	
Medium	Yes	C5	5800.3					Displacement	
Medium	Yes	C5	5839.3					Displacement	
Medium	Yes	C5	6245.8					Utility Cover	
Medium	Yes	C5	7193.6					Displacement	
Medium	Yes	C5	7642.2					Utility Cover	
Medium	Yes	C5	7721.5					Pot Hole	
Medium	Yes	C5	7828.3					Pot Hole	
Medium	Yes	C5	7930.9					Utility Cover	
Medium	Yes	C5	8190.4					Pot Hole	
Medium	Yes	C5	8260.0					Pot Hole	
Medium	Yes	C5	8292.9				x 6	Pot Hole	
Medium	Yes	C5	8349.9					Displacement	Pot Hole
Medium	Yes	C5	2819.7				x2	Displacement	Pot Hole
Medium	Yes	C5	2520.3					Utility Cover	
Medium	Yes	C5	2475.7					Pot Hole	
Medium	Yes	C5	1724.2				destroyed tile	Pot Hole	Pot Hole
Medium	Yes	C5	1793.9					Displacement	

Medium	Yes	C5	2408.4				x2	Displacement	
Medium	Yes	C5	2832.4					Utility Cover	Pot Hole
Medium	Yes	C5	2897.4					Displacement	
Medium	Yes	C5	3739.0					Pot Hole	Pot Hole
Medium	Yes	C5	3911.5					Displacement	
Medium	Yes	D3	1312.0	Tree		Veg	x3		
Medium	Yes	D3	1539.3					Displacement	
Medium	Yes	C2	6249.2	Tree		Veg			
Medium	Yes	C2	6236.3					Displacement	
Medium	Yes	C2	6301.8					Displacement	
Medium	Yes	C2	6155.4					Displacement	
Medium	Yes	C2	4700.5				severe	Utility Cover	Utility Cover
Medium	Yes	C2	4478.5					Displacement	Pot Hole
Medium	Yes	C2	3832.9					Utility Cover	
Medium	Yes	C2	3607.6					Displacement	
Medium	Yes	C2	3463.8	Tree		Veg			
Medium	Yes	C2	2488.8					Utility Cover	Utility Cover
Medium	Yes	C2	2668.1	Veg		Veg			
Medium	Yes	C2	2573.4	Veg		Veg			
Medium	Yes	C2	2893.5	Veg		Veg			
Medium	Yes	C2	3127.7					Displacement	
Medium	Yes	C2	3199.4					Pot Hole	
Medium	Yes	C2	3320.4					Pot Hole	Pot Hole
Medium	Yes	C2	3496.7				severe	Pot Hole	Utility Cover
Medium	Yes	C2	3542.5	Veg		Veg			
Medium	Yes	C2	3588.3	Veg		Veg			
Medium	Yes	C2	3725.4					Displacement	
Medium	Yes	C2	2058.0					Displacement	
Medium	Yes	C2	2091.5			Veg			
Medium	Yes	C2	2129.2					Pot Hole	
Medium	Yes	C2	2028.8					Displacement	
Medium	Yes	C2	1848.5					Displacement	Utility Cover
Medium	Yes	C2	1780.3					Pot Hole	
Medium	Yes	C2	1707.5					Displacement	
Medium	Yes	C2	1576.5					Displacement	
Medium	Yes	C2	1223.8					Displacement	
Medium	Yes	C2	1199.9					Displacement	
Medium	Yes	C2	897.8					Pot Hole	
Medium	Yes	C2	781.8					Pot Hole	
Medium	Yes	C2	762.8					Displacement	
Medium	Yes	C2	706.0				x2	Displacement	
Medium	Yes	C2	693.6					Pot Hole	
Medium	Yes	C2	636.6					Pot Hole	
Medium	Yes	C2	513.6					Pot Hole	
Medium	Yes	C2	468.4					Pot Hole	
Medium	Yes	C2	374.7					Displacement	
Medium	Yes	C2	299.0					Displacement	Pot Hole
Medium	Yes	C4	675.2					Pot Hole	
Medium	Yes	C2	453.9			Veg			
Medium	Yes	C2	563.8					Pot Hole	
Medium	Yes	C2	762.2					Pot Hole	
Medium	Yes	C2	1012.3					Utility Cover	
Medium	Yes	C2	1570.9					Utility Cover	Pot Hole
Medium	Yes	C4	5740.7			Veg			
Medium	Yes	C4	4522.4			Veg			
Medium	Yes	C4	4435.8			Veg			
Medium	Yes	C4	4354.1			Veg			
Medium	Yes	C4	4280.0					Displacement	
Medium	Yes	C4	4201.1			Veg			
Medium	Yes	C4	4167.7			Veg			
Medium	Yes	C4	4127.1			Veg			
Medium	Yes	C4	4099.5			Veg			
Medium	Yes	C4	4080.2					Displacement	

Medium	Yes	C4	4055.9			Veg			
Medium	Yes	C4	3631.6			Veg			
Medium	Yes	C4	3267.6					Utility Cover	
Medium	Yes	C4	3088.8					Pot Hole	
Medium	Yes	C4	3029.6					Utility Cover	
Medium	Yes	C4	3013.9					Pot Hole	
Medium	Yes	C4	2579.7					Pot Hole	
Medium	Yes	C4	2461.4					Displacement	
Medium	Yes	C4	2385.2			Veg			
Medium	Yes	C4	2352.6					Pot Hole	
Medium	Yes	C4	2285.0					Pot Hole	
Medium	Yes	C4	1409.4					Pot Hole	
Medium	Yes	C4	1137.8					Pot Hole	
Medium	Yes	C4	1031.0					Pot Hole	
Medium	Yes	C4	991.6					Pot Hole	
Medium	Yes	C4	909.5					Utility Cover	
Medium	Yes	C4	1013.0					Pot Hole	
Medium	Yes	C4	1294.9					Displacement	
Medium	Yes	C4	1715.5					Pot Hole	
Medium	Yes	C4	1786.1					Displacement	
Medium	Yes	C4	1888.1					Utility Cover	
Medium	Yes	C4	1924.9					Utility Cover	
Medium	Yes	C4	2120.0					Pot Hole	
Medium	Yes	C4	2344.3			Veg			
Medium	Yes	C4	2350.4					Displacement	
Medium	Yes	C4	2383.7					Displacement	
Medium	Yes	C4	2665.6			Veg			
Medium	Yes	C4	2704.7					Displacement	
Medium	Yes	C4	2772.2			Veg			
Medium	Yes	C4	3020.5					Displacement	
Medium	Yes	C4	3202.4					Pot Hole	
Medium	Yes	C4	3436.4					Displacement	
Medium	Yes	C4	3595.3					Displacement	
Medium	Yes	C4	3773.8					Utility Cover	
Medium	Yes	C4	3941.3					Pot Hole	
Medium	Yes	C4	4109.5					Displacement	
Medium	Yes	C4	4083.9					Pot Hole	
Medium	Yes	C4	4149.9					Pot Hole	
Medium	Yes	C4	4731.5					Displacement	
Medium	Yes	C4	4944.5					Pot Hole	
Medium	Yes	C4	5061.3					Displacement	
Medium	Yes	C5	952.6					Displacement	
Medium	Yes	C5	1070.0			Veg			
Medium	Yes	C5	1214.9					Pot Hole	
Medium	Yes	C5	1207.5					Displacement	
Medium	Yes	C5	1087.5					Displacement	
Medium	Yes	C5	1001.0					Utility Cover	
Medium	Yes	C5	892.7					Pot Hole	
Medium	Yes	A1	638.0					Displacement	
Medium	Yes	A1	1357.5					Utility Cover	Utility Cover
Medium	Yes	A1	1451.6					Displacement	Displacement
Medium	Yes	A1	1393.6					Pot Hole	Pot Hole
Medium	Yes	A1	1354.7					Displacement	Displacement
Medium	Yes	A1	1188.7					Displacement	
Medium	Yes	A1	970.7					Displacement	Displacement
Medium	Yes	A1	677.4	Veg		Veg			
Medium	Yes	A1	2864.8					Displacement	
Medium	Yes	A1	2661.7					Displacement	Displacement
Medium	Yes	A1	3122.7				multiple obstructions	Displacement	Displacement
Medium	Yes	A1	3195.6					Displacement	
Medium	Yes	A1	3364.6				horrible pavement condition	Displacement	Displacement
Medium	Yes	A1	3405.9					Displacement	Displacement

Medium	Yes	A1	3065.4					Pot Hole	Pot Hole
Medium	Yes	A1	4705.9					Utility Cover	Utility Cover
Medium	Yes	A1	5147.8					Utility Cover	Utility Cover
Medium	Yes	A1	5171.2					Displacement	Displacement
Medium	Yes	A1	5329.7					Displacement	Displacement
Medium	Yes	A1	5824.9					Displacement	Displacement
Medium	Yes	A1	5876.1					Displacement	Displacement
Medium	Yes	A1	5633.5					Displacement	Displacement
Medium	Yes	A1	5133.7					Displacement	Displacement
Medium	Yes	A1	4723.0					Utility Cover	Utility Cover
Medium	Yes	A1	4510.9				6 inch deep pot holes in driveway	Pot Hole	Pot Hole
Medium	Yes	A2	203.7					Displacement	
Medium	Yes	E6	496.7					Utility Cover	Utility Cover
Medium	Yes	E6	477.7					Displacement	Displacement
Medium	Yes	E6	175.9					Displacement	Displacement
Medium	Yes	E6	161.2					Displacement	
Medium	Yes	E6	130.6				deteriorated sidewalk panel	Displacement	Displacement
Medium	Yes	E6	416.1					Utility Cover	Utility Cover
Medium	Yes	E6	471.9					Displacement	Displacement
Medium	Yes	A2	537.3					Displacement	
Medium	Yes	A2	621.3					Displacement	Displacement
Medium	Yes	A2	1003.3					Utility Cover	
Medium	Yes	A2	1418.1					Displacement	
Medium	Yes	A2	1721.8					Utility Cover	Utility Cover
Medium	Yes	A2	2167.2					Displacement	
Medium	Yes	A2	2294.0					Displacement	
Medium	Yes	A2	2377.8					Displacement	
Medium	Yes	A2	2435.1				2 inches	Displacement	
Medium	Yes	A2	2450.5					Displacement	
Medium	Yes	A2	2486.9					Displacement	
Medium	Yes	A2	2385.5					Displacement	
Medium	Yes	A2	2204.9					Displacement	
Medium	Yes	A2	2158.3					Displacement	
Medium	Yes	A2	1987.8					Displacement	
Medium	Yes	A2	1930.8					Displacement	
Medium	Yes	A2	1887.6					Displacement	Displacement
Medium	Yes	A2	1036.4					Utility Cover	Utility Cover
Medium	Yes	A2	987.9					Displacement	Displacement
Medium	Yes	A2	888.9					Utility Cover	Utility Cover
Medium	Yes	A2	836.4					Utility Cover	Utility Cover
Medium	Yes	A3	1130.8					Displacement	
Medium	Yes	A3	645.5					Displacement	
Medium	Yes	A3	1588.9					Displacement	Displacement
Medium	Yes	A3	1636.3					Displacement	
Medium	Yes	A3	1701.0					Displacement	
Medium	Yes	A3	1783.8					Displacement	Displacement
Medium	Yes	A3	1878.6					Displacement	Displacement
Medium	Yes	A3	2206.1					Displacement	Displacement
Medium	Yes	A3	2307.6					Displacement	
Medium	Yes	A3	2342.4					Pot Hole	Pot Hole
Medium	Yes	A3	2765.0					Displacement	Displacement
Medium	Yes	A3	3286.3					Displacement	Displacement
Medium	Yes	A3	2438.1					Displacement	Displacement
Medium	Yes	A3	2215.3					Displacement	Displacement
Medium	Yes	A3	2175.3					Displacement	Displacement
Medium	Yes	A3	1935.3	Rough Xing				Displacement	Displacement
Medium	Yes	A3	1781.5					Displacement	Displacement
Medium	Yes	A4	803.1					Displacement	Displacement
Medium	Yes	A4	819.9					Displacement	
Medium	Yes	A4	1018.9					Utility Cover	Utility Cover
Medium	Yes	A4	1059.1					Displacement	Displacement

Medium	Yes	A4	1810.4					Utility Cover	Utility Cover
Medium	Yes	A4	2501.8					Utility Cover	Utility Cover
Medium	Yes	A4	2681.4					Utility Cover	Utility Cover
Medium	Yes	A4	2774.9					Displacement	Displacement
Medium	Yes	A4	2804.3					Displacement	Displacement
Medium	Yes	A4	2864.3					Displacement	
Medium	Yes	A4	2908.0					Displacement	Displacement
Medium	Yes	A4	1814.8					Pot Hole	Pot Hole
Medium	Yes	A4	1717.6					Utility Cover	Utility Cover
Medium	Yes	A4	1455.0	Rough Xing				Utility Cover	Utility Cover
Medium	Yes	A4	805.0					Displacement	Displacement
Medium	Yes	A4	4653.7	Rough Xing				Displacement	Displacement
Medium	Yes	A4	4383.4					Displacement	
Medium	Yes	A4	4352.2					Utility Cover	Utility Cover
Medium	Yes	A4	3162.0					Displacement	Displacement
Medium	Yes	A4	4061.9					Displacement	Displacement
Medium	Yes	A4	4071.0	Rough Xing				Displacement	Displacement
Medium	Yes	A4	4411.5					Displacement	
Medium	Yes	A5	77.1	Veg		Veg			
Medium	Yes	E7	165.7	Veg		Veg			
Medium	Yes	E7	283.9					Pot Hole	Pot Hole
Medium	Yes	E7	231.1					Displacement	
Medium	Yes	E7	67.1					Displacement	
Medium	Yes	A5	657.2					Displacement	Displacement
Medium	Yes	A5	1652.7					Displacement	Displacement
Medium	Yes	A5	2024.5	Rough Xing				Displacement	Displacement
Medium	Yes	A5	2225.7					Displacement	Displacement
Medium	Yes	A5	2274.9					Displacement	Displacement
Medium	Yes	A5	2333.8					Displacement	Displacement
Medium	Yes	A5	2674.8					Displacement	Displacement
Medium	Yes	A5	2670.5					Displacement	Displacement
Medium	Yes	A5	1652.5					Displacement	
Medium	Yes	A5	1627.2					Displacement	
Medium	Yes	A5	1550.3					Displacement	Displacement
Medium	Yes	A5	1518.7					Displacement	Displacement
Medium	Yes	A5	1081.3					Displacement	
Medium	Yes	A5	945.9					Displacement	
Medium	Yes	A6	9401.8					Displacement	Displacement
Medium	Yes	A6	8795.6					Displacement	Displacement
Medium	Yes	A6	8738.4					Displacement	Displacement
Medium	Yes	A6	8697.7					Displacement	Displacement
Medium	Yes	A6	8592.8					Tree Well	
Medium	Yes	A6	9262.9					Displacement	Pot Hole
Medium	Yes	A6	7204.4					Displacement	Displacement
Medium	Yes	A6	5386.4					Displacement	
Medium	Yes	A6	5084.0					Displacement	Displacement
Medium	Yes	A6	5140.8					Utility Cover	Utility Cover
Medium	Yes	A6	5234.0					Utility Cover	Utility Cover
Medium	Yes	A6	5406.9					Utility Cover	Utility Cover
Medium	Yes	A6	5483.3					Displacement	Displacement
Medium	Yes	A6	3786.6					Utility Cover	Utility Cover
Medium	Yes	A6	4368.8					Displacement	
Medium	Yes	A6	4448.4					Displacement	
Medium	Yes	A6	4482.0					Displacement	Displacement
Medium	Yes	A6	4777.4					Displacement	Displacement
Medium	Yes	A6	4300.3					Displacement	
Medium	Yes	A6	4166.0					Displacement	
Medium	Yes	A6	4021.2					Utility Cover	Utility Cover
Medium	Yes	A6	219.7					Displacement	Utility Cover
Medium	Yes	A6	86.4					Utility Cover	Utility Cover
Medium	Yes	A6	1949.9					Utility Cover	
Medium	Yes	A6	2178.3					Displacement	Displacement
Medium	Yes	A6	2219.4					Utility Cover	Utility Cover

Medium	Yes	A6	2245.8					Utility Cover	Utility Cover
Medium	Yes	A6	2446.5					Displacement	Displacement
Medium	Yes	B5	29184.9					Displacement	Displacement
Medium	Yes	B5	28802.6					Displacement	Displacement
Medium	Yes	B5	27511.4					Utility Cover	Utility Cover
Medium	Yes	B5	27132.8					Displacement	Displacement
Medium	Yes	B5	26995.4					Displacement	Displacement
Medium	Yes	B5	26673.1					Displacement	Displacement
Medium	Yes	B5	27520.5	Veg		Veg			
Medium	Yes	B5	29306.6					Displacement	Displacement
Medium	Yes	B5	29390.2					Displacement	Displacement
Medium	Yes	B5	29889.8					Displacement	Displacement
Medium	Yes	B5	30023.8	Veg		Veg			
Medium	Yes	B5	31376.0					Displacement	Displacement
Medium	Yes	B5	26271.5					Displacement	
Medium	Yes	B5	26186.7	Veg		Veg			
Medium	Yes	B5	25412.7	Veg		Veg			
Medium	Yes	B5	25260.7					Displacement	Displacement
Medium	Yes	B5	24923.9	Veg		Veg			
Medium	Yes	B5	24719.5					Displacement	Displacement
Medium	Yes	B5	21813.6					Displacement	Displacement
Medium	Yes	B5	22274.7					Displacement	Displacement
Medium	Yes	B5	22482.7	Veg		Veg			
Medium	Yes	B5	23314.2					Utility Cover	Utility Cover
Medium	Yes	B5	23359.4					Displacement	
Medium	Yes	B5	23828.8					Utility Cover	Utility Cover
Medium	Yes	B5	24419.6					Utility Cover	Utility Cover
Medium	Yes	B5	24382.6					Displacement	Utility Cover
Medium	Yes	B5	23825.2	Veg		Veg			
Medium	Yes	B5	23455.9					Displacement	
Medium	Yes	B5	23422.2					Displacement	
Medium	Yes	B5	23405.9					Displacement	
Medium	Yes	B5	23190.1					Displacement	
Medium	Yes	B5	22979.0					Displacement	
Medium	Yes	B5	22952.5					Displacement	
Medium	Yes	B5	22874.9					Displacement	
Medium	Yes	B5	22697.4					Displacement	Displacement
Medium	Yes	B5	22608.7					Displacement	
Medium	Yes	B5	22465.8					Displacement	
Medium	Yes	B5	22389.3					Displacement	
Medium	Yes	B5	22305.7					Displacement	
Medium	Yes	B5	21902.2					Displacement	
Medium	Yes	B5	21863.5					Displacement	Displacement
Medium	Yes	B5	21841.0					Displacement	Displacement
Medium	Yes	B5	21813.5					Displacement	Displacement
Medium	Yes	B5	21766.5					Displacement	
Medium	Yes	B5	20873.2	Rough Xing			rough pavement panel	Utility Cover	Utility Cover
Medium	Yes	B5	20770.4	Rough Xing				Displacement	Displacement
Medium	Yes	B5	20715.1					Utility Cover	Utility Cover
Medium	Yes	B5	20585.0					Utility Cover	Utility Cover
Medium	Yes	B5	20284.2					Utility Cover	Utility Cover
Medium	Yes	B5	20321.5					Displacement	
Medium	Yes	B5	21646.1					Displacement	
Medium	Yes	B5	1613.9					Displacement	Displacement
Medium	Yes	B5	2192.4					Pot Hole	Pot Hole
Medium	Yes	B5	2382.7					Displacement	Displacement
Medium	Yes	B5	2685.3					Utility Cover	
Medium	Yes	B5	2943.6					Displacement	Displacement
Medium	Yes	B5	2981.7					Displacement	Displacement
Medium	Yes	B5	3038.5					Pot Hole	Pot Hole
Medium	Yes	B5	3985.1					Pot Hole	Pot Hole
Medium	Yes	B5	3974.6					Displacement	Displacement
Medium	Yes	B5	3910.9					Displacement	Displacement

Medium	Yes	B5	3896.5					Utility Cover	Utility Cover
Medium	Yes	B5	3829.2					Displacement	Displacement
Medium	Yes	B5	3763.1					Displacement	Displacement
Medium	Yes	B5	3703.3				rough section of sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	3151.7					Displacement	Displacement
Medium	Yes	B5	2955.0				rough sidewalk	Displacement	Displacement
Medium	Yes	B5	2283.3					Displacement	Displacement
Medium	Yes	B5	2242.7					Displacement	Displacement
Medium	Yes	B5	2124.1					Displacement	Displacement
Medium	Yes	B5	1902.4					Displacement	Displacement
Medium	Yes	B5	1820.9					Displacement	Displacement
Medium	Yes	B5	7668.4					Pot Hole	Pot Hole
Medium	Yes	B5	7884.3					Displacement	
Medium	Yes	B5	8164.1					Utility Cover	Utility Cover
Medium	Yes	B5	8184.5					Utility Cover	Utility Cover
Medium	Yes	B5	7969.0	Veg		Veg			
Medium	Yes	B5	7917.7					Displacement	
Medium	Yes	B5	7478.6					Displacement	Displacement
Medium	Yes	B5	9212.7					Displacement	Displacement
Medium	Yes	B8	280.5					Displacement	Displacement
Medium	Yes	B8	159.4					Displacement	
Medium	Yes	B8	135.9					Utility Cover	
Medium	Yes	B8	98.5					Displacement	
Medium	Yes	B8	31.0					Pot Hole	Pot Hole
Medium	Yes	B7	4187.0					Displacement	
Medium	Yes	B7	4170.3					Utility Cover	
Medium	Yes	B5	9735.4	Veg		Veg			
Medium	Yes	B5	9891.2					Displacement	
Medium	Yes	B5	10278.9					Displacement	
Medium	Yes	B5	10485.1					Displacement	
Medium	Yes	B5	10510.4					Pot Hole	Pot Hole
Medium	Yes	B5	10642.3					Displacement	Displacement
Medium	Yes	B5	10845.8					Displacement	Displacement
Medium	Yes	B5	11130.3					Displacement	Displacement
Medium	Yes	B5	12343.1				rough sidewalk	Utility Cover	
Medium	Yes	B5	12442.7	Other				Utility Cover	Utility Cover
Medium	Yes	B5	12626.2					Utility Cover	Utility Cover
Medium	Yes	B5	12761.2					Displacement	Displacement
Medium	Yes	B5	12830.9	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12915.6					Displacement	Displacement
Medium	Yes	B5	13072.6					Displacement	Displacement
Medium	Yes	B5	13176.8					Pot Hole	Pot Hole
Medium	Yes	B5	13118.1					Displacement	Displacement
Medium	Yes	B5	13045.9					Displacement	Displacement
Medium	Yes	B5	12946.4	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12538.4				rough sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	12505.8	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12421.5	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12401.8				rough sidewalk	Displacement	Displacement
Medium	Yes	B5	12306.2					Utility Cover	Utility Cover
Medium	Yes	B5	14312.1					Displacement	Displacement
Medium	Yes	B5	14278.9					Utility Cover	Utility Cover
Medium	Yes	B5	14230.5					Displacement	Utility Cover
Medium	Yes	B5	13986.1					Displacement	Displacement
Medium	Yes	B5	13810.9					Displacement	Displacement
Medium	Yes	B5	13601.3	Rough Xing				Displacement	Displacement
Medium	Yes	B5	13302.4					Pot Hole	Pot Hole
Medium	Yes	B5	13356.1					Displacement	Displacement
Medium	Yes	C1	26.0					Displacement	Displacement
Medium	Yes	B5	14054.7					Pot Hole	Pot Hole
Medium	Yes	B5	14100.5					Pot Hole	Pot Hole
Medium	Yes	B5	14465.0					Displacement	Displacement

Medium	Yes	B5	14650.2	Other			rough sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	15050.8					Displacement	Displacement
Medium	Yes	B5	15212.8					Displacement	Displacement
Medium	Yes	B5	15275.6					Utility Cover	Utility Cover
Medium	Yes	B5	15347.1					Displacement	Displacement
Medium	Yes	B5	15405.5					Displacement	Displacement
Medium	Yes	B10	6061.4					Displacement	Displacement
Medium	Yes	B10	6001.4					Displacement	Displacement
Medium	Yes	B10	5953.4					Displacement	Displacement
Medium	Yes	B5	15770.6					Pot Hole	Pot Hole
Medium	Yes	B5	15664.3					Pot Hole	Pot Hole
Medium	Yes	B5	15633.0					Utility Cover	Utility Cover
Medium	Yes	B5	15364.2					Displacement	
Medium	Yes	B5	15259.1					Displacement	
Medium	Yes	B5	15117.9					Displacement	Displacement
Medium	Yes	B5	14866.0					Displacement	
Medium	Yes	B5	14802.3					Displacement	Displacement
Medium	Yes	B5	14609.5					Displacement	
Medium	Yes	B5	14456.4					Pot Hole	Pot Hole
Medium	Yes	E8	797.8	Veg		Veg			
Medium	Yes	E8	713.0	Veg		Veg			
Medium	Yes	E8	635.3					Displacement	Displacement
Medium	Yes	E8	293.6					Utility Cover	Utility Cover
Medium	Yes	B5	17143.6					Displacement	Displacement
Medium	Yes	B5	17086.8					Displacement	Displacement
Medium	Yes	B5	16761.5					Utility Cover	Utility Cover
Medium	Yes	B5	15966.4	Veg		Veg		Displacement	
Medium	Yes	B5	16832.7					Displacement	Displacement
Medium	Yes	B5	17430.5					Utility Cover	Utility Cover
Medium	Yes	B5	17459.4					Utility Cover	Utility Cover
Medium	Yes	B5	17899.2					Utility Cover	Utility Cover
Medium	Yes	B5	17990.7					Displacement	
Medium	Yes	B5	18541.4					Utility Cover	Utility Cover
Medium	Yes	B5	18620.5					Displacement	Displacement
Medium	Yes	B5	18881.6					Displacement	Displacement
Medium	Yes	B5	19863.7				wide gaps between sidewalk panel	Displacement	Displacement
Medium	Yes	B5	20165.7					Displacement	Displacement
Medium	Yes	B5	19977.0					Utility Cover	
Medium	Yes	B5	19901.1					Displacement	Displacement
Medium	Yes	B5	19724.1					Displacement	
Medium	Yes	B5	19639.8					Displacement	Displacement
Medium	Yes	B5	19003.8					Displacement	
Medium	Yes	B5	18752.3					Utility Cover	Utility Cover
Medium	Yes	B5	18549.5					Displacement	Displacement
Medium	Yes	B5	18455.9	Veg		Veg			
Medium	Yes	B5	18052.2					Displacement	Displacement
Medium	Yes	B5	17960.5					Displacement	Displacement
Medium	Yes	B5	17456.6					Utility Cover	Utility Cover
Medium	Yes	B5	17354.0					Displacement	Displacement
Medium	Yes	B8	5773.7					Tree Well	
Medium	Yes	B8	5810.7					Tree Well	
Medium	Yes	B4	7328.5	Rough Xing				Displacement	
Medium	Yes	B4	4028.3	Rough Xing				Displacement	
Medium	Yes	B9	4036.7					Utility Cover	Utility Cover
Medium	Yes	B10	4351.9	Veg		Veg			
Medium	Yes	B10	4249.0					Displacement	Displacement
Medium	Yes	B10	2345.4					Displacement	Displacement
Medium	Yes	B10	1018.7	Veg	Veg	Veg			
Medium	Yes	B10	477.3					Utility Cover	Utility Cover
Medium	Yes	B10	292.9	Veg		Veg			
Medium	Yes	B10	44.5	Veg		Veg			
Medium	Yes	B10	1383.4	Other				Displacement	Displacement

Medium	Yes	B10	4773.3					Displacement	
Medium	Yes	B10	4697.5					Displacement	Displacement
Medium	Yes	B10	4622.1					Displacement	Displacement
Medium	Yes	B10	4778.6					Displacement	Displacement
Medium	Yes	B10	4864.4					Displacement	
Medium	Yes	B10	5255.3					Displacement	Displacement
Medium	Yes	B10	5343.9					Displacement	Displacement
Medium	Yes	B10	5403.7					Displacement	Utility Cover
Medium	Yes	B10	5619.9					Displacement	Displacement
Medium	Yes	B10	5773.4					Displacement	
Medium	Yes	B10	5731.3					Displacement	
Medium	Yes	B10	5481.3					Utility Cover	Utility Cover
Medium	Yes	B10	5467.8					Displacement	
Medium	Yes	B10	5396.1					Displacement	
Medium	Yes	B10	5197.4					Displacement	
Medium	Yes	B10	5135.4					Displacement	
Medium	Yes	B10	6098.5					Displacement	
Medium	Yes	B10	6145.6					Displacement	
Medium	Yes	B10	6829.4					Displacement	
Medium	Yes	B10	7186.2					Utility Cover	
Medium	Yes	B10	7062.1					Utility Cover	Utility Cover
Medium	Yes	B10	7025.8					Displacement	Displacement
Medium	Yes	B10	6912.0					Displacement	Displacement
Medium	Yes	B10	6828.5					Displacement	Displacement
Medium	Yes	B8	3983.8					Tree Well	
Medium	Yes	B8	3958.5					Tree Well	
Medium	Yes	B8	3900.7					Tree Well	
Medium	Yes	B8	3360.7					Tree Well	
Medium	Yes	B8	3317.3					Tree Well	
Medium	Yes	B8	3567.2					Tree Well	
Medium	Yes	B8	3747.1					Displacement	
Medium	Yes	B8	3775.7					Displacement	
Medium	Yes	B8	4187.8					Displacement	
Medium	Yes	B8	2483.2					Displacement	
Medium	Yes	B8	2457.1					Displacement	
Medium	Yes	B8	2151.1					Displacement	
Medium	Yes	B8	1904.5	Veg		Veg		Displacement	
Medium	Yes	B8	1409.9					Displacement	
Medium	Yes	B8	1365.3					Utility Cover	
Medium	Yes	B8	1284.8					Utility Cover	
Medium	Yes	B8	1245.4					Displacement	
Medium	Yes	B8	987.0					Utility Cover	Utility Cover
Medium	Yes	B8	1063.8					Utility Cover	Utility Cover
Medium	Yes	B8	1117.4					Displacement	Displacement
Medium	Yes	B4	3424.0					Displacement	
Medium	Yes	B4	2988.7					Displacement	Displacement
Medium	Yes	B4	1243.3					Displacement	
Medium	Yes	B4	1776.7					Displacement	
Medium	Yes	B4	1700.2					Displacement	Displacement
Medium	Yes	B4	38.7					Utility Cover	Utility Cover
Medium	Yes	A10	317.6					Utility Cover	Utility Cover
Medium	Yes	A10	1012.8					Displacement	
Medium	Yes	A10	409.0					Displacement	
Medium	Yes	B4	560.2					Displacement	
Medium	Yes	C1	7748.2					Displacement	Displacement
Medium	Yes	C1	7385.3					Displacement	Displacement
Medium	Yes	C1	7075.7					Displacement	Utility Cover
Medium	Yes	C1	7018.1	Veg		Veg			Displacement
Medium	Yes	C1	6951.4					Displacement	Displacement
Medium	Yes	C1	6367.7					Displacement	Displacement
Medium	Yes	C1	6227.2					Displacement	
Medium	Yes	C1	5985.5					Utility Cover	Utility Cover
Medium	Yes	C1	5501.5					Displacement	Displacement

Medium	Yes	C1	4307.0					Utility Cover	Utility Cover
Medium	Yes	C1	3662.7					Displacement	Displacement
Medium	Yes	C1	4849.2	Veg		Veg			
Medium	Yes	C1	6256.6					Utility Cover	Utility Cover
Medium	Yes	C1	6983.9					Displacement	
Medium	Yes	C1	2944.9					Pot Hole	Pot Hole
Medium	Yes	C1	2930.5					Pot Hole	Pot Hole
Medium	Yes	C1	2862.3	Veg		Veg			
Medium	Yes	C1	2609.6					Displacement	
Medium	Yes	C1	2375.5	Veg	Veg	Veg			
Medium	Yes	C1	2236.8					Displacement	
Medium	Yes	C1	2202.6					Displacement	
Medium	Yes	C1	2205.1					Displacement	Displacement
Medium	Yes	C1	2551.4					Displacement	Displacement
Medium	Yes	C1	3022.3					Displacement	Displacement
Medium	Yes	C1	3197.5					Displacement	
Medium	Yes	C1	3259.6					Displacement	
Medium	Yes	C1	3289.5					Displacement	
Medium	Yes	B7	4011.4					Utility Cover	Utility Cover
Medium	Yes	B7	3971.0					Displacement	Displacement
Medium	Yes	B7	3879.9					Displacement	Displacement
Medium	Yes	B7	3771.7					Displacement	Displacement
Medium	Yes	B7	3043.4					Utility Cover	Utility Cover
Medium	Yes	B7	671.7					Utility Cover	Utility Cover
Medium	Yes	B7	387.5	Veg		Veg			
Medium	Yes	B7	149.0					Utility Cover	Utility Cover
Medium	Yes	B7	568.6					Displacement	
Medium	Yes	B7	1195.4					Displacement	
Medium	Yes	B7	1477.6					Displacement	Displacement
Medium	Yes	B7	1917.1					Displacement	Displacement
Medium	Yes	B7	2219.7					Displacement	Displacement
Medium	Yes	B7	2779.7					Displacement	Displacement
Medium	Yes	B7	3005.3					Utility Cover	Utility Cover
Medium	Yes	B7	3263.3					Displacement	Displacement
Medium	Yes	B7	3362.6					Pot Hole	Pot Hole
Medium	Yes	B1	3484.7					Displacement	Displacement
Medium	Yes	B1	3936.3					Utility Cover	Utility Cover
Medium	Yes	B1	3378.6					Displacement	
Medium	Yes	B1	5701.0	Veg		Veg			
Medium	Yes	B1	5526.7	Veg		Veg			
Medium	Yes	B1	5393.6	Veg		Veg			
Medium	Yes	B1	5373.0	Veg	Veg			Displacement	Displacement
Medium	Yes	B1	4318.9					Displacement	Displacement
Medium	Yes	B1	4147.1					Pot Hole	Pot Hole
Medium	Yes	B1	4153.6	Veg		Veg			
Medium	Yes	B1	4337.4					Displacement	
Medium	Yes	B1	4820.0					Displacement	
Medium	Yes	B1	5054.0	Veg		Veg			
Medium	Yes	B1	5221.0					Displacement	
Medium	Yes	B1	5500.4					Displacement	
Medium	Yes	B1	5865.9	Veg		Veg			
Medium	Yes	B1	5922.8					Displacement	
Medium	Yes	B1	6773.0					Pot Hole	Pot Hole
Medium	Yes	B1	8282.0	Veg		Veg			
Medium	Yes	B1	10182.8					Displacement	
Medium	Yes	B1	10165.1					Displacement	Displacement
Medium	Yes	B1	9268.9					Displacement	Displacement
Medium	Yes	B9	1067.1					Displacement	
Medium	Yes	B9	1199.6	Veg		Veg			
Medium	Yes	B9	2717.5					Utility Cover	Utility Cover
Medium	Yes	B9	3422.2					Displacement	Displacement
Medium	Yes	B9	2884.4	Veg		Veg			
Medium	Yes	B9	1889.8					Utility Cover	

Medium	Yes	B9	1391.3					Displacement	
Medium	Yes	B6	339.5					Displacement	Displacement
Medium	Yes	B6	655.4					Displacement	Displacement
Medium	Yes	B6	928.6					Utility Cover	Utility Cover
Medium	Yes	B6	1376.4					Displacement	Displacement
Medium	Yes	B6	1820.9					Displacement	Displacement
Medium	Yes	B6	2171.4					Displacement	
Medium	Yes	B6	3008.3					Displacement	Displacement
Medium	Yes	B6	3260.5					Displacement	
Medium	Yes	B6	2657.2					Displacement	Displacement
Medium	Yes	B6	2064.9					Displacement	Displacement
Medium	Yes	B6	2079.0					Displacement	Displacement
Medium	Yes	B9	8182.9					Displacement	
Medium	Yes	B9	8209.0					Utility Cover	Utility Cover
Medium	Yes	B9	5488.7	Veg		Veg			
Medium	Yes	B9	7175.4					Displacement	Displacement
Medium	Yes	B5	62.5					Displacement	Displacement
Medium	Yes	B5	202.0					Displacement	
Medium	Yes	B5	210.2					Displacement	Displacement
Medium	Yes	B5	210.2					Displacement	
Medium	Yes	B5	243.8					Displacement	Displacement
Medium	Yes	B5	388.0					Displacement	Displacement
Medium	Yes	B5	494.5					Displacement	Utility Cover
Medium	Yes	B5	599.0					Displacement	Displacement
Medium	Yes	B5	691.8					Displacement	Displacement
Medium	Yes	B5	1025.3					Displacement	Displacement
Medium	Yes	B5	1025.3					Displacement	Displacement
Medium	Yes	B5	1061.9					Displacement	Displacement
Medium	Yes	E9	2168.7					Displacement	Utility Cover
Medium	Yes	E9	1754.7				picture 31	Utility Cover	Utility Cover
Medium	Yes	E9	1735.1					Displacement	Utility Cover
Medium	Yes	E9	1081.1					Displacement	Utility Cover
Medium	Yes	E9	674.2	Veg		Veg			
Medium	Yes	E9	604.1	Veg	Veg	Veg			
Medium	Yes	E9	513.6	Veg	Veg	Veg			
Medium	Yes	E9	420.6	Veg	Veg	Veg			
Medium	Yes	E9	320.4					Displacement	Displacement
Medium	Yes	E9	267.0					Displacement	Displacement
Medium	Yes	E9	231.6					Displacement	Displacement
Medium	Yes	E9	170.3					Displacement	Displacement
Medium	Yes	F2	531.4					Displacement	Displacement
Medium	Yes	F2	566.0					Pot Hole	Pot Hole
Medium	Yes	F2	766.2					Displacement	
Medium	Yes	F2	770.6					Pot Hole	Pot Hole
Medium	Yes	F2	804.3					Pot Hole	Pot Hole
Medium	Yes	F2	1104.0				pic 34	Pot Hole	Pot Hole
Medium	Yes	F1	1155.3					Displacement	Displacement
Medium	Yes	F1	1108.5					Displacement	Displacement
Medium	Yes	F1	942.0					Displacement	Displacement
Medium	Yes	F1	359.6	Tree		Veg			
Medium	Yes	F1	721.9					Utility Cover	Utility Cover
Medium	Yes	F1	747.4					Utility Cover	Utility Cover
Medium	Yes	F1	902.8					Utility Cover	Utility Cover
Medium	Yes	F1	1080.4					Utility Cover	Utility Cover
Medium	Yes	F2	2655.3					Displacement	Displacement
Medium	Yes	F2	3110.5					Displacement	Displacement
Medium	Yes	F2	5368.2					Displacement	Displacement
Medium	Yes	F2	5890.9					Utility Cover	Utility Cover
Medium	Yes	F2	6223.7					Displacement	Displacement
Medium	Yes	F2	6276.4					Displacement	Displacement
Medium	Yes	F2	6378.1					Displacement	Displacement
Medium	Yes	F2	6545.7					Pot Hole	Pot Hole
Medium	Yes	F2	6680.9					Pot Hole	Pot Hole

Medium	Yes	F2	6841.6					Utility Cover	Utility Cover
Medium	Yes	F2	6987.5					Displacement	Displacement
Medium	Yes	F2	8239.8					Utility Cover	Utility Cover
Medium	Yes	F2	8562.3					Utility Cover	Utility Cover
Medium	Yes	F2	8667.3					Utility Cover	Utility Cover
Medium	Yes	F2	8890.1					Displacement	Displacement
Medium	Yes	F2	8987.4					Displacement	Displacement
Medium	Yes	F2	9289.2					Utility Cover	Utility Cover
Medium	Yes	F2	11087.3					Displacement	
Medium	Yes	F2	11119.6					Displacement	Displacement
Medium	Yes	F3	345.4					Displacement	
Medium	Yes	F4	454.9			Veg			
Medium	Yes	F4	602.2			Veg			
Medium	Yes	F4	2498.9					Displacement	Displacement
Medium	Yes	F5	2080.5					Displacement	Displacement
Medium	Yes	A7	1859.1					Displacement	Displacement
Medium	Yes	A7	1919.1					Displacement	Displacement
Medium	Yes	A7	2015.0					Displacement	Displacement
Medium	Yes	A9	2564.0	Veg		Veg			
Medium	Yes	A9	2422.8	Veg		Veg			
Medium	Yes	A9	2051.8	Veg		Veg			
Medium	Yes	A9	21233.7					Displacement	
Medium	Yes	A9	23426.3	Other			drainage cover moves	Displacement	Displacement
Medium	Yes	A9	23249.5					Displacement	
Medium	Yes	A9	23169.5					Displacement	
Medium	Yes	A9	23087.3					Displacement	
Medium	Yes	A9	22543.2					Utility Cover	Utility Cover
Medium	Yes	A9	23744.6					Displacement	Displacement
Medium	Yes	A9	23783.3					Displacement	
Medium	Yes	A9	23807.2					Displacement	
Medium	Yes	A9	24063.0					Displacement	Displacement
Medium	Yes	A9	24336.5					Displacement	Displacement
Medium	Yes	A9	24834.9					Displacement	
Medium	Yes	A9	24856.5					Displacement	Displacement
Medium	Yes	A9	25706.2					Displacement	Displacement
Medium	Yes	A9	25769.9					Displacement	Displacement
Medium	Yes	A9	27984.3					Displacement	
Medium	Yes	A9	29273.1					Displacement	
Medium	Yes	A9	29315.8					Displacement	
Medium	Yes	A9	29560.2					Displacement	Displacement
Medium	Yes	A9	35239.3					Displacement	
Medium	Yes	A9	35150.8					Displacement	Displacement
Medium	Yes	A9	34954.3					Displacement	Displacement
Medium	Yes	A9	34922.4					Displacement	Displacement
Medium	Yes	A9	34860.7					Pot Hole	Pot Hole
Medium	Yes	A9	34347.1					Pot Hole	Pot Hole
Medium	Yes	A9	34266.2					Displacement	Displacement
Medium	Yes	A9	33852.8					Displacement	Displacement
Medium	Yes	A9	33386.7				pic 46	Utility Cover	Utility Cover
Medium	Yes	A9	33227.0				37.6%	Displacement	
Medium	Yes	A9	32996.8					Displacement	Displacement
Medium	Yes	A9	32948.8					Displacement	Displacement
Medium	Yes	A9	32198.7				sidewalk panel with very rough pavement	Displacement	Displacement
Medium	Yes	A9	31871.3	Other			missing sidewalk panel	Displacement	Displacement
Medium	Yes	A9	31578.4					Displacement	Displacement
Medium	Yes	A9	31294.3					Displacement	Displacement
Medium	Yes	A9	35327.1					Pot Hole	Pot Hole
Medium	Yes	A9	35542.9					Displacement	Displacement
Medium	Yes	A9	42966.1					Displacement	Displacement
Medium	Yes	A9	42878.8					Utility Cover	Utility Cover
Medium	Yes	A9	42462.2					Displacement	
Medium	Yes	A9	41960.7					Displacement	Displacement

Medium	Yes	A9	41917.5					Displacement	Displacement
Medium	Yes	A9	41806.6					Displacement	Displacement
Medium	Yes	A9	41652.9					Displacement	Displacement
Medium	Yes	A9	41589.2					Utility Cover	Utility Cover
Medium	Yes	A9	41545.1					Displacement	Displacement
Medium	Yes	A9	41034.2					Displacement	Displacement
Medium	Yes	A9	40847.9					Displacement	Displacement
Medium	Yes	A9	40768.7					Displacement	Displacement
Medium	Yes	A9	40229.3					Displacement	Displacement
Medium	Yes	A9	39295.5					Utility Cover	Utility Cover
Medium	Yes	A9	39261.9					Displacement	Displacement
Medium	Yes	A9	37962.1					Displacement	
Medium	Yes	A9	37906.3					Displacement	Displacement
Medium	Yes	A9	50369.3					Displacement	Displacement
Medium	Yes	A9	50054.5					Displacement	Displacement
Medium	Yes	A9	50095.0					Displacement	Displacement
Medium	Yes	A9	49356.2	Other				Utility Cover	Utility Cover
Medium	Yes	A9	47078.4					Utility Cover	Utility Cover
Medium	Yes	A9	46503.7					Utility Cover	Utility Cover
Medium	Yes	A9	46279.2					Displacement	Displacement
Medium	Yes	A9	45206.4					Utility Cover	Utility Cover
Medium	Yes	A9	45019.4					Displacement	
Medium	Yes	A9	44971.2					Utility Cover	Utility Cover
Medium	Yes	A9	44583.2					Displacement	Displacement
Medium	Yes	A9	44327.2					Utility Cover	Utility Cover
Medium	Yes	A9	43659.6					Utility Cover	Utility Cover
Medium	Yes	E1	8902.8					Utility Cover	Utility Cover
Medium	Yes	E1	8967.0					Displacement	Displacement
Medium	Yes	E4	2956.8					Displacement	
Medium	Yes	E1	7487.7					Pot Hole	Pot Hole
Medium	Yes	E1	7489.7					Displacement	Displacement
Medium	Yes	E1	7486.9					Displacement	Displacement
Medium	Yes	E1	7485.3					Displacement	Displacement
Medium	Yes	E4	2831.2	Other			sidewalk ends	Displacement	Displacement
Medium	Yes	E4	383.7					Displacement	Displacement
Medium	Yes	E4	280.7					Displacement	Displacement
Medium	Yes	E4	218.1					Displacement	Displacement
Medium	Yes	E4	176.2					Displacement	Displacement
Medium	Yes	E4	122.7					Displacement	
Medium	Yes	E1	8991.9					Displacement	
Medium	Yes	E1	9015.2					Displacement	Displacement
Medium	Yes	E1	9037.9					Displacement	Displacement
Medium	Yes	E1	9240.3				tree roots, 10.3 xslope	Displacement	
Medium	Yes	E1	9516.3					Displacement	Displacement
Medium	Yes	E1	9521.5					Displacement	
Medium	Yes	E1	9800.8					Utility Cover	Utility Cover
Medium	Yes	E1	9806.4					Displacement	Displacement
Medium	Yes	E1	9935.9					Displacement	
Medium	Yes	E1	10059.1					Displacement	
Medium	Yes	E1	10732.7					Displacement	Displacement
Medium	Yes	E10	1933.2					Displacement	
Medium	Yes	E2	1300.4					Displacement	Displacement
Medium	Yes	E2	400.7					Displacement	Displacement
Medium	Yes	E2	298.2					Displacement	Displacement
Medium	Yes	C3	27994.6				wide gaps between sidewalk panels	Displacement	Displacement
Medium	Yes	C3	27627.6					Displacement	Displacement
Medium	Yes	C3	27392.7					Displacement	Displacement
Medium	Yes	C3	27207.3				cross slope = 4.7	Displacement	Displacement
Medium	Yes	C3	27131.9	Veg		Veg			
Medium	Yes	C3	26725.6					Displacement	Displacement
Medium	Yes	C3	26615.7	Veg		Veg			
Medium	Yes	C3	25784.0					Displacement	Displacement

Medium	Yes	C3	24581.3					Displacement	Displacement
Medium	Yes	C3	23832.8					Utility Cover	Utility Cover
Medium	Yes	C3	23612.0					Utility Cover	Utility Cover
Medium	Yes	C3	23171.6	Veg		Veg			
Medium	Yes	C3	23056.9	Veg		Veg			
Medium	Yes	C3	21938.0					Pot Hole	Utility Cover
Medium	Yes	C3	21911.4					Displacement	Displacement
Medium	Yes	C3	21864.0					Displacement	Displacement
Medium	Yes	C3	21537.2					Displacement	
Medium	Yes	C3	21430.6					Displacement	
Medium	Yes	C3	21144.8					Displacement	
Medium	Yes	C3	21073.5					Displacement	
Medium	Yes	C3	19253.8			Veg			
Medium	Yes	D7	2979.8				xslope 8.5	Displacement	
Medium	Yes	D7	3021.6					Utility Cover	Utility Cover
Medium	Yes	E1	1555.8					Utility Cover	Utility Cover
Medium	Yes	D9	648.4					Displacement	Displacement
Medium	Yes	D9	591.6					Utility Cover	Utility Cover
Medium	Yes	D9	421.8	Veg	Veg			Displacement	Displacement
Medium	Yes	D9	364.1					Displacement	Displacement
Medium	Yes	D9	311.0					Displacement	Displacement
Medium	Yes	D9	165.3					Displacement	Displacement
Medium	Yes	D9	100.6	Veg		Veg			
Medium	Yes	D9	93.6					Displacement	
Medium	Yes	D9	1209.8					Displacement	Displacement
Medium	Yes	D9	1336.4				patched running slope = 9.1	Displacement	
Medium	Yes	E1	3094.3					Displacement	Displacement
Medium	Yes	E1	3158.0					Displacement	Displacement
Medium	Yes	E1	3204.1					Utility Cover	Utility Cover
Medium	Yes	E1	3412.0	Veg	Veg			Displacement	Displacement
Medium	Yes	E1	3806.6					Displacement	
Medium	Yes	E3	1296.0					Displacement	
Medium	Yes	E3	1280.4	Veg		Veg			
Medium	Yes	E3	1258.8	Veg		Veg			
Medium	Yes	E3	1213.9					Displacement	
Medium	Yes	E3	1062.4					Displacement	
Medium	Yes	E3	774.2					Displacement	
Medium	Yes	E3	705.6					Displacement	
Medium	Yes	E3	494.4	Veg		Veg			
Medium	Yes	E3	439.6	Veg		Veg			
Medium	Yes	C3	14549.1					Displacement	Displacement
Medium	Yes	C3	14891.3					Displacement	
Medium	Yes	C3	15571.1					Pot Hole	Pot Hole
Medium	Yes	C3	16059.8					Utility Cover	Utility Cover
Medium	Yes	C3	16245.4					Utility Cover	Utility Cover
Medium	Yes	C3	16527.7					Utility Cover	Utility Cover
Medium	Yes	C3	16894.0					Displacement	Displacement
Medium	Yes	C3	17642.2					Utility Cover	Utility Cover
Medium	Yes	D7	2053.2					Displacement	Displacement
Medium	Yes	D7	1907.3					Utility Cover	Utility Cover
Medium	Yes	D7	1828.6					Pot Hole	Pot Hole
Medium	Yes	D7	1616.6					Utility Cover	Utility Cover
Medium	Yes	D7	1246.6					Utility Cover	Utility Cover
Medium	Yes	D6	4502.2					Displacement	Displacement
Medium	Yes	D6	4961.6					Utility Cover	Utility Cover
Medium	Yes	D6	5200.6			Veg			
Medium	Yes	D6	5471.1					Displacement	
Medium	Yes	D6	6838.2					Utility Cover	
Medium	Yes	D4	3288.6					Utility Cover	Utility Cover
Medium	Yes	D4	3365.5					Displacement	
Medium	Yes	D4	3623.2					Displacement	
Medium	Yes	D5	79.6					Displacement	

Medium	Yes	D5	537.4					Displacement	
Medium	Yes	D5	1953.7					Utility Cover	
Medium	Yes	D5	1922.1					Displacement	
Medium	Yes	D5	1906.7					Displacement	
Medium	Yes	C9	8214.2					Displacement	Displacement
Medium	Yes	C9	7714.2					Displacement	Displacement
Medium	Yes	C9	7629.2	Veg		Veg			
Medium	Yes	C9	7290.8					Utility Cover	Utility Cover
Medium	Yes	C9	6480.9					Pot Hole	Pot Hole
Medium	Yes	C9	6386.2					Pot Hole	Pot Hole
Medium	Yes	C9	5794.8					Displacement	
Medium	Yes	C9	5765.6					Displacement	Displacement
Medium	Yes	C9	5084.2					Displacement	Displacement
Medium	Yes	C9	4112.6					Utility Cover	
Medium	Yes	C9	1618.7			Veg			
Medium	Yes	C9	1559.2			Veg			
Medium	Yes	C9	1206.0					Utility Cover	
Medium	Yes	C9	506.7					Displacement	
Medium	Yes	C9	367.1					Utility Cover	Utility Cover
Medium	Yes	C3	10890.7					Displacement	Utility Cover
Medium	Yes	C3	10858.0				pic 53	Displacement	Displacement
Medium	Yes	C3	6596.7				major displacement	Displacement	Displacement
Medium	Yes	C3	6822.1					Displacement	Displacement
Medium	Yes	C3	7811.5					Displacement	Displacement
Medium	Yes	C3	7826.3					Displacement	
Medium	Yes	C3	8002.4					Displacement	Displacement
Medium	Yes	C3	8080.0					Displacement	Displacement
Medium	Yes	C3	8313.6					Displacement	Displacement
Medium	Yes	C3	8451.9					Displacement	Displacement
Medium	Yes	C3	9214.7					Displacement	Displacement
Medium	Yes	C10	142.9					Displacement	
Medium	Yes	C10	168.9					Displacement	Displacement
Medium	Yes	C10	192.3					Displacement	Displacement
Medium	Yes	C10	271.7					Displacement	Displacement
Medium	Yes	C10	885.0	Veg		Veg			
Medium	Yes	C10	1255.1	Veg		Veg			
Medium	Yes	F2	12249.6	Other			signal button pole		
Medium	Yes	F2	12663.6	Other			mail box		
Medium	Yes	A9	29148.5				light	Other	
Medium	Yes	A9	29188.0				light	Other	
Medium	Yes	A9	29216.6				light	Other	
Medium	Yes	E1	7300.0	Other			usps mail box		
Medium	Yes	C3	8991.6				severe ramp up and down	Other	
Medium	Yes	C7	126.9	Sign Pole			bent		
Medium	Yes	B1	10418.1	Other			signal cabinet		
Medium	Yes	D1	2005.2	Other			bus bench		
Medium	Yes	B2	341.3	Other			mail boxes		
Medium	Yes	B2	195.1	Other			mail boxes		
Medium	Yes	B2	58.5	Other			mail boxes		
Medium	Yes	B2	9.3	Other			mb		
Medium	Yes	B2	0.0	Other			mb		
Medium	Yes	B2	0.0	Other			mb		
Medium	Yes	C6	1341.7	Other			fire hydrant		
Medium	Yes	C5	3325.1				fire hydrant middle of sidewalk		
Medium	Yes	C2	4019.1				triangle cut out of sidewalk		Pot Hole
Medium	Yes	C2	559.3				missing pieces of sidewalk	Other	
Medium	Yes	C4	1498.6				meter pole		
Medium	Yes	C4	3235.3				missing piece of sidewalk	Other	
Medium	Yes	C4	3369.1				missing sidewalk x3	Other	

Medium	Yes	A1	2638.8	Rough Xing			2-3 inch lip		
Medium	Yes	A1	5605.0	Rough Xing			missing sidewalk panel		
Medium	Yes	A3	2863.9	Rough Xing			horrible pavement condition		
Medium	Yes	A3	2748.2	Rough Xing			horrible pavement condition		
Medium	Yes	A3	1895.8				very rough pavement		
Medium	Yes	A4	2087.8				broken		Tree Well
Medium	Yes	A5	2039.2				very rough pavement		
Medium	Yes	A5	1031.8	Other			dumpster in sidewalk		
Medium	Yes	B5	20716.6	Other			very rough pavement panel		
Medium	Yes	B5	21763.3	Other			missing sidewalk panel		
Medium	Yes	B10	3911.4	Other			very rough section of pavement		
Medium	Yes	B7	4099.9	Other			fire hydrant		
Medium	Yes	A9	34579.8	Other			fire hydrant and horizontal and vertical displacement		
Medium	Yes	A9	46117.6				sewer grate	Other	Other
Medium	Yes	D9	175.0	Other			sharp dropoff		
Medium	Yes	D4	3494.8	Other			missing sidewalk panel		
Medium	No	B5	48.6						Displacement
Medium	No	B5	94.4						Displacement
Medium	No	B5	158.0						Pot Hole
Medium	No	B5	174.1						Utility Cover
Medium	No	B5	213.7						Displacement
Medium	No	B5	314.8						Displacement
Medium	No	B5	352.2						Displacement
Medium	No	B5	376.9						Pot Hole
Medium	No	B5	616.8						Displacement
Medium	No	B5	638.9						Utility Cover
Medium	No	B5	658.6						Pot Hole
Medium	No	B5	728.6						Utility Cover
Medium	No	B5	858.5						Displacement
Medium	No	B5	977.2				rough	Other	
Medium	No	B5	1029.2						Pot Hole
Medium	No	B5	1124.4						Pot Hole
Medium	No	F2	229.5						Displacement
Medium	No	F1	2254.4						Displacement
Medium	No	F2	2650.4	Veg	Veg				
Medium	No	F2	3921.0						Pot Hole
Medium	No	F2	4316.7						Displacement
Medium	No	F2	5961.5						Pot Hole
Medium	No	F2	5995.8						Pot Hole
Medium	No	F2	6372.2	Veg	Veg				
Medium	No	F2	7484.3						Utility Cover
Medium	No	F2	8405.5						Displacement
Medium	No	F2	8505.7						Displacement
Medium	No	F2	9901.5						Pot Hole
Medium	No	F2	12155.0						Pot Hole
Medium	No	F2	13264.2						Pot Hole
Medium	No	F2	13478.0	Veg	Veg				
Medium	No	F2	14199.9				rough crossing		
Medium	No	F2	14055.9	Other			rough crossing		
Medium	No	F2	12174.5						Pot Hole
Medium	No	F2	12004.0						Pot Hole
Medium	No	F2	11951.1						Pot Hole
Medium	No	A7	76.3	Veg	Veg				
Medium	No	A7	51.9	Veg	Veg				
Medium	No	A7	106.3	Veg	Veg				
Medium	No	A7	187.0	Veg	Veg				
Medium	No	A7	220.6	Veg	Veg				

Medium	No	A8	966.5	Median					
Medium	No	A9	11281.6						Displacement
Medium	No	A9	21588.5						Utility Cover
Medium	No	A9	22296.5						Displacement
Medium	No	A9	22354.6						Displacement
Medium	No	A9	22899.1						Pot Hole
Medium	No	A9	23056.3						Displacement
Medium	No	A9	23164.8						Displacement
Medium	No	A9	23361.1						Displacement
Medium	No	A9	23372.0						Displacement
Medium	No	A9	23389.4						Displacement
Medium	No	A9	23454.4						Displacement
Medium	No	A9	23881.8						Displacement
Medium	No	A9	24851.4						Displacement
Medium	No	A9	25215.0						Displacement
Medium	No	A9	25489.4						Displacement
Medium	No	A9	25591.4				rough crossing	Other	
Medium	No	A9	25958.4						Displacement
Medium	No	A9	26355.2						Displacement
Medium	No	A9	26435.1						Pot Hole
Medium	No	A9	26617.1						Displacement
Medium	No	A9	26743.9						Displacement
Medium	No	A9	27000.1	Rough Xing					
Medium	No	A9	29304.2						Displacement
Medium	No	C5	39.1	Rough Xing					
Medium	No	A9	30289.8	Rough Xing					
Medium	No	A9	30588.4	Rough Xing					
Medium	No	A9	33493.3						Utility Cover
Medium	No	A9	33322.5	Rough Xing					
Medium	No	A9	32218.1	Rough Xing					
Medium	No	A9	36013.8						
Medium	No	A9	36014.5						
Medium	No	A9	36027.7	Median					
Medium	No	A9	36421.8						Utility Cover
Medium	No	A10	10992.8	Median			no sidewalk		
Medium	No	A9	42762.3	Median					
Medium	No	A9	42443.6	Rough Xing					
Medium	No	D7	32.8	Rough Xing					
Medium	No	A9	42258.4						Utility Cover
Medium	No	A9	41868.1						Pot Hole
Medium	No	A9	41798.3	Veg	Veg				
Medium	No	A9	41386.7						Displacement
Medium	No	A9	41154.2	Rough Xing					
Medium	No	A9	39216.5	Rough Xing					
Medium	No	A9	38079.1	Rough Xing					
Medium	No	A9	36936.0						Utility Cover
Medium	No	A9	37041.7						Utility Cover
Medium	No	E4	5776.5						Displacement
Medium	No	E4	5763.7	Rough Xing					
Medium	No	A9	50273.0						Utility Cover
Medium	No	A9	49980.8	Rough Xing					
Medium	No	A9	49457.4						Utility Cover
Medium	No	E4	68.2	Rough Xing					
Medium	No	E4	52.1	Rough Xing					
Medium	No	A9	49082.3						Pot Hole
Medium	No	A9	48602.7				broken sidewalk tile		Utility Cover
Medium	No	E3	64.6	Rough Xing					
Medium	No	E3	57.4						
Medium	No	E3	42.7	Rough Xing					
Medium	No	A9	47660.0	Rough Xing					
Medium	No	A9	47590.3	Rough Xing					
Medium	No	A9	47539.8						Pot Hole
Medium	No	A9	47497.3						Displacement

Medium	No	A9	46543.8					Other	
Medium	No	A9	46412.6						Displacement
Medium	No	A9	46303.2	Sign Pole					
Medium	No	A9	46129.6	Rough Xing					
Medium	No	A9	46105.7				no sidewalks between ramps		
Medium	No	A9	45932.6	Median			porkchop island, 3 ramps, no sidewalk		
Medium	No	A9	45423.3						Displacement
Medium	No	E4	5706.0						Utility Cover
Medium	No	E4	1266.7	Veg		Tree Limb			
Medium	No	E4	1223.1	Veg		Tree Limb			
Medium	No	E4	119.6						Displacement
Medium	No	E1	6904.4						Pot Hole
Medium	No	E1	7157.9				bike tracks in cement	Other	
Medium	No	E1	7415.0						Pot Hole
Medium	No	E1	7519.7	Rough Xing					
Medium	No	E1	9028.3						Pot Hole
Medium	No	E1	9110.9						Pot Hole
Medium	No	E1	9179.0						Pot Hole
Medium	No	E1	9248.1						Pot Hole
Medium	No	E1	11105.3	Veg	Veg				
Medium	No	E10	1791.3	Rough Xing					
Medium	No	E2	1319.0	Rough Xing					
Medium	No	E2	1087.5	Rough Xing					
Medium	No	C3	26179.8						Displacement
Medium	No	C3	25675.0						Displacement
Medium	No	C3	25552.7						Displacement
Medium	No	C3	25257.1						Displacement
Medium	No	C3	24226.9	Veg	Veg				
Medium	No	C3	24043.9	Veg	Veg				
Medium	No	C3	24083.8	Veg	Veg				
Medium	No	C3	24016.0						Pot Hole
Medium	No	C3	23961.4	Veg			big bush in middle of landing		
Medium	No	C3	23922.3	Rough Xing					
Medium	No	C3	23174.4						Displacement
Medium	No	C3	22774.8						Pot Hole
Medium	No	C3	20944.6						Displacement
Medium	No	D8	881.0						Utility Cover
Medium	No	D8	676.9	Rough Xing					
Medium	No	D8	360.1						Utility Cover
Medium	No	C3	19743.7	Veg	Veg				
Medium	No	C3	18902.8	Veg	Veg				
Medium	No	D7	2395.7						Pot Hole
Medium	No	D7	2670.4						Displacement
Medium	No	D7	3600.5	Rough Xing					
Medium	No	D7	4050.6						Pot Hole
Medium	No	D7	4491.2						Displacement
Medium	No	E1	646.4	Veg					
Medium	No	E1	466.8	Rough Xing					
Medium	No	E1	1028.8	Rough Xing					
Medium	No	E1	3796.1						Displacement
Medium	No	E1	4938.4	Veg	Veg				
Medium	No	E1	5265.5	Rough Xing					
Medium	No	E3	2322.8	Rough Xing					
Medium	No	E3	207.0					Other	
Medium	No	C3	13328.7						Displacement
Medium	No	C3	13423.9						Displacement
Medium	No	C3	13452.6						Pot Hole
Medium	No	C3	13560.6						Pot Hole
Medium	No	C3	13586.1						Displacement
Medium	No	C3	14146.9						Displacement

Medium	No	C3	14393.1						Displacement
Medium	No	C3	14975.3						Displacement
Medium	No	C3	15026.8						Displacement
Medium	No	C3	15121.6						Displacement
Medium	No	C3	15262.5						Pot Hole
Medium	No	C3	15532.0	Rough Xing					
Medium	No	C3	15763.7						Pot Hole
Medium	No	C3	15815.2						Pot Hole
Medium	No	C3	15855.9				X3		Displacement
Medium	No	C3	16436.8						Displacement
Medium	No	C3	16849.9	Veg	Veg		x2		
Medium	No	C3	16961.1						Displacement
Medium	No	C3	18334.5	Veg	Veg				
Medium	No	D7	2030.5						Pot Hole
Medium	No	D7	1577.1						Pot Hole
Medium	No	D7	1455.1				parallel to sidewalk 8 ft		Displacement
Medium	No	D7	1382.6						Displacement
Medium	No	D7	1238.3		Veg				
Medium	No	D7	978.4	Veg	Veg				
Medium	No	D7	786.6						Pot Hole
Medium	No	D7	610.3						Displacement
Medium	No	D7	611.3						Pot Hole
Medium	No	D7	402.3				asphalt patch		
Medium	No	D7	249.8						Utility Cover
Medium	No	D6	3668.6						Displacement
Medium	No	D6	3638.8						Displacement
Medium	No	D6	3562.7	Veg	Veg				
Medium	No	D6	3527.8	Veg	Veg				
Medium	No	D6	3454.9	Veg	Veg				
Medium	No	D6	2518.7						Pot Hole
Medium	No	D6	2407.6	Veg	Veg				
Medium	No	D6	2121.8	Veg	Veg		in sidewalk crack		
Medium	No	D6	2051.4						Displacement
Medium	No	D6	1937.6						Displacement
Medium	No	D6	1897.0						Pot Hole
Medium	No	D6	1899.7				x3		Displacement
Medium	No	D6	1775.0						Pot Hole
Medium	No	D6	1623.4						Displacement
Medium	No	D6	1577.3						Displacement
Medium	No	D6	1120.9	Veg	Veg				
Medium	No	D6	836.5						Tree Well
Medium	No	D6	685.0						Tree Well
Medium	No	D6	546.8						Displacement
Medium	No	D6	370.9						Pot Hole
Medium	No	D6	246.3						Pot Hole
Medium	No	D6	220.4				x5		Pot Hole
Medium	No	D6	695.5						Pot Hole
Medium	No	D6	1548.6						Displacement
Medium	No	D6	1600.0				x2		Displacement
Medium	No	D6	1697.6	Rough Xing					
Medium	No	D6	1811.4	Rough Xing					
Medium	No	D6	2955.7						Pot Hole
Medium	No	D6	3307.9				x4		Displacement
Medium	No	D6	3416.2						Displacement
Medium	No	D6	3546.2	Rough Xing					
Medium	No	D6	3649.1						Pot Hole
Medium	No	D4	2355.0						Displacement
Medium	No	D4	1975.3	Veg	Veg				
Medium	No	D4	1463.5						Pot Hole
Medium	No	D4	2384.8	Veg	Veg				
Medium	No	C9	5857.6	Rough Xing					
Medium	No	D4	2627.1						Displacement
Medium	No	D4	4190.3	Veg	Veg				

Medium	No	D4	5954.9	Veg	Veg				
Medium	No	C9	6074.1	Veg	Veg				
Medium	No	C9	5484.8						Displacement
Medium	No	C9	4980.7	Rough Xing					
Medium	No	C3	11077.1	Rough Xing					
Medium	No	C3	11530.2						Displacement
Medium	No	C9	3457.6						Pot Hole
Medium	No	C9	3350.4	Veg	Veg				
Medium	No	C9	2918.2						Pot Hole
Medium	No	C9	1033.7	Rough Xing					
Medium	No	C3	10018.8		Veg				
Medium	No	C3	10108.1		Veg				
Medium	No	C3	198.3	Rough Xing					
Medium	No	B8	401.6	Rough Xing					
Medium	No	B8	403.2	Median					
Medium	No	B8	405.8	Median			no sidewalk between ramps		
Medium	No	C3	5023.2		Veg				
Medium	No	C3	4805.4						Displacement
Medium	No	C3	4678.9		Veg		many		
Medium	No	C3	5328.1						Displacement
Medium	No	C3	7927.1						Pot Hole
Medium	No	C3	8364.3						Pot Hole
Medium	No	C3	8358.1						Pot Hole
Medium	No	C3	8445.4						Displacement
Medium	No	C3	8580.7				x3		Pot Hole
Medium	No	C3	8671.0						Utility Cover
Medium	No	C3	8680.4						Pot Hole
Medium	No	C3	8761.3						Pot Hole
Medium	No	C3	8796.7				x2 in driveway		Pot Hole
Medium	No	C3	8902.0				x2		Pot Hole
Medium	No	C3	8950.3						Pot Hole
Medium	No	C10	1284.6	Rough Xing					
Medium	No	C8	395.0		Veg				
Medium	No	C8	375.8		Veg				
Medium	No	C7	1485.0		Veg				
Medium	No	D1	4045.6	Rough Xing					
Medium	No	C7	3074.1		Veg				
Medium	No	C7	3128.1	Veg					
Medium	No	C7	4449.3		Veg				
Medium	No	C7	3711.8	Rough Xing					
Medium	No	C7	2901.1	Rough Xing					
Medium	No	C7	1954.8		Veg				
Medium	No	C7	1899.3		Veg				
Medium	No	C7	1476.8		Veg				
Medium	No	B1	14441.7				x2		Pot Hole
Medium	No	B1	11900.0				x3		Pot Hole
Medium	No	B1	10483.6						Pot Hole
Medium	No	B1	11191.8						Pot Hole
Medium	No	B1	11267.7				x2		Pot Hole
Medium	No	B1	11489.8						Pot Hole
Medium	No	B1	11890.5						Pot Hole
Medium	No	B1	15345.8	Rough Xing					
Medium	No	B1	15788.8						Pot Hole
Medium	No	D1	4668.7	Veg	Veg				
Medium	No	D1	4820.6	Veg	Veg				
Medium	No	D1	3789.7		Veg				
Medium	No	D1	4149.9		Veg				
Medium	No	D1	2931.8	Rough Xing					
Medium	No	D1	2453.6		Veg				
Medium	No	D1	2215.9	Rough Xing					
Medium	No	D1	1995.2		Veg				
Medium	No	D1	1560.8		Veg				

Medium	No	D1	966.3			Tree Limb			
Medium	No	C4	2883.9	Rough Xing					
Medium	No	D1	107.9		Veg				
Medium	No	D1	1232.4						Pot Hole
Medium	No	D1	1722.7					Other	Pot Hole
Medium	No	D1	1770.2		Veg				
Medium	No	D1	2211.3	Rough Xing					
Medium	No	D1	2190.4	Rough Xing					
Medium	No	D1	3525.3			Tree Limb			
Medium	No	A10	9724.2		Veg				
Medium	No	A10	9967.2	Other					
Medium	No	A10	9716.2						
Medium	No	A10	10189.0	Rough Xing					
Medium	No	A10	10765.3				x5		Pot Hole
Medium	No	A10	10328.5						Pot Hole
Medium	No	A10	9379.4						
Medium	No	A10	6415.2						Pot Hole
Medium	No	A10	7291.0						Displacement
Medium	No	A10	8444.2	Veg	Veg				
Medium	No	A10	8453.4						Pot Hole
Medium	No	A10	8573.7						Pot Hole
Medium	No	A10	8807.4						Pot Hole
Medium	No	A10	8530.4						Pot Hole
Medium	No	A10	8425.9						Pot Hole
Medium	No	A10	7169.5						Pot Hole
Medium	No	A10	5699.2						Pot Hole
Medium	No	A10	5551.8						Pot Hole
Medium	No	A10	5351.1						Pot Hole
Medium	No	A10	4929.4						Utility Cover
Medium	No	A10	4537.8						Pot Hole
Medium	No	A10	4304.6						Displacement
Medium	No	A10	4236.8						Pot Hole
Medium	No	A10	3690.5						Pot Hole
Medium	No	A10	3529.0	Veg	Veg				
Medium	No	A10	2985.6	Rough Xing					
Medium	No	A10	3834.4						Pot Hole
Medium	No	B3	1978.7	Rough Xing					
Medium	No	B2	7232.5	Rough Xing					
Medium	No	B2	7209.1	Rough Xing					
Medium	No	B2	7231.0	Rough Xing					
Medium	No	B2	7261.7	Rough Xing					
Medium	No	B2	11225.7	Rough Xing					
Medium	No	B2	11475.7						
Medium	No	B2	11487.4	Rough Xing					
Medium	No	B2	11501.2	Rough Xing					
Medium	No	B2	14254.3	Rough Xing					
Medium	No	B2	14318.5	Rough Xing					
Medium	No	B2	14289.5	Rough Xing					
Medium	No	B2	14279.1	Rough Xing					
Medium	No	B2	16296.6	Rough Xing					
Medium	No	B2	17031.2	Rough Xing					
Medium	No	B2	17337.5	Rough Xing					
Medium	No	B2	17866.5	Rough Xing					
Medium	No	B2	17521.2	Rough Xing					
Medium	No	B2	17574.1	Rough Xing					
Medium	No	B2	17545.1	Rough Xing					
Medium	No	B2	17503.8	Rough Xing					
Medium	No	B2	17225.1		Veg				
Medium	No	B2	18871.8	Veg	Veg				
Medium	No	D2	306.3						Displacement
Medium	No	D2	777.6	Rough Xing					
Medium	No	C6	1027.9		Veg				Tree Well
Medium	No	C6	1873.9		Veg				

Medium	No	C6	1826.0		Veg				
Medium	No	C5	9472.5	Rough Xing					
Medium	No	C5	9965.2						
Medium	No	C5	8621.4						Displacement
Medium	No	C5	8850.7						Displacement
Medium	No	C5	8598.6						Displacement
Medium	No	C6	3215.8	Rough Xing					
Medium	No	C5	6681.3		Veg				
Medium	No	C5	8559.3	Median					
Medium	No	C5	9031.8		Veg				
Medium	No	C5	3713.0						Pot Hole
Medium	No	C5	2923.7				x2		Pot Hole
Medium	No	C5	2435.1						Pot Hole
Medium	No	C5	2203.3						Pot Hole
Medium	No	C5	2174.9						Pot Hole
Medium	No	C5	2215.0						Utility Cover
Medium	No	C5	3838.2						Pot Hole
Medium	No	C2	4759.1	Veg	Veg				
Medium	No	C2	4302.0						Utility Cover
Medium	No	C2	4249.8	Rough Xing					
Medium	No	C2	3917.8						Pot Hole
Medium	No	C2	3695.6						Pot Hole
Medium	No	C2	2655.0						Utility Cover
Medium	No	C2	3062.3				old platform for signal pole	Other	
Medium	No	C2	3408.5						Pot Hole
Medium	No	C2	1804.5		Veg				
Medium	No	C2	2115.4		Veg				
Medium	No	C2	2139.4		Veg				
Medium	No	C2	2221.2						Pot Hole
Medium	No	C2	1983.5						Pot Hole
Medium	No	C2	1299.2	Rough Xing					
Medium	No	C2	701.4		Veg				
Medium	No	C2	434.9			Tree Limb			
Medium	No	C2	353.0		Veg				
Medium	No	C2	478.5		Veg				
Medium	No	C2	1349.8		Veg				
Medium	No	C4	4816.2	Rough Xing					
Medium	No	C4	2979.0		Veg				
Medium	No	C2	246.2	Rough Xing					
Medium	No	C4	550.7	Rough Xing					
Medium	No	C4	1879.2	Sign Pole					
Medium	No	C4	3291.0		Veg				
Medium	No	C5	368.8	Rough Xing					
Medium	No	A1	0.0	Rough Xing					
Medium	No	A1	91.1						Displacement
Medium	No	A1	141.3						Displacement
Medium	No	A1	704.2	Veg	Veg				
Medium	No	A1	1628.9	Rough Xing					
Medium	No	A1	1051.4	Veg	Veg				
Medium	No	A1	1008.7						Displacement
Medium	No	A1	1185.4	Rough Xing					
Medium	No	A1	248.4						Displacement
Medium	No	A1	2727.7						Displacement
Medium	No	A1	2596.6						Displacement
Medium	No	A1	2482.0	Rough Xing					
Medium	No	A1	2345.8						Displacement
Medium	No	A1	2305.6	Rough Xing					
Medium	No	A1	2248.3	Rough Xing					
Medium	No	A1	2207.0						Displacement
Medium	No	A1	1910.9	Rough Xing					
Medium	No	A1	1866.1						Displacement
Medium	No	A1	1839.0	Rough Xing					

Medium	No	A1	1857.2						Displacement
Medium	No	A1	1967.4	Rough Xing					
Medium	No	A1	2245.2	Rough Xing					
Medium	No	A1	2339.2	Rough Xing					
Medium	No	E6	36.4	Rough Xing					
Medium	No	A1	3723.6						Utility Cover
Medium	No	A1	3711.4	Rough Xing					
Medium	No	A1	3609.2						Utility Cover
Medium	No	A1	3432.1						Displacement
Medium	No	A1	3319.3						Displacement
Medium	No	A1	3199.7						Utility Cover
Medium	No	A1	4467.0	Rough Xing					
Medium	No	A1	4521.0	Rough Xing					
Medium	No	A1	4603.4	Rough Xing					
Medium	No	A1	4637.4						Displacement
Medium	No	A1	4734.3						Displacement
Medium	No	A1	4819.0	Rough Xing					
Medium	No	A1	4893.0	Veg	Veg				
Medium	No	A1	4998.6	Veg	Veg				
Medium	No	A1	5250.5	Rough Xing					
Medium	No	A1	5494.6						Displacement
Medium	No	A1	5522.8						Displacement
Medium	No	A1	5492.6						Displacement
Medium	No	A1	4692.6	Rough Xing					
Medium	No	A1	4669.5	Rough Xing					
Medium	No	A2	243.2						Displacement
Medium	No	E6	358.7						Displacement
Medium	No	E6	70.5	Veg	Veg				
Medium	No	A2	968.1	Rough Xing					
Medium	No	A2	1020.8						Displacement
Medium	No	A2	2517.5	Rough Xing					
Medium	No	A2	552.0						Displacement
Medium	No	A2	451.1	Rough Xing					
Medium	No	A2	480.9	Rough Xing					
Medium	No	A3	0.0	Rough Xing					
Medium	No	A3	949.4						Displacement
Medium	No	A3	1169.2	Veg	Veg				
Medium	No	A3	1499.5	Rough Xing					
Medium	No	A3	2091.2						Displacement
Medium	No	A3	2152.4						Displacement
Medium	No	A3	2417.8	Rough Xing					
Medium	No	A3	2977.7	Rough Xing					
Medium	No	A3	3398.3						Displacement
Medium	No	A3	2007.8	Rough Xing					
Medium	No	A3	1968.1	Rough Xing					
Medium	No	A4	577.0						Utility Cover
Medium	No	A4	619.7						Displacement
Medium	No	A4	691.6						Displacement
Medium	No	A4	916.4	Rough Xing					
Medium	No	A4	984.4	Rough Xing					
Medium	No	A4	1200.7	Rough Xing					
Medium	No	A4	1401.4	Rough Xing					
Medium	No	A4	1541.4	News Rack					
Medium	No	A4	2162.2						Displacement
Medium	No	A4	2182.2						Displacement
Medium	No	A4	2627.3						Displacement
Medium	No	A4	1765.7	Rough Xing					
Medium	No	A4	1628.2	Veg	Veg				
Medium	No	A4	1541.2	Rough Xing					
Medium	No	A4	925.8	Rough Xing					
Medium	No	A4	4777.3						Displacement
Medium	No	A4	4745.9						Displacement
Medium	No	A4	4093.7						Utility Cover

Medium	No	A4	3309.6						Displacement
Medium	No	A4	3919.0						Displacement
Medium	No	A4	4041.2						Displacement
Medium	No	A4	4215.7						Displacement
Medium	No	A4	4306.6						Displacement
Medium	No	A4	4429.2						Utility Cover
Medium	No	A4	4460.5	Rough Xing					
Medium	No	A4	4870.3	Rough Xing					
Medium	No	A4	4867.5						Displacement
Medium	No	A4	4870.3	Rough Xing					
Medium	No	A4	4870.3	Rough Xing					
Medium	No	E7	252.0	Veg		Tree Limb			
Medium	No	E7	0.0						Displacement
Medium	No	A5	731.6	Rough Xing					
Medium	No	A6	10501.6						Displacement
Medium	No	A5	1119.9						Displacement
Medium	No	A5	1557.8						Displacement
Medium	No	A5	1997.3	Rough Xing					
Medium	No	A5	2129.9						Displacement
Medium	No	A5	2726.8						Displacement
Medium	No	A5	2701.0						Displacement
Medium	No	A5	1872.8	Rough Xing					
Medium	No	A5	1678.7						Displacement
Medium	No	A5	1231.2	Rough Xing					
Medium	No	A5	1196.7						Displacement
Medium	No	A5	1113.4						Displacement
Medium	No	A5	1050.5	Rough Xing					
Medium	No	A5	877.2						Displacement
Medium	No	A5	797.3	Rough Xing					
Medium	No	A6	9815.5						Displacement
Medium	No	A6	7888.6	Rough Xing					
Medium	No	A6	7690.3	Rough Xing					
Medium	No	A6	7864.9						Displacement
Medium	No	A6	8857.5	Rough Xing					
Medium	No	A6	6872.8						Displacement
Medium	No	A6	6904.1						Displacement
Medium	No	A6	7234.7	Rough Xing					
Medium	No	A6	6808.3	Rough Xing					
Medium	No	A6	6635.9						Displacement
Medium	No	A6	6322.1	Rough Xing					
Medium	No	A6	5634.5	Rough Xing					
Medium	No	A6	5606.4						Displacement
Medium	No	A6	5297.8						Utility Cover
Medium	No	A6	5191.6						Displacement
Medium	No	A6	5100.0						Displacement
Medium	No	A6	4985.5						Displacement
Medium	No	A6	4887.0	Rough Xing					
Medium	No	A6	4882.0	Rough Xing					
Medium	No	A6	4990.8						Displacement
Medium	No	E7	349.8	Rough Xing					
Medium	No	A6	6459.2						Displacement
Medium	No	A6	6684.2						Displacement
Medium	No	A6	6731.0						Displacement
Medium	No	A6	6797.4	Rough Xing					
Medium	No	A6	3311.9						Displacement
Medium	No	A6	3554.8						Displacement
Medium	No	A6	3637.3						Displacement
Medium	No	A6	3673.5						Displacement
Medium	No	A6	3963.2						Displacement
Medium	No	A6	4209.7						Displacement
Medium	No	A6	4417.2						Displacement
Medium	No	A6	4761.8	Rough Xing					
Medium	No	A6	4516.0						Displacement

Medium	No	A6	3570.6						Displacement
Medium	No	A6	3379.0						Displacement
Medium	No	A6	2916.4	Rough Xing					
Medium	No	A6	2779.1						Displacement
Medium	No	A6	2727.0						Displacement
Medium	No	A6	2347.2	Rough Xing					
Medium	No	A6	1768.7						Displacement
Medium	No	A6	1680.7						Displacement
Medium	No	A6	1585.9	Rough Xing					
Medium	No	A6	1367.1	Rough Xing					
Medium	No	A6	1258.8						
Medium	No	A6	0.0						Displacement
Medium	No	A9	19832.5	Rough Xing					
Medium	No	A6	2157.7	Rough Xing					
Medium	No	A6	2371.0				depressed concrete		Displacement
Medium	No	B5	31630.2	Rough Xing					
Medium	No	B5	31324.1	Rough Xing					
Medium	No	B5	30665.5	Rough Xing					
Medium	No	B5	30038.5						Displacement
Medium	No	B5	28878.9	Rough Xing					
Medium	No	B5	28828.2	Rough Xing					
Medium	No	B5	28836.1	Veg	Veg				
Medium	No	B5	28520.6	Rough Xing					
Medium	No	B5	28265.6	Veg	Veg				
Medium	No	B5	27767.2						Utility Cover
Medium	No	B5	27105.6	Veg	Veg				
Medium	No	B5	27035.1	Veg	Veg				
Medium	No	B5	26534.0	Rough Xing					
Medium	No	B5	26576.6	Rough Xing					
Medium	No	B5	26532.0	Rough Xing					
Medium	No	B5	28182.0	Rough Xing					
Medium	No	B5	28189.7	Veg	Veg				
Medium	No	B5	28959.5	Rough Xing					
Medium	No	B5	29129.5	Rough Xing					
Medium	No	B5	29411.7	Other			sidewalk ends abruptly		
Medium	No	B5	29682.5	Other			sidewalk ends abruptly		
Medium	No	B5	30753.4						Displacement
Medium	No	B5	31321.2	Rough Xing					
Medium	No	B5	26471.3	Rough Xing					
Medium	No	B5	26101.9						Displacement
Medium	No	B5	25725.7	Rough Xing					
Medium	No	B5	25572.3						Displacement
Medium	No	B5	24761.8	Veg	Veg				
Medium	No	B5	24518.9	Rough Xing					
Medium	No	B5	25390.5	Veg	Veg				
Medium	No	B5	25455.3	Veg	Veg				
Medium	No	B5	25502.7	Veg	Veg				
Medium	No	B5	25590.0	Veg	Veg				
Medium	No	B5	25707.2	Rough Xing					
Medium	No	B5	22932.5	Rough Xing					
Medium	No	B5	23008.5	Veg	Veg				
Medium	No	B5	23877.7						Displacement
Medium	No	B5	23767.0	Veg	Veg				
Medium	No	B5	23742.5						Displacement
Medium	No	B5	23239.1						Displacement
Medium	No	B5	23053.5						Displacement
Medium	No	B5	22927.0	Rough Xing					
Medium	No	B5	22338.3						Displacement
Medium	No	B5	22237.3	Rough Xing					
Medium	No	B5	21796.1	Rough Xing					
Medium	No	B5	21359.0	Rough Xing					
Medium	No	B5	21329.5	Rough Xing					
Medium	No	B5	20934.7						Displacement

Medium	No	B5	20354.6	Rough Xing					
Medium	No	B5	20473.9	Rough Xing					
Medium	No	B5	20228.0	Rough Xing					
Medium	No	B5	20199.7	Rough Xing					
Medium	No	B5	20751.2						Utility Cover
Medium	No	B5	20773.6	Rough Xing					
Medium	No	B5	21360.8	Rough Xing					
Medium	No	A10	1653.4	Rough Xing					
Medium	No	B5	1676.2	Rough Xing					
Medium	No	B5	3006.6	Rough Xing					
Medium	No	B5	3058.4						Displacement
Medium	No	B5	3644.2	Rough Xing					
Medium	No	B5	3694.8	Other			rough asphalt		
Medium	No	B5	3820.2	Rough Xing					
Medium	No	B5	3657.0	Rough Xing					
Medium	No	B5	2796.1	Rough Xing					
Medium	No	B5	2770.7	Rough Xing					
Medium	No	B5	2618.9	Rough Xing					
Medium	No	B5	1760.7	Rough Xing					
Medium	No	B5	5082.2	Veg	Veg				
Medium	No	B5	5064.1	Rough Xing					
Medium	No	B5	8132.2	Rough Xing					
Medium	No	B5	8442.9	Rough Xing					
Medium	No	B5	8161.5	Other			dirt pile on sidewalk		
Medium	No	B5	8124.0						Displacement
Medium	No	B5	8103.1	Rough Xing					
Medium	No	B5	7828.0	Rough Xing					
Medium	No	B5	7562.4	Rough Xing					
Medium	No	C3	28.6	Rough Xing					
Medium	No	B5	9365.8	Rough Xing					
Medium	No	C3	333.0						Displacement
Medium	No	B8	183.4	Rough Xing					
Medium	No	B8	248.3	Rough Xing					
Medium	No	B5	8806.3	Veg	Veg				
Medium	No	B5	8868.9	Veg	Veg				
Medium	No	B5	8891.3	Rough Xing					
Medium	No	B5	9596.1	Other			rough sidewalk		
Medium	No	B5	9812.5	Rough Xing					
Medium	No	B5	9937.4	Rough Xing					
Medium	No	B5	10086.5	Rough Xing					
Medium	No	B5	10230.7	Rough Xing					
Medium	No	B5	10329.0	Rough Xing					
Medium	No	B5	10384.4	Rough Xing					
Medium	No	B5	10449.6	Rough Xing					
Medium	No	B5	10515.3	Rough Xing					
Medium	No	B5	11734.7	Rough Xing					
Medium	No	B5	11579.5	Rough Xing					
Medium	No	B5	11251.1	Rough Xing					
Medium	No	B5	10678.9	Rough Xing					
Medium	No	B5	11270.9	Rough Xing					
Medium	No	B5	11609.2	Veg	Veg				
Medium	No	B5	11754.8	Rough Xing					
Medium	No	B5	12724.5	Rough Xing					
Medium	No	B5	13069.4	Rough Xing					
Medium	No	B5	13324.4	Rough Xing					
Medium	No	C1	248.3	Rough Xing					
Medium	No	B5	14285.9	Other			rough sidewalk		
Medium	No	B5	14278.6	Veg	Veg				
Medium	No	B5	14310.8	Veg	Veg				
Medium	No	B5	14372.8	Rough Xing					
Medium	No	B5	14524.4						Displacement
Medium	No	B5	14747.4	Rough Xing					
Medium	No	B5	15120.5	Rough Xing					

Medium	No	B5	15546.0	Veg	Veg				
Medium	No	B5	15459.9	Veg	Veg				
Medium	No	B5	14905.8	Veg	Veg				
Medium	No	B5	14594.7	Veg	Veg				
Medium	No	E8	880.1						Displacement
Medium	No	E8	179.6	Rough Xing					
Medium	No	B5	17284.4	Rough Xing					
Medium	No	B5	16713.5	Other			wide gaps between sidewalk panel		Displacement
Medium	No	B5	16596.2	Rough Xing					
Medium	No	B5	16036.8			Tree Limb			
Medium	No	B5	16611.4	Rough Xing					
Medium	No	B5	16742.2	Rough Xing					
Medium	No	B5	16859.8	Rough Xing					
Medium	No	B5	19007.4	Rough Xing					
Medium	No	B5	19391.1	Veg	Veg				
Medium	No	B5	19789.8	Veg	Veg				
Medium	No	B5	20029.0	Rough Xing					
Medium	No	B5	19789.7	Rough Xing					
Medium	No	B5	19591.8	Rough Xing					
Medium	No	B5	19457.2	Rough Xing					
Medium	No	B5	19430.0	Rough Xing					
Medium	No	B5	19364.4	Rough Xing					
Medium	No	B5	19162.4	Rough Xing					
Medium	No	B5	18913.0	Rough Xing					
Medium	No	B8	5699.7						Displacement
Medium	No	B4	7216.9	Rough Xing					
Medium	No	B4	9247.0	Rough Xing					
Medium	No	B7	652.8	Rough Xing					
Medium	No	B4	11743.8	Rough Xing					
Medium	No	B4	11763.0	Rough Xing					
Medium	No	B4	11736.7	Rough Xing					
Medium	No	B4	11715.7	Rough Xing					
Medium	No	B4	10991.8	Rough Xing					
Medium	No	B9	4039.3	Rough Xing					
Medium	No	B4	14420.2	Rough Xing					
Medium	No	B9	3970.3	Rough Xing					
Medium	No	B4	14357.3	Rough Xing					
Medium	No	B4	15249.9	Rough Xing					
Medium	No	B4	17170.7	Rough Xing					
Medium	No	B10	4594.2	Rough Xing					
Medium	No	B10	4388.3						Displacement
Medium	No	B10	4001.0	Veg	Veg				
Medium	No	B10	3995.6						Displacement
Medium	No	B10	4414.8						Displacement
Medium	No	B10	3211.0	Rough Xing					
Medium	No	B10	2793.5	Veg	Veg				
Medium	No	B10	2684.0	Veg	Veg				
Medium	No	B10	2381.2	Veg	Veg				
Medium	No	B10	1112.2						Utility Cover
Medium	No	B10	871.3	Veg	Veg				
Medium	No	B10	809.2	Veg	Veg				
Medium	No	B10	327.7	Rough Xing					
Medium	No	B10	1995.8	Rough Xing					
Medium	No	B10	2055.2	Rough Xing					
Medium	No	B10	2150.1	Rough Xing					
Medium	No	B10	2099.2	Rough Xing					
Medium	No	B10	2231.6	Rough Xing					
Medium	No	B10	2282.3	Rough Xing					
Medium	No	B10	4642.6						Displacement
Medium	No	B10	5467.8	Rough Xing					
Medium	No	B10	5659.5	Other			deteriorated driveway		
Medium	No	B10	5559.0						Utility Cover

Medium	No	B10	5515.9	Rough Xing					
Medium	No	B10	5351.3	Veg	Veg				
Medium	No	B10	5277.6						Displacement
Medium	No	B10	6202.3	Veg	Veg				
Medium	No	B10	6753.3	Rough Xing					
Medium	No	B10	6639.0						Displacement
Medium	No	B8	4029.5	Rough Xing					
Medium	No	B8	3392.6	Veg	Veg				
Medium	No	B8	3161.9	Rough Xing					
Medium	No	B8	3145.3	Rough Xing					
Medium	No	B9	8230.6	Rough Xing					
Medium	No	B8	3536.8	Rough Xing					
Medium	No	B8	3796.1						Displacement
Medium	No	B8	3861.8						Displacement
Medium	No	B8	4083.0	Rough Xing					
Medium	No	B8	1749.7	Rough Xing					
Medium	No	B8	926.0	Rough Xing					
Medium	No	B8	921.0	Rough Xing					
Medium	No	B8	1507.3	Rough Xing					
Medium	No	B4	3454.8						Displacement
Medium	No	B4	3428.6	Rough Xing					
Medium	No	B4	2724.2	Other			rough pavement		
Medium	No	B4	2066.9						Displacement
Medium	No	B4	2915.3						Displacement
Medium	No	B4	680.4	Veg	Veg				
Medium	No	B4	629.2	Veg	Veg				
Medium	No	B4	259.2						Displacement
Medium	No	B4	87.5						Displacement
Medium	No	A10	1193.8	Rough Xing					
Medium	No	A10	713.2	Rough Xing					
Medium	No	A10	1161.0	Rough Xing					
Medium	No	B4	524.4	Rough Xing					
Medium	No	C1	7627.3	Rough Xing					
Medium	No	C1	8058.0	Rough Xing					
Medium	No	C1	7307.5						Displacement
Medium	No	C1	7153.9						Displacement
Medium	No	C1	6677.8						Displacement
Medium	No	C1	6108.9	Veg	Veg				
Medium	No	C1	6084.6	Rough Xing					
Medium	No	C1	4229.6	Rough Xing					
Medium	No	C1	3899.6						Displacement
Medium	No	C1	3723.1						Displacement
Medium	No	C1	5396.2						Displacement
Medium	No	C1	5551.7						Displacement
Medium	No	C1	5787.8						Displacement
Medium	No	C1	5880.1						Displacement
Medium	No	C1	5954.0						Utility Cover
Medium	No	C1	6693.3						Displacement
Medium	No	C1	7118.4	Rough Xing					
Medium	No	C1	3180.5						Displacement
Medium	No	C1	3105.6	Rough Xing					
Medium	No	C1	2485.9						Displacement
Medium	No	C1	2761.8	Rough Xing					
Medium	No	C1	3104.8	Rough Xing					
Medium	No	B7	3392.9						Displacement
Medium	No	B7	3224.0	Rough Xing					
Medium	No	B7	326.5						Displacement
Medium	No	B7	397.5						Displacement
Medium	No	B4	10456.4	Rough Xing					
Medium	No	B7	1229.4						Displacement
Medium	No	B7	1449.5	Rough Xing					Displacement
Medium	No	B7	2829.2	Veg	Veg				
Medium	No	B7	3310.6	Rough Xing					

Medium	No	B7	3427.1	Rough Xing					
Medium	No	B7	3497.8	Rough Xing					
Medium	No	B1	5991.7	Rough Xing					
Medium	No	B1	5777.9						Displacement
Medium	No	B1	4732.6						Displacement
Medium	No	B1	5563.5	Rough Xing					
Medium	No	B1	6275.4	Rough Xing			move to 11th		
Medium	No	B1	6333.4				move to 11th		Displacement
Medium	No	B1	6427.1						Displacement
Medium	No	B1	6663.6						Displacement
Medium	No	B1	6907.9						Utility Cover
Medium	No	B1	9273.6						
Medium	No	B1	9348.1	Rough Xing					
Medium	No	B1	10187.7						Displacement
Medium	No	B1	9264.0						
Medium	No	B1	8244.5						Displacement
Medium	No	B9	3459.2	Veg	Veg				
Medium	No	B9	3777.8	Veg	Veg				
Medium	No	B9	2797.6	Rough Xing					
Medium	No	B9	927.1	Veg	Veg				
Medium	No	B6	613.6	Rough Xing					
Medium	No	B6	0.0	Rough Xing					
Medium	No	B6	0.0	Rough Xing					
Medium	No	B6	51.5	Rough Xing					
Medium	No	B6	81.7						Displacement
Medium	No	B6	1667.8						Displacement
Medium	No	B6	1754.5						Displacement
Medium	No	B6	1833.4	Rough Xing					
Medium	No	B6	2737.9						Displacement
Medium	No	B6	2920.5						Displacement
Medium	No	B6	3350.5	Rough Xing					
Medium	No	B6	3336.4	Rough Xing					
Medium	No	B6	3266.1						Displacement
Medium	No	B6	3020.8						Displacement
Medium	No	B6	2763.9						Displacement
Medium	No	B6	2365.6						Displacement
Medium	No	B6	2322.7	Rough Xing					
Medium	No	B6	2134.5	Rough Xing					
Medium	No	B6	1677.9	Rough Xing					
Medium	No	B6	1342.6	Rough Xing					
Medium	No	B6	1053.4						Displacement
Medium	No	B6	934.6				"Pedestrians Prohibited" sign		
Medium	No	B6	970.6	Rough Xing					
Medium	No	B6	1163.5	Rough Xing					
Medium	No	B9	8050.4						Displacement
Medium	No	B9	7927.1	Rough Xing					
Medium	No	B9	6705.0	Rough Xing					
Medium	No	B9	4944.3						Displacement
Medium	No	B9	5909.0						Displacement
Medium	No	B9	6670.0						Displacement
Medium	No	B5	599.0						Displacement
Medium	No	B5	1130.7						Displacement
Medium	No	B5	1190.1				rough crossing	Other	
Medium	No	E9	2736.3	Veg	Veg				
Medium	No	E9	2439.7	Other			picture 30		
Medium	No	E9	1476.7						Utility Cover
Medium	No	E9	1287.0						Displacement
Medium	No	E9	1046.1						Displacement
Medium	No	E9	722.2	Veg	Veg				
Medium	No	E9	684.1	Veg	Veg				
Medium	No	F2	263.6						Displacement
Medium	No	F2	1115.9	Rough Xing			pic 35		

Medium	No	F2	1314.5	Rough Xing					
Medium	No	F1	979.2	Tree		Tree Limb			
Medium	No	F1	191.3						Displacement
Medium	No	F1	878.5						Utility Cover
Medium	No	F1	1313.7						Utility Cover
Medium	No	F2	2038.7	Rough Xing					
Medium	No	F2	2230.7	Other			major debris from no drainage pic 39		
Medium	No	F2	3499.8	Other			abrupt sidewalk ending		
Medium	No	F2	6415.7	Other			abrupt sidewalk ending pic 41		
Medium	No	F2	7097.1						Displacement
Medium	No	F2	7442.8						Displacement
Medium	No	F2	7704.2						Displacement
Medium	No	F2	7752.1						Displacement
Medium	No	F2	7800.9						Displacement
Medium	No	F2	8066.3						Displacement
Medium	No	F2	10467.6						Displacement
Medium	No	F2	10499.3						Displacement
Medium	No	F2	10523.0						Displacement
Medium	No	F2	10891.6						Displacement
Medium	No	F2	10991.7						Displacement
Medium	No	F3	488.1						Displacement
Medium	No	F3	639.3		Veg				
Medium	No	F3	993.6						Utility Cover
Medium	No	F3	809.2		Veg				
Medium	No	F3	754.4						Displacement
Medium	No	F3	702.9						Displacement
Medium	No	F3	322.9						Displacement
Medium	No	F4	2112.6						Displacement
Medium	No	F4	2138.2						Displacement
Medium	No	F4	2270.9						Displacement
Medium	No	F5	925.5	Rough Xing					
Medium	No	F5	867.1	Other			sidewalk ends		
Medium	No	A7	852.3	Rough Xing					
Medium	No	A7	2206.4	Veg	Veg				
Medium	No	A7	2368.9	Veg	Veg				
Medium	No	A9	743.8						Displacement
Medium	No	A9	973.6	Other			sidewalk ends		
Medium	No	A9	949.5	Other					
Medium	No	A9	24209.7	Rough Xing					
Medium	No	A9	24322.2						Displacement
Medium	No	A9	25144.5	Rough Xing					
Medium	No	A9	25486.1				rough pavements		
Medium	No	A9	25596.9	Rough Xing					
Medium	No	A9	25733.8				multiple		Pot Hole
Medium	No	A9	25876.4	Rough Xing					
Medium	No	A9	25970.3						Displacement
Medium	No	A9	26750.6						Displacement
Medium	No	A9	27506.6	Rough Xing					
Medium	No	A9	29194.4						Displacement
Medium	No	A9	29773.5						Displacement
Medium	No	A9	34926.7	Rough Xing					
Medium	No	A9	34550.0						Displacement
Medium	No	A9	34191.2	Rough Xing					
Medium	No	A9	34168.6	Other			excessive debris (rocks) on sidewalk		
Medium	No	A9	33360.0	Rough Xing					
Medium	No	A9	33090.8	Rough Xing					
Medium	No	A9	32907.8	Veg	Veg				
Medium	No	A9	32848.6	Veg	Veg				
Medium	No	A9	35954.1						Displacement
Medium	No	A9	35995.5						Displacement

Medium	No	A9	36020.4	Rough Xing					
Medium	No	A9	36084.2						Displacement
Medium	No	A9	36376.4						Displacement
Medium	No	A9	42700.2						Displacement
Medium	No	A9	42553.4	Rough Xing					
Medium	No	A9	42410.7						Displacement
Medium	No	A9	42395.7						Displacement
Medium	No	A9	42125.3						Displacement
Medium	No	A9	41340.1						Displacement
Medium	No	A9	41137.1	Rough Xing					
Medium	No	A9	41114.7	Veg	Veg				
Medium	No	A9	41055.6						Displacement
Medium	No	A9	40902.3						Displacement
Medium	No	A9	40814.8	Rough Xing					
Medium	No	A9	40608.8						Displacement
Medium	No	A9	40459.5						Displacement
Medium	No	A9	40315.4						Displacement
Medium	No	A9	39091.8						Utility Cover
Medium	No	A9	38317.4						Displacement
Medium	No	A9	38232.4						Displacement
Medium	No	A9	38185.3						Displacement
Medium	No	A9	37533.0						Utility Cover
Medium	No	A9	37270.0	Rough Xing					
Medium	No	A9	51474.6	Median					
Medium	No	A9	50893.7	Other					
Medium	No	A9	50509.6	Rough Xing					
Medium	No	A9	50275.8	Rough Xing			crosswalk needs to be repainted		
Medium	No	A9	49915.2	Rough Xing					
Medium	No	A9	49083.4	Median					
Medium	No	A9	48270.9						Displacement
Medium	No	A9	48148.6	Median					
Medium	No	A9	48084.5	Median					
Medium	No	A9	46195.8				rough pavement		
Medium	No	A9	45987.2				rough pavement in median		
Medium	No	C3	22604.9				rough pavement in median		
Medium	No	A9	45805.0				sidewalk ends		
Medium	No	A9	45339.9				sidewalk ends		
Medium	No	A9	45008.8	Sign Pole	Sign				
Medium	No	A9	44692.5						Displacement
Medium	No	A9	44682.3						Displacement
Medium	No	A9	44594.7						Pot Hole
Medium	No	A9	44335.8	Rough Xing					
Medium	No	A9	43812.5	Other			rough pavement		Displacement
Medium	No	E4	3807.7				sidewalk ends		
Medium	No	E4	3820.8						Displacement
Medium	No	E4	3903.0						Displacement
Medium	No	E1	8929.1	Rough Xing					
Medium	No	E4	3992.9	Other			sidewalk ends		
Medium	No	E4	2968.9	Other			sidewalk ends		
Medium	No	E4	2929.1						Displacement
Medium	No	E1	7559.1						Displacement
Medium	No	E1	7520.2	Rough Xing					
Medium	No	E4	409.2	Other			sidewalk ends		
Medium	No	E1	6932.4						Displacement
Medium	No	E1	7820.7			Tree Limb			
Medium	No	E1	10144.3						Displacement
Medium	No	E1	10557.1	Rough Xing					
Medium	No	E1	10673.1						Displacement
Medium	No	E1	10822.4						Displacement
Medium	No	E1	10858.2		Veg				

Medium	No	E1	11052.8		Veg				
Medium	No	E1	11093.8		Veg				
Medium	No	E1	11107.3		Veg				
Medium	No	E10	2770.0						Displacement
Medium	No	E10	2659.2	Rough Xing					
Medium	No	E10	2065.2						Displacement
Medium	No	E10	1999.4						Displacement
Medium	No	E2	1442.3	Rough Xing					
Medium	No	E2	1377.5	Other			rough pavement		
Medium	No	E2	495.9	Median					
Medium	No	C3	27803.4	Rough Xing					
Medium	No	C3	26901.3	Rough Xing					
Medium	No	C3	26446.6	Rough Xing					
Medium	No	C3	25869.6	Rough Xing					
Medium	No	C3	24789.4	Rough Xing					
Medium	No	C3	24262.9	Rough Xing					
Medium	No	C3	24165.3	Veg	Veg				
Medium	No	C3	24069.1	Veg	Veg				
Medium	No	C3	23917.7	Rough Xing					
Medium	No	C3	23488.3	Rough Xing					
Medium	No	C3	23236.6	Rough Xing					
Medium	No	C3	22397.0						Pot Hole
Medium	No	C3	20858.9						Utility Cover
Medium	No	C3	20591.2	Rough Xing			multiple manhole covers		
Medium	No	C3	20535.7						Utility Cover
Medium	No	C3	20277.7	Rough Xing					
Medium	No	C3	19803.6		Veg				
Medium	No	C3	18684.8						Utility Cover
Medium	No	D7	2809.7						Displacement
Medium	No	D7	2997.1	Rough Xing					
Medium	No	D7	3167.3						Displacement
Medium	No	D7	3191.9	Rough Xing					
Medium	No	D7	3614.5	Rough Xing					
Medium	No	E1	1138.0		Veg				
Medium	No	E1	1672.3						Utility Cover
Medium	No	E1	1779.8						Utility Cover
Medium	No	D10	135.7						Displacement
Medium	No	D10	365.1	Rough Xing					
Medium	No	E1	2561.2	Rough Xing					
Medium	No	D9	510.7	Veg	Veg				
Medium	No	D9	827.4						Utility Cover
Medium	No	D9	1647.4						Utility Cover
Medium	No	E1	3217.2	Rough Xing					
Medium	No	E1	3528.1						Utility Cover
Medium	No	E1	4107.2						Utility Cover
Medium	No	E1	4264.1						Utility Cover
Medium	No	E1	4896.0						Utility Cover
Medium	No	E1	5248.4	Rough Xing					
Medium	No	E1	5501.5						Displacement
Medium	No	E1	5579.3						Utility Cover
Medium	No	E1	5598.4						Displacement
Medium	No	E1	5638.3						Utility Cover
Medium	No	E1	5949.7						Utility Cover
Medium	No	E1	6472.6	Rough Xing					
Medium	No	E3	2244.3	Rough Xing					
Medium	No	E3	607.7						Displacement
Medium	No	E3	517.9						Utility Cover
Medium	No	C3	14276.2	Rough Xing					
Medium	No	C3	14480.4						Displacement
Medium	No	C3	14515.5						Displacement
Medium	No	C3	15108.1						Pot Hole
Medium	No	C3	15704.6						Utility Cover
Medium	No	C3	15741.8						Utility Cover

Medium	No	C3	15789.6	Rough Xing					
Medium	No	C3	15840.5						Utility Cover
Medium	No	C3	15895.1						Displacement
Medium	No	C3	16331.1	Rough Xing					
Medium	No	C3	16746.2						Displacement
Medium	No	C3	16991.7						Displacement
Medium	No	C3	17308.7	Rough Xing					
Medium	No	C3	17480.6						Displacement
Medium	No	C3	18064.0						Pot Hole
Medium	No	D7	1992.9			Tree Limb			
Medium	No	D7	1929.3	Rough Xing					
Medium	No	D7	1464.0				rough pavement		
Medium	No	D7	1299.2	Rough Xing					
Medium	No	D7	828.3						Displacement
Medium	No	D7	507.4						Displacement
Medium	No	D7	413.0	Median					
Medium	No	D6	4532.1	Rough Xing					
Medium	No	D6	5432.9						Utility Cover
Medium	No	D6	6778.2						Utility Cover
Medium	No	D6	6816.6	Other	Sign				
Medium	No	D4	2900.6						Displacement
Medium	No	D4	3474.7						Utility Cover
Medium	No	D5	200.3						Displacement
Medium	No	D5	262.2						Displacement
Medium	No	D5	1813.5	Veg	Veg				
Medium	No	D5	2246.6	Rough Xing					
Medium	No	D5	2258.4	Rough Xing					
Medium	No	D5	2257.4	Rough Xing					
Medium	No	D5	1816.7						Displacement
Medium	No	D4	4722.6						Utility Cover
Medium	No	D6	4945.9	Rough Xing					
Medium	No	C9	8245.8	Rough Xing					
Medium	No	C9	8232.5						Utility Cover
Medium	No	C9	7890.4						Displacement
Medium	No	C9	7070.4						Displacement
Medium	No	C9	6989.3	Other			rough pavement		
Medium	No	C9	6728.6	News Rack					
Medium	No	C9	4961.6	Rough Xing					
Medium	No	C3	11606.8	Rough Xing					
Medium	No	C9	4766.2		Veg				
Medium	No	C9	3990.2						Utility Cover
Medium	No	C9	3567.4						Utility Cover
Medium	No	C9	3310.4				rough pavement		
Medium	No	C9	3223.7	Rough Xing					
Medium	No	C9	2802.3						Displacement
Medium	No	C9	2651.2						Displacement
Medium	No	C9	2249.1						Utility Cover
Medium	No	C9	1418.3		Veg				
Medium	No	C9	1268.6		Veg	Tree Limb			
Medium	No	C9	653.8		Veg				
Medium	No	C9	605.3				rough pavement		
Medium	No	C9	549.8		Veg				Utility Cover
Medium	No	C3	10704.7						Displacement
Medium	No	C3	10773.8						Displacement
Medium	No	C3	10876.0						Displacement
Medium	No	C3	6247.6						Utility Cover
Medium	No	C3	6765.5						Displacement
Medium	No	C3	7452.5						Displacement
Medium	No	C3	7930.4				cap	Other	Displacement
Medium	No	C3	8263.5						Utility Cover
Medium	No	C3	8608.4						Displacement
Medium	No	C3	8727.1	Rough Xing					
Medium	No	C3	8840.1	Rough Xing					

Medium	No	C3	8917.7	Rough Xing					
Medium	No	C3	9135.4						Displacement
Medium	No	C3	9350.1						Displacement
Medium	No	C3	9429.2						Displacement
Medium	No	C10	79.0						Displacement
Medium	No	D1	4760.9	Rough Xing					
Medium	No	C10	961.1	Veg	Veg				
Low	Yes	A1	546.4	Utility Pole					
Low	Yes	B1	7533.3	Utility Pole					
Low	Yes	E1	1641.6					Displacement	
Low	Yes	E1	1713.6					Displacement	
Low	Yes	E1	3327.6					Pot Hole	
Low	Yes	D4	4102.0					Displacement	
Low	Yes	B1	14171.6					Displacement	
Low	Yes	D1	3087.3					Displacement	
Low	Yes	D1	3054.4			Veg			
Low	Yes	A3	2236.3					Displacement	Displacement
Low	Yes	A3	1618.2					Displacement	
Low	Yes	B5	29325.8					Displacement	Displacement
Low	Yes	B5	13466.5					Utility Cover	Utility Cover
Low	Yes	B5	15104.0					Displacement	Displacement
Low	Yes	C1	2715.3					Displacement	Displacement
Low	Yes	B9	3942.3					Utility Cover	Utility Cover
Low	Yes	B9	3951.2					Pot Hole	Pot Hole
Low	Yes	B6	2499.1					Displacement	
Low	Yes	B9	6125.9					Displacement	
Low	Yes	F2	8838.7					Displacement	Displacement
Low	Yes	C10	437.7	Veg		Veg			
Low	Yes	B6	3185.1	Rough Xing			broken pavement with cross slope of 17 %		Displacement
Low	No	C7	4744.9			Tree Limb			
Low	No	B1	13269.1	Veg	Veg				
Low	No	B1	15294.0	Veg	Veg				
Low	No	D1	2564.1	Rough Xing					
Low	No	A3	1819.6				asphalt driveway rough pavement		
Low	No	A6	4783.3	Rough Xing					
Low	No	A6	2311.1						Displacement
Low	No	B5	16502.6	Other			wide gaps between sidewalk panel		Displacement
Low	No	B5	16424.7	Rough Xing					
Low	No	C1	6287.5	Rough Xing					
Low	No	C1	5567.4	Rough Xing					
Low	No	C1	5278.6	Rough Xing					
Low	No	B9	752.7						Displacement
Low	No	B9	805.0	Rough Xing					
Low	No	B9	902.8						Displacement
Low	No	B9	957.0						Displacement
Low	No	B9	1156.1	Rough Xing					
Low	No	B9	2243.9	Rough Xing					
Low	No	B9	2280.5	Rough Xing					
Low	No	B9	2380.8	Rough Xing					
Low	No	B9	2591.4	Rough Xing					
Low	No	B9	2734.9	Rough Xing					
Low	No	B9	2800.1						Displacement
Low	No	B9	2823.5	Rough Xing					
Low	No	B9	2904.0	Rough Xing					
Low	No	B9	3088.8	Rough Xing					
Low	No	B9	3559.4	Rough Xing					
Low	No	B9	3810.5	Rough Xing					
Low	No	B9	3052.0	Rough Xing					
Low	No	B9	2267.2	Rough Xing					
Low	No	B6	2198.1	Rough Xing					

Low	No	B6	2279.0	Rough Xing					
Low	No	B6	2535.4	Rough Xing					
Low	No	B6	2782.8	Rough Xing					
Low	No	B6	2827.2						Displacement
Low	No	B6	2839.1	Rough Xing					
Low	No	B6	2955.6	Rough Xing					
Low	No	B6	2879.9	Rough Xing					
Low	No	B6	2858.6	Rough Xing					
Low	No	F2	10267.6	Rough Xing					
Low	No	A8	391.1	Other			poor pavement		
Low	No	E1	833.5						Displacement
Low	No	C10	378.2	Rough Xing					

Compliant

Non-Compliant

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	B5	110.0	No	No	No	0.00		No
High	Yes	B5	733.2	No	No	No	0.00	bench	No
High	Yes	F2	6504.7	No	No	No	0.00		No
High	Yes	F2	7174.5	No	No	No	0.00	bench	No
High	Yes	F2	8856.6	No		No	0.00	bench	No
High	Yes	F2	10338.2	No	No	No	0.00		No
High	Yes	F2	11329.3	No	No	No	0.00	bench	No
High	Yes	F4	3501.8	No		No	0.00		No
High	Yes	A9	16382.3	No		No	0.00		No
High	Yes	A9	21087.5	No	No	No	0.00		No
High	Yes	A9	34633.9	No	No	No	0.00		No
High	Yes	A9	33305.4	No	No	No	0.00		No
High	Yes	A9	32695.8	No	No	No	0.00		No
High	Yes	A9	31320.1	No	No	No	0.00		No
High	Yes	A9	36356.0	No	No	No	0.00		No
High	Yes	A9	46914.5	No		No	0.00		No
High	Yes	A9	44268.3	No		No	0.00		No
High	Yes	E1	9452.0	No		No	0.00		No
High	Yes	C3	22160.5	No		No	0.00		No
High	Yes	E1	2813.9	Yes	Yes	No	0.00		No
High	Yes	E1	5362.5	No	No	No	0.00		No
High	Yes	E1	6440.8	No	No	No	0.00		No
High	Yes	E3	1144.5	No	No	No	0.00		No
High	Yes	C3	14314.0	No		No	0.00		No
High	Yes	C3	16865.8	No		No	0.00		No
High	Yes	C3	17532.2	No		No	0.00		No
High	Yes	C3	18284.2	No		No	0.00		No
High	Yes	D7	1095.2	No		No	0.00		No
High	Yes	D7	565.8	No		No	0.00		No
High	Yes	D6	5100.3	No		No	0.00		No
High	Yes	D4	3835.3	No	No	No	0.00		No
High	Yes	C9	1765.0	No		No	0.00		No
High	Yes	C3	6793.8	No	No	No	0.00		No
High	Yes	C3	7749.2	No	No	No	0.00		No
High	Yes	F2	8682.7	No		No	0.00		No
High	Yes	F2	11207.8	No		No	0.00		No
High	Yes	F2	12103.4	No		No	0.00		No
High	Yes	A9	11223.4	Yes	Yes	No	0.00		No
High	Yes	A9	20465.5	No		No	0.00		No
High	Yes	A9	21026.5	No		No	0.00		No
High	Yes	A9	22138.6	No		No	0.00		No
High	Yes	A9	23225.6	No		No	0.00		No
High	Yes	A9	23339.4	No		No	0.00		No
High	Yes	A9	25720.7	No		No	0.00		No
High	Yes	A9	33968.5	No		No	0.00		No
High	Yes	A9	31782.1	No		No	0.00		No
High	Yes	A9	36359.6	Yes	Yes	No	0.00		No
High	Yes	A9	38524.0	No		No	0.00		No
High	Yes	A9	46856.0	No		No	0.00		No
High	Yes	E1	7224.0	No		No	0.00		No
High	Yes	E1	7795.4	No		No	0.00		No
High	Yes	E1	9511.3	No		No	0.00		No
High	Yes	E1	1340.3	No		No	0.00		No
High	Yes	E1	1891.7	No		No	0.00		No
High	Yes	E1	2679.7	Yes	Yes	No	0.00		No
High	Yes	E1	5355.3	No		No	0.00		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	D7	753.6	No		No	0.00		No
High	Yes	D6	3270.4	No		No	0.00		No
High	Yes	D6	2499.4	No		No	0.00		No
High	Yes	D6	3278.1	No		No	0.00		No
High	Yes	D4	2668.7	No		No	0.00		No
High	Yes	D4	3046.5	No		No	0.00		No
High	Yes	D4	5478.4	Yes	Yes	No	0.00		No
High	Yes	C9	6244.6	No		No	0.00		No
High	Yes	C9	5372.4	No		No	0.00		No
High	Yes	C3	10239.3	No		No	0.00		No
High	Yes	C3	9621.2	No		No	0.00		No
High	Yes	B1	13441.0	No		No	0.00		No
High	Yes	B1	11085.7	No		No	0.00		No
High	Yes	B1	10454.9	No		No	0.00		No
High	Yes	D1	2993.6	No		No	0.00		No
High	Yes	D1	3594.1	No		No	0.00		No
High	Yes	A10	9647.6	No		No	0.00		No
High	Yes	A10	10802.6	No		No	0.00		No
High	Yes	A10	9455.8	No		No	0.00		No
High	Yes	A10	6447.1	No		No	0.00		No
High	Yes	A10	7668.1	No		No	0.00		No
High	Yes	A10	5515.7	No		No	0.00		No
High	Yes	B3	1474.5	No		No	0.00		No
High	Yes	B2	4745.4	No		No	0.00		No
High	Yes	B2	8413.4	No		No	0.00		No
High	Yes	B2	8730.2	No		No	0.00		No
High	Yes	B2	12903.8	No		No	0.00		No
High	Yes	B2	14163.4	No		No	0.00		No
High	Yes	C6	1865.4	No		No	0.00		No
High	Yes	C5	7961.1	No		No	0.00		No
High	Yes	C5	7369.6	No	No	No	0.00		No
High	Yes	C5	6468.5	No		No	0.00		No
High	Yes	C5	4170.8	Yes	Yes	No	0.00		No
High	Yes	C5	4297.8	No		No	0.00		No
High	Yes	C5	5659.6	No		No	0.00		No
High	Yes	C5	2049.7	No		No	0.00		No
High	Yes	C5	1985.7	No		No	0.00		No
High	Yes	C5	3284.9	No		No	0.00		No
High	Yes	C2	5237.0	Yes		No	0.00		No
High	Yes	C2	6328.5	No		No	0.00		No
High	Yes	C2	6328.1	No		No	0.00		No
High	Yes	C2	3303.7	No		No	0.00		No
High	Yes	C2	1394.8	No		No	0.00		No
High	Yes	C4	1255.6	No		No	0.00		No
High	Yes	C4	3734.8	No		No	0.00		No
High	Yes	C4	4875.2	No		No	0.00		No
High	Yes	C5	1340.0	No		No	0.00		No
High	Yes	A1	5036.6	No	No	No	0.00		No
High	Yes	A1	5006.7	No	No	No	0.00		No
High	Yes	A4	1501.5	No	No	No	0.00	sign attached to light pole	No
High	Yes	A4	2253.1	No	No	No	0.00	temporary	No
High	Yes	A4	4271.1	No	No	No	0.00		No
High	Yes	A4	3323.4	No	No	No	0.00		No
High	Yes	A4	4170.6	No	No	No	0.00		No
High	Yes	A6	5942.4	No	No	No	0.00		No
High	Yes	B5	31200.0	No	No	No	0.00		No
High	Yes	B5	27655.7	No	No	No	0.00	bench	No
High	Yes	B5	27967.4	No	No	No	0.00	bench	No
High	Yes	B5	29049.0	No	No	No	0.00	bench	No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	Yes	B5	29971.0	No	No	No	0.00	bench	No
High	Yes	B5	25962.3	No	No	No	0.00	bench	No
High	Yes	B5	24589.8	No	No	No	0.00		No
High	Yes	B5	24689.8	No	No	No	0.00		No
High	Yes	B5	23375.3	No	No	No	0.00		No
High	Yes	B5	20307.6	No	No	No	0.00	bench	No
High	Yes	B5	1407.6	No	No	No	0.00	bench	No
High	Yes	B5	3971.5	No	No	No	0.00	bench	No
High	Yes	B5	4976.3	No	No	No	0.00		No
High	Yes	B5	4181.6	No	No	No	0.00		No
High	Yes	B5	7717.9	No	No	No	0.00		No
High	Yes	B5	14024.7	No	No	No	0.00		No
High	Yes	B5	14560.0	No	No	No	0.00		No
High	Yes	B5	16298.6	No	No	No	0.00		No
High	Yes	B5	16688.1	No	No	No	0.00		No
High	Yes	B5	17360.5	No	No	No	0.00		No
High	Yes	B5	18210.3	No	No	No	0.00		No
High	Yes	B5	19366.1	No	No	No	0.00		No
High	Yes	B5	19076.5	No	No	No	0.00		No
High	Yes	B5	18271.9	No	No	No	0.00		No
High	Yes	B10	3944.6	No	No	No	0.00		No
High	Yes	B10	4673.2	No	No	No	0.00	bench	No
High	Yes	B10	5569.3	No	No	No	0.00		No
High	Yes	B10	5629.2	No	No	No	0.00		No
High	Yes	B1	3717.5	No	No	No	0.00	bench	No
High	Yes	B1	5287.8	No	No	No	0.00	benches	No
High	Yes	B1	4454.1	No	No	No	0.00	bench	No
High	Yes	B1	10206.8	No	No	No	0.00		No
High	Yes	B9	1959.8	No	No	No	0.00	bench	No
High	Yes	B9	2472.1	No	No	No	0.00	temporary	No
High	Yes	B9	3247.4	No	No	No	0.00	bench	No
High	Yes	B9	3194.8	No	No	No	0.00		No
High	Yes	B9	2560.4	No	No	No	0.00	bench	No
High	Yes	B9	2053.5	No	No	No	0.00		No
High	Yes	B9	1329.4	No	No	No	0.00	bench	No
High	Yes	B6	3063.8	No	No	No	0.00	bench	No
High	Yes	B6	3053.8	No	No	No	0.00	bench	No
High	Yes	B6	1173.9	No	No	No	0.00		No
High	No	F1	753.1	No	Yes	Yes	2.20		No
High	No	F5	2420.2	No		Yes	2.20		No
High	No	F5	1511.4	No		Yes	2.30		No
High	No	A9	2166.7	Yes	Yes	Yes	2.10		No
High	No	A9	20381.4	No	No	Yes	2.20		No
High	No	A9	23465.5	No	No	Yes	1.60		No
High	No	A9	24271.3	No	Yes	Yes	5.70		No
High	No	A9	24657.4	No		Yes	3.40		No
High	No	A9	41268.1	No	No	Yes	2.70		No
High	No	A9	43710.7	Yes	Yes	Yes	6.10		No
High	No	D4	2630.3	Yes	Yes	Yes	2.90		No
High	No	D4	4435.8	No	No	Yes	1.40		No
High	No	C9	5314.5	No	No	Yes	2.00		No
High	No	B5	926.4	No		Yes	4.20		No
High	No	F2	6295.9	No	Yes	Yes	3.90		No
High	No	F2	9623.3	No		Yes	2.60		No
High	No	F2	10229.2	No		Yes	2.30		No
High	No	F4	143.3	No	Yes	Yes	3.60		No
High	No	F5	1737.0	No		Yes	3.50		No
High	No	A9	20750.7	No		Yes	5.80		No
High	No	A9	22023.3	No	Yes	Yes	4.90		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	No	A9	41544.9	No		Yes	3.00		No
High	No	C3	23456.1	Yes	Yes	Yes	3.30		No
High	No	C3	20780.7	No		Yes	2.10		No
High	No	D7	4437.1	No		Yes	3.20		No
High	No	C3	16725.3	No		Yes	2.70		No
High	No	D4	4626.6	No		Yes	3.00		No
High	No	B1	14960.3	Yes	No	Yes	3.50		No
High	No	B1	13962.3	No		Yes	5.40		No
High	No	B1	12311.4	No		Yes	4.30		No
High	No	B2	577.2	Yes	Yes	Yes	3.20		No
High	No	C5	9777.5	No		Yes	2.40		No
High	No	C5	5547.0	Yes	Yes	Yes	2.80		No
High	No	C5	3474.6	No		Yes	2.70		No
High	No	C5	2519.4	No		Yes	3.50		No
High	No	C2	3734.9	Yes		Yes	2.50		No
High	No	C4	2987.7	No		Yes	3.80		No
High	No	A1	2999.6	No	No	Yes	5.00		No
High	No	A4	2651.8	No	No	Yes	1.80		No
High	No	A4	3461.0	No	No	Yes	4.30		No
High	No	B5	29968.9	No	No	Yes	2.10		No
High	No	B5	28918.1	No	No	Yes	2.30		No
High	No	B5	25803.2	No	No	Yes	2.50	bench	No
High	No	B5	24014.6	No	No	Yes	2.20	bench	No
High	No	B5	9767.7	No	No	Yes	1.50		No
High	No	B5	12066.6	No	No	Yes	2.50	bench	No
High	No	B5	11485.4	No	No	Yes	0.30		No
High	No	B5	10710.7	No	No	Yes	1.70		No
High	No	B5	10782.3	Yes	Yes	Yes	2.70		No
High	No	B5	17228.9	Yes	Yes	Yes	2.80		No
High	No	B8	8497.2	No	No	Yes	1.70		No
High	No	B8	9520.4	No	No	Yes	0.60		No
High	No	B8	5743.2	Yes	No	Yes	1.70		No
High	No	B8	5230.3	Yes	No	Yes	1.30		No
High	No	B8	3589.4	No	No	Yes	2.80		No
High	No	B1	4633.6	Yes	Yes	Yes	2.40		No
High	No	B1	7361.2	No	Yes	Yes	2.10		No
High	No	B1	7674.4	No	Yes	Yes	2.30		No
High	No	B6	2197.5	Yes	Yes	Yes	3.40		No
Medium	Yes	A9	14.5	No		No	0.00		No
Medium	Yes	A9	10230.0	No		No	0.00		No
Medium	Yes	A9	17544.7	No		No	0.00		No
Medium	Yes	A9	39457.2	No	No	No	0.00		No
Medium	Yes	A9	50694.5	No		No	0.00		No
Medium	Yes	A9	48898.3	No		No	0.00		No
Medium	Yes	A9	45124.9	No		No	0.00		No
Medium	Yes	E1	6851.4	No		No	0.00		No
Medium	Yes	E1	7629.0	No		No	0.00		No
Medium	Yes	E1	8281.8	No		No	0.00		No
Medium	Yes	C3	23681.2	No	No	No	0.00		No
Medium	Yes	C3	21233.2	No		No	0.00		No
Medium	Yes	C3	20332.7	No		No	0.00		No
Medium	Yes	C3	19316.0	No		No	0.00		No
Medium	Yes	D7	2508.8	No		No	0.00		No
Medium	Yes	C3	8474.5	No	No	No	0.00		No
Medium	Yes	F2	7941.7	No		No	0.00		No
Medium	Yes	A8	1223.1	No		No	0.00		No
Medium	Yes	A9	2138.6	No		No	0.00		No
Medium	Yes	A9	35426.1	No		No	0.00		No
Medium	Yes	C3	21879.7	No		No	0.00		No

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
Medium	Yes	C3	19404.5	No		No	0.00		No
Medium	Yes	C3	18557.6	No		No	0.00		No
Medium	Yes	E1	4644.3	No		No	0.00		No
Medium	Yes	D7	1871.0	No		No	0.00		No
Medium	Yes	D6	2518.6	No		No	0.00		No
Medium	Yes	D6	869.0	No		No	0.00		No
Medium	Yes	D6	1257.8	No		No	0.00		No
Medium	Yes	D4	6357.4	No		No	0.00		No
Medium	Yes	D1	1997.3	No		No	0.00		No
Medium	Yes	B2	9729.9	No		No	0.00		No
Medium	Yes	C6	537.9	No		No	0.00		No
Medium	Yes	C5	2428.2	No		No	0.00		No
Medium	Yes	C2	5345.7	No		No	0.00		No
Medium	Yes	C2	2120.7	No		No	0.00		No
Medium	Yes	C2	486.8	No		No	0.00		No
Medium	Yes	A1	1377.6	No	No	No	0.00		No
Medium	Yes	A1	1226.3	No	No	No	0.00		No
Medium	Yes	A3	1416.2	No	No	No	0.00		No
Medium	Yes	B5	30676.5	No	No	No	0.00		No
Medium	Yes	B5	23334.1	No	No	No	0.00		No
Medium	Yes	B5	20347.0	No	No	No	0.00		No
Medium	Yes	B5	1466.3	No	No	No	0.00		No
Medium	Yes	B5	4242.9	No	No	No	0.00		No
Medium	Yes	B5	4819.5	No	No	No	0.00		No
Medium	Yes	B5	7536.3	No	No	No	0.00	bench	No
Medium	Yes	B5	6448.4	No	No	No	0.00		No
Medium	Yes	B8	3238.8	No	No	No	0.00		No
Medium	Yes	B1	9077.2	No	No	No	0.00		No
Medium	Yes	B1	8196.7	No	No	No	0.00		No
Medium	No	E9	1440.0	Yes	Yes	Yes	2.90		No
Medium	No	F1	1626.7	Yes	Yes	Yes	2.20		No
Medium	No	F2	2746.8	No	No	Yes	1.80		No
Medium	No	F4	2404.1	No		Yes	7.00		No
Medium	No	A9	5716.1	No		Yes	2.80		No
Medium	No	A9	48853.2	Yes	Yes	Yes	2.20		No
Medium	No	A9	26816.3	No		Yes	4.80		No
Medium	No	A9	42882.7	Yes	Yes	Yes	4.00		No
Medium	No	A9	39930.8	Yes	Yes	Yes	2.80		No
Medium	No	A9	49012.3	Yes	Yes	Yes	3.00		No
Medium	No	E3	1262.6	No		Yes	2.90		No
Medium	No	D4	5761.6	Yes	Yes	Yes	2.50		No
Medium	No	B2	7486.3	Yes	Yes	Yes	2.80		No
Medium	No	C5	6596.8	No	No	Yes	1.50	displacement	No
Medium	No	A9	27366.4	No		Yes	2.30		No
Medium	No	A1	3227.9	No	No	Yes	3.60		No
Medium	No	B8	9734.2	No	No	Yes	3.10		No
Medium	No	B8	8067.5	No	No	Yes	2.30		No
Medium	No	B8	6948.4	No	No	Yes	2.80		No
Medium	No	B8	4363.3	Yes	No	Yes	0.30		No
Medium	No	B6	25.1	No	No	Yes	2.30	bench	No
Medium	No	B6	118.7	Yes	Yes	Yes	2.70		No
Medium	No	B6	2083.3	Yes	Yes	Yes	2.90	bench	No
Low	Yes	E1	863.3	No		No	0.00		No
Low	Yes	B9	3507.2	No	No	No	0.00	bench	No
Low	Yes	B6	2482.9	No	No	No	0.00	bench	No
High	No	A9	14721.3	Yes	Yes	Yes	0.60		Yes
High	No	A9	42288.5	Yes	Yes	Yes	0.50		Yes
High	No	A9	40579.8	Yes	Yes	Yes	1.80		Yes
High	No	D7	3965.1	No		Yes	1.20		Yes

Location Priority	Severe? (Y/N)	Route Name	Postmile	Bus Shelter	Wheel Chair Seating	Wheelchair Landing	Landing Slope	Other	Compliant
High	No	E1	2093.7	No		Yes	1.90		Yes
High	No	F2	6925.3	Yes	Yes	Yes	0.40		Yes
High	No	F4	1199.9	No		Yes	2.00		Yes
High	No	F4	2397.5	No		Yes	1.10		Yes
High	No	A9	24345.2	No	Yes	Yes	1.50		Yes
High	No	A9	26211.4	No		Yes	1.40		Yes
High	No	A9	26399.5	No		Yes	2.00		Yes
High	No	A9	30771.9	No		Yes	1.90		Yes
High	No	A9	32725.7	No		Yes	1.40		Yes
High	No	A9	31260.1	No		Yes	2.00		Yes
High	No	A9	37940.5	Yes	Yes	Yes	1.80		Yes
High	No	A9	50132.1	No		Yes	1.80		Yes
High	No	E4	5594.5	No		Yes	0.00		Yes
High	No	D1	4414.4	Yes	Yes	Yes	1.70		Yes
High	No	B3	2650.7	Yes	Yes	Yes	1.00		Yes
High	No	B2	11402.0	No		Yes	1.50		Yes
High	No	B2	14106.9	Yes	Yes	Yes	2.00		Yes
High	No	B5	22659.7	Yes	Yes	Yes	1.50		Yes
High	No	B5	3111.7	Yes	Yes	Yes	0.30		Yes
High	No	B5	2707.0	Yes	Yes	Yes	0.20		Yes
High	No	B5	9247.2	Yes	Yes	Yes	0.60	bench	Yes
High	No	B5	12119.9	Yes	Yes	Yes	1.00		Yes
High	No	B1	3828.2	Yes	Yes	Yes	1.70	bench	Yes
High	No	B1	5466.6	Yes	Yes	Yes	1.80	bench	Yes
High	No	B1	6487.2	Yes	Yes	Yes	1.10		Yes
High	No	B1	6745.7	Yes	Yes	Yes	0.30		Yes
High	No	B6	1169.3	Yes	Yes	Yes	1.30		Yes
High	No	B6	1799.0	Yes	Yes	Yes	1.40	bench	Yes
High	No	B6	1777.9	Yes	Yes	Yes	1.60	bench	Yes
Medium	No	F1	1959.7	Yes	Yes	Yes	1.80		Yes
Medium	No	F4	1219.7	No	Yes	Yes	1.70		Yes
Medium	No	A9	2652.2	No		Yes	2.00		Yes
Medium	No	A9	11034.3	Yes	Yes	Yes	1.90		Yes
Medium	No	A9	35423.1	Yes	Yes	Yes	1.90		Yes
Medium	No	A9	39426.5	Yes	Yes	Yes	1.10		Yes
Medium	No	A9	37745.3	Yes	Yes	Yes	1.30		Yes
Medium	No	E1	4234.7	No		Yes	0.70		Yes
Medium	No	A9	278.8	No		Yes	1.60		Yes
Medium	No	A9	28384.8	No		Yes	1.80		Yes
Medium	No	A9	45054.7	Yes	Yes	Yes	1.10		Yes
Medium	No	A9	43909.9	Yes	Yes	Yes	1.30		Yes
Medium	No	E1	3874.7	Yes	Yes	Yes	1.60		Yes
Medium	No	A10	6566.9	No		Yes	0.00		Yes
Medium	No	B3	112.0	Yes	Yes	Yes	2.00		Yes
Medium	No	C5	7524.4	No		Yes	1.60		Yes
Medium	No	B5	21866.9	Yes	Yes	Yes	2.00		Yes
Medium	No	B10	4840.2	Yes	Yes	Yes	1.10	benches	Yes
Medium	No	A9	18803.6	No			0.00		Yes
Medium	No	A9	17484.6	No			0.00		Yes
Medium	No	A9	16301.9	No			0.00		Yes
Medium	No	A9	14746.8	No			0.00		Yes
Medium	No	A9	12203.0	No			0.00		Yes
Medium	No	A9	10726.0	No			0.00		Yes
Medium	No	A9	5536.6	No			0.00		Yes
Medium	No	A9	2294.7	No			0.00		Yes
Low	No	F4	3557.1	No		Yes	1.70		Yes
								Number of Non-Compliant Transit Stops	288

Compliant

Non-Compliant

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	A9	31536.1	Com	21.5	No	21.7	14.4	No
High	Yes	C2	1379.6	Com	17.6	No	28.2	19.2	No
High	Yes	C1	116.3	Com	17.5	Yes	10.7	16.9	No
High	Yes	B1	5937.2	Res	16.4	No	22.7	17.6	No
High	Yes	D6	3595.5	Com	16.2	No	24.9	17.8	No
High	Yes	B5	14551.7	Res	15.9	No	17.1	13.3	No
High	Yes	F1	821.7	Res	15.7	No	17.1	11.6	No
High	Yes	C1	57.1	Com	15.5	No	23.1	15.2	No
High	Yes	C5	7172.4	Com	15.4	No	11.0	14.9	No
High	Yes	B5	13696.3	Com	15.4	No	9.4	15.0	No
High	Yes	A9	25741.1	Com	15.3	No	100.0	100.0	No
High	Yes	B5	31563.3	Res	15.1	No	2.1	16.6	No
High	Yes	B5	14169.8	Res	15.1	No	13.2	12.1	No
High	Yes	B6	2353.0	Res	14.9	No	14.3	17.6	No
High	Yes	B1	6890.4	Res	14.8	No	18.8	11.4	No
High	Yes	B1	5842.0	Res	14.7	No	28.1	26.4	No
High	Yes	E1	7691.5	Com	14.6	No	17.2	16.4	No
High	Yes	C7	4490.6	Res	14.6	No	17.5	17.2	No
High	Yes	E1	9466.0	Res	14.6	No	14.0	13.2	No
High	Yes	B1	5122.1	Com	14.5	No	15.9	16.2	No
High	Yes	B5	31436.2	Res	14.5	No	2.2	15.2	No
High	Yes	B1	4858.7	Res	14.5	No	15.3	13.5	No
High	Yes	B5	21951.8	Com	14.4	No	8.5	9.8	No
High	Yes	B5	13835.5	Com	14.4	No	14.7	21.5	No
High	Yes	B1	4611.9	Res	14.4	No	22.6	19.2	No
High	Yes	E1	2172.4	Res	14.3	No	13.6	9.0	No
High	Yes	B1	4423.2	Res	14.3	No	19.1	12.5	No
High	Yes	B5	23955.3	Com	14.2	No	15.4	12.9	No
High	Yes	B5	18275.2	Res	14.1	No	12.4	9.0	No
High	Yes	C6	1979.9	Com	14.0	No	5.9	6.6	No
High	Yes	B5	11067.0	Com	14.0	No	14.9	15.2	No
High	Yes	B1	15161.2	Res	13.9	No	8.9	6.5	No
High	Yes	B9	279.1	Res	13.9	No	18.7	13.4	No
High	Yes	B9	6873.7	Com	13.7	No	14.4	20.0	No
High	Yes	C2	3277.8	Com	13.4	No	18.6	21.1	No
High	Yes	B1	6710.2	Res	13.4	No	15.9	13.6	No
High	Yes	B1	6764.8	Res	13.4	No	10.9	12.5	No
High	Yes	D1	1801.9	Com	13.3	No	3.5	20.7	No
High	Yes	C8	862.8	Com	13.2	No	12.6	17.2	No
High	Yes	A9	20540.3	Com	13.2	No	15.4	22.4	No
High	Yes	D5	705.8	Com	13.2	No	7.8	6.0	No
High	Yes	E4	5634.2	Com	13.1	No	14.5	18.7	No
High	Yes	D7	4396.8	Com	13.1	No	12.7	12.0	No
High	Yes	B4	3497.9	Com	13.1	No	18.5	12.3	No
High	Yes	A9	23005.4	Res	13.1	No	17.0	18.0	No
High	Yes	C2	2169.8	Com	13.0	No	9.2	6.6	No
High	Yes	C6	2464.8	Com	12.9	No	17.2	15.9	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	C2	3444.5	Com	12.9	No	10.1	18.1	No
High	Yes	B5	18029.1	Res	12.9	No	15.0	11.1	No
High	Yes	B1	4180.9	Res	12.9	No	16.9	14.5	No
High	Yes	B1	10601.2	Com	12.8	No	20.2	22.2	No
High	Yes	C2	2662.0	Com	12.8	No	19.1	30.3	No
High	Yes	A6	3235.0	Com	12.8	No	18.4	2.5	No
High	Yes	E8	16.8	Com	12.8	No	12.3	25.2	No
High	Yes	B1	5457.3	Com	12.8	No	25.5	28.4	No
High	Yes	C3	7782.1	Com	12.8	No	21.9	16.2	No
High	Yes	B1	6814.5	Res	12.8	No	16.5	10.6	No
High	Yes	C2	2773.0	Com	12.7	No	17.2	21.4	No
High	Yes	A6	4611.7	Com	12.7	No	19.8	6.8	No
High	Yes	A9	31250.2	Com	12.7	No	12.5	17.1	No
High	Yes	C5	7303.5	Com	12.6	No	20.2	21.0	No
High	Yes	C3	7700.3	Com	12.6	No	21.9	23.3	No
High	Yes	A3	304.2	Res	12.6	No	24.0	22.1	No
High	Yes	B4	2483.3	Res	12.6	No	19.8	21.3	No
High	Yes	B1	4361.5	Res	12.6	No	20.0	15.7	No
High	Yes	B9	1836.1	Res	12.6	No	16.5	16.8	No
High	Yes	B9	220.6	Res	12.6	No	16.0	13.7	No
High	Yes	C5	2574.6		12.6	No	16.0	18.3	No
High	Yes	C4	3839.2	Com	12.5	No	31.1	20.3	No
High	Yes	B1	5580.4	Com	12.5	No	10.4	20.8	No
High	Yes	A9	21255.7	Com	12.5	No	13.3	19.0	No
High	Yes	B10	3906.5	Res	12.5	No	38.1	26.0	No
High	Yes	C6	1968.8	Com	12.4	No	18.2	9.0	No
High	Yes	C2	2874.2	Com	12.4	No	20.5	32.9	No
High	Yes	C5	1358.9	Com	12.4	No	22.1	20.6	No
High	Yes	B1	5015.6	Com	12.4	No	20.4	8.3	No
High	Yes	C3	18242.2	Com	12.4	No	23.0	23.3	No
High	Yes	F2	4296.6	Res	12.4	No	20.1	15.7	No
High	Yes	C2	3659.8	Com	12.3	No	16.9	18.8	No
High	Yes	C2	2606.4	Com	12.3	No	15.4	21.4	No
High	Yes	B6	142.1	Com	12.3	No	7.7	5.9	No
High	Yes	B9	7180.0	Com	12.3	No	14.5	14.2	No
High	Yes	A9	32665.5	Com	12.3	No	16.8	25.2	No
High	Yes	F2	703.5	Res	12.3	No	10.2	7.9	No
High	Yes	A6	4644.4	Res	12.3	No	3.4	14.7	No
High	Yes	A6	272.8	Com	12.2	No	7.3	15.5	No
High	Yes	C1	3688.8	Com	12.2	No	11.9	11.4	No
High	Yes	B9	4616.3	Com	12.2	No	9.1	5.2	No
High	Yes	C9	3414.7	Com	12.1	No	8.1	5.7	No
High	Yes	C6	2570.8	Com	12.1	No	5.8	9.2	No
High	Yes	A6	4344.9	Com	12.1	No	11.0	17.1	No
High	Yes	F2	4407.2	Res	12.1		7.8	18.3	No
High	Yes	F2	4442.6	Res	12.1	No	12.6	17.0	No
High	Yes	F2	4509.2	Res	12.1	No	12.0	14.0	No
High	Yes	B1	6848.1	Res	12.1	No	18.4	10.3	No
High	Yes	B9	1361.5	Res	12.1	No	16.7	14.5	No
High	Yes	B9	1677.0	Res	12.1	No	13.6	18.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	C6	2515.2	Com	12.0	No	5.2	9.2	No
High	Yes	C2	2831.8	Com	12.0	No	13.5	16.3	No
High	Yes	B5	7599.3	Com	12.0	No	14.7	17.7	No
High	Yes	C1	4236.3	Com	12.0	No	10.5	6.3	No
High	Yes	B6	1145.2	Com	12.0	No	13.3	26.2	No
High	Yes	A9	20461.3	Com	12.0	No	12.1	22.9	No
High	Yes	F2	3965.8	Res	12.0	No	9.8	12.8	No
High	Yes	E1	1312.1	Res	12.0	No	8.0	8.1	No
High	Yes	B5	14216.9	Res	12.0	No	15.8	15.1	No
High	Yes	B1	7688.4	Res	12.0	No	11.0	7.6	No
High	Yes	B9	1442.0	Res	12.0	No	12.4	12.7	No
High	Yes	A9	30718.5	Com	11.9	No	14.1	19.8	No
High	Yes	A9	34034.9	Com	11.9	No	22.7	33.8	No
High	Yes	B5	15729.7	Com	11.9	No	24.3	19.3	No
High	Yes	F2	614.8	Res	11.9	No	7.0	7.2	No
High	Yes	D4	3599.6	Res	11.9	No	9.0	15.6	No
High	Yes	B9	41.6	Res	11.9	No	14.2	18.2	No
High	Yes	B1	14775.1	Com	11.8	No	8.9	7.1	No
High	Yes	D3	1117.1	Com	11.8	No	24.5	22.9	No
High	Yes	B5	29524.1	Com	11.8	No	11.3	8.5	No
High	Yes	B5	14016.7	Com	11.8	No	16.4	13.2	No
High	Yes	C7	2516.9	Res	11.8	No	17.5	15.4	No
High	Yes	B5	16342.2	Res	11.8	No	10.8	11.2	No
High	Yes	B5	18296.5	Res	11.8	No	11.4	11.7	No
High	Yes	B10	3641.6	Res	11.8	No	19.2	17.8	No
High	Yes	A9	30961.6	Com	11.7	No	9.5	13.0	No
High	Yes	A2	1552.3	Com	11.7	No	5.0	12.3	No
High	Yes	B7	1961.6	Com	11.7	No	13.2	7.2	No
High	Yes	B9	664.8	Res	11.7	No	11.7	13.5	No
High	Yes	B9	2136.6	Res	11.7	No	16.6	14.6	No
High	Yes	C2	3369.3	Com	11.6	No	26.6	19.4	No
High	Yes	A1	1300.6	Com	11.6	No	7.6	7.2	No
High	Yes	A3	218.0	Res	11.6	No	26.9	5.3	No
High	Yes	B1	4770.8	Res	11.6	No	22.0	24.1	No
High	Yes	B9	625.5	Res	11.6	No	13.4	16.9	No
High	Yes	B9	2430.9	Res	11.6	No	11.1	9.3	No
High	Yes	C2	2727.2	Com	11.5	No	16.2	28.0	No
High	Yes	C2	2181.2	Com	11.5	No	6.5	8.5	No
High	Yes	C4	3894.9	Com	11.5	No	14.1	18.1	No
High	Yes	A2	1616.1	Com	11.5	No	13.4	7.6	No
High	Yes	B9	7381.3	Com	11.5	No	15.3	15.2	No
High	Yes	F2	564.5	Res	11.5	No	8.3	8.1	No
High	Yes	F2	4120.1	Res	11.5	No	9.1	16.2	No
High	Yes	F2	4367.6	Res	11.5	No	16.5	17.8	No
High	Yes	E1	2418.8	Res	11.5	No	7.6	7.8	No
High	Yes	B10	3674.0	Res	11.5	No	16.0	16.7	No
High	Yes	A9	22743.6	Res	11.5	No	19.2	16.2	No
High	Yes	C9	2464.3	Res	11.5	No	4.8	6.7	No
High	Yes	A9	40065.9	Com	11.4	No	7.6	8.1	No
High	Yes	A9	38499.5	Com	11.4	No	6.0	5.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B4	3789.6	Com	11.4	No	20.0	12.4	No
High	Yes	A9	25043.8	Com	11.4	No	9.2	23.4	No
High	Yes	D4	3562.0	Res	11.4	No	12.9	15.8	No
High	Yes	B1	13358.8	Res	11.4	No	5.3	8.8	No
High	Yes	C6	2036.9	Res	11.4	No	13.0	9.0	No
High	Yes	C9	3496.2	Com	11.3	No	9.2	5.3	No
High	Yes	D9	608.8	Com	11.3	No	15.2	14.9	No
High	Yes	F2	4029.3	Res	11.3	No	10.5	14.3	No
High	Yes	F2	4468.5	Res	11.3	No	13.6	16.0	No
High	Yes	B9	1518.3	Res	11.3	No	17.3	13.4	No
High	Yes	B6	2243.4	Res	11.3	No	11.4	8.0	No
High	Yes	D5	864.4	Res	11.3	No	6.1	5.8	No
High	Yes	A9	24883.1	Com	11.2	No	12.2	13.1	No
High	Yes	A10	5379.2	Com	11.2	No	5.4	23.6	No
High	Yes	C2	2723.6	Com	11.2	No	19.6	13.6	No
High	Yes	A6	4120.0	Com	11.2	No	11.2	16.0	No
High	Yes	F2	4178.2	Res	11.2	No	10.4	11.8	No
High	Yes	F2	4273.4	Res	11.2	No	18.3	17.6	No
High	Yes	E1	3715.4	Res	11.2	No	20.4	16.3	No
High	Yes	A6	3508.9	Res	11.2	No	4.5	9.3	No
High	Yes	B5	18244.3	Res	11.2	No	12.8	13.3	No
High	Yes	E1	2956.6	Res	11.2	No	18.2	12.7	No
High	Yes	F4	174.0	Com	11.1	No	11.5	16.3	No
High	Yes	B1	3924.3	Com	11.1	No	11.3	12.4	No
High	Yes	B1	8878.4	Com	11.1	No	19.3	29.5	No
High	Yes	F2	4568.2	Res	11.1	No	12.0	7.5	No
High	Yes	C2	2857.6	Com	11.0	No	17.9	14.2	No
High	Yes	B4	1411.8	Com	11.0	No	11.6	11.6	No
High	Yes	B1	5351.1	Com	11.0	No	28.9	20.8	No
High	Yes	E1	2230.9	Res	11.0	Yes	7.0	7.3	No
High	Yes	B4	2575.8	Res	11.0	No	18.7	24.8	No
High	Yes	C1	4538.8	Res	11.0	No	8.1	6.9	No
High	Yes	A9	22402.9	Res	11.0	No	19.0	20.3	No
High	Yes	B5	11157.6	Com	10.9	No	15.3	15.1	No
High	Yes	C1	3571.1	Com	10.9	No	13.7	13.8	No
High	Yes	B1	7173.7	Com	10.9	No	16.3	10.0	No
High	Yes	B1	6956.3	Com	10.9	No	5.9	6.5	No
High	Yes	F2	3820.7	Res	10.9	No	11.2	19.8	No
High	Yes	F2	4538.4	Res	10.9	No	13.0	13.3	No
High	Yes	B5	15424.8	Res	10.9	No	23.4	17.7	No
High	Yes	B4	2585.4	Res	10.9	No	22.1	32.5	No
High	Yes	B7	2341.8	Res	10.9	No	19.3	19.5	No
High	Yes	B9	3225.7	Res	10.9	No	17.7	15.4	No
High	Yes	E1	1099.4	Res	10.9	No	9.9	7.4	No
High	Yes	D9	619.0	Res	10.9	No	17.7	7.3	No
High	Yes	F2	12189.4	Com	10.8	No	14.6	13.7	No
High	Yes	B1	11116.4	Com	10.8	No	19.3	20.8	No
High	Yes	C2	3195.9	Com	10.8	No	18.1	16.4	No
High	Yes	E8	726.2	Com	10.8	No	7.2	8.6	No
High	Yes	B1	3407.2	Com	10.8	No	11.6	23.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	B9	355.6	Com	10.8	No	8.6	12.8	No
High	Yes	B6	188.6	Com	10.8	No	5.2	6.8	No
High	Yes	F2	4062.0	Res	10.8	No	20.2	13.0	No
High	Yes	B4	2335.6	Res	10.8	No	22.0	18.1	No
High	Yes	B9	1713.9	Res	10.8	No	12.0	18.4	No
High	Yes	C8	694.7	Com	10.7	No	4.4	6.0	No
High	Yes	E7	225.1	Com	10.7	No	6.6	9.7	No
High	Yes	A6	10765.5	Com	10.7	No	16.0	14.6	No
High	Yes	B5	13729.7	Com	10.7	No	13.2	11.9	No
High	Yes	F2	6457.2	Com	10.7	No	11.9	22.1	No
High	Yes	A10	5197.5	Res	10.7	No	26.9	11.8	No
High	Yes	B4	2368.9	Res	10.7	No	18.5	24.0	No
High	Yes	C9	3921.0		10.7	No	6.2	8.4	No
High	Yes	B1	12211.0	Com	10.6	No	6.6	9.9	No
High	Yes	B10	5588.1	Com	10.6	No	16.5	15.2	No
High	Yes	B10	6541.1	Com	10.6	No	13.3	14.8	No
High	Yes	C7	2498.1	Res	10.6	No	17.8	9.5	No
High	Yes	A6	3382.9	Res	10.6	No	14.4	12.7	No
High	Yes	A6	3155.3	Res	10.6	No	14.4	4.2	No
High	Yes	C1	4506.9	Res	10.6	No	8.1	6.3	No
High	Yes	C2	3101.2	Com	10.5	No	18.2	20.7	No
High	Yes	C4	3816.3	Com	10.5	No	21.3	20.2	No
High	Yes	A6	8985.5	Com	10.5	No	5.8	10.3	No
High	Yes	B5	1997.7	Com	10.5	No	19.4	25.3	No
High	Yes	F2	4194.5	Res	10.5	No	11.7	13.7	No
High	Yes	B5	14801.0	Res	10.5	No	14.7	12.7	No
High	Yes	B5	1354.8	Com	10.4	No	6.5	14.8	No
High	Yes	A9	30850.8	Com	10.4	No	19.1	20.0	No
High	Yes	A4	4307.4	Com	10.4	No	9.2	18.3	No
High	Yes	A6	174.0	Com	10.4	No	24.2	11.7	No
High	Yes	B7	1815.6	Com	10.4	No	19.3	11.5	No
High	Yes	B9	7124.3	Com	10.4	No	16.9	17.6	No
High	Yes	E9	2063.6	Com	10.4	No	3.5	9.3	No
High	Yes	F2	4145.3	Res	10.4	No	15.8	12.7	No
High	Yes	B5	30423.5	Res	10.4	No	7.3	6.9	No
High	Yes	B5	14839.8	Res	10.4	No	20.3	16.7	No
High	Yes	B5	18344.4	Res	10.4	No	12.5	999.0	No
High	Yes	B1	3525.8	Res	10.4	No	14.0	15.7	No
High	Yes	A9	20683.1	Res	10.4	No	9.8	20.0	No
High	Yes	C9	5363.7	Com	10.3	No	13.5	19.1	No
High	Yes	C9	2409.7	Com	10.3	No	9.6	7.3	No
High	Yes	C2	2622.4	Com	10.3	No	7.3	7.1	No
High	Yes	A2	1781.6	Com	10.3	No	6.5	8.2	No
High	Yes	B10	3136.9	Com	10.3	No	16.8	17.4	No
High	Yes	B7	1878.5	Com	10.3	No	14.6	13.7	No
High	Yes	B1	8274.8	Com	10.3	No	8.2	9.8	No
High	Yes	B4	2516.3	Res	10.3	No	21.6	21.4	No
High	Yes	B4	2100.7	Res	10.3	No	12.8	15.1	No
High	Yes	C1	4469.4	Res	10.3	No	8.8	6.5	No
High	Yes	B1	10957.9	Com	10.2	No	19.6	13.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	Yes	A6	4089.4	Com	10.2	No	10.8	17.7	No
High	Yes	B10	3931.5	Com	10.2	No	19.0	18.1	No
High	Yes	A9	21107.1	Com	10.2	No	4.7	21.1	No
High	Yes	C9	6252.8	Com	10.2	No	13.7	14.3	No
High	Yes	F2	4100.0	Res	10.2	No	8.0	13.5	No
High	Yes	D4	3852.7	Res	10.2	No	16.9	8.6	No
High	Yes	C9	2463.3	Res	10.2	No	10.2	3.2	No
High	Yes	B1	15241.0	Res	10.2	No	10.3	7.0	No
High	Yes	A6	2995.5	Res	10.2	No	20.3	1.7	No
High	Yes	B10	4182.2	Res	10.2	No	13.1	22.0	No
High	Yes	B10	6236.8	Res	10.2	No	8.5	14.4	No
High	Yes	E1	5593.0	Com	10.1	No	6.3	7.0	No
High	Yes	A10	8044.0	Com	10.1	No	9.2	7.3	No
High	Yes	C6	1807.3	Com	10.1	No	7.1	17.6	No
High	Yes	B4	3730.0	Com	10.1	No	20.1	16.0	No
High	Yes	A9	31497.9	Com	10.1	No	15.9	21.1	No
High	Yes	E1	5336.8	Com	10.1	No	6.7	3.1	No
High	Yes	D4	3758.0	Res	10.1	No	3.2	7.1	No
High	Yes	A10	5461.9	Res	10.1	No	12.3	5.8	No
High	Yes	A10	5569.7	Res	10.1	No	17.1	15.6	No
High	Yes	E8	412.2	Res	10.1	No	7.1	7.9	No
High	Yes	B10	6599.9	Res	10.1	No	15.5	9.5	No
High	Yes	B10	6280.5	Res	10.1	No	16.9	12.2	No
High	Yes	B4	2466.9	Res	10.1	No	17.7	23.0	No
High	Yes	C1	4424.2	Res	10.1	No	7.1	7.2	No
High	Yes	A9	25010.2	Res	10.1	No	18.6	28.5	No
High	No	F4	84.5	Com	10.0	No	13.4	16.2	No
High	No	E1	2123.8	Com	10.0	No	18.1	13.0	No
High	No	B1	12156.4	Com	10.0	No	4.9	7.8	No
High	No	C2	3552.0	Com	10.0	No	3.7	11.3	No
High	No	B1	3970.5	Com	10.0	No	9.1	12.7	No
High	No	E1	2546.9	Res	10.0	No	16.6	12.8	No
High	No	B1	3597.0	Res	10.0	No	13.9	12.0	No
High	No	D9	681.9	Res	10.0	No	11.9	15.2	No
High	No	A9	39975.0	Com	9.9	No	7.8	5.4	No
High	No	C3	15920.9	Com	9.9	No	24.9	28.1	No
High	No	D3	1252.2	Com	9.9	No	11.0	15.7	No
High	No	A6	82.5	Com	9.9	No	20.1	12.2	No
High	No	B5	22676.0	Com	9.9	No	12.6	10.0	No
High	No	A9	21598.6	Res	9.9	No	12.2	22.6	No
High	No	D4	3442.5	Res	9.9	No	13.2	11.1	No
High	No	B1	6930.3	Res	9.9	No	14.8	14.5	No
High	No	D9	551.0	Res	9.9	No	7.4	6.1	No
High	No	E1	2651.4		9.9	No	12.5	15.1	No
High	No	A10	7292.1	Com	9.8	No	4.5	15.6	No
High	No	B10	6489.8	Com	9.8	No	15.4	23.2	No
High	No	F5	2438.5	Com	9.7	No	5.7	6.3	No
High	No	A2	1607.4	Com	9.7	No	6.5	12.5	No
High	No	A2	1641.3	Com	9.7	No	8.1	8.1	No
High	No	A6	4442.8	Com	9.7	No	15.7	6.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B8	3946.5	Com	9.7	No	11.5	6.4	No
High	No	B1	7191.3	Com	9.7	No	8.9	4.9	No
High	No	E9	1177.1	Com	9.7	No	2.8	15.1	No
High	No	F2	3794.7	Res	9.7	No	10.3	16.0	No
High	No	A6	3058.3	Res	9.7	No	16.0	5.3	No
High	No	A9	31063.2	Com	9.6	Yes	15.2	19.5	No
High	No	E1	2370.0	Com	9.6	No	18.9	14.7	No
High	No	E1	5725.6	Com	9.6	No	18.3	22.3	No
High	No	B5	11980.6	Com	9.6	No	9.8	7.1	No
High	No	B8	3833.5	Com	9.6	No	11.6	18.9	No
High	No	B1	3971.4	Com	9.6	No	9.6	11.6	No
High	No	C3	8570.2	Com	9.6	No	12.6	15.4	No
High	No	C7	3829.5	Res	9.6	No	8.2	5.0	No
High	No	A3	60.2	Res	9.6	No	28.8	4.0	No
High	No	B10	3695.0	Res	9.6	No	16.1	17.8	No
High	No	C1	3343.5	Res	9.6	No	13.8	14.8	No
High	No	A9	22589.6	Res	9.6	No	21.2	17.0	No
High	No	D6	3191.5	Com	9.5	No	13.2	12.0	No
High	No	A6	3282.2	Com	9.5	No	11.8	2.4	No
High	No	B5	14434.2	Com	9.5	No	10.6	13.0	No
High	No	A9	34607.2	Com	9.5	No	3.0	5.7	No
High	No	F2	4242.1	Res	9.5	No	11.0	18.5	No
High	No	F4	538.8	Res	9.5	No	13.8	18.9	No
High	No	B5	17177.6	Res	9.5	No	14.7	13.7	No
High	No	A10	8405.4	Com	9.4	No	29.0	9.7	No
High	No	C5	5865.7	Com	9.4	No	23.4	28.0	No
High	No	A6	47.2	Com	9.4	No	18.5	13.1	No
High	No	B5	30143.0	Com	9.4	No	5.0	6.3	No
High	No	B10	3403.9	Com	9.4	No	19.4	22.9	No
High	No	B9	7450.9	Com	9.4	No	7.2	7.2	No
High	No	D2	597.8	Res	9.4	No	5.3	9.6	No
High	No	A1	4971.0	Res	9.4	No	18.9	16.4	No
High	No	C1	4490.4	Res	9.4	No	10.5	8.1	No
High	No	A6	10830.4	Com	9.3	No	7.1	11.0	No
High	No	B5	17398.0	Com	9.3		8.5	6.0	No
High	No	B1	3640.6	Com	9.3	No	20.2	16.7	No
High	No	B6	264.4	Com	9.3	No	8.8	14.6	No
High	No	F2	3646.0	Res	9.3	No	10.4	10.2	No
High	No	E1	2041.2	Res	9.3	No	19.2	16.9	No
High	No	C7	4424.8	Res	9.3	No	8.2	6.9	No
High	No	C3	19246.5	Com	9.2	No	25.8	22.7	No
High	No	A10	5109.8	Com	9.2	No	20.2	13.2	No
High	No	D3	1363.1	Com	9.2	No	13.7	20.2	No
High	No	C3	6850.4	Com	9.2	No	14.7	14.9	No
High	No	B4	2435.8	Res	9.2	No	16.0	23.8	No
High	No	B7	2394.8	Res	9.2	No	24.1	18.8	No
High	No	C6	806.1	Com	9.1	No	17.2	28.2	No
High	No	B5	17515.4	Com	9.1	No	4.4	4.0	No
High	No	E9	951.7	Com	9.1	No	5.4	15.5	No
High	No	D2	640.7	Res	9.1	No	23.5	23.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B10	4224.2	Res	9.1	No	12.5	13.3	No
High	No	B1	3832.5	Res	9.1	No	18.1	16.8	No
High	No	A9	31002.2	Com	9.0	Yes	10.4	28.3	No
High	No	C5	5724.2	Com	9.0	No	13.3	19.2	No
High	No	A4	730.5	Com	9.0	No	20.1	18.4	No
High	No	A6	0.0	Com	9.0	No	8.6	4.4	No
High	No	A6	128.3	Com	9.0	No	7.5	14.5	No
High	No	B9	6870.3	Com	9.0	No	13.1	15.8	No
High	No	A6	3846.3	Res	9.0	No	16.0	13.8	No
High	No	E8	494.2	Res	9.0	No	7.0	10.9	No
High	No	B1	3649.0	Res	9.0	No	12.8	9.9	No
High	No	D1	1728.4	Com	8.9	No	15.7	13.1	No
High	No	C5	5994.8	Com	8.9	No	16.0	25.1	No
High	No	A4	3684.6	Com	8.9	No	10.3	17.8	No
High	No	A6	10621.9	Com	8.9	No	14.7	13.8	No
High	No	B1	6880.4	Com	8.9	No	7.5	7.1	No
High	No	E1	9473.4	Res	8.9	No	19.2	17.7	No
High	No	E1	1937.8	Res	8.9	No	7.1	6.3	No
High	No	D4	3338.7	Res	8.9	Yes	11.9	12.1	No
High	No	D2	632.8	Res	8.9	No	37.9	3.5	No
High	No	B5	11108.3	Res	8.9	No	8.8	6.6	No
High	No	B10	6633.1	Res	8.9	No	11.2	4.1	No
High	No	A9	22649.6	Res	8.9	No	18.3	17.2	No
High	No	F2	12407.5	Com	8.8	No	14.0	16.1	No
High	No	A9	25374.6	Com	8.8	No	20.2	10.1	No
High	No	B1	3859.7	Com	8.8	No	8.1	16.4	No
High	No	B1	6258.6	Com	8.8	No	8.8	15.4	No
High	No	A9	34651.3	Com	8.8	No	4.9	6.7	No
High	No	C3	17563.4	Com	8.8	No	11.5	12.3	No
High	No	F2	3665.2	Res	8.8	No	9.3	15.6	No
High	No	B4	2146.3	Res	8.8	No	20.5	34.2	No
High	No	C9	6730.6	Com	8.7	No	8.9	6.3	No
High	No	A10	7334.1	Com	8.7	No	14.9	7.8	No
High	No	C5	5926.1	Com	8.7	No	33.9	24.9	No
High	No	B5	13674.8	Com	8.7	No	14.6	13.2	No
High	No	B5	15814.2	Com	8.7	No	18.4	25.4	No
High	No	B6	1198.7	Com	8.7	No	14.2	10.2	No
High	No	F4	236.3	Res	8.7	No	7.0	18.5	No
High	No	A9	24972.9	Com	8.6	No	15.2	10.3	No
High	No	A9	31176.0	Com	8.6	No	13.0	6.6	No
High	No	C9	1901.3	Com	8.6	No	7.5	5.8	No
High	No	B1	11856.1	Com	8.6	No	15.6	4.9	No
High	No	A2	1669.5	Com	8.6	No	10.5	6.1	No
High	No	E1	5379.7	Com	8.6	No	5.2	4.6	No
High	No	D4	3797.0	Res	8.6	No	5.7	7.0	No
High	No	C7	2467.2	Res	8.6	No	15.1	15.7	No
High	No	A6	3187.8	Res	8.6	No	14.7	7.6	No
High	No	A9	30914.8	Com	8.5	No	17.9	23.6	No
High	No	A4	720.0	Com	8.5	No	11.1	9.5	No
High	No	B5	14489.4	Com	8.5	No	10.8	9.9	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B4	3840.5	Com	8.5	No	25.8	15.2	No
High	No	A9	23122.6	Res	8.5	No	19.8	15.6	No
High	No	A9	31074.7	Com	8.4	No	10.4	5.8	No
High	No	A9	35453.5	Com	8.4	No	25.5	12.6	No
High	No	A1	1310.8	Com	8.4	No	11.4	19.8	No
High	No	B5	9790.5	Com	8.4	No	7.4	4.6	No
High	No	B5	11410.7	Com	8.4	No	7.8	6.0	No
High	No	B10	5761.4	Com	8.4	No	16.4	14.7	No
High	No	B5	747.9	Com	8.4	No	11.5	6.9	No
High	No	A6	3262.5	Res	8.4	No	6.1	16.5	No
High	No	B5	11495.9	Res	8.4	No	15.5	26.7	No
High	No	A9	30803.5	Com	8.3	No	20.6	15.9	No
High	No	D6	2583.4	Com	8.3	No	21.5	21.1	No
High	No	B1	11458.6	Com	8.3	No	23.6	6.8	No
High	No	A10	5501.8	Com	8.3	No	9.3	16.5	No
High	No	A4	3698.5	Com	8.3	No	19.7	4.5	No
High	No	A9	21530.8	Res	8.3	No	10.2	22.7	No
High	No	C9	1584.8	Res	8.3	No	9.6	6.0	No
High	No	B5	17407.5	Res	8.3	No	14.2	13.5	No
High	No	B1	3386.1	Res	8.3	No	17.3	10.5	No
High	No	A9	22798.4	Res	8.3	No	10.9	14.4	No
High	No	D9	801.7	Res	8.3	No	15.1	22.6	No
High	No	A9	24758.9	Com	8.2	No	13.9	5.7	No
High	No	B5	16791.5	Com	8.2	No	16.5	18.7	No
High	No	B8	3661.2	Com	8.2	No	9.0	7.1	No
High	No	D6	2949.4	Res	8.2	No	5.4	5.4	No
High	No	D2	688.7	Res	8.2	No	23.9	16.4	No
High	No	B10	6235.7	Res	8.2	No	8.4	12.2	No
High	No	B10	6547.8	Res	8.2	No	13.2	13.1	No
High	No	A9	23297.7	Res	8.2	No	17.1	9.9	No
High	No	B4	2794.7	Com	8.1	No	17.0	16.1	No
High	No	E9	1359.8	Com	8.1	Yes	0.4	11.9	No
High	No	D4	3538.6	Res	8.1	No	14.8	9.6	No
High	No	A6	3109.7	Res	8.1	No	5.5	19.1	No
High	No	C5	5957.7	Com	8.0	No	22.4	24.8	No
High	No	C5	2569.0	Com	8.0	No	15.8	23.5	No
High	No	B5	11326.7	Com	8.0	No	22.9	13.0	No
High	No	B5	11437.8	Com	8.0	No	16.7	13.5	No
High	No	B10	5658.7	Com	8.0	No	13.0	13.2	No
High	No	F5	2471.3	Com	7.9	No	4.2	11.0	No
High	No	A9	25505.7	Com	7.9	No	5.3	15.3	No
High	No	C9	7944.5	Com	7.9	No	30.8	15.7	No
High	No	A6	395.3	Com	7.9	No	19.3	2.4	No
High	No	B5	110.0	Com	7.9	No	12.1	12.2	No
High	No	B1	3750.3	Res	7.9	No	9.0	12.8	No
High	No	A9	22955.1	Res	7.9	No	14.3	12.5	No
High	No	D6	2843.8	Com	7.8	No	12.9	19.3	No
High	No	D6	2762.5	Com	7.8	No	5.0	7.4	No
High	No	A2	1997.8	Com	7.8	No	16.5	18.8	No
High	No	A6	5879.6	Com	7.8	No	10.8	4.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B5	16946.9	Com	7.8	Yes	17.7	18.9	No
High	No	C1	4399.0	Com	7.8	No	6.1	10.9	No
High	No	A9	22012.5	Res	7.8	No	15.2	13.4	No
High	No	D6	2998.2	Res	7.8	No	6.5	4.9	No
High	No	B5	10984.7	Com	7.7	No	9.3	9.8	No
High	No	B4	2752.0	Com	7.7	No	11.0	17.4	No
High	No	B4	2045.2	Res	7.7	No	20.4	15.4	No
High	No	C1	4601.2	Res	7.7	No	6.7	8.2	No
High	No	A10	7202.3	Com	7.6	No	8.7	4.6	No
High	No	A4	2280.4	Com	7.6	No	10.9	12.6	No
High	No	B10	3060.0	Com	7.6	No	17.1	16.9	No
High	No	E1	5310.9	Com	7.6	No	5.2	6.2	No
High	No	D6	2431.7	Res	7.6	No	8.4	10.2	No
High	No	B5	16719.7	Res	7.6	No	18.1	13.9	No
High	No	B10	6291.2	Res	7.6	No	11.7	6.9	No
High	No	A9	24799.7	Com	7.5	No	13.2	14.0	No
High	No	C5	1304.9	Com	7.5	No	21.8	20.5	No
High	No	A6	10689.9	Com	7.5	No	14.4	11.2	No
High	No	A6	10770.9	Com	7.5	No	7.2	13.2	No
High	No	A9	22084.7	Res	7.5	No	23.6	19.3	No
High	No	D4	3481.5	Res	7.5	No	11.2	11.9	No
High	No	E8	466.4	Res	7.5	No	13.5	16.1	No
High	No	B9	6988.7	Res	7.5	No	15.3	13.7	No
High	No	E1	5719.0	Res	7.5	No	5.4	5.0	No
High	No	C3	16952.2	Res	7.5	Yes	5.4	5.6	No
High	No	B1	10549.3	Com	7.4	No	8.9	8.8	No
High	No	B5	12139.2	Com	7.4	No	7.3	8.4	No
High	No	B5	11333.8	Com	7.4	No	5.9	8.0	No
High	No	D4	3628.2	Res	7.4	No	11.3	10.8	No
High	No	B5	15584.4	Res	7.4	No	13.8	21.5	No
High	No	C5	4141.6	Com	7.3	No	8.0	6.4	No
High	No	A9	20222.3	Com	7.3	No	6.4	9.4	No
High	No	A9	22443.5	Res	7.3	No	17.5	11.3	No
High	No	A2	1935.5	Com	7.2	No	18.6	15.4	No
High	No	A9	36444.8	Com	7.2	No	15.4	20.5	No
High	No	F2	512.5	Com	7.1	No	7.1	7.9	No
High	No	C5	2075.7	Com	7.1	No	8.0	8.6	No
High	No	B5	4115.6	Com	7.1	No	17.6	18.1	No
High	No	B5	15524.0	Res	7.1	No	22.2	30.4	No
High	No	E8	329.8	Res	7.1	No	6.8	6.6	No
High	No	C1	4451.2	Res	7.1	No	8.7	8.0	No
High	No	B1	5247.9	Com	7.0	No	5.6	3.1	No
High	No	C3	8409.8	Com	6.9	No	14.7	13.2	No
High	No	B1	10847.3	Com	6.9	No	7.6	7.6	No
High	No	B5	10675.8	Com	6.9	No	6.2	8.0	No
High	No	B1	3761.2	Com	6.9	No	12.4	15.6	No
High	No	B1	6472.4	Com	6.9	No	12.5	13.7	No
High	No	E1	2906.9	Res	6.9	No	10.3	13.0	No
High	No	D2	736.5	Res	6.9	No	6.4	6.4	No
High	No	B5	7666.2	Com	6.8	No	17.4	16.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	A9	30443.5	Com	6.8	No	7.5	9.8	No
High	No	B4	2209.7	Res	6.8	No	6.4	9.1	No
High	No	B10	2911.9	Com	6.7	No	10.7	18.6	No
High	No	B10	3875.9	Res	6.7	No	19.7	15.6	No
High	No	C6	2223.5	Com	6.6	No	14.9	14.5	No
High	No	A3	169.0	Res	6.6	No	27.1	3.7	No
High	No	A9	23403.8	Res	6.6	No	17.9	15.2	No
High	No	D6	2870.8	Com	6.5	No	12.4	10.6	No
High	No	B1	14548.0	Com	6.5	Yes	0.0	0.0	No
High	No	E7	308.4	Com	6.5	No	5.7	7.6	No
High	No	A6	9100.6	Com	6.5	No	10.4	12.9	No
High	No	B1	15840.6	Res	6.4	Yes	0.0	0.0	No
High	No	D6	2480.5	Com	6.3	No	7.1	15.5	No
High	No	B5	16850.7	Com	6.3	No	20.0	12.6	No
High	No	A9	25503.1	Res	6.3	No	15.6	13.4	No
High	No	B1	15885.0	Res	6.3	Yes	0.0	0.0	No
High	No	A2	1838.4	Com	6.2	No	12.9	7.8	No
High	No	A6	9849.8	Com	6.2	No	10.4	1.9	No
High	No	B1	11019.1	Com	6.0	No	24.6	18.3	No
High	No	B9	7384.7	Com	6.0	No	8.3	7.3	No
High	No	D1	5093.0	Res	6.0	Yes	0.0	0.0	No
High	No	B5	11533.7	Res	6.0	No	24.4	16.8	No
High	No	C9	5310.9	Com	5.9	No	25.2	19.1	No
High	No	B5	922.8	Com	5.9	No	15.0	11.4	No
High	No	A10	6482.1	Com	5.8	No	8.1	8.5	No
High	No	B1	15927.9	Res	5.8	Yes	0.0	0.0	No
High	No	B1	11246.9	Com	5.7	No	21.8	18.7	No
High	No	A9	20254.6	Com	5.7	No	10.6	18.2	No
High	No	A6	9439.8	Com	5.6	No	2.4	12.0	No
High	No	A5	67.2	Com	5.5	Yes	8.3	15.6	No
High	No	A6	10651.5	Com	5.5	No	7.0	8.4	No
High	No	C3	6867.9	Com	5.5	No	20.1	12.7	No
High	No	B1	15478.6	Res	5.5	No	6.0	8.4	No
High	No	B9	47.9	Res	5.5	No	8.4	7.0	No
High	No	A9	22269.2	Res	5.5	No	11.2	1.4	No
High	No	E8	669.0	Com	5.4	No	10.7	8.3	No
High	No	B5	11695.8	Res	5.4	No	24.8	22.4	No
High	No	E8	140.0	Res	5.4	No	21.8	14.7	No
High	No	A9	26170.6	Com	5.2	No	17.6	15.2	No
High	No	B1	10903.6	Com	5.2	No	21.5	21.0	No
High	No	A9	30295.1	Com	5.2	No	15.1	7.5	No
High	No	A10	8485.1	Com	5.1	No	4.0	7.6	No
High	No	A10	7595.4	Com	5.1	No	11.4	6.2	No
High	No	A9	20985.7	Com	5.1	No	2.4	18.5	No
High	No	A9	35596.4	Com	5.1	No	5.8	5.6	No
High	No	B1	14476.2	Res	5.1	No	12.1	6.5	No
High	No	C9	2283.5	Res	5.1	No	5.9	5.7	No
High	No	F2	12546.0	Com	5.0	No	23.5	17.8	No
High	No	B1	14969.9	Res	5.0	No	9.1	4.9	No
High	No	B5	14878.5	Res	5.0	No	17.1	19.4	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	B8	3842.8	Com	4.9	No	10.8	6.5	No
High	No	A4	2225.7	Com	4.8	No	6.8	5.2	No
High	No	C1	4410.6	Res	4.8	No	7.5	6.5	No
High	No	D1	1464.9	Com	4.7	Yes	0.0	0.0	No
High	No	A2	1762.2	Com	4.7	No	10.1	7.0	No
High	No	B10	2607.6	Com	4.7	No	15.3	17.3	No
High	No	A9	41304.8	Com	4.7	No	10.6	11.8	No
High	No	C5	2037.8	Com	4.6	No	16.4	17.2	No
High	No	D5	742.3	Com	4.6	No	6.4	6.7	No
High	No	B5	18426.7	Res	4.6	No	8.4	6.7	No
High	No	D6	3082.1	Com	4.5	No	5.5	8.6	No
High	No	A6	4719.1	Com	4.5	No	17.3	15.1	No
High	No	D1	5543.3	Res	4.5	Yes	0.0	0.0	No
High	No	A9	23206.9	Res	4.5	No	18.4	14.5	No
High	No	B1	15561.5	Res	4.4	Yes	0.0	0.0	No
High	No	A10	9631.8	Com	4.3	No	6.5	14.5	No
High	No	B5	12393.4	Com	4.2	No	18.2	23.7	No
High	No	C9	1546.2	Res	4.2	Yes	0.0	0.0	No
High	No	C8	1185.4	Res	4.2	Yes	0.0	0.0	No
High	No	B4	3619.2	Res	4.2	No	14.8	12.2	No
High	No	B10	4729.7	Com	4.1	No	15.5	15.2	No
High	No	B1	14606.6	Com	4.0	Yes	0.0	0.0	No
High	No	A9	28970.9	Com	4.0	Yes	1.4	6.2	No
High	No	C8	859.6	Res	4.0	Yes	0.0	0.0	No
High	No	B10	4464.7	Res	4.0	No	18.9	15.3	No
High	No	B4	3573.9	Com	3.9	No	4.8	8.5	No
High	No	A9	44192.8	Com	3.9	No	17.7	11.3	No
High	No	D2	713.7	Res	3.9	Yes	0.0	0.0	No
High	No	A9	23389.2	Res	3.9	No	17.7	15.8	No
High	No	A6	271.6	Com	3.8	No	20.7	6.0	No
High	No	A9	41498.5	Com	3.7	No	18.4	23.5	No
High	No	C10	802.6	Com	3.7	Yes	0.0	0.0	No
High	No	B10	4065.9	Com	3.7	No	6.6	8.0	No
High	No	E9	2022.8	Com	3.7	No	4.7	8.9	No
High	No	A9	23275.4	Res	3.7	No	18.7	16.9	No
High	No	A5	514.1	Com	3.6	Yes	7.6	5.4	No
High	No	C1	2233.8	Com	3.5	Yes	6.8	7.6	No
High	No	C7	1524.5	Res	3.5	No	0.0	0.0	No
High	No	D1	5134.5	Res	3.5	Yes	0.0	0.0	No
High	No	C1	3312.5	Res	3.5	No	16.0	13.7	No
High	No	C9	7963.9	Com	3.4		28.3	18.2	No
High	No	C7	3865.6	Com	3.4	No	9.7	12.5	No
High	No	D1	4889.9	Res	3.4	Yes	0.0	0.0	No
High	No	B10	4269.9	Com	3.3	No	6.7	9.1	No
High	No	B9	7055.7	Com	3.3	No	6.0	6.5	No
High	No	C8	752.9	Res	3.3	Yes	0.0	0.0	No
High	No	C7	1305.2	Res	3.3	Yes	0.0	0.0	No
High	No	A9	24885.3	Res	3.3	No	1.5	12.5	No
High	No	B1	14462.0	Com	3.2	Yes	0.0	0.0	No
High	No	A9	29415.1	Com	3.1	No	2.3	8.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	D1	1526.4	Com	3.1	Yes	0.0	0.0	No
High	No	C7	2160.9	Res	3.1	Yes	0.0	0.0	No
High	No	B10	6061.4	Res	3.1	Yes	11.9	7.5	No
High	No	C3	16757.8	Com	3.0	Yes	0.0	0.0	No
High	No	D1	5096.0	Res	3.0	Yes	0.0	0.0	No
High	No	C9	1927.1	Res	2.9	Yes	8.0	9.4	No
High	No	B5	1421.5	Com	2.8	Yes	14.7	10.9	No
High	No	B5	3113.4	Com	2.8	Yes	1.6	0.9	No
High	No	B1	14265.8	Res	2.8	Yes	0.0	0.0	No
High	No	D2	612.6	Res	2.8	Yes	0.0	0.0	No
High	No	B5	2679.9	Com	2.7	Yes	2.9	0.8	No
High	No	D6	3186.4		2.7	No	4.7	6.5	No
High	No	B9	1848.9	Com	2.6	Yes	8.1	3.8	No
High	No	C10	163.7	Res	2.6	Yes	0.0	0.0	No
High	No	C7	2000.1	Res	2.6	Yes	0.0	0.0	No
High	No	C9	2227.2	Res	2.6	Yes	2.6	6.5	No
High	No	B5	2647.5	Com	2.5	Yes	22.6	9.1	No
High	No	A9	44239.8	Com	2.5	No	12.1	11.3	No
High	No	D1	4220.5	Com	2.4	Yes	0.0	0.0	No
High	No	B1	15452.5	Res	2.4	Yes	0.0	0.0	No
High	No	C10	295.2	Res	2.4	Yes	19.0	26.3	No
High	No	B5	2152.6	Com	2.3	Yes	8.3	5.4	No
High	No	C8	1666.7	Res	2.3	Yes	0.0	0.0	No
High	No	C9	6321.8	Com	2.2	No	6.8	6.0	No
High	No	A10	7247.8	Com	2.2	No	14.0	6.2	No
High	No	D5	1402.5	Com	2.2	No	11.1	7.9	No
High	No	C7	2064.4	Res	2.2	Yes	0.0	0.0	No
High	No	C7	1628.8	Res	2.2	Yes	0.0	0.0	No
High	No	C9	1987.5	Res	2.2	Yes	3.6	10.0	No
High	No	D1	1465.6	Com	2.1	Yes	0.0	0.0	No
High	No	C8	497.1	Res	2.1	Yes	0.0	0.0	No
High	No	C1	2339.1	Res	2.1	Yes	4.3	1.2	No
High	No	B5	3900.7	Com	2.0	Yes	16.9	15.8	No
High	No	D1	4496.2	Res	2.0	Yes	0.0	0.0	No
High	No	C1	3274.0	Res	1.9	No	14.0	17.9	No
High	No	C1	4131.1	Com	1.7	No	14.2	18.4	No
High	No	A9	20956.3	Res	1.7	No	5.1	3.7	No
High	No	D3	937.6	Com	1.6	No	7.7	9999.0	No
High	No	C2	3235.4	Com	1.5	No	17.1	14.8	No
High	No	B10	5517.6	Res	1.4	No	10.6	3.8	No
High	No	D7	2585.5	Com	1.3	No	9.5	4.7	No
High	No	A9	20405.3	Res	0.3	No	10.8	13.2	No
High	No	B1	15191.4	Com	0.0		0.0	0.0	No
High	No	B3	147.7	Res	0.0		0.0	0.0	No
High	No	C8	1619.9		0.0		0.0	0.0	No
High	No	C8	1698.3		0.0		0.0	0.0	No
High	No	C8	1628.0		0.0		0.0	0.0	No
High	No	C8	1550.5		0.0		0.0	0.0	No
High	No	C8	1497.9		0.0		0.0	0.0	No
High	No	C8	1358.1		0.0		0.0	0.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	C8	989.3		0.0		0.0	0.0	No
High	No	C8	970.2		0.0		0.0	0.0	No
High	No	C8	795.3		0.0		0.0	0.0	No
High	No	C7	1286.3		0.0		0.0	0.0	No
High	No	C7	1555.2		0.0		0.0	0.0	No
High	No	C7	1594.6		0.0		0.0	0.0	No
High	No	C7	1615.1		0.0		0.0	0.0	No
High	No	C7	1658.9		0.0		0.0	0.0	No
High	No	C7	2276.4		0.0		0.0	0.0	No
High	No	C7	1574.7		0.0		0.0	0.0	No
High	No	C7	1544.0		0.0		0.0	0.0	No
High	No	B1	14030.3		0.0		0.0	0.0	No
High	No	B1	12269.8		0.0		0.0	0.0	No
High	No	D1	4485.9		0.0		0.0	0.0	No
High	No	D1	4216.0		0.0		0.0	0.0	No
High	No	D1	4113.0		0.0		0.0	0.0	No
High	No	D1	4083.9		0.0		0.0	0.0	No
High	No	D1	4062.8		0.0		0.0	0.0	No
High	No	D1	3921.2		0.0		0.0	0.0	No
High	No	B3	181.1		0.0		0.0	0.0	No
High	No	B3	2065.9		0.0		0.0	0.0	No
High	No	B3	2113.3		0.0		0.0	0.0	No
High	No	B3	2163.3		0.0		0.0	0.0	No
Medium	Yes	C2	6045.3	Com	27.7	No	27.1	29.7	No
Medium	Yes	A9	33970.7	Com	19.8	No	13.1	9.9	No
Medium	Yes	A9	34158.8	Com	18.8	No	21.6	22.8	No
Medium	Yes	A10	2685.8	Com	18.5	No	25.0	13.0	No
Medium	Yes	A2	48.5	Com	16.8	No	12.1	17.5	No
Medium	Yes	A1	214.4	Res	16.6	No	25.2	7.8	No
Medium	Yes	C2	1747.1	Com	16.4	No	9999.0	25.4	No
Medium	Yes	B5	10218.4	Com	16.1	No	90.0	11.2	No
Medium	Yes	C5	3696.4	Com	15.9	No	21.0	17.4	No
Medium	Yes	C4	2998.2	Com	15.9	No	19.8	20.8	No
Medium	Yes	A1	261.6	Res	15.9	No	19.2	19.1	No
Medium	Yes	C2	2065.8	Com	15.8	No	17.9	19.0	No
Medium	Yes	C5	2769.8	Com	15.6	No	17.1	15.1	No
Medium	Yes	C2	1729.0	Com	15.6	No	18.3	14.2	No
Medium	Yes	C9	8092.5	Com	15.6	No	15.5	14.4	No
Medium	Yes	A9	33626.3	Com	15.3	No	19.7	23.6	No
Medium	Yes	C2	739.9	Com	15.3	No	15.3	22.0	No
Medium	Yes	C3	19006.6	Com	15.1	No	10.4	28.5	No
Medium	Yes	E6	473.4	Com	15.1	No	17.3	16.3	No
Medium	Yes	A9	32833.5	Res	15.1	No	16.3	13.0	No
Medium	Yes	F3	944.6	Res	15.0	No	14.9	10.6	No
Medium	Yes	F2	5890.2	Com	14.9	No	14.0	22.7	No
Medium	Yes	C6	1190.4	Com	14.9	No	14.3	15.1	No
Medium	Yes	C5	7447.3	Com	14.9	No	12.9	11.1	No
Medium	Yes	C5	6788.0	Com	14.8	Yes	13.4	18.2	No
Medium	Yes	C9	8151.7	Com	14.8	No	12.9	17.2	No
Medium	Yes	D1	1093.1	Res	14.8	No	7.2	7.9	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	C4	3239.8	Res	14.8	No	22.4	22.1	No
Medium	Yes	D7	3732.1	Res	14.7	No	12.8	12.6	No
Medium	Yes	E1	1348.7	Res	14.7	No	13.0	10.5	No
Medium	Yes	C5	7028.8	Com	14.6	No	24.8	19.9	No
Medium	Yes	C2	678.6	Com	14.6	No	25.3	16.3	No
Medium	Yes	C4	2017.4	Com	14.6	No	6.1	6.2	No
Medium	Yes	C4	2316.4	Com	14.5	No	17.3	21.6	No
Medium	Yes	C4	1986.0	Com	14.5	No	12.1	16.8	No
Medium	Yes	A6	5153.6	Com	14.3	No	19.1	18.5	No
Medium	Yes	A4	986.1	Com	14.2	No	0.0	15.3	No
Medium	Yes	E1	1289.3	Res	14.2	No	12.7	14.5	No
Medium	Yes	E1	3330.4	Res	14.2	No	17.1	10.9	No
Medium	Yes	C3	14546.2	Com	14.1	No	18.5	13.2	No
Medium	Yes	C5	7401.7	Com	14.1	No	16.3	17.8	No
Medium	Yes	C2	881.0	Com	14.1	No	17.2	19.7	No
Medium	Yes	B5	1152.8	Com	14.1	No	18.1	14.1	No
Medium	Yes	C2	6165.2	Com	14.0	No	11.6	15.9	No
Medium	Yes	B9	6706.5	Com	14.0	No	19.1	14.9	No
Medium	Yes	F3	828.9	Res	14.0	No	19.8	9.5	No
Medium	Yes	A10	10880.4	Com	13.9	No	6.2	8.0	No
Medium	Yes	A2	190.6	Com	13.9	No	17.1	20.5	No
Medium	Yes	A6	5706.2	Com	13.9	No	7.6	9.4	No
Medium	Yes	C9	7501.8	Com	13.9	No	14.6	13.2	No
Medium	Yes	B10	6936.3	Res	13.9	No	9.1	13.2	No
Medium	Yes	A10	6141.1	Com	13.8	No	7.1	6.9	No
Medium	Yes	C4	1533.8	Com	13.7	No	13.7	16.3	No
Medium	Yes	A1	3088.5	Com	13.7	No	20.3	17.0	No
Medium	Yes	B5	20766.1	Com	13.7	No	9.1	9.1	No
Medium	Yes	B9	5726.5	Com	13.7	No	17.2	11.7	No
Medium	Yes	D7	3903.2	Res	13.7	No	14.3	15.9	No
Medium	Yes	C4	1424.1	Res	13.7	No	18.5	15.7	No
Medium	Yes	D4	1957.0	Res	13.6	No	14.1	12.9	No
Medium	Yes	A9	36623.1	Com	13.5	No	21.4	26.0	No
Medium	Yes	D4	5723.8	Com	13.5	No	6.5	2.5	No
Medium	Yes	C2	4661.4	Com	13.5	No	6.5	8.2	No
Medium	Yes	C2	1783.9	Com	13.5	No	12.9	28.9	No
Medium	Yes	C1	7344.7	Com	13.5	No	9.2	7.9	No
Medium	Yes	C2	765.0	Com	13.4	No	18.1	18.3	No
Medium	Yes	A1	169.1	Res	13.4	No	22.9	6.9	No
Medium	Yes	D7	3931.5	Res	13.4	No	10.0	11.2	No
Medium	Yes	A10	4971.3	Com	13.3	No	8.7	5.1	No
Medium	Yes	C2	808.1	Com	13.3	No	23.6	21.0	No
Medium	Yes	A3	690.4	Com	13.3	No	13.4	17.8	No
Medium	Yes	E1	3699.5	Com	13.3	No	17.5	16.9	No
Medium	Yes	C5	2428.1	Res	13.3	No	21.5	21.3	No
Medium	Yes	C5	8112.2	Com	13.2	No	4.2	4.8	No
Medium	Yes	C5	8332.0	Com	13.2	No	21.1	19.9	No
Medium	Yes	B9	5258.6	Com	13.2	No	8.4	6.7	No
Medium	Yes	A9	33865.4	Com	13.1	No	14.5	17.8	No
Medium	Yes	A10	9207.7	Com	13.1	No	10.5	12.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	C2	608.0	Com	13.1	No	21.6	25.6	No
Medium	Yes	C4	3039.2	Com	13.1	No	16.2	16.4	No
Medium	Yes	A1	3042.0	Com	13.1	No	19.2	13.0	No
Medium	Yes	B7	3200.6	Com	13.1	No	16.2	23.6	No
Medium	Yes	E1	4260.0	Com	13.0	No	5.9	8.8	No
Medium	Yes	B5	12944.4	Res	13.0	No	90.0	9.2	No
Medium	Yes	E1	1661.1	Res	13.0	No	20.3	20.7	No
Medium	Yes	A9	36772.3	Com	12.9	No	7.3	7.3	No
Medium	Yes	C3	15173.2	Com	12.9	No	19.0	2.4	No
Medium	Yes	D4	5674.4	Com	12.9	No	5.7	5.1	No
Medium	Yes	C5	8297.1	Com	12.9	No	12.6	21.2	No
Medium	Yes	B5	30551.1	Com	12.9	No	18.8	4.7	No
Medium	Yes	B5	30906.5	Com	12.9	No	15.6	6.0	No
Medium	Yes	B7	1648.3	Res	12.9	No	17.0	21.1	No
Medium	Yes	E1	485.8	Com	12.8	No	9.7	7.7	No
Medium	Yes	D4	2216.6	Com	12.8	No	14.8	15.5	No
Medium	Yes	C5	10525.8	Com	12.8	No	7.9	4.6	No
Medium	Yes	C2	6210.8	Com	12.8	No	11.8	11.0	No
Medium	Yes	C2	1144.4	Com	12.8	No	27.3	12.8	No
Medium	Yes	B5	1937.1	Com	12.8	No	11.0	10.3	No
Medium	Yes	B5	12449.2	Com	12.8	No	22.9	16.2	No
Medium	Yes	B5	13383.7	Com	12.8	No	16.4	19.9	No
Medium	Yes	B9	5590.1	Com	12.8	No	6.8	5.6	No
Medium	Yes	A9	34523.6	Com	12.8	No	21.3	20.6	No
Medium	Yes	C3	21336.0	Com	12.8	No	13.6	17.2	No
Medium	Yes	E1	3964.6	Com	12.7	No	8.5	14.6	No
Medium	Yes	C3	14772.4	Com	12.7	No	17.2	18.6	No
Medium	Yes	C3	18242.7	Com	12.7	No	24.7	2.8	No
Medium	Yes	D1	481.6	Com	12.7	No	11.7	15.9	No
Medium	Yes	C6	1172.9	Com	12.7	No	17.2	13.9	No
Medium	Yes	C6	1137.4	Com	12.7	No	15.7	10.7	No
Medium	Yes	C5	3675.5	Com	12.7	No	18.5	25.2	No
Medium	Yes	C5	2373.0	Com	12.7	No	24.7	18.6	No
Medium	Yes	E6	274.3	Com	12.7	No	14.7	11.5	No
Medium	Yes	A10	491.7	Com	12.7	No	15.9	7.8	No
Medium	Yes	E1	1165.6	Res	12.7	No	18.7	13.5	No
Medium	Yes	E1	1381.9	Res	12.7	No	13.1	17.2	No
Medium	Yes	C5	7229.5	Com	12.6	No	12.9	11.2	No
Medium	Yes	C5	3599.2	Com	12.6	No	19.9	15.3	No
Medium	Yes	B9	5153.1	Com	12.6	No	8.6	6.7	No
Medium	Yes	C5	3179.1	Res	12.6	No	18.7	18.0	No
Medium	Yes	F3	735.8	Res	12.6	No	15.3	11.4	No
Medium	Yes	E1	1159.5	Res	12.6	No	10.0	12.2	No
Medium	Yes	D7	4284.1		12.6	No	14.6	14.0	No
Medium	Yes	D4	4725.2	Com	12.5	No	6.1	7.5	No
Medium	Yes	D4	4748.6	Com	12.5	No	5.7	5.4	No
Medium	Yes	C5	2923.6	Com	12.5	No	23.2	19.1	No
Medium	Yes	B1	8971.6	Com	12.5	No	11.9	16.4	No
Medium	Yes	B6	1676.1	Com	12.5	No	10.6	15.3	No
Medium	Yes	B9	4920.5	Com	12.5	No	7.3	3.9	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	D4	2325.9	Com	12.4	No	12.3	9.6	No
Medium	Yes	C2	1914.4	Com	12.4	No	23.5	25.3	No
Medium	Yes	C2	1117.4	Com	12.4	No	26.4	25.0	No
Medium	Yes	E1	7812.9	Com	12.4	No	10.3	12.4	No
Medium	Yes	F4	1010.4	Res	12.4	No	14.3	20.4	No
Medium	Yes	C1	6508.2	Res	12.4	No	5.3	10.3	No
Medium	Yes	E1	3252.8	Res	12.4	No	15.3	13.9	No
Medium	Yes	C7	3556.9	Com	12.3	No	11.4	15.3	No
Medium	Yes	C4	2536.2	Com	12.3	No	15.8	21.5	No
Medium	Yes	C4	2040.3	Com	12.3	No	17.6	30.1	No
Medium	Yes	A1	5259.4	Com	12.3	No	18.0	21.7	No
Medium	Yes	C1	7862.5	Com	12.3	No	11.6	10.1	No
Medium	Yes	B1	8986.4	Com	12.3	No	17.3	20.0	No
Medium	Yes	B6	630.1	Com	12.3	No	7.7	10.8	No
Medium	Yes	F2	6794.0	Com	12.3	No	7.4	8.4	No
Medium	Yes	A9	33884.4	Com	12.3	No	17.0	16.8	No
Medium	Yes	E1	3485.0	Res	12.3	No	16.1	18.8	No
Medium	Yes	A10	4256.7	Com	12.2	No	8.6	4.8	No
Medium	Yes	C6	1417.4	Com	12.2	No	14.3	15.5	No
Medium	Yes	C5	8196.7	Com	12.2	No	16.0	19.5	No
Medium	Yes	C5	2260.0	Com	12.2	No	13.5	20.1	No
Medium	Yes	C4	1751.5	Com	12.2	No	26.9	17.6	No
Medium	Yes	A6	1238.4	Com	12.2	No	13.3	9.6	No
Medium	Yes	B9	5121.6	Com	12.2	No	7.3	8.0	No
Medium	Yes	C3	16699.6	Com	12.2	Yes	5.5	4.8	No
Medium	Yes	B2	15454.0	Res	12.2	No	6.5	8.3	No
Medium	Yes	A9	32872.6	Res	12.2	No	14.7	14.5	No
Medium	Yes	D1	466.2	Com	12.1	No	21.7	21.8	No
Medium	Yes	C5	7357.4	Com	12.1	No	16.7	16.0	No
Medium	Yes	A4	1115.0	Com	12.1	No	19.8	6.5	No
Medium	Yes	B8	192.5	Com	12.1	No	19.0	30.8	No
Medium	Yes	E9	0.0	Com	12.1	No	0.8	13.4	No
Medium	Yes	C3	18115.8	Com	12.1	No	13.0	29.9	No
Medium	Yes	A10	4119.0	Res	12.1	No	16.4	15.2	No
Medium	Yes	C5	1495.5	Com	12.0	No	8.5	5.9	No
Medium	Yes	A3	796.1	Com	12.0	No	20.9	23.2	No
Medium	Yes	D5	948.5	Com	12.0	No	4.9	8.4	No
Medium	Yes	F4	787.8	Res	12.0	No	11.9	15.4	No
Medium	Yes	E1	3493.5	Res	12.0		12.7	14.5	No
Medium	Yes	E1	3934.9	Com	11.9	No	10.2	13.8	No
Medium	Yes	A1	3350.7	Com	11.9	No	9.4	6.4	No
Medium	Yes	B9	5044.3	Com	11.9	No	5.3	5.5	No
Medium	Yes	F3	780.8	Res	11.9	No	17.8	11.5	No
Medium	Yes	C5	3578.6	Com	11.8	No	16.6	23.4	No
Medium	Yes	C5	2864.6	Com	11.8	No	15.3	13.6	No
Medium	Yes	C5	3651.1	Com	11.8	No	26.2	15.0	No
Medium	Yes	C2	1225.7	Com	11.8	No	21.6	23.5	No
Medium	Yes	C4	3302.7	Com	11.8	No	6.8	5.8	No
Medium	Yes	A1	4528.4	Com	11.8	No	19.5	17.3	No
Medium	Yes	B6	83.2	Com	11.8	No	6.3	6.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	E1	5020.8	Com	11.8	No	6.6	3.2	No
Medium	Yes	C3	8921.6	Com	11.8	No	16.1	10.1	No
Medium	Yes	F4	1339.2	Res	11.8	No	8.4	9.0	No
Medium	Yes	C5	2151.2	Res	11.8	No	23.5	17.6	No
Medium	Yes	B10	5521.9	Res	11.8	No	17.7	35.9	No
Medium	Yes	C5	1751.5		11.8	No	34.7	16.3	No
Medium	Yes	E1	7383.3	Com	11.7	No	10.1	12.8	No
Medium	Yes	C3	14584.2	Com	11.7	No	14.9	17.8	No
Medium	Yes	C3	16339.3	Com	11.7	No	16.9	13.6	No
Medium	Yes	D4	5291.9	Com	11.7	No	17.0	12.8	No
Medium	Yes	C6	1256.0	Com	11.7	No	16.1	15.2	No
Medium	Yes	C6	1525.6	Com	11.7	No	19.0	17.0	No
Medium	Yes	B5	19832.5	Com	11.7	No	14.6	9.6	No
Medium	Yes	B9	5647.7	Com	11.7	No	12.8	11.6	No
Medium	Yes	A9	35030.8	Com	11.7	No	20.4	24.8	No
Medium	Yes	A9	33041.4	Com	11.7	No	12.8	12.8	No
Medium	Yes	C9	7842.8	Com	11.7	No	3.9	7.7	No
Medium	Yes	E1	1458.2	Res	11.7	No	6.2	1.7	No
Medium	Yes	C2	6196.7	Res	11.7	No	17.0	12.3	No
Medium	Yes	C1	4708.4	Res	11.7	No	7.0	6.3	No
Medium	Yes	B7	3813.4	Res	11.7	No	20.5	14.3	No
Medium	Yes	D7	4104.1		11.7	No	13.0	14.9	No
Medium	Yes	E1	4001.6	Com	11.6	No	11.3	18.7	No
Medium	Yes	D7	514.8	Com	11.6	No	22.4	22.3	No
Medium	Yes	C6	1475.4	Com	11.6	No	17.4	16.9	No
Medium	Yes	C6	292.0	Com	11.6	No	14.3	10.1	No
Medium	Yes	C2	4414.5	Com	11.6	No	19.3	17.0	No
Medium	Yes	B5	19368.5	Com	11.6	No	11.1	11.5	No
Medium	Yes	B7	1300.4	Com	11.6	No	14.2	16.9	No
Medium	Yes	B9	6205.0	Com	11.6	No	16.6	12.8	No
Medium	Yes	C3	22302.7	Com	11.6	No	7.3	15.0	No
Medium	Yes	E1	3535.1	Res	11.6	No	9.6	12.9	No
Medium	Yes	D6	2068.7	Res	11.6	No	11.1	11.4	No
Medium	Yes	E1	4183.1	Com	11.5	No	3.9	7.7	No
Medium	Yes	A10	3674.8	Com	11.5	No	19.9	17.4	No
Medium	Yes	B5	12423.6	Com	11.5	No	10.7	90.0	No
Medium	Yes	B10	1479.1	Com	11.5	No	16.6	17.1	No
Medium	Yes	B10	1679.7	Com	11.5	No	19.0	20.9	No
Medium	Yes	E1	5050.5	Com	11.5	No	6.7	5.1	No
Medium	Yes	C9	2519.1	Res	11.5	No	8.0	4.3	No
Medium	Yes	A1	5954.2	Res	11.5	No	13.0	20.4	No
Medium	Yes	D6	2380.5	Com	11.4	No	9.5	13.6	No
Medium	Yes	A10	10749.3	Com	11.4	No	19.3	13.9	No
Medium	Yes	C5	7745.9	Com	11.4	No	18.1	11.8	No
Medium	Yes	C5	2892.8	Com	11.4	No	16.6	20.1	No
Medium	Yes	C2	4736.5	Com	11.4	No	10.9	13.3	No
Medium	Yes	C4	2580.8	Com	11.4	No	15.4	17.5	No
Medium	Yes	C4	1691.5	Com	11.4	No	16.1	19.7	No
Medium	Yes	E6	569.9	Com	11.4	No	14.9	16.4	No
Medium	Yes	B5	13372.0	Com	11.4	No	17.3	17.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	C1	7622.1	Com	11.4	No	15.0	20.8	No
Medium	Yes	B1	10200.3	Com	11.4	No	23.2	14.4	No
Medium	Yes	C3	21559.1	Com	11.4	No	15.2	16.4	No
Medium	Yes	D6	5302.4	Com	11.4	No	22.2	8.3	No
Medium	Yes	C7	2590.1	Res	11.4	No	23.5	23.1	No
Medium	Yes	A1	5745.5	Res	11.4	No	14.8	9.9	No
Medium	Yes	C1	6749.1	Res	11.4	No	8.1	7.2	No
Medium	Yes	E1	9361.4	Res	11.4	No	21.3	17.9	No
Medium	Yes	E1	3432.4	Res	11.4	No	14.5	10.2	No
Medium	Yes	C5	1697.8		11.4	No	9.0	14.8	No
Medium	Yes	C5	6755.3	Com	11.3	Yes	12.5	15.4	No
Medium	Yes	D3	383.4	Com	11.3	No	9999.0	19.5	No
Medium	Yes	C4	1957.0	Com	11.3	No	14.9	9.5	No
Medium	Yes	C4	4987.2	Com	11.3	No	8.9	4.3	No
Medium	Yes	A6	1122.9	Com	11.3	No	12.8	1.9	No
Medium	Yes	B5	28526.1	Com	11.3	No	18.3	14.6	No
Medium	Yes	B7	2531.8	Com	11.3	No	13.9	14.6	No
Medium	Yes	B1	8420.6	Com	11.3	No	6.6	6.4	No
Medium	Yes	B5	359.9	Com	11.3	Yes	8.5	21.4	No
Medium	Yes	A9	33837.4	Com	11.3	No	24.9	17.0	No
Medium	Yes	C3	16646.6	Com	11.3	Yes	6.8	4.8	No
Medium	Yes	C9	4624.5	Com	11.3	No	7.8	6.9	No
Medium	Yes	D7	2736.7	Com	11.2	No	23.0	21.5	No
Medium	Yes	D4	5339.3	Com	11.2	No	21.1	12.8	No
Medium	Yes	D1	1760.1	Com	11.2	No	21.3	6.4	No
Medium	Yes	A10	4572.8	Com	11.2	No	17.8	11.0	No
Medium	Yes	C4	4500.3	Com	11.2	No	14.9	22.8	No
Medium	Yes	A1	2854.1	Com	11.2	No	16.9	1.9	No
Medium	Yes	B5	26688.6	Com	11.2	No	12.3	11.7	No
Medium	Yes	B5	12505.4	Com	11.2	No	90.0	12.6	No
Medium	Yes	B10	6875.7	Com	11.2	No	11.9	23.4	No
Medium	Yes	B8	1933.2	Com	11.2	No	10.0	9.9	No
Medium	Yes	B9	7546.8	Com	11.2	No	4.7	12.0	No
Medium	Yes	C3	20810.9	Com	11.2	No	10.8	17.0	No
Medium	Yes	C7	3246.9	Res	11.2	No	14.6	17.4	No
Medium	Yes	C5	2134.6	Res	11.2	No	20.5	16.2	No
Medium	Yes	C2	6098.7	Res	11.2	No	15.0	9.0	No
Medium	Yes	C2	1871.5	Res	11.2	No	23.2	25.2	No
Medium	Yes	C2	5943.2		11.2	Yes	10.5	12.5	No
Medium	Yes	C5	3795.7	Com	11.1	No	14.0	18.7	No
Medium	Yes	C4	2618.3	Com	11.1	No	18.8	27.4	No
Medium	Yes	A1	4815.8	Com	11.1	No	16.0	14.6	No
Medium	Yes	B8	33.1	Com	11.1	No	16.8	16.5	No
Medium	Yes	B10	6105.3	Com	11.1	No	12.6	11.7	No
Medium	Yes	B9	4967.9	Com	11.1	No	5.6	8.1	No
Medium	Yes	A9	35089.2	Com	11.1	No	13.4	15.6	No
Medium	Yes	A9	38368.8	Com	11.1	No	6.9	7.1	No
Medium	Yes	C4	3400.5	Res	11.1	No	6.9	5.1	No
Medium	Yes	A1	5226.0	Res	11.1	No	25.6	13.9	No
Medium	Yes	A6	5015.0	Res	11.1	No	19.5	5.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B5	19429.5	Res	11.1	No	8.1	10.4	No
Medium	Yes	B1	7774.8	Res	11.1	No	12.1	13.0	No
Medium	Yes	F4	2604.8	Res	11.1	Yes	13.8	12.0	No
Medium	Yes	A9	41344.5	Com	11.0	No	18.7	13.4	No
Medium	Yes	A9	38547.4	Com	11.0	No	7.4	6.8	No
Medium	Yes	D1	1941.8	Com	11.0	No	3.4	15.0	No
Medium	Yes	C6	1379.6	Com	11.0	No	14.3	18.9	No
Medium	Yes	C5	7022.1	Com	11.0	No	21.6	12.3	No
Medium	Yes	C2	4674.4	Com	11.0	No	15.8	19.1	No
Medium	Yes	A4	4009.5	Com	11.0	No	9.2	8.6	No
Medium	Yes	C1	7408.4	Com	11.0	No	6.9	5.8	No
Medium	Yes	B1	8405.5	Com	11.0	No	7.5	3.4	No
Medium	Yes	B1	8677.4	Com	11.0	No	14.6	13.0	No
Medium	Yes	B9	5462.4	Com	11.0	No	6.8	8.8	No
Medium	Yes	E1	50.2	Res	11.0	No	14.0	19.2	No
Medium	Yes	B10	7186.2	Res	11.0	No	16.1	11.4	No
Medium	Yes	A10	1419.6	Res	11.0	No	9.5	9.1	No
Medium	Yes	A9	38769.0	Com	10.9	No	6.7	5.3	No
Medium	Yes	A4	1606.4	Com	10.9	No	12.2	17.8	No
Medium	Yes	B8	3086.3	Com	10.9	No	9.1	7.5	No
Medium	Yes	B1	8748.5	Com	10.9	No	19.3	21.0	No
Medium	Yes	B9	7542.5	Com	10.9	No	8.9	4.9	No
Medium	Yes	D9	289.9	Com	10.9	No	24.3	13.5	No
Medium	Yes	C3	8086.2	Com	10.9	No	20.6	15.8	No
Medium	Yes	F2	13288.3	Com	10.8	No	13.4	15.7	No
Medium	Yes	A9	42123.7	Com	10.8	No	7.6	8.7	No
Medium	Yes	A9	40830.8	Com	10.8	No	16.0	15.2	No
Medium	Yes	E4	1170.8	Com	10.8	No	12.9	9.9	No
Medium	Yes	E1	4388.8	Com	10.8	No	6.1	7.9	No
Medium	Yes	D6	2488.9	Com	10.8	No	14.5	16.0	No
Medium	Yes	C3	6355.3	Com	10.8	No	16.5	22.3	No
Medium	Yes	A10	8961.9	Com	10.8	No	13.6	4.1	No
Medium	Yes	C4	2103.1	Com	10.8	No	28.1	26.3	No
Medium	Yes	A1	3496.1	Com	10.8	No	21.2	18.7	No
Medium	Yes	E9	15.7	Com	10.8	Yes	1.1	12.9	No
Medium	Yes	A9	37460.3	Com	10.8	No	5.9	6.0	No
Medium	Yes	C3	10871.2	Com	10.8	No	30.7	22.8	No
Medium	Yes	C3	8612.3	Com	10.8	No	16.0	12.0	No
Medium	Yes	F2	1009.9	Res	10.8	No	8.5	6.4	No
Medium	Yes	E1	3217.3	Res	10.8	No	16.9	10.0	No
Medium	Yes	C3	16527.6	Com	10.7	No	19.4	19.7	No
Medium	Yes	D4	1468.8	Com	10.7	No	20.3	12.8	No
Medium	Yes	C9	5535.8	Com	10.7	No	7.8	5.9	No
Medium	Yes	C6	1314.0	Com	10.7	No	17.3	14.1	No
Medium	Yes	C2	6093.1	Com	10.7	No	12.7	13.2	No
Medium	Yes	E6	712.4	Com	10.7	No	14.5	7.2	No
Medium	Yes	A2	530.5	Com	10.7	No	12.6	17.6	No
Medium	Yes	A4	4436.3	Com	10.7	No	18.5	14.9	No
Medium	Yes	A4	4659.9	Com	10.7	No	17.7	24.9	No
Medium	Yes	A6	5226.6	Com	10.7	No	11.7	5.8	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	B8	10842.7	Com	10.7	No	6.8	6.0	No
Medium	Yes	B8	2596.6	Com	10.7	No	6.6	12.1	No
Medium	Yes	A9	32786.1	Com	10.7	No	19.7	12.7	No
Medium	Yes	A9	39147.2	Com	10.7	No	6.0	7.1	No
Medium	Yes	A9	38710.9	Com	10.7	No	4.4	6.5	No
Medium	Yes	C3	10818.5	Com	10.7	No	23.0	13.3	No
Medium	Yes	D4	2183.1	Res	10.7	No	17.0	6.0	No
Medium	Yes	A1	5678.5	Res	10.7	No	13.2	23.2	No
Medium	Yes	A6	5066.3	Res	10.7	No	12.2	21.3	No
Medium	Yes	E1	4274.9	Res	10.7	No	6.5	5.3	No
Medium	Yes	C9	5702.6	Com	10.6	No	13.7	12.8	No
Medium	Yes	C3	8632.3	Com	10.6	No	20.3	16.5	No
Medium	Yes	A10	9231.2	Com	10.6	No	15.8	10.0	No
Medium	Yes	A10	3256.3	Com	10.6	No	5.7	8.0	No
Medium	Yes	C6	1583.6	Com	10.6	No	11.3	6.8	No
Medium	Yes	C6	734.7	Com	10.6	No	19.7	12.4	No
Medium	Yes	C5	2834.0	Com	10.6	No	15.1	11.0	No
Medium	Yes	C2	5992.5	Com	10.6	No	11.9	16.5	No
Medium	Yes	C2	716.0	Com	10.6	No	19.2	24.7	No
Medium	Yes	A4	1772.6	Com	10.6	No	12.5	14.4	No
Medium	Yes	B9	4735.8	Com	10.6	No	8.6	5.3	No
Medium	Yes	B9	4886.3	Com	10.6	No	8.2	7.0	No
Medium	Yes	B1	13472.4	Res	10.6	No	8.6	5.0	No
Medium	Yes	C6	488.2	Res	10.6	No	20.7	13.9	No
Medium	Yes	C6	595.3	Res	10.6	No	13.9	13.7	No
Medium	Yes	F2	13589.1	Com	10.5	No	13.6	15.5	No
Medium	Yes	A9	39481.8	Com	10.5	No	7.1	7.0	No
Medium	Yes	E4	5657.6	Com	10.5	No	17.2	14.0	No
Medium	Yes	A10	6841.0	Com	10.5	No	6.9	10.3	No
Medium	Yes	C5	7885.4	Com	10.5	No	5.4	9.7	No
Medium	Yes	E6	753.9	Com	10.5	No	13.2	15.2	No
Medium	Yes	A2	682.0	Com	10.5	No	19.5	9.1	No
Medium	Yes	B9	4958.5	Com	10.5	No	5.8	5.5	No
Medium	Yes	C9	4784.0	Com	10.5	No	7.6	7.0	No
Medium	Yes	C9	4339.4	Com	10.5	No	7.4	6.0	No
Medium	Yes	C3	10812.9	Com	10.5	No	13.2	14.0	No
Medium	Yes	C3	6741.6	Com	10.5	No	15.2	11.6	No
Medium	Yes	D4	2760.4	Res	10.5		12.4	10.7	No
Medium	Yes	C5	1717.0		10.5	No	22.7	15.8	No
Medium	Yes	A9	33930.9	Com	10.4	No	14.5	10.5	No
Medium	Yes	E1	7879.1	Com	10.4	No	8.5	13.9	No
Medium	Yes	E1	7956.8	Com	10.4	No	11.4	12.1	No
Medium	Yes	C3	11257.8	Com	10.4	No	11.3	15.7	No
Medium	Yes	C3	8703.1	Com	10.4	No	26.8	21.6	No
Medium	Yes	C6	1374.7	Com	10.4	No	6.7	9.3	No
Medium	Yes	A1	5326.9	Com	10.4	No	15.9	16.4	No
Medium	Yes	A2	247.9	Com	10.4	No	15.2	23.3	No
Medium	Yes	A2	734.9	Com	10.4	No	16.4	18.9	No
Medium	Yes	B5	19413.5	Com	10.4	No	12.2	7.7	No
Medium	Yes	B10	6143.3	Com	10.4	No	7.9	10.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	A10	431.0	Com	10.4	No	9.7	9.7	No
Medium	Yes	B7	3502.4	Com	10.4	No	15.4	12.0	No
Medium	Yes	B1	8893.0	Com	10.4	No	12.5	10.1	No
Medium	Yes	B6	1346.9	Com	10.4	No	11.6	14.0	No
Medium	Yes	B9	5030.7	Com	10.4	No	6.8	6.5	No
Medium	Yes	A10	6254.8	Res	10.4	No	9.5	11.5	No
Medium	Yes	B2	15198.3	Res	10.4	No	8.0	8.7	No
Medium	Yes	C5	1383.7	Res	10.4	No	26.0	17.1	No
Medium	Yes	A1	5659.3	Res	10.4	No	16.6	21.4	No
Medium	Yes	B5	19591.8	Res	10.4	No	23.3	19.2	No
Medium	Yes	C9	2675.7		10.4	No	8.2	4.5	No
Medium	Yes	A9	38587.6	Com	10.3	No	9.1	6.3	No
Medium	Yes	C7	3578.8	Com	10.3	No	17.2	10.4	No
Medium	Yes	B1	12823.4	Com	10.3	No	7.3	10.2	No
Medium	Yes	A10	9158.4	Com	10.3	No	18.4	13.3	No
Medium	Yes	A10	3914.9	Com	10.3	No	21.8	14.8	No
Medium	Yes	A10	3456.5	Com	10.3	No	10.7	13.7	No
Medium	Yes	C5	2361.9	Com	10.3	No	7.4	6.5	No
Medium	Yes	A2	1448.4	Com	10.3	No	9.3	4.0	No
Medium	Yes	B5	10323.9	Com	10.3	No	14.8	7.6	No
Medium	Yes	B8	2929.4	Com	10.3	No	9.0	8.1	No
Medium	Yes	B1	8113.1	Com	10.3	No	8.8	7.1	No
Medium	Yes	B5	425.1	Com	10.3	Yes	21.5	26.2	No
Medium	Yes	D6	6897.2	Com	10.3	No	18.6	13.6	No
Medium	Yes	C3	7985.2	Com	10.3	No	19.4	10.7	No
Medium	Yes	C3	8436.0	Com	10.3	No	20.0	15.7	No
Medium	Yes	C5	2906.9	Res	10.3		21.0	10.1	No
Medium	Yes	C3	14738.5	Com	10.2	No	15.0	16.6	No
Medium	Yes	C3	17131.6	Com	10.2	No	22.5	17.4	No
Medium	Yes	D4	5228.7	Com	10.2	No	14.0	16.4	No
Medium	Yes	C3	11532.6	Com	10.2		15.5	14.7	No
Medium	Yes	C3	411.5	Com	10.2	No	28.0	20.9	No
Medium	Yes	B1	12456.9	Com	10.2	No	2.7	11.8	No
Medium	Yes	A10	5899.6	Com	10.2	No	13.1	28.4	No
Medium	Yes	C4	5804.7	Com	10.2	No	6.8	10.2	No
Medium	Yes	A1	3150.9	Com	10.2	No	10.9	6.9	No
Medium	Yes	A1	5460.4	Com	10.2	No	15.8	15.9	No
Medium	Yes	A4	4072.3	Com	10.2	No	24.8	23.3	No
Medium	Yes	A6	4760.4	Com	10.2	No	25.3	1.9	No
Medium	Yes	B5	10375.9	Com	10.2	No	13.1	11.4	No
Medium	Yes	B8	2974.0	Com	10.2	No	12.3	7.5	No
Medium	Yes	B6	978.7	Com	10.2	No	11.9	16.2	No
Medium	Yes	A9	41702.5	Com	10.2	No	19.8	20.4	No
Medium	Yes	E1	3415.4	Res	10.2	No	13.2	10.0	No
Medium	Yes	C2	6249.0	Res	10.2	No	16.2	12.3	No
Medium	Yes	A6	1485.8	Res	10.2	No	14.7	22.2	No
Medium	Yes	A8	1454.0		10.2	No	8.6	4.4	No
Medium	Yes	A9	39767.6	Com	10.1	No	6.3	3.6	No
Medium	Yes	A9	38692.9	Com	10.1	No	6.6	5.4	No
Medium	Yes	E1	8606.8	Com	10.1	No	5.4	7.6	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	Yes	C3	16822.8	Com	10.1	No	17.7	18.7	No
Medium	Yes	C9	5549.8	Com	10.1	No	18.8	9.4	No
Medium	Yes	C3	8838.6	Com	10.1	No	20.9	19.5	No
Medium	Yes	A10	6577.6	Com	10.1	No	4.2	11.6	No
Medium	Yes	C5	6707.7	Com	10.1	No	18.4	13.4	No
Medium	Yes	D3	308.2	Com	10.1	No	22.5	9999.0	No
Medium	Yes	C4	6154.3	Com	10.1	No	2.7	13.7	No
Medium	Yes	C4	2730.6	Com	10.1	No	7.1	8.0	No
Medium	Yes	A6	5270.4	Com	10.1	No	10.3	7.1	No
Medium	Yes	B1	7840.1	Com	10.1	No	7.5	7.9	No
Medium	Yes	B9	7762.7	Com	10.1	No	6.4	13.5	No
Medium	Yes	B5	870.0	Com	10.1	No	7.5	9.5	No
Medium	Yes	C3	10855.2	Com	10.1	No	21.8	29.6	No
Medium	Yes	A6	1357.1	Res	10.1	No	14.7	22.9	No
Medium	No	A9	33722.4	Com	10.0	No	20.6	18.9	No
Medium	No	A9	37078.7	Com	10.0	No	6.1	5.1	No
Medium	No	A10	3509.3	Com	10.0	No	25.5	23.2	No
Medium	No	C5	7103.4	Com	10.0	No	17.2	12.3	No
Medium	No	A4	4597.4	Com	10.0	No	23.9	18.3	No
Medium	No	B8	3025.3	Com	10.0	No	8.3	8.3	No
Medium	No	C3	101.7	Com	10.0	No	14.3	13.0	No
Medium	No	F2	1138.3	Com	10.0	No	13.5	14.5	No
Medium	No	F2	1245.4	Com	10.0	No	13.7	12.0	No
Medium	No	A9	31641.7	Com	10.0	No	0.6	10.5	No
Medium	No	C3	19691.1	Com	10.0	No	15.2	22.1	No
Medium	No	C3	6566.2	Com	10.0	No	20.9	26.2	No
Medium	No	F4	900.9	Res	10.0	No	15.0	13.3	No
Medium	No	B1	12635.4	Res	10.0	No	7.0	4.6	No
Medium	No	A6	797.2	Res	10.0	No	24.1	5.1	No
Medium	No	B9	7835.7	Res	10.0	No	13.6	12.5	No
Medium	No	F2	11116.4	Res	10.0	No	17.7	26.6	No
Medium	No	D7	176.3	Com	9.9	No	6.2	5.0	No
Medium	No	A10	10470.4	Com	9.9	No	7.7	14.5	No
Medium	No	A10	6398.5	Com	9.9	No	9.2	5.9	No
Medium	No	D2	157.4	Com	9.9	No	16.4	11.0	No
Medium	No	C4	5901.3	Com	9.9	No	5.3	5.7	No
Medium	No	C4	2679.8	Com	9.9	No	7.0	7.6	No
Medium	No	A2	1432.5	Com	9.9	No	8.0	8.1	No
Medium	No	B10	6903.8	Com	9.9	No	16.5	16.7	No
Medium	No	B8	2800.5	Com	9.9	No	9.6	6.7	No
Medium	No	B4	510.2	Com	9.9	No	25.9	25.7	No
Medium	No	A9	41816.8	Com	9.8	No	6.3	7.5	No
Medium	No	A9	38196.5	Com	9.8	No	7.1	6.5	No
Medium	No	D7	319.6	Com	9.8	Yes	19.7	17.4	No
Medium	No	D6	2163.5	Com	9.8	No	17.6	13.6	No
Medium	No	A10	3833.1	Com	9.8	No	20.3	18.9	No
Medium	No	C5	3661.3	Com	9.8	No	18.7	20.7	No
Medium	No	C5	3507.7	Com	9.8	No	15.7	18.7	No
Medium	No	C2	325.7	Com	9.8	No	10.0	2.3	No
Medium	No	A2	1138.6	Com	9.8	No	20.9	15.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A4	4702.7	Com	9.8	No	8.5	5.4	No
Medium	No	B5	12585.5	Com	9.8	No	22.7	19.7	No
Medium	No	B1	8825.2	Com	9.8	No	13.1	9.8	No
Medium	No	A9	42093.3	Com	9.8	No	21.5	21.1	No
Medium	No	A9	38977.3	Com	9.8	No	4.8	6.8	No
Medium	No	A9	38437.9	Com	9.8	No	6.0	7.0	No
Medium	No	A9	37503.8	Com	9.8	No	6.0	7.0	No
Medium	No	C3	6525.9	Com	9.8	No	17.6	18.4	No
Medium	No	A10	8514.8	Res	9.8	No	4.4	9.5	No
Medium	No	C3	16182.2	Com	9.7	No	11.7	12.5	No
Medium	No	C3	9030.5	Com	9.7	No	22.2	29.2	No
Medium	No	A10	8729.4	Com	9.7	No	12.2	11.6	No
Medium	No	A10	8234.1	Com	9.7	No	10.9	14.2	No
Medium	No	C5	3577.8	Com	9.7	No	18.3	18.7	No
Medium	No	C2	4368.7	Com	9.7	No	22.1	17.3	No
Medium	No	D6	5512.6	Com	9.7	No	18.0	12.0	No
Medium	No	C9	7995.9	Com	9.7	No	4.8	7.9	No
Medium	No	C9	7709.0	Com	9.7	No	7.1	12.2	No
Medium	No	B10	6191.6	Res	9.7	No	14.2	10.9	No
Medium	No	B5	537.7	Com	9.6	No	0.9	2.1	No
Medium	No	E1	7115.1	Com	9.6	No	11.6	15.6	No
Medium	No	D8	188.5	Com	9.6	No	19.4	17.0	No
Medium	No	C3	17903.2	Com	9.6	No	22.8	4.7	No
Medium	No	A10	9821.3	Com	9.6	No	16.0	7.6	No
Medium	No	A1	4238.0	Com	9.6	No	13.1	4.0	No
Medium	No	B8	2964.5	Com	9.6	No	10.0	6.9	No
Medium	No	B9	5276.3	Com	9.6	No	10.1	8.1	No
Medium	No	B9	5194.1	Com	9.6	No	7.3	10.3	No
Medium	No	E3	1040.9	Com	9.6	No	8.2	14.2	No
Medium	No	E1	3175.0	Res	9.6	No	13.9	15.6	No
Medium	No	D4	4691.5	Res	9.6	No	10.7	12.3	No
Medium	No	B2	15690.2	Res	9.6	No	7.8	8.0	No
Medium	No	C4	3324.0	Res	9.6	No	12.2	14.6	No
Medium	No	C1	7040.1	Res	9.6	No	11.3	22.4	No
Medium	No	A9	40921.2	Com	9.5	No	13.7	6.9	No
Medium	No	D7	2832.3	Com	9.5	No	14.1	15.7	No
Medium	No	C4	3958.9	Com	9.5	No	19.5	16.9	No
Medium	No	A1	4350.6	Com	9.5	No	9.1	12.0	No
Medium	No	A2	213.2	Com	9.5	No	20.4	18.1	No
Medium	No	A2	1101.3	Com	9.5	No	17.6	7.3	No
Medium	No	A4	4458.5	Com	9.5	No	27.1	17.3	No
Medium	No	A6	5073.1	Com	9.5	No	13.5	9.6	No
Medium	No	B8	2500.1	Com	9.5	No	7.8	8.7	No
Medium	No	C3	169.9	Com	9.5	No	10.1	7.4	No
Medium	No	B1	10121.3	Com	9.5	No	9.9	11.4	No
Medium	No	A9	45186.4	Com	9.5	No	15.8	12.4	No
Medium	No	C6	1273.8	Res	9.5	No	7.2	19.0	No
Medium	No	A2	1306.7	Res	9.5	No	7.3	5.3	No
Medium	No	A9	34345.2	Com	9.4	No	15.8	17.0	No
Medium	No	A10	8405.3	Com	9.4	No	11.8	3.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A10	3870.3	Com	9.4	No	5.3	6.3	No
Medium	No	A10	5724.2	Com	9.4	No	7.6	10.6	No
Medium	No	C2	2246.3	Com	9.4	No	15.2	13.5	No
Medium	No	A1	3981.3	Com	9.4	No	3.9	9.0	No
Medium	No	A2	572.6	Com	9.4	No	15.8	16.6	No
Medium	No	B5	7789.5	Com	9.4	No	18.4	11.2	No
Medium	No	F2	1104.0	Com	9.4	No	14.1	13.5	No
Medium	No	D7	1496.5	Com	9.4	No	5.6	9.3	No
Medium	No	C3	16390.7	Res	9.4	No	17.0	17.4	No
Medium	No	B5	314.2	Com	9.3	No	23.6	9.9	No
Medium	No	A9	35213.3	Com	9.3	No	4.7	5.3	No
Medium	No	A9	34254.9	Com	9.3	No	13.6	13.2	No
Medium	No	A9	33822.1	Com	9.3	No	29.4	23.1	No
Medium	No	A9	38425.6	Com	9.3	No	9.8	7.0	No
Medium	No	E4	5707.0	Com	9.3	No	11.8	22.5	No
Medium	No	A10	10607.8	Com	9.3	No	12.7	15.1	No
Medium	No	A10	6043.4	Com	9.3	No	12.5	10.2	No
Medium	No	A1	4465.6	Com	9.3	No	20.2	21.4	No
Medium	No	A4	4454.9	Com	9.3	No	12.3	16.2	No
Medium	No	A6	10138.8	Com	9.3	No	7.7	9.7	No
Medium	No	A6	10143.2	Com	9.3	No	9.8	4.9	No
Medium	No	B8	3422.4	Com	9.3	No	8.0	10.1	No
Medium	No	B8	2310.7	Com	9.3	No	9.9	6.6	No
Medium	No	B1	8306.1	Com	9.3	No	5.0	8.5	No
Medium	No	A9	37284.9	Res	9.3	No	8.5	6.0	No
Medium	No	E1	3900.3	Res	9.3	No	15.4	21.1	No
Medium	No	E1	4844.8	Res	9.3	No	18.9	20.5	No
Medium	No	D5	888.8	Res	9.3	No	7.9	3.7	No
Medium	No	C3	26130.7		9.3	No	6.0	8.2	No
Medium	No	D8	279.9	Com	9.2	No	13.8	3.9	No
Medium	No	C3	17250.8	Com	9.2	No	17.3	14.3	No
Medium	No	C3	17805.7	Com	9.2	No	6.4	4.7	No
Medium	No	A10	10872.8	Com	9.2	No	8.7	7.3	No
Medium	No	A10	9040.1	Com	9.2	No	12.1	7.4	No
Medium	No	A10	6542.1	Com	9.2	No	9.6	4.6	No
Medium	No	C5	3791.0	Com	9.2	No	10.7	8.3	No
Medium	No	C2	1164.0	Com	9.2	No	17.0	24.3	No
Medium	No	C2	1557.7	Com	9.2	No	19.8	12.1	No
Medium	No	C4	5244.1	Com	9.2	No	20.2	14.4	No
Medium	No	A1	3791.2	Com	9.2	No	8.4	7.5	No
Medium	No	A2	1326.9	Com	9.2	No	12.1	15.2	No
Medium	No	A6	10080.5	Com	9.2	No	8.0	7.3	No
Medium	No	B8	3452.0	Com	9.2	No	10.8	9.9	No
Medium	No	B8	2801.7	Com	9.2	No	9.2	9.2	No
Medium	No	B8	724.4	Com	9.2	No	11.0	8.2	No
Medium	No	B9	4318.8	Com	9.2	No	4.7	9.0	No
Medium	No	A9	35123.9	Com	9.2	No	17.6	16.9	No
Medium	No	A9	35908.8	Com	9.2	No	15.8	12.3	No
Medium	No	A9	44986.7	Com	9.2	No	5.1	3.7	No
Medium	No	C3	21632.7	Com	9.2	No	10.2	24.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C3	16414.4	Com	9.2	No	10.4	15.0	No
Medium	No	C9	4800.5	Com	9.2	No	5.8	6.8	No
Medium	No	B7	1447.8	Res	9.2	No	12.6	16.2	No
Medium	No	B9	7816.9	Res	9.2	No	12.1	10.6	No
Medium	No	B5	68.5	Com	9.1	No	13.3	23.2	No
Medium	No	A9	2034.5	Com	9.1	No	7.0	7.3	No
Medium	No	D8	738.2	Com	9.1	Yes	7.7	10.0	No
Medium	No	C3	16482.8	Com	9.1	No	20.8	17.8	No
Medium	No	A10	9284.5	Com	9.1	No	8.0	7.8	No
Medium	No	A10	5649.5	Com	9.1	No	16.7	9.0	No
Medium	No	C4	4023.3	Com	9.1	No	16.5	16.2	No
Medium	No	C5	1531.0	Com	9.1	No	18.1	20.9	No
Medium	No	A1	4277.7	Com	9.1	No	7.6	4.5	No
Medium	No	A6	653.6	Com	9.1	No	20.1	1.6	No
Medium	No	B5	7564.1	Com	9.1	No	18.4	18.8	No
Medium	No	B5	12830.2	Com	9.1	No	20.7	11.4	No
Medium	No	B8	1847.3	Com	9.1	No	9.1	7.0	No
Medium	No	B1	9166.8	Com	9.1	No	12.2	12.5	No
Medium	No	B5	294.4	Com	9.1	No	17.5	14.0	No
Medium	No	B5	693.3	Com	9.1	No	10.0	10.7	No
Medium	No	C3	20428.1	Com	9.1	No	10.6	14.1	No
Medium	No	C3	16250.4	Com	9.1	No	17.4	17.4	No
Medium	No	C3	10979.0	Com	9.1	No	19.9	14.4	No
Medium	No	C3	7430.7	Com	9.1	No	12.7	11.5	No
Medium	No	A9	34850.2	Com	9.0	No	28.3	14.7	No
Medium	No	A10	4848.5	Com	9.0	No	7.8	9.9	No
Medium	No	A1	3562.8	Com	9.0	No	5.5	5.8	No
Medium	No	B8	3539.7	Com	9.0	No	7.1	9.0	No
Medium	No	A10	485.2	Com	9.0	No	4.3	5.8	No
Medium	No	B9	7709.9	Com	9.0	No	5.9	4.2	No
Medium	No	A9	39178.6	Com	9.0	No	7.1	5.9	No
Medium	No	A9	44613.9	Com	9.0	No	12.8	5.0	No
Medium	No	C3	6640.3	Com	9.0	No	23.4	8.2	No
Medium	No	A10	6165.0	Res	9.0	No	7.6	9.2	No
Medium	No	B2	14650.7		9.0	No	5.0	8.4	No
Medium	No	A9	34696.1	Com	8.9	No	25.2	19.3	No
Medium	No	A9	34184.7	Com	8.9	No	19.5	17.8	No
Medium	No	C3	17840.9	Com	8.9	No	7.4	3.8	No
Medium	No	C3	18299.2	Com	8.9	No	16.4	20.8	No
Medium	No	D7	1081.1	Com	8.9	No	14.9	12.6	No
Medium	No	C9	5751.8	Com	8.9	No	6.5	5.3	No
Medium	No	C2	721.6	Com	8.9	No	23.0	23.1	No
Medium	No	C2	1100.2	Com	8.9	No	22.6	4.9	No
Medium	No	E6	732.7	Com	8.9	No	14.1	15.0	No
Medium	No	A3	1941.8	Com	8.9	No	25.1	34.3	No
Medium	No	B5	10078.5	Com	8.9	No	13.5	90.0	No
Medium	No	A10	355.0	Com	8.9	No	4.7	4.5	No
Medium	No	B6	65.5	Com	8.9	No	8.4	21.1	No
Medium	No	B5	1010.4	Com	8.9	No	11.5	10.8	No
Medium	No	C3	16172.8	Com	8.9	No	12.6	16.7	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C7	2974.1	Res	8.9	No	17.4	5.9	No
Medium	No	A9	36935.9	Com	8.8	No	4.5	5.8	No
Medium	No	A9	37034.7	Com	8.8	No	8.2	4.6	No
Medium	No	E3	1426.5	Com	8.8		14.4	14.8	No
Medium	No	C3	15685.3	Com	8.8	No	7.3	7.4	No
Medium	No	A10	10565.5	Com	8.8	No	15.3	12.3	No
Medium	No	A10	9607.8	Com	8.8	No	6.7	6.0	No
Medium	No	A10	6816.4	Com	8.8	No	6.7	6.4	No
Medium	No	E6	634.7	Com	8.8	No	4.7	17.1	No
Medium	No	A2	1232.6	Com	8.8	No	12.7	11.1	No
Medium	No	A4	4072.1	Com	8.8	No	6.0	8.9	No
Medium	No	B5	12514.2	Com	8.8	No	14.8	15.3	No
Medium	No	B8	3609.5	Com	8.8	No	8.7	9.3	No
Medium	No	C3	7313.5	Com	8.8	No	13.2	8.6	No
Medium	No	A6	2961.7	Res	8.8	No	1.5	22.8	No
Medium	No	C3	18481.0	Com	8.7	No	19.6	15.8	No
Medium	No	C3	14630.3	Com	8.7	No	15.7	17.7	No
Medium	No	D7	2055.3	Com	8.7	Yes	6.5	13.8	No
Medium	No	D7	672.7	Com	8.7	No	4.8	9.3	No
Medium	No	A10	9644.8	Com	8.7	No	4.4	4.8	No
Medium	No	A10	4959.1	Com	8.7	No	7.1	9.3	No
Medium	No	E6	537.9	Com	8.7	No	13.3	21.8	No
Medium	No	A2	1364.1	Com	8.7	No	7.4	6.5	No
Medium	No	B5	8741.1	Com	8.7	No	15.1	9.6	No
Medium	No	B5	12666.4	Com	8.7	No	5.8	8.3	No
Medium	No	B8	2421.2	Com	8.7	No	8.6	8.1	No
Medium	No	B6	1854.7	Com	8.7	No	4.9	7.3	No
Medium	No	C9	6052.7	Com	8.7	No	10.6	14.7	No
Medium	No	B9	7874.4	Res	8.7	No	13.0	13.2	No
Medium	No	A9	1772.8	Res	8.7	No	6.9	4.7	No
Medium	No	C3	16327.3		8.7	No	20.5	15.6	No
Medium	No	C3	17759.7	Com	8.6	No	8.6	7.8	No
Medium	No	D7	574.5	Com	8.6	No	25.1	28.0	No
Medium	No	A10	6444.3	Com	8.6	No	9.6	7.1	No
Medium	No	C5	6391.3	Com	8.6	No	8.2	3.8	No
Medium	No	A1	3826.8	Com	8.6	No	9.4	6.1	No
Medium	No	A4	2096.1	Com	8.6	No	11.3	12.5	No
Medium	No	B5	10209.8	Com	8.6	No	8.5	7.1	No
Medium	No	B5	10436.1	Com	8.6	No	12.9	6.1	No
Medium	No	C3	20058.9	Com	8.6	No	12.8	19.0	No
Medium	No	D7	2994.6	Com	8.6	No	9.3	15.0	No
Medium	No	C9	5673.1	Com	8.6	No	14.5	12.8	No
Medium	No	E1	357.8	Res	8.6	No	10.6	8.9	No
Medium	No	A10	5818.0	Res	8.6	No	6.6	10.7	No
Medium	No	E1	1626.4	Res	8.6	No	17.7	16.0	No
Medium	No	C5	3642.3	Com	8.5	No	12.2	20.7	No
Medium	No	A1	4663.1	Com	8.5	No	16.5	17.1	No
Medium	No	A1	3913.6	Com	8.5	No	6.0	10.1	No
Medium	No	A2	354.3	Com	8.5	No	24.0	24.7	No
Medium	No	A2	617.1	Com	8.5	No	11.8	14.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B10	985.4	Com	8.5	No	8.4	10.2	No
Medium	No	B10	2108.2	Com	8.5	No	14.4	15.7	No
Medium	No	A10	428.1	Com	8.5	No	5.6	5.9	No
Medium	No	B9	5881.8	Com	8.5	No	14.4	8.5	No
Medium	No	A9	34834.5	Com	8.5	No	13.5	17.6	No
Medium	No	C3	10743.7	Com	8.5	No	16.8	17.0	No
Medium	No	A10	4143.0	Res	8.5	No	5.7	9.9	No
Medium	No	B5	201.2	Com	8.4	Yes	29.0	13.8	No
Medium	No	C7	3777.9	Com	8.4	No	12.6	15.6	No
Medium	No	A10	8564.6	Com	8.4	No	3.6	9.7	No
Medium	No	C6	1079.4	Com	8.4	No	14.6	7.4	No
Medium	No	C5	7175.9	Com	8.4	No	7.3	5.8	No
Medium	No	A1	4158.4	Com	8.4	No	6.8	9.4	No
Medium	No	E6	461.2	Com	8.4	No	15.7	15.3	No
Medium	No	B5	6288.0	Com	8.4	No	24.0	13.5	No
Medium	No	B10	1778.0	Com	8.4	No	7.0	6.4	No
Medium	No	B5	64.6	Com	8.4	No	8.7	19.1	No
Medium	No	C3	19525.9	Com	8.4	No	6.9	9.3	No
Medium	No	C3	17838.6	Com	8.4	No	10.4	18.8	No
Medium	No	A1	4915.1	Res	8.4	No	21.7	14.0	No
Medium	No	D6	1840.1	Com	8.3	No	14.6	18.8	No
Medium	No	C3	4911.2	Com	8.3	No	2.1	6.0	No
Medium	No	C3	9046.6	Com	8.3	No	23.4	25.3	No
Medium	No	A10	9850.3	Com	8.3	No	10.5	10.7	No
Medium	No	A10	10823.8	Com	8.3	No	16.7	13.0	No
Medium	No	C5	6641.1	Com	8.3	No	5.6	6.9	No
Medium	No	A1	4707.9	Com	8.3	No	18.6	14.1	No
Medium	No	A4	1691.0	Com	8.3	No	14.4	11.4	No
Medium	No	A6	7494.3	Com	8.3	No	18.9	12.5	No
Medium	No	B5	2032.6	Com	8.3	No	11.1	17.1	No
Medium	No	B10	2234.0	Com	8.3	No	12.9	14.8	No
Medium	No	B8	2375.0	Com	8.3		7.7	9.0	No
Medium	No	C6	614.6	Res	8.3	No	12.3	15.2	No
Medium	No	B5	16123.5	Res	8.3	No	5.7	7.4	No
Medium	No	C3	16304.1	Com	8.2	No	10.5	16.9	No
Medium	No	D7	1974.1	Com	8.2	No	15.7	12.8	No
Medium	No	D6	330.1	Com	8.2	No	8.2	15.2	No
Medium	No	D4	2268.9	Com	8.2	No	6.8	7.5	No
Medium	No	C5	6826.1	Com	8.2	No	15.6	14.0	No
Medium	No	C4	1659.9	Com	8.2	No	20.1	16.6	No
Medium	No	B5	12760.5	Com	8.2	No	19.4	29.3	No
Medium	No	B1	8739.8	Com	8.2	No	7.0	10.8	No
Medium	No	B6	1041.8	Com	8.2	No	17.5	10.2	No
Medium	No	A9	34057.4	Com	8.2	No	5.5	5.4	No
Medium	No	C3	17619.1	Com	8.2	No	12.1	13.7	No
Medium	No	C3	6689.3	Com	8.2	No	12.8	13.5	No
Medium	No	C3	16048.1	Res	8.2	No	22.8	23.4	No
Medium	No	D4	6428.0	Com	8.1	No	7.8	3.5	No
Medium	No	A10	9847.7	Com	8.1	No	7.9	5.5	No
Medium	No	A1	1412.5	Com	8.1	No	15.0	15.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A1	1367.6	Com	8.1	No	24.2	16.7	No
Medium	No	A4	4153.9	Com	8.1	No	19.4	19.7	No
Medium	No	B10	764.1	Com	8.1	No	7.7	9.1	No
Medium	No	A10	516.1	Com	8.1	No	9.1	13.7	No
Medium	No	A9	35185.9	Com	8.1	No	19.0	24.8	No
Medium	No	C3	19833.9	Com	8.1	No	17.4	14.1	No
Medium	No	D7	1937.4	Com	8.1	No	18.7	13.7	No
Medium	No	E1	3622.9	Res	8.1	No	10.3	12.8	No
Medium	No	B10	6195.5	Res	8.1	No	16.8	13.1	No
Medium	No	A9	51256.6		8.1	No	15.0	15.1	No
Medium	No	D6	1943.0	Com	8.0	No	12.7	16.3	No
Medium	No	C3	9970.6	Com	8.0	Yes	18.9	12.7	No
Medium	No	A10	6762.5	Com	8.0	No	7.9	4.3	No
Medium	No	A10	5062.0	Com	8.0	No	12.2	16.4	No
Medium	No	A2	1090.2	Com	8.0	No	5.9	11.6	No
Medium	No	A4	4017.3	Com	8.0	No	9.9	7.5	No
Medium	No	A5	1587.5	Com	8.0	Yes	14.1	8.9	No
Medium	No	B10	2158.9	Com	8.0	No	16.2	27.3	No
Medium	No	B8	3234.9	Com	8.0	No	10.4	8.5	No
Medium	No	B8	3218.5	Com	8.0	No	10.2	7.9	No
Medium	No	B4	441.7	Com	8.0	No	25.0	24.6	No
Medium	No	A9	36062.0	Com	8.0	No	10.2	17.2	No
Medium	No	A9	42447.1	Com	8.0	No	13.1	9.2	No
Medium	No	D6	5245.4	Com	8.0	No	15.1	15.1	No
Medium	No	A6	907.1	Res	8.0	No	21.3	2.3	No
Medium	No	A9	35420.2	Com	7.9	No	19.8	19.7	No
Medium	No	D7	638.8	Com	7.9	No	3.2	23.4	No
Medium	No	C9	7901.6	Com	7.9	No	21.5	15.6	No
Medium	No	A10	4517.2	Com	7.9	No	7.9	8.1	No
Medium	No	A1	5196.5	Com	7.9	No	15.7	12.7	No
Medium	No	B10	2057.4	Com	7.9	No	21.6	22.5	No
Medium	No	B8	1065.6	Com	7.9	No	8.8	8.2	No
Medium	No	A9	740.4	Com	7.9	No	9999.0	3.8	No
Medium	No	D7	1874.7	Com	7.9	No	18.8	20.1	No
Medium	No	C3	10852.0	Com	7.9	No	11.4	11.7	No
Medium	No	E1	8680.1	Res	7.9	No	16.6	19.3	No
Medium	No	C7	2706.5	Res	7.9	No	14.3	10.9	No
Medium	No	C5	1767.9	Res	7.9	No	20.3	20.9	No
Medium	No	A6	2852.6	Res	7.9	No	20.8	8.5	No
Medium	No	C3	16777.9	Res	7.9	No	5.2	5.5	No
Medium	No	A1	4668.4	Com	7.8	No	18.0	16.2	No
Medium	No	A4	1546.7	Com	7.8	No	14.3	18.9	No
Medium	No	A6	7626.4	Com	7.8	No	7.9	6.2	No
Medium	No	B10	1839.7	Com	7.8	No	9.1	4.6	No
Medium	No	B10	2008.9	Com	7.8	No	16.2	22.6	No
Medium	No	A10	564.9	Com	7.8	No	19.8	18.1	No
Medium	No	A9	41869.6	Com	7.8	No	20.5	16.9	No
Medium	No	A9	1036.4	Com	7.7		4.5	9.0	No
Medium	No	A9	34774.9	Com	7.7	No	26.2	22.1	No
Medium	No	A9	35829.3	Com	7.7	No	7.6	5.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C9	1127.9	Com	7.7	No	12.1	8.3	No
Medium	No	C5	1858.4	Com	7.7	No	9.8	11.9	No
Medium	No	C5	1488.2	Com	7.7	No	16.2	16.1	No
Medium	No	E6	225.4	Com	7.7	No	16.8	15.0	No
Medium	No	A6	10530.3	Com	7.7	No	9.3	7.8	No
Medium	No	A6	550.3	Com	7.7	No	17.1	0.9	No
Medium	No	B5	9362.2	Com	7.7	No	12.0	17.6	No
Medium	No	B8	2106.5	Com	7.7	No	8.0	6.5	No
Medium	No	A9	40867.7	Com	7.7	No	19.3	22.2	No
Medium	No	C3	17912.4	Com	7.7	No	10.0	11.0	No
Medium	No	D5	1974.7	Com	7.7	No	13.8	14.0	No
Medium	No	B10	5422.8	Res	7.7	No	16.9	20.8	No
Medium	No	A9	26930.2	Com	7.6	No	11.9	10.9	No
Medium	No	E4	250.1	Com	7.6	No	8.9	6.6	No
Medium	No	D6	2274.8	Com	7.6	No	6.8	8.8	No
Medium	No	C5	6540.7	Com	7.6	No	4.1	7.0	No
Medium	No	A4	1357.5	Com	7.6	No	15.6	15.4	No
Medium	No	A4	4524.5	Com	7.6	No	10.7	17.8	No
Medium	No	B5	6240.4	Com	7.6	No	23.0	16.8	No
Medium	No	C7	3301.0	Res	7.6	No	16.8	19.0	No
Medium	No	B5	9631.2	Res	7.6	No	90.0	90.0	No
Medium	No	A9	26487.1	Com	7.5	No	9.7	10.3	No
Medium	No	E3	2589.7	Com	7.5	No	11.3	10.4	No
Medium	No	D7	1492.2	Com	7.5	No	25.0	21.1	No
Medium	No	C4	2408.1	Com	7.5	No	13.6	17.5	No
Medium	No	C5	945.4	Com	7.5	No	11.6	14.1	No
Medium	No	B5	20465.4	Com	7.5	No	3.0	4.5	No
Medium	No	A9	41024.5	Com	7.5	No	15.0	22.6	No
Medium	No	A4	4658.7	Res	7.5	No	10.7	7.7	No
Medium	No	A4	4656.3	Res	7.5	No	10.2	7.7	No
Medium	No	A9	26890.6	Com	7.4	No	16.0	11.4	No
Medium	No	D6	1509.6	Com	7.4	No	14.5	21.9	No
Medium	No	D6	2315.2	Com	7.4	No	19.8	24.6	No
Medium	No	C3	8222.6	Com	7.4	No	17.5	20.8	No
Medium	No	C2	1960.8	Com	7.4	No	14.5	16.3	No
Medium	No	C2	1533.4	Com	7.4	No	18.2	16.4	No
Medium	No	A6	8170.6	Com	7.4	Yes	9.3	8.0	No
Medium	No	B5	20057.3	Com	7.4	No	5.3	2.8	No
Medium	No	B8	2868.0	Com	7.4	No	6.6	8.6	No
Medium	No	B8	658.6	Com	7.4	No	10.3	8.3	No
Medium	No	B9	4388.4	Com	7.4	No	5.8	11.5	No
Medium	No	A9	609.5	Com	7.4	No	16.9	6.2	No
Medium	No	A9	42032.0	Com	7.4	No	16.4	18.8	No
Medium	No	A9	41964.0	Com	7.4	No	16.3	16.3	No
Medium	No	E1	7758.2	Com	7.4	No	14.4	5.8	No
Medium	No	E1	256.0	Res	7.4	No	11.6	12.7	No
Medium	No	D7	1343.0	Com	7.3	No	27.3	20.8	No
Medium	No	D7	399.8	Com	7.3	No	20.0	17.8	No
Medium	No	C3	10566.8	Com	7.3	No	5.4	3.1	No
Medium	No	A10	10262.5	Com	7.3	No	5.2	9.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B5	1850.6	Com	7.3	Yes	16.9	25.6	No
Medium	No	B5	4257.3	Com	7.3	No	24.5	18.6	No
Medium	No	C9	623.0	Com	7.3	No	4.6	5.3	No
Medium	No	C3	6959.3	Com	7.3	No	15.1	13.2	No
Medium	No	C9	1111.8	Res	7.3	No	4.6	9.8	No
Medium	No	D6	1190.7	Com	7.2	No	12.9	13.4	No
Medium	No	B5	16050.3	Com	7.2	No	13.7	11.5	No
Medium	No	D6	2307.4	Res	7.2	No	15.4	41.4	No
Medium	No	E4	1375.8	Com	7.1	No	19.7	12.5	No
Medium	No	E3	1619.8	Com	7.1	No	21.6	12.1	No
Medium	No	D7	1973.7	Com	7.1	No	10.4	12.6	No
Medium	No	D6	1867.2	Com	7.1	No	17.1	10.5	No
Medium	No	D6	1590.8	Com	7.1	No	21.9	16.0	No
Medium	No	C3	7936.9	Com	7.1	No	12.7	16.2	No
Medium	No	E6	398.9	Com	7.1	No	29.0	25.4	No
Medium	No	E6	172.6	Com	7.1	No	10.1	5.2	No
Medium	No	A5	2622.2	Com	7.1	No	7.0	8.3	No
Medium	No	B9	8093.1	Com	7.1	No	9.9	6.6	No
Medium	No	A9	44570.2	Com	7.1	No	5.3	8.6	No
Medium	No	D6	2388.4	Res	7.1	No	4.7	8.8	No
Medium	No	D1	2315.7	Res	7.1	No	11.7	6.2	No
Medium	No	A9	26768.4	Com	7.0	No	9.8	12.3	No
Medium	No	A9	33522.7	Com	7.0	No	13.8	18.4	No
Medium	No	A9	33478.5	Com	7.0	No	7.7	9.9	No
Medium	No	D6	1655.9	Com	7.0	No	11.7	16.5	No
Medium	No	A10	6626.9	Com	7.0	No	8.8	2.9	No
Medium	No	A5	2135.9	Com	7.0	No	6.3	8.7	No
Medium	No	B5	20346.2	Com	7.0	No	3.5	6.0	No
Medium	No	B5	10360.9	Com	7.0	No	5.0	6.3	No
Medium	No	B8	1036.9	Com	7.0	No	8.9	6.8	No
Medium	No	B9	6521.9	Com	7.0	No	8.5	6.8	No
Medium	No	D7	703.5	Com	7.0	No	13.7	7.9	No
Medium	No	A9	26708.3	Com	6.9	No	14.4	12.6	No
Medium	No	D6	1007.1	Com	6.9	No	7.5	5.4	No
Medium	No	C2	1594.4	Com	6.9	No	7.4	24.8	No
Medium	No	A1	3097.4	Com	6.9	No	9.9	10.2	No
Medium	No	A1	4710.2	Com	6.9	No	12.4	19.6	No
Medium	No	B5	5318.0	Com	6.9	No	6.3	9.9	No
Medium	No	B8	1111.2	Com	6.9	No	13.2	6.0	No
Medium	No	C5	1121.6	Res	6.9	No	19.0	22.2	No
Medium	No	B8	2038.7	Res	6.9	No	6.6	8.2	No
Medium	No	D6	2215.0	Com	6.8	No	23.5	12.2	No
Medium	No	C3	9489.8	Com	6.8	No	15.7	15.0	No
Medium	No	C3	470.4	Com	6.8	No	11.0	14.7	No
Medium	No	A10	3099.8	Com	6.8	No	9.2	0.5	No
Medium	No	A1	1475.1	Com	6.8	No	6.8	8.3	No
Medium	No	A4	2033.0	Com	6.8	No	1.2	7.9	No
Medium	No	A6	8189.0	Com	6.8	Yes	8.5	7.9	No
Medium	No	B8	8746.7	Com	6.8	Yes	7.8	7.3	No
Medium	No	B1	8019.4	Com	6.8	No	7.2	5.5	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A9	44389.1	Com	6.8	No	16.0	8.5	No
Medium	No	D7	1425.4	Com	6.8	No	16.4	15.5	No
Medium	No	B8	2112.0	Com	6.7	No	7.8	6.6	No
Medium	No	D9	350.7	Com	6.7	No	13.5	14.2	No
Medium	No	A6	2157.7	Res	6.7	No	16.6	7.0	No
Medium	No	C1	3018.0	Res	6.7	No	12.4	13.9	No
Medium	No	D6	2440.1	Com	6.6	No	6.8	18.6	No
Medium	No	D1	1169.1	Com	6.6	No	6.6	6.6	No
Medium	No	B5	13322.2	Com	6.6	Yes	11.1	9.6	No
Medium	No	B7	1144.2	Com	6.6	No	13.0	12.8	No
Medium	No	B6	732.1	Com	6.6	No	21.7	11.3	No
Medium	No	B5	1097.5	Com	6.5	No	7.6	13.6	No
Medium	No	D4	5338.1	Com	6.5	No	6.9	5.9	No
Medium	No	C9	852.1	Com	6.5	Yes	0.0	0.0	No
Medium	No	B1	12401.6	Com	6.5	No	6.3	7.7	No
Medium	No	A5	2028.3	Com	6.5	No	11.6	9.5	No
Medium	No	B5	3346.9	Com	6.5	Yes	6.4	11.6	No
Medium	No	B5	4093.7	Com	6.5	No	25.2	25.5	No
Medium	No	B5	4119.2	Com	6.5	No	15.4	12.6	No
Medium	No	B5	9804.0	Com	6.5	No	11.0	6.7	No
Medium	No	B8	1623.0	Com	6.5	No	7.5	9.1	No
Medium	No	B7	3313.4	Com	6.5	No	15.7	5.3	No
Medium	No	D5	1318.5	Com	6.5	No	14.9	15.6	No
Medium	No	A5	821.9	Com	6.4	Yes	5.6	7.9	No
Medium	No	B5	3878.2	Com	6.4	No	17.4	22.3	No
Medium	No	C3	17992.5	Com	6.4	No	15.8	17.7	No
Medium	No	C9	1186.7	Com	6.4	No	11.3	8.2	No
Medium	No	E1	8950.5	Res	6.4	No	24.3	22.3	No
Medium	No	D1	2316.2	Res	6.4	Yes	0.0	0.0	No
Medium	No	A9	31711.8	Res	6.4	No	3.0	11.2	No
Medium	No	B5	1159.8	Com	6.3	No	8.6	12.5	No
Medium	No	A9	40557.6	Com	6.3	No	19.8	24.4	No
Medium	No	C5	1021.9	Com	6.3	No	27.8	16.7	No
Medium	No	A6	10558.8	Com	6.3	No	9.7	16.4	No
Medium	No	B8	1197.3	Com	6.3	No	9.2	5.6	No
Medium	No	C7	2823.5	Res	6.3	No	11.8	11.6	No
Medium	No	A9	40204.4		6.3	No	9.5	10.4	No
Medium	No	A9	40635.5	Com	6.2	No	23.7	20.3	No
Medium	No	B8	3295.2	Com	6.2	No	6.7	6.8	No
Medium	No	A9	25982.9		6.2	No	13.1	14.0	No
Medium	No	A9	51363.6	Com	6.1	No	14.9	14.5	No
Medium	No	B5	13598.2	Com	6.1	No	14.9	17.7	No
Medium	No	D7	2005.1	Com	6.1	No	19.5	17.8	No
Medium	No	C9	5189.6	Com	6.0	No	24.4	12.9	No
Medium	No	C2	1820.9	Com	6.0	No	24.7	25.6	No
Medium	No	B5	1760.7	Com	6.0	No	17.2	17.0	No
Medium	No	B8	365.1	Com	6.0	No	15.0	15.8	No
Medium	No	B8	601.6	Com	6.0	No	10.5	6.6	No
Medium	No	B6	627.5	Com	6.0	No	4.8	7.9	No
Medium	No	B5	1130.7	Com	6.0	No	6.4	12.3	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B10	7229.8	Res	6.0	No	17.4	18.7	No
Medium	No	D1	825.1		6.0	Yes	0.0	0.0	No
Medium	No	D6	1756.1	Com	5.9	No	10.0	10.8	No
Medium	No	A10	10127.3	Com	5.9	No	6.8	8.4	No
Medium	No	A5	2206.8	Com	5.9	No	12.6	10.2	No
Medium	No	B10	2288.8	Com	5.9	No	27.5	21.0	No
Medium	No	A9	26737.6	Com	5.9	No	7.5	11.8	No
Medium	No	A9	35479.6	Com	5.9	No	7.0	5.0	No
Medium	No	C3	17445.2	Com	5.9	No	10.9	15.3	No
Medium	No	A9	26335.5	Com	5.8	No	6.5	14.9	No
Medium	No	D6	2154.3	Com	5.8	No	12.1	11.1	No
Medium	No	D2	471.5	Com	5.8	No	7.1	3.9	No
Medium	No	B8	1571.3	Com	5.8	No	5.8	6.6	No
Medium	No	A9	25398.3	Com	5.8	No	7.7	15.3	No
Medium	No	E1	1394.1	Res	5.8	No	15.2	13.2	No
Medium	No	F2	13290.3	Com	5.7	No	8.6	6.0	No
Medium	No	A9	40345.8	Com	5.7	No	8.2	24.7	No
Medium	No	D7	1656.6	Com	5.7	No	11.5	11.9	No
Medium	No	A9	42637.1	Com	5.7	No	12.1	13.0	No
Medium	No	D1	2790.4	Res	5.7	Yes	0.0	0.0	No
Medium	No	C3	19531.3	Com	5.6	No	19.0	13.3	No
Medium	No	D6	2081.2	Com	5.6	No	26.4	9.8	No
Medium	No	D1	189.9	Com	5.6	No	4.9	23.5	No
Medium	No	C4	713.5	Com	5.6	No	19.2	17.1	No
Medium	No	A1	4513.8	Com	5.6	No	14.6	14.4	No
Medium	No	A5	1994.1	Com	5.6	No	12.5	11.1	No
Medium	No	F1	2299.2	Res	5.6	No	2.4	17.8	No
Medium	No	A1	5609.4	Res	5.6	No	19.0	24.9	No
Medium	No	A9	40754.8	Com	5.5	Yes	0.0	0.0	No
Medium	No	A3	2071.5	Com	5.5	Yes	16.7	11.5	No
Medium	No	E1	6313.6	Res	5.5	No	4.9	6.2	No
Medium	No	D6	6831.2		5.5	No	12.7	7.4	No
Medium	No	A5	687.3	Com	5.4	No	11.4	11.5	No
Medium	No	B5	9603.4	Com	5.4	No	7.6	9.0	No
Medium	No	A9	42425.9	Com	5.4	No	7.7	13.5	No
Medium	No	A9	44285.1	Com	5.4	No	10.8	9.0	No
Medium	No	D6	6790.5		5.4	No	10.5	8.8	No
Medium	No	B5	1058.4	Com	5.3		5.8	2.5	No
Medium	No	D1	171.3	Com	5.3		0.0	0.0	No
Medium	No	A1	3296.4	Com	5.3	No	12.9	18.8	No
Medium	No	B5	5069.2	Com	5.3	No	19.4	9.0	No
Medium	No	A9	41471.7	Com	5.3	No	11.9	9.7	No
Medium	No	A3	1936.7	Res	5.3	Yes	10.2	12.6	No
Medium	No	A9	41740.3	Com	5.2	No	10.2	11.4	No
Medium	No	A9	41675.5	Com	5.2	No	8.5	8.9	No
Medium	No	A9	46519.7	Com	5.2	No	10.5	10.2	No
Medium	No	D4	6126.1	Com	5.2	No	6.5	5.0	No
Medium	No	C9	7714.9	Com	5.2	No	17.3	17.7	No
Medium	No	A10	8909.6	Com	5.2	No	10.1	10.5	No
Medium	No	A5	2063.8	Com	5.2	Yes	7.0	7.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B5	10083.7	Com	5.2	No	6.6	6.8	No
Medium	No	C9	320.1	Com	5.1	Yes	0.0	0.0	No
Medium	No	A4	1758.2	Com	5.1	No	14.8	17.2	No
Medium	No	B10	5314.9	Com	5.1	No	6.5	4.8	No
Medium	No	A9	45218.2	Com	5.1	No	9.0	14.2	No
Medium	No	E4	328.1	Com	5.1	No	4.3	8.7	No
Medium	No	B10	4893.7	Res	5.1	No	15.9	13.4	No
Medium	No	A9	36092.3	Com	4.9		10.5	14.2	No
Medium	No	D6	2192.3	Com	4.9	No	15.5	12.6	No
Medium	No	A9	27302.6	Com	4.9	No	17.4	18.0	No
Medium	No	D6	5447.7	Com	4.9	No	8.8	10.3	No
Medium	No	A9	26303.5	Com	4.8	No	14.1	11.9	No
Medium	No	A9	41601.1	Com	4.8	No	16.6	14.1	No
Medium	No	C3	18803.2	Com	4.8	No	19.9	22.2	No
Medium	No	A10	6514.2	Com	4.8	No	10.7	4.2	No
Medium	No	A6	7148.1	Com	4.8	No	8.7	11.2	No
Medium	No	B6	690.2	Com	4.8	No	18.8	12.9	No
Medium	No	D7	1353.6	Com	4.7	No	22.3	15.5	No
Medium	No	A9	27391.9	Com	4.7	No	14.7	13.4	No
Medium	No	D1	819.1	Res	4.7		0.0	0.0	No
Medium	No	B7	3538.7	Res	4.7	No	14.8	17.7	No
Medium	No	A9	36122.2	Com	4.6	No	14.1	12.1	No
Medium	No	A10	8135.1	Com	4.6	No	6.4	7.8	No
Medium	No	C5	6676.0	Com	4.6	No	7.3	3.8	No
Medium	No	A5	1588.2	Com	4.6	Yes	10.8	9.7	No
Medium	No	B5	2272.8	Com	4.6	Yes	27.9	26.4	No
Medium	No	B5	2796.1	Com	4.6	Yes	8.7	11.2	No
Medium	No	A9	43872.5	Com	4.6	No	14.8	20.5	No
Medium	No	C3	26821.8	Com	4.6	No	7.9	8.9	No
Medium	No	A10	8856.6	Com	4.5		2.3	10.6	No
Medium	No	C4	1462.6	Com	4.5	No	18.9	10.9	No
Medium	No	A5	892.3	Com	4.5	Yes	5.2	7.1	No
Medium	No	A9	34225.9	Com	4.5	No	11.6	11.8	No
Medium	No	F2	13555.5	Com	4.4	No	7.8	6.2	No
Medium	No	F2	13685.3	Com	4.4	No	8.3	4.2	No
Medium	No	A9	41990.7	Com	4.4	Yes	17.6	15.1	No
Medium	No	A10	10468.9	Com	4.4	No	22.2	23.4	No
Medium	No	A3	2774.1	Com	4.4	Yes	8.2	3.0	No
Medium	No	A5	2648.1	Com	4.4	Yes	4.9	7.7	No
Medium	No	A9	45296.9	Com	4.4	No	9.2	4.0	No
Medium	No	A3	2136.2	Res	4.4	Yes	16.6	15.6	No
Medium	No	A9	35624.5	Com	4.3	No	21.4	24.3	No
Medium	No	A4	2154.3	Com	4.3	No	14.2	9.2	No
Medium	No	B5	10379.6	Com	4.3	No	4.4	8.7	No
Medium	No	A9	41549.9	Com	4.3	No	3.3	10.5	No
Medium	No	E1	4587.8	Res	4.3	No	7.1	6.0	No
Medium	No	A9	26609.5	Com	4.2	No	16.5	10.3	No
Medium	No	A9	36148.5	Com	4.2	No	11.6	12.0	No
Medium	No	C3	10470.5	Com	4.2	No	3.5	4.4	No
Medium	No	A4	1780.4	Com	4.2	No	17.1	19.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B8	6171.6	Com	4.2	No	17.1	13.7	No
Medium	No	B10	5376.2	Com	4.2	No	7.3	8.5	No
Medium	No	B6	1422.9	Com	4.2	No	9.6	11.9	No
Medium	No	B9	7758.1	Com	4.2	No	9.6	5.9	No
Medium	No	A3	3379.5	Res	4.2	Yes	10.3	9.3	No
Medium	No	A9	27345.3	Com	4.1	No	16.2	18.0	No
Medium	No	B5	2766.9	Com	4.1	Yes	9.0	10.9	No
Medium	No	B5	6172.2	Com	4.1	No	8.3	13.3	No
Medium	No	B5	4678.5	Com	4.1	No	36.0	50.3	No
Medium	No	E9	1742.7	Com	4.1	No	0.5	14.3	No
Medium	No	A9	34306.8	Com	4.1	No	12.5	15.2	No
Medium	No	C3	21956.1	Com	4.1	No	16.7	29.6	No
Medium	No	C9	779.2	Com	4.0	Yes	0.0	0.0	No
Medium	No	B9	8154.7	Com	4.0	No	6.9	6.5	No
Medium	No	C5	1184.7	Res	4.0	No	17.2	22.0	No
Medium	No	E1	4200.6	Res	4.0	No	7.3	5.9	No
Medium	No	B8	226.1	Com	3.9	No	23.1	18.5	No
Medium	No	B8	242.4	Com	3.9	No	13.1	15.6	No
Medium	No	A9	35679.1	Com	3.9	No	6.5	4.9	No
Medium	No	A9	42787.0	Com	3.9	No	11.8	8.2	No
Medium	No	D9	158.0	Com	3.9	No	11.5	11.9	No
Medium	No	C9	461.8	Com	3.9	Yes	6.7	16.0	No
Medium	No	D4	1905.1	Res	3.9	No	5.5	7.0	No
Medium	No	C7	888.2	Res	3.8	Yes	0.0	0.0	No
Medium	No	C3	15102.6	Com	3.7	No	6.0	3.4	No
Medium	No	C2	470.4	Com	3.7	No	7.1	14.2	No
Medium	No	D1	5062.0	Res	3.7	Yes	0.0	0.0	No
Medium	No	A9	41915.9	Com	3.6	No	19.2	21.4	No
Medium	No	C5	2942.4	Com	3.6		23.2	21.6	No
Medium	No	A5	2288.7	Com	3.6	Yes	8.5	6.4	No
Medium	No	C7	787.9	Res	3.6	Yes	0.0	0.0	No
Medium	No	D1	3369.2	Res	3.6	Yes	0.0	0.0	No
Medium	No	D1	2840.7	Res	3.6	Yes	0.0	0.0	No
Medium	No	E1	4435.0	Res	3.6	No	6.8	4.1	No
Medium	No	C9	7471.5	Com	3.5	No	22.8	18.2	No
Medium	No	A10	6860.4	Com	3.5	No	9.1	5.6	No
Medium	No	A4	2730.2	Com	3.5	Yes	10.3	9.0	No
Medium	No	A5	2744.9	Com	3.5	Yes	9.2	14.8	No
Medium	No	A9	35342.9	Com	3.5	No	5.2	6.1	No
Medium	No	C3	17185.1	Com	3.5	No	15.3	18.0	No
Medium	No	B5	433.0	Com	3.4	No	0.0	0.0	No
Medium	No	F2	12941.9	Com	3.4	No	8.6	2.6	No
Medium	No	B5	13066.3	Com	3.4	No	17.2	18.2	No
Medium	No	D1	2366.4	Res	3.4	Yes	0.0	0.0	No
Medium	No	C1	2949.6	Res	3.4	Yes	8.9	20.2	No
Medium	No	A10	10328.1	Com	3.3	No	7.2	7.0	No
Medium	No	C1	7793.3	Com	3.3	No	8.6	18.1	No
Medium	No	C3	17300.6	Com	3.3	No	4.8	11.7	No
Medium	No	A3	2161.2	Res	3.3	Yes	999.0	999.0	No
Medium	No	B7	3227.5	Res	3.3	No	27.4	13.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	C9	7679.0	Com	3.2	No	24.4	18.8	No
Medium	No	C9	899.3	Com	3.2	Yes	0.0	0.0	No
Medium	No	A10	4180.8	Com	3.2	No	8.4	11.1	No
Medium	No	A3	3292.9	Com	3.2	Yes	11.8	7.9	No
Medium	No	A5	1319.9	Com	3.2	Yes	9.6	11.3	No
Medium	No	E1	6627.8	Res	3.2	No	3.5	3.2	No
Medium	No	A9	40452.8	Com	3.1	No	21.7	18.4	No
Medium	No	C3	9096.7	Com	3.1	No	4.9	5.2	No
Medium	No	A1	1552.2	Com	3.1	No	10.2	12.4	No
Medium	No	A5	2481.7	Com	3.1	Yes	14.1	12.4	No
Medium	No	B7	3425.1	Com	3.1	No	23.4	20.3	No
Medium	No	D7	2661.0	Com	3.0	No	8.8	7.6	No
Medium	No	E6	626.6	Com	3.0	Yes	10.6	19.9	No
Medium	No	B5	9260.3	Com	3.0	No	3.7	29.0	No
Medium	No	B9	6776.5	Com	3.0	No	5.2	11.3	No
Medium	No	F1	825.8	Com	3.0	No	3.6	5.0	No
Medium	No	C9	890.3	Com	3.0	Yes	16.3	11.8	No
Medium	No	C9	448.6	Com	3.0	Yes	18.4	9.1	No
Medium	No	C8	1535.1	Res	3.0	Yes	0.0	0.0	No
Medium	No	B5	690.0	Com	2.9	Yes	6.1	3.1	No
Medium	No	F2	12937.7	Com	2.9	No	17.7	16.9	No
Medium	No	C7	952.4	Com	2.9	Yes	0.0	0.0	No
Medium	No	C7	1184.3	Com	2.9	Yes	0.0	0.0	No
Medium	No	A6	10503.1	Com	2.9	Yes	27.0	18.3	No
Medium	No	A5	2013.1	Com	2.9	Yes	11.7	7.7	No
Medium	No	B9	8102.5	Com	2.9	No	18.6	12.5	No
Medium	No	B10	5419.9	Res	2.9	No	5.2	11.5	No
Medium	No	C3	17368.7	Com	2.8	No	17.0	12.2	No
Medium	No	C5	2980.2	Com	2.8	No	15.0	18.0	No
Medium	No	C2	1911.8	Com	2.8	No	16.7	11.4	No
Medium	No	C2	1872.3	Com	2.8	No	25.3	28.8	No
Medium	No	A3	2620.7	Com	2.8	Yes	7.6	14.1	No
Medium	No	A3	3518.0	Com	2.8	Yes	6.5	6.5	No
Medium	No	D1	2495.9	Res	2.8	Yes	0.0	0.0	No
Medium	No	B10	6120.7	Res	2.8	No	9.3	8.4	No
Medium	No	A9	41440.8	Com	2.7	No	23.4	12.5	No
Medium	No	C3	18585.0	Com	2.7	No	23.5	18.5	No
Medium	No	A3	3199.5	Com	2.7	Yes	7.1	8.9	No
Medium	No	B5	3543.5	Com	2.7	Yes	0.5	9.5	No
Medium	No	C9	1413.2	Com	2.6	Yes	0.0	0.0	No
Medium	No	C7	387.1	Com	2.6	Yes	0.0	0.0	No
Medium	No	B5	3761.1	Com	2.6	Yes	22.4	20.3	No
Medium	No	A9	44366.2	Com	2.6	No	13.8	13.6	No
Medium	No	C7	775.6	Res	2.6	Yes	0.0	0.0	No
Medium	No	C7	752.7	Res	2.6	Yes	0.0	0.0	No
Medium	No	C9	521.6	Res	2.6	Yes	10.2	9999.0	No
Medium	No	A3	1343.2	Com	2.5	Yes	9.6	11.4	No
Medium	No	A3	1260.7	Com	2.5	Yes	13.6	9.3	No
Medium	No	A5	1129.2	Com	2.5	Yes	13.5	6.2	No
Medium	No	B5	1545.4	Com	2.5	Yes	20.7	27.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B5	3817.5	Com	2.5	Yes	22.1	14.6	No
Medium	No	C7	249.5	Res	2.5	Yes	0.0	0.0	No
Medium	No	D1	2427.2	Res	2.5	Yes	0.0	0.0	No
Medium	No	D1	537.1	Res	2.5	Yes	0.0	0.0	No
Medium	No	A9	40277.5	Com	2.4	Yes	16.7	16.2	No
Medium	No	C9	255.7	Com	2.4	Yes	0.0	0.0	No
Medium	No	C7	151.8	Com	2.4	Yes	0.0	0.0	No
Medium	No	D1	532.3	Com	2.4	Yes	0.0	0.0	No
Medium	No	A3	1347.2	Com	2.4	Yes	11.4	10.4	No
Medium	No	A6	8048.1	Com	2.4	Yes	10.5	4.4	No
Medium	No	C1	7203.2	Com	2.4	Yes	6.8	6.4	No
Medium	No	C3	17001.7	Res	2.4	Yes	0.0	0.0	No
Medium	No	C8	1560.0	Res	2.4	Yes	0.0	0.0	No
Medium	No	C7	670.8	Res	2.4	Yes	0.0	0.0	No
Medium	No	C7	346.0	Res	2.4	Yes	0.0	0.0	No
Medium	No	D1	3496.2	Res	2.4	Yes	0.0	0.0	No
Medium	No	C3	16137.4	Com	2.3	Yes	0.0	0.0	No
Medium	No	C3	10407.8	Com	2.3	No	6.0	4.4	No
Medium	No	A3	2108.4	Com	2.3	Yes	12.7	16.4	No
Medium	No	C1	7248.9	Com	2.3	Yes	7.3	5.3	No
Medium	No	D1	2392.8	Res	2.3	Yes	0.0	0.0	No
Medium	No	D1	2021.6	Res	2.3	Yes	0.0	0.0	No
Medium	No	D1	3398.7	Res	2.3	Yes	0.0	0.0	No
Medium	No	A9	43321.2	Com	2.2	No	8.5	9.0	No
Medium	No	A3	2763.7	Com	2.2	Yes	9.2	4.0	No
Medium	No	A3	3351.0	Com	2.2	Yes	11.8	9.7	No
Medium	No	C3	22053.5	Res	2.2	No	12.6	18.3	No
Medium	No	A3	2422.8	Com	2.1	Yes	17.8	23.5	No
Medium	No	B5	2747.7	Com	2.1	Yes	21.2	21.5	No
Medium	No	B5	3692.7	Com	2.1	Yes	999.0	999.0	No
Medium	No	B5	3065.9	Com	2.1	Yes	4.4	8.0	No
Medium	No	B5	2980.8	Com	2.1	Yes	6.2	8.1	No
Medium	No	A10	1489.0	Com	2.1	Yes	5.0	4.3	No
Medium	No	A3	1292.7	Res	2.1	Yes	10.7	9.3	No
Medium	No	B5	10680.9	Res	2.1	No	90.0	90.0	No
Medium	No	C1	3227.1	Res	2.1	Yes	6.6	6.4	No
Medium	No	B8	7567.2	Com	2.0	Yes	6.3	5.2	No
Medium	No	C1	2525.1	Res	2.0	Yes	8.7	4.9	No
Medium	No	C3	7628.9	Com	1.9	No	3.8	6.9	No
Medium	No	A10	6870.7	Com	1.9	No	9.9	8.5	No
Medium	No	C9	8049.6	Com	1.7	No	22.4	17.0	No
Medium	No	A10	5799.2	Res	1.7	No	9.4	3.2	No
Medium	No	C3	8241.9	Com	1.6	No	3.4	5.4	No
Medium	No	C5	7677.2	Com	1.6	No	6.1	7.4	No
Medium	No	E1	6065.9	Res	1.4	No	5.2	7.0	No
Medium	No	B5	9926.7	Res	1.3	No	90.0	90.0	No
Medium	No	A8	1095.2	Com	1.2	No	10.6	4.7	No
Medium	No	C9	93.3	Com	1.1		6.6	7.2	No
Medium	No	A10	10709.3	Com	1.1	No	8.9	7.0	No
Medium	No	A10	3806.5	Com	0.9	No	8.4	4.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	B7	3333.9	Res	0.9	No	12.1	12.1	No
Medium	No	D7	2330.7	Com	0.8	No	10.5	4.8	No
Medium	No	B5	6127.8	Com	0.7	No	27.5	15.3	No
Medium	No	A10	1131.4	Com	0.7	No	10.2	13.8	No
Medium	No	C6	674.2	Com	0.6	No	6.0	9.7	No
Medium	No	B9	6432.7	Com	0.5	No	6.6	7.6	No
Medium	No	C1	2914.0	Com	0.2	No	8.0	5.3	No
Medium	No	A10	4513.7	Com	0.1	No	5.9	8.7	No
Medium	No	C5	1641.0	Com	0.0	No	14.8	18.3	No
Medium	No	D1	605.7	Res	0.0		0.0	0.0	No
Medium	No	D1	3498.9	Res	0.0		0.0	0.0	No
Medium	No	C8	288.0		0.0		0.0	0.0	No
Medium	No	C7	813.6		0.0		0.0	0.0	No
Medium	No	C7	851.6		0.0		0.0	0.0	No
Medium	No	C7	923.2		0.0		0.0	0.0	No
Medium	No	C7	1242.8		0.0		0.0	0.0	No
Medium	No	D1	3803.1		0.0		0.0	0.0	No
Medium	No	D1	3166.6		0.0		0.0	0.0	No
Medium	No	D1	753.0		0.0		0.0	0.0	No
Medium	No	B3	317.3		0.0		0.0	0.0	No
Medium	No	B3	697.3		0.0		0.0	0.0	No
Medium	No	B3	829.2		0.0		0.0	0.0	No
Medium	No	B3	1042.0		0.0		0.0	0.0	No
Medium	No	B3	1131.7		0.0		0.0	0.0	No
Medium	No	B3	1168.8		0.0		0.0	0.0	No
Medium	No	B3	2317.7		0.0		0.0	0.0	No
Medium	No	B3	2374.0		0.0		0.0	0.0	No
Medium	No	B3	2476.6		0.0		0.0	0.0	No
Medium	No	B3	2544.5		0.0		0.0	0.0	No
Low	Yes	F2	1427.7	Res	15.2	No	14.6	14.0	No
Low	Yes	E1	3656.0	Com	14.6	No	11.6	14.5	No
Low	Yes	D4	4234.6	Res	14.6	No	8.7	8.9	No
Low	Yes	B6	2685.9	Res	14.6	No	17.4	17.3	No
Low	Yes	C1	5246.4	Res	14.5	No	7.3	13.7	No
Low	Yes	C2	1951.6	Com	14.4	No	20.2	23.2	No
Low	Yes	F2	1492.6	Res	14.4	No	10.1	9999.0	No
Low	Yes	C2	1486.0	Res	14.3	No	26.4	19.3	No
Low	Yes	B5	19557.8	Res	14.3	No	19.9	7.3	No
Low	Yes	B6	2287.3	Res	14.2	No	15.3	18.5	No
Low	Yes	B9	2389.4	Res	14.1	No	19.8	20.9	No
Low	Yes	B6	2561.8	Res	13.9	No	15.4	14.7	No
Low	Yes	A1	669.6	Res	13.8	No	14.0	19.6	No
Low	Yes	B9	2250.2	Res	13.8	No	6.7	10.5	No
Low	Yes	B9	6121.6	Com	13.7	No	16.3	11.3	No
Low	Yes	A1	589.5	Res	13.6	No	11.3	11.6	No
Low	Yes	C1	6297.9	Res	13.6	No	15.6	14.4	No
Low	Yes	B6	2603.1	Res	13.5	No	13.3	15.6	No
Low	Yes	B1	7550.2	Com	13.4	No	11.3	7.9	No
Low	Yes	A1	323.6	Res	13.4	No	5.6	9.5	No
Low	Yes	C5	3089.3	Res	13.3	No	15.6	20.2	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	Yes	B9	759.3	Res	13.3	No	16.4	15.3	No
Low	Yes	A9	32602.2	Com	13.2	No	17.6	23.6	No
Low	Yes	C1	5361.0	Res	13.1	No	10.1	6.8	No
Low	Yes	B6	2875.3	Res	13.1	No	15.2	15.1	No
Low	Yes	A6	5197.7	Res	13.0	No	9.6	15.3	No
Low	Yes	C2	1432.1	Res	12.9	No	21.9	19.1	No
Low	Yes	A1	1027.5	Com	12.6	No	11.1	26.1	No
Low	Yes	D4	4120.2	Res	12.6	No	9.7	10.1	No
Low	Yes	A1	538.0	Res	12.6	No	13.9	18.6	No
Low	Yes	C1	6284.3	Res	12.5	No	22.7	21.8	No
Low	Yes	C1	5278.4	Res	12.5	No	24.9	19.7	No
Low	Yes	B9	907.1	Res	12.5	No	13.9	14.3	No
Low	Yes	B6	2535.4	Res	12.5	No	19.0	17.9	No
Low	Yes	B6	2799.8	Res	12.5	No	13.2	10.5	No
Low	Yes	C4	3127.5	Com	12.3	No	7.3	13.7	No
Low	Yes	B5	15093.6	Res	12.3	No	21.5	19.0	No
Low	Yes	D4	4164.4	Res	12.2	No	11.5	10.9	No
Low	Yes	B9	802.8	Res	12.2	No	14.2	14.3	No
Low	Yes	B9	2280.3	Res	12.2	No	9.8	18.1	No
Low	Yes	B6	2631.6	Res	12.2	No	18.7	16.6	No
Low	Yes	D4	3998.2	Res	12.1	No	9.8	8.7	No
Low	Yes	B5	18582.0	Res	12.1	No	9.2	12.9	No
Low	Yes	B9	2147.9	Res	12.1	No	13.4	15.2	No
Low	Yes	F1	1922.3	Res	12.1	No	11.2	8.7	No
Low	Yes	B5	13407.1	Com	12.0	No	14.8	15.7	No
Low	Yes	C1	5429.1	Res	12.0	No	7.1	8.5	No
Low	Yes	C1	5004.0	Res	12.0	No	7.1	7.8	No
Low	Yes	B9	6021.6	Res	12.0	No	14.1	13.8	No
Low	Yes	A1	5285.1	Res	11.9	No	17.9	15.7	No
Low	Yes	B9	959.2	Res	11.9	No	12.1	13.3	No
Low	Yes	B9	1106.5	Res	11.9	No	13.0	13.3	No
Low	Yes	A6	2301.8	Res	11.8	No	12.7	14.8	No
Low	Yes	B5	15369.6	Res	11.8	No	18.6	15.0	No
Low	Yes	B5	16431.7	Res	11.8	No	19.2	9.3	No
Low	Yes	C1	5619.5	Res	11.8	No	16.9	14.1	No
Low	Yes	B6	2691.8	Res	11.8	No	14.0	10.3	No
Low	Yes	B6	2788.2	Res	11.8	No	15.1	13.5	No
Low	Yes	A1	441.5	Res	11.7	No	18.3	15.0	No
Low	Yes	B9	3449.0	Res	11.7	No	15.8	12.5	No
Low	Yes	B6	2887.1	Res	11.7	No	13.0	12.7	No
Low	Yes	D4	3239.9	Res	11.6	No	12.5	12.2	No
Low	Yes	B9	3010.5	Res	11.6	No	17.9	18.6	No
Low	Yes	B9	5882.3	Res	11.6	No	13.0	11.0	No
Low	Yes	F3	185.9	Res	11.6	No	13.9	12.8	No
Low	Yes	C1	5589.8	Res	11.5	No	17.0	20.0	No
Low	Yes	B9	3149.7	Res	11.5	No	19.0	16.1	No
Low	Yes	C5	2474.6	Com	11.4	No	15.5	18.7	No
Low	Yes	D4	3948.8	Res	11.4	No	10.0	9.4	No
Low	Yes	B6	2845.0	Res	11.4	No	17.1	9.0	No
Low	Yes	C7	4695.3	Res	11.3	No	16.3	20.1	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	Yes	A1	5322.5	Res	11.3	No	17.9	11.9	No
Low	Yes	B5	14978.6	Res	11.3	No	15.2	20.1	No
Low	Yes	B5	16520.7	Res	11.3	No	14.9	12.2	No
Low	Yes	B9	2787.0	Res	11.3	No	16.5	20.9	No
Low	Yes	F2	908.3	Res	11.2	No	8.3	9.2	No
Low	Yes	C1	5573.6	Res	11.2	No	11.9	14.6	No
Low	Yes	B9	6087.4	Res	11.2	No	17.1	19.3	No
Low	Yes	E1	810.2	Res	11.2	No	12.6	10.4	No
Low	Yes	F2	852.3	Res	11.1	No	9.7	6.8	No
Low	Yes	E1	1698.1	Res	11.1	No	13.0	16.1	No
Low	Yes	A1	588.7	Res	11.1	No	17.9	14.1	No
Low	Yes	C7	4615.9	Res	11.0	No	20.0	12.3	No
Low	Yes	B1	13485.3	Res	11.0	No	5.2	7.5	No
Low	Yes	B1	13246.7	Res	11.0	No	2.5	11.4	No
Low	Yes	A1	4352.1	Res	11.0	No	8.1	5.3	No
Low	Yes	B9	2739.2	Res	11.0	No	18.7	19.4	No
Low	Yes	C9	4581.9	Res	10.8	No	7.6	6.8	No
Low	Yes	B5	19669.0	Res	10.8	No	11.8	11.1	No
Low	Yes	C1	4928.0	Res	10.8	No	8.5	8.8	No
Low	Yes	B9	1160.7	Res	10.8	No	10.5	16.2	No
Low	Yes	E1	3327.6	Res	10.7	No	12.5	11.5	No
Low	Yes	A1	345.5	Res	10.7	No	12.8	15.7	No
Low	Yes	A2	144.1	Res	10.7	No	12.1	12.2	No
Low	Yes	B9	840.7	Res	10.7	No	14.0	10.7	No
Low	Yes	E1	1744.2	Res	10.6	No	14.0	15.0	No
Low	Yes	C7	3533.8	Res	10.6	No	22.4	17.4	No
Low	Yes	C1	4916.2	Res	10.6	No	22.0	15.8	No
Low	Yes	B9	2912.7	Res	10.6	No	22.2	19.7	No
Low	Yes	B9	3090.9	Res	10.6	No	15.0	17.1	No
Low	Yes	B6	3168.4	Res	10.6	No	11.5	5.8	No
Low	Yes	E1	824.6	Res	10.6	No	13.1	10.5	No
Low	Yes	B6	3301.0	Res	10.5	No	8.1	12.6	No
Low	Yes	C6	3133.4	Com	10.4	No	0.2	8.8	No
Low	Yes	B2	18301.2	Res	10.3	No	18.3	9.7	No
Low	Yes	B6	2960.1	Res	10.3	No	14.1	10.5	No
Low	Yes	B6	2579.0	Res	10.3	No	13.1	15.3	No
Low	Yes	D4	3870.9	Res	10.1	No	23.3	27.9	No
Low	Yes	A1	375.2	Res	10.1	No	9.5	18.4	No
Low	Yes	A6	5289.5	Res	10.1	No	6.9	12.1	No
Low	Yes	B5	15403.5	Res	10.1	No	18.6	20.2	No
Low	Yes	C1	4715.7	Res	10.1	No	9.4	7.8	No
Low	Yes	B9	6759.2	Res	10.1	No	5.1	17.1	No
Low	No	C9	4659.1	Com	10.0	No	14.7	13.9	No
Low	No	B1	14180.5	Com	3.3	Yes	0.0	0.0	No
Low	No	B1	12699.8	Com	3.8	No	5.9	7.9	No
Low	No	D1	3807.6	Com	4.4	Yes	0.0	0.0	No
Low	No	D1	2066.0	Com	8.0	No	4.8	7.0	No
Low	No	A10	8116.9	Com	6.8	No	5.1	8.9	No
Low	No	C5	2985.1	Com	10.0	No	16.6	21.2	No
Low	No	C5	3249.4	Com	8.8	Yes	17.0	23.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	A3	2240.0	Com	4.6	Yes	12.7	14.8	No
Low	No	A3	2273.7	Com	2.0	Yes	12.3	22.6	No
Low	No	A3	3305.4	Com	2.6	Yes	7.1	12.4	No
Low	No	A3	1819.9	Com	7.5	No	19.1	4.8	No
Low	No	A5	1434.3	Com	4.8	Yes	14.4	7.6	No
Low	No	A6	1891.9	Com	5.5	No	6.4	16.3	No
Low	No	B5	29320.8	Com	10.0	No	14.8	10.6	No
Low	No	B5	13480.3	Com	8.1	Yes	13.6	17.2	No
Low	No	B8	2386.6	Com	7.7	No	7.5	9.4	No
Low	No	B8	1836.4	Com	8.0	No	7.3	8.5	No
Low	No	B9	6438.0	Com	3.0	No	5.9	2.8	No
Low	No	B9	6094.2	Com	1.6	No	6.3	5.9	No
Low	No	C9	4276.1	Com	9.3	No	6.0	5.5	No
Low	No	D4	3291.9	Res	9.3	No	11.4	10.9	No
Low	No	C9	4395.2	Res	4.6	No	7.2	8.2	No
Low	No	C9	3043.7	Res	9.4	No	8.3	3.1	No
Low	No	C9	2778.9	Res	9.7	No	9.1	4.7	No
Low	No	C9	740.6	Res	2.2	Yes	0.0	0.0	No
Low	No	C10	481.7	Res	2.2	Yes	0.0	0.0	No
Low	No	C7	3280.9	Res	2.2	No	17.0	11.1	No
Low	No	C7	3320.4	Res	7.5	No	14.0	24.7	No
Low	No	B1	15358.4	Res	5.0	Yes	0.0	0.0	No
Low	No	B1	13550.3	Res	6.4	No	5.2	8.5	No
Low	No	D1	3857.9	Res	2.3	Yes	0.0	0.0	No
Low	No	D1	3097.9	Res	2.8	Yes	0.0	0.0	No
Low	No	D1	2740.2	Res	9.1	Yes	0.0	0.0	No
Low	No	D1	2671.6	Res	3.9	Yes	0.0	0.0	No
Low	No	D1	2097.8	Res	2.6	Yes	0.0	0.0	No
Low	No	D1	2429.2	Res	0.5	No	12.0	13.9	No
Low	No	D1	3070.2	Res	2.0	Yes	0.0	0.0	No
Low	No	D1	3104.6	Res	2.2	Yes	0.0	0.0	No
Low	No	D1	3207.6	Res	3.2	Yes	0.0	0.0	No
Low	No	A10	3728.4	Res	9.7	No	16.0	17.2	No
Low	No	B2	15451.2	Res	10.0	No	7.6	2.8	No
Low	No	D2	135.8	Res	1.8	No	11.6	11.4	No
Low	No	C6	3273.2	Res	3.1	No	19.1	21.1	No
Low	No	A1	806.9	Res	9.8	No	1.5	19.4	No
Low	No	A1	1132.0	Res	3.3	No	31.4	10.6	No
Low	No	A1	4863.1	Res	9.9	No	11.7	15.6	No
Low	No	A1	5446.0	Res	8.2	No	23.8	15.5	No
Low	No	A1	4460.7	Res	8.8	No	14.9	18.0	No
Low	No	A2	88.5	Res	10.0	No	19.0	11.0	No
Low	No	A3	3234.7	Res	2.2	Yes	11.1	16.4	No
Low	No	A3	1695.9	Res	2.9	Yes	11.8	8.4	No
Low	No	A6	5166.6	Res	8.9		9.9	15.8	No
Low	No	A6	2277.7	Res	1.8	No	10.5	7.5	No
Low	No	A6	2131.5	Res	3.1	Yes	15.0	19.8	No
Low	No	A6	2090.9	Res	2.5	Yes	14.7	19.1	No
Low	No	A6	3021.8	Res	9.1	No	1.9	20.7	No
Low	No	B5	14920.9	Res	7.6	No	18.2	15.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	B5	15323.2	Res	6.5	No	23.3	17.2	No
Low	No	B5	15029.5	Res	9.3	No	145.7	23.6	No
Low	No	B5	16484.8	Res	7.4	No	15.2	15.9	No
Low	No	B5	18474.8	Res	9.8	No	14.6	11.6	No
Low	No	B5	18767.9	Res	8.8	No	13.5	15.6	No
Low	No	B5	19253.6	Res	4.0	No	16.9	15.8	No
Low	No	B5	19582.7	Res	1.0	No	11.0	11.9	No
Low	No	B8	8178.1	Res	2.0	Yes	4.6	6.7	No
Low	No	B10	5216.7	Res	4.5	No	9.8	15.0	No
Low	No	B10	5373.6	Res	6.9	No	9.1	4.1	No
Low	No	B10	5311.6	Res	6.8	No	18.6	25.6	No
Low	No	B10	5248.3	Res	8.4	No	30.6	38.0	No
Low	No	B10	5163.8	Res	7.3	No	17.3	24.8	No
Low	No	B10	5056.5	Res	8.4	No	19.4	18.2	No
Low	No	B10	4992.7	Res	7.8	No	20.9	18.2	No
Low	No	B10	7342.9	Res	9.6	No	14.9	12.7	No
Low	No	B8	1959.8	Res	9.2	No	10.8	7.2	No
Low	No	C1	5210.9	Res	8.8	No	25.0	21.1	No
Low	No	C1	5035.5	Res	10.0	No	5.9	8.4	No
Low	No	C1	4646.1	Res	9.8	No	6.2	7.9	No
Low	No	C1	4643.5	Res	9.9	No	6.7	7.7	No
Low	No	C1	5145.6	Res	8.9	No	16.5	17.4	No
Low	No	C1	6456.5	Res	1.1	No	9.9	14.6	No
Low	No	C1	2639.1	Res	3.3	Yes	11.3	4.5	No
Low	No	B1	7583.6	Res	7.8	No	9.6	4.8	No
Low	No	B1	7730.5	Res	0.5	No	17.2	8.4	No
Low	No	B9	2091.0	Res	9.0	No	16.2	24.1	No
Low	No	B9	2593.6	Res	9.4	No	24.1	19.7	No
Low	No	B9	2836.6	Res	9.1	No	18.3	12.6	No
Low	No	B9	3923.5	Res	6.5	No	11.8	7.6	No
Low	No	B6	2208.0	Res	9.3	No	12.2	10.6	No
Low	No	B6	2316.7	Res	8.7	No	11.6	10.8	No
Low	No	B6	3298.7	Res	9.1	No	15.4	8.4	No
Low	No	B6	3170.0	Res	8.5	No	12.2	8.7	No
Low	No	B9	6084.2	Res	4.5	No	5.3	7.2	No
Low	No	E1	3559.7	Res	7.8	No	13.2	12.4	No
Low	No	C10	419.1	Res	2.6	Yes	12.2	19.4	No
Low	No	C10	462.8	Res	3.4	Yes	22.3	21.9	No
Low	No	C8	429.8		0.0		0.0	0.0	No
Low	No	C8	266.1		0.0		0.0	0.0	No
Low	No	C8	244.1		0.0		0.0	0.0	No
Low	No	C7	1216.1		0.0		0.0	0.0	No
Low	No	C7	429.3		0.0		0.0	0.0	No
Low	No	B1	14083.2		0.0		0.0	0.0	No
Low	No	B1	13903.6		0.0		0.0	0.0	No
Low	No	B1	13868.3		0.0		0.0	0.0	No
Low	No	B1	13806.7		0.0		0.0	0.0	No
Low	No	B1	13779.9		0.0		0.0	0.0	No
Low	No	B1	13741.6		0.0		0.0	0.0	No
Low	No	D1	3717.8		0.0		0.0	0.0	No

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	D1	3050.4		0.0		0.0	0.0	No
Low	No	D1	2987.0		0.0		0.0	0.0	No
Low	No	B3	509.5		0.0		0.0	0.0	No
Low	No	B3	644.7		0.0		0.0	0.0	No
Low	No	B3	886.9		0.0		0.0	0.0	No
Low	No	B3	992.0		0.0		0.0	0.0	No
Low	No	A8	402.4		8.7	No	26.3	12.9	No
High	No	B5	1387.7	Com	1.3	Yes	0.0	0.0	Yes
High	No	A9	29246.6	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1371.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1298.0	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1263.0	Com	0.0	Yes	0.0	0.0	Yes
High	No	C8	1162.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	1865.8	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	1982.7	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	2092.4	Com	0.0	Yes	0.0	0.0	Yes
High	No	C7	2196.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	B1	11782.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	B1	11537.9	Com	0.0	Yes	0.0	0.0	Yes
High	No	D1	4149.1	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1428.3	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1644.3	Com	0.0	Yes	0.0	0.0	Yes
High	No	B3	1705.2	Com	0.0	Yes	0.0	0.0	Yes
High	No	A1	3056.4	Com	0.0	Yes	16.2	20.3	Yes
High	No	E7	203.3	Com	0.0	Yes	9.2	3.9	Yes
High	No	E7	149.1	Com	0.0	Yes	7.1	4.4	Yes
High	No	A5	506.2	Com	1.4	Yes	4.5	4.3	Yes
High	No	A5	591.6	Com	0.7	Yes	4.8	3.8	Yes
High	No	A5	654.4	Com	0.0	Yes	9.2	7.5	Yes
High	No	A6	8723.4	Com	0.0	Yes	8.4	6.3	Yes
High	No	B5	18163.2	Com	1.5	Yes	7.7	4.4	Yes
High	No	B5	17660.1	Com	1.1	Yes	8.2	4.9	Yes
High	No	B8	6868.9	Com	1.6	Yes	4.3	5.4	Yes
High	No	C1	3805.9	Com	1.6	Yes	9.1	10.3	Yes
High	No	B9	1622.8	Com	1.4	Yes	6.8	6.3	Yes
High	No	A9	25219.0	Com	1.9	Yes	0.6	20.5	Yes
High	No	C3	8535.3	Com	0.0	Yes	5.2	3.8	Yes
High	No	C10	210.7	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1219.0	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1276.1	Res	0.0	Yes	0.0	0.0	Yes
High	No	C8	1321.4	Res	0.0	Yes	0.0	0.0	Yes
High	No	D1	4836.8	Res	0.0	Yes	0.0	0.0	Yes
High	No	D1	5508.8	Res	1.0	Yes	0.0	0.0	Yes
High	No	B3	1685.3	Res	0.0	Yes	0.0	0.0	Yes
High	No	B5	15715.2	Res	0.1	Yes	3.6	3.5	Yes
High	No	B5	15624.2	Res	0.0	Yes	19.8	24.7	Yes
High	No	C1	2301.7	Res	0.8	Yes	19.9	13.6	Yes
High	No	C1	2170.7	Res	1.8	Yes	3.1	5.6	Yes
High	No	C9	2179.0	Res	0.0	Yes	6.5	9.8	Yes
High	No	C9	2133.7	Res	0.0	Yes	9.7	8.6	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
High	No	C9	2053.7	Res	0.0	Yes	24.9	29.9	Yes
High	No	C9	1667.1	Res	0.0	Yes	10.8	8.8	Yes
High	No	C9	1638.9	Res	0.0	Yes	13.7	13.2	Yes
High	No	C9	1587.0	Res	0.0	Yes	12.4	9.2	Yes
High	No	C10	120.3	Res	0.0	Yes	11.6	23.8	Yes
High	No	C10	638.5	Res	0.0	Yes	14.9	17.4	Yes
High	No	C10	834.0	Res	0.0	Yes	14.1	18.8	Yes
High	No	C10	859.9	Res	0.0	Yes	13.3	17.1	Yes
High	No	C10	906.8	Res	0.0	Yes	15.7	19.5	Yes
High	No	C10	929.5	Res	0.0	Yes	11.1	17.6	Yes
High	No	C10	987.0	Res	0.0	Yes	8.0	14.7	Yes
High	No	C10	1029.1	Res	0.0	Yes	7.6	8.1	Yes
High	No	C10	1051.0	Res	0.0	Yes	15.5	10.1	Yes
High	No	C10	1081.8	Res	0.0	Yes	13.3	17.6	Yes
High	No	C10	1176.5	Res	0.0	Yes	8.8	18.5	Yes
High	No	C10	1276.9	Res	0.0	Yes	14.0	13.1	Yes
High	No	C8	478.4		0.0	Yes	0.0	0.0	Yes
High	No	A9	28269.5		0.1	Yes	2.8	3.9	Yes
Medium	No	A9	27594.7	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	27660.0	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	34745.2	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	A9	34463.3	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C3	15796.3	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C3	8056.2	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C7	1121.8	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C7	167.7	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	D1	3440.6	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C5	7482.1	Com	0.0	Yes	0.0	0.0	Yes
Medium	No	C2	1480.9	Com	1.6	Yes	0.0	0.0	Yes
Medium	No	A1	1747.4	Com	0.9	Yes	8.4	0.7	Yes
Medium	No	A1	4303.6	Com	1.7	Yes	7.1	11.0	Yes
Medium	No	A1	3802.5	Com	1.8	Yes	5.0	11.3	Yes
Medium	No	A3	919.4	Com	0.0	Yes	7.4	10.7	Yes
Medium	No	A3	1206.4	Com	0.0	Yes	11.3	11.4	Yes
Medium	No	A3	1659.5	Com	0.0	Yes	9.7	8.3	Yes
Medium	No	A3	1679.3	Com	0.0	Yes	9.1	15.0	Yes
Medium	No	A3	2848.9	Com	1.1	Yes	2.0	6.6	Yes
Medium	No	A3	2915.1	Com	0.0	Yes	8.7	6.7	Yes
Medium	No	A3	2239.8	Com	0.0	Yes	9.2	11.9	Yes
Medium	No	A4	1050.7	Com	0.0	Yes	21.0	16.9	Yes
Medium	No	A4	2812.3	Com	0.0	Yes	9.6	10.6	Yes
Medium	No	A4	1279.8	Com	1.7	Yes	7.5	3.6	Yes
Medium	No	A5	1491.9	Com	0.0	Yes	7.0	9.3	Yes
Medium	No	A5	1544.5	Com	0.0	Yes	8.1	15.5	Yes
Medium	No	A5	1673.4	Com	0.0	Yes	14.0	12.1	Yes
Medium	No	A5	1498.2	Com	0.0	Yes	12.5	11.2	Yes
Medium	No	A5	1049.9	Com	0.0	Yes	8.3	15.2	Yes
Medium	No	A6	7413.9	Com	0.0	Yes	7.0	9.3	Yes
Medium	No	A6	8506.6	Com	0.0	Yes	9.2	7.7	Yes
Medium	No	A6	10066.9	Com	0.0	Yes	9.6	5.7	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Medium	No	A6	6439.6	Com	0.0	Yes	5.1	6.8	Yes
Medium	No	A6	6624.5	Com	0.0	Yes	12.0	9.9	Yes
Medium	No	B5	1449.3	Com	1.4	Yes	24.9	25.4	Yes
Medium	No	B5	2177.6	Com	1.1	Yes	28.4	18.1	Yes
Medium	No	B5	2892.7	Com	0.4	Yes	14.6	13.9	Yes
Medium	No	B5	3013.4	Com	0.1	Yes	28.2	26.2	Yes
Medium	No	B5	3208.4	Com	1.0	Yes	15.6	7.4	Yes
Medium	No	B8	7156.7	Com	1.6	Yes	6.1	5.8	Yes
Medium	No	B8	7356.7	Com	1.0	Yes	4.5	3.8	Yes
Medium	No	B8	8048.6	Com	0.7	Yes	6.3	6.4	Yes
Medium	No	B8	8347.1	Com	1.9	Yes	7.5	8.3	Yes
Medium	No	B8	8827.9	Com	1.2	Yes	7.9	5.5	Yes
Medium	No	B8	8940.8	Com	1.4	Yes	5.6	3.6	Yes
Medium	No	B8	9245.4	Com	1.3	Yes	4.9	8.1	Yes
Medium	No	B8	9675.7	Com	1.5	Yes	4.2	6.6	Yes
Medium	No	B8	9705.4	Com	1.6	Yes	6.3	5.0	Yes
Medium	No	B8	9804.6	Com	1.7	Yes	5.4	4.7	Yes
Medium	No	B8	9952.9	Com	1.7	Yes	3.6	5.6	Yes
Medium	No	A10	1834.9	Com	1.3	Yes	6.8	6.2	Yes
Medium	No	A10	1331.7	Com	1.1	Yes	6.8	4.4	Yes
Medium	No	C1	7245.4	Com	1.4	Yes	6.7	7.4	Yes
Medium	No	C1	7162.7	Com	1.7	Yes	6.8	7.9	Yes
Medium	No	C1	7171.6	Com	1.0	Yes	8.4	6.8	Yes
Medium	No	B1	9226.7	Com	1.5	Yes	7.5	5.4	Yes
Medium	No	F1	1754.1	Com	1.1	Yes	7.3	7.4	Yes
Medium	No	C3	27016.5	Com	1.6	Yes	9.4	7.4	Yes
Medium	No	C9	923.8	Com	0.0	Yes	8.5	10.4	Yes
Medium	No	C9	709.3	Com	0.9	Yes	9.9	8.9	Yes
Medium	No	C9	591.2	Com	0.0	Yes	8.3	10.4	Yes
Medium	No	C9	315.1	Com	0.0	Yes	19.3	16.7	Yes
Medium	No	C3	7033.4	Com	0.0	Yes	5.2	7.8	Yes
Medium	No	C3	8174.0	Com	1.8	Yes	6.8	6.1	Yes
Medium	No	C3	17058.4	Res	0.7	Yes	0.0	0.0	Yes
Medium	No	C7	215.9	Res	0.0	Yes	0.0	0.0	Yes
Medium	No	D1	1177.7	Res	0.0	Yes	0.0	0.0	Yes
Medium	No	A3	1798.2	Res	1.7	Yes	1.5	1.7	Yes
Medium	No	A3	2978.6	Res	1.4	Yes	9.8	7.5	Yes
Medium	No	A3	3345.5	Res	1.3	Yes	12.1	8.8	Yes
Medium	No	C1	2970.7	Res	1.7	Yes	8.5	5.1	Yes
Medium	No	C1	2504.6	Res	1.0	Yes	7.1	8.0	Yes
Medium	No	C9	1313.5	Res	0.0	Yes	6.9	8.2	Yes
Medium	No	C9	557.8	Res	0.0	Yes	5.9	10.5	Yes
Medium	No	C10	484.7	Res	0.0	Yes	16.8	25.8	Yes
Medium	No	F4	2568.4		0.0	Yes	0.0	0.0	Yes
Medium	No	C8	137.7		0.0	Yes	0.0	0.0	Yes
Medium	No	C8	159.7		0.0	Yes	0.0	0.0	Yes
Low	No	C9	706.4	Com	0.0	Yes	0.0	0.0	Yes
Low	No	A5	1384.3	Com	0.0	Yes	7.7	8.8	Yes
Low	No	C9	659.1	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C9	622.6	Res	0.0	Yes	0.0	0.0	Yes

Location Priority	Severe? (Y/N)	Route	Postmile	Driveway Type	Driveway X-Slope	Sufficient Width	Right Slope	Left Slope	Compliant
Low	No	C10	452.3	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C10	540.4	Res	0.0	Yes	0.0	0.0	Yes
Low	No	C10	565.8	Res	0.0	Yes	0.0	0.0	Yes
Low	No	D1	5006.3	Res	0.0	Yes	0.0	0.0	Yes
Low	No	D1	2071.9	Res	0.0	Yes	0.0	0.0	Yes
Low	No	A1	4405.1	Res	1.4	Yes	7.4	7.3	Yes
Low	No	A3	3269.6	Res	1.0	Yes	11.5	15.2	Yes
Low	No	A3	1631.8	Res	0.0	Yes	9.4	7.0	Yes
Low	No	A3	1609.4	Res	0.0	Yes	13.6	11.1	Yes
Low	No	B8	9023.6	Res	1.5	Yes	6.9	6.9	Yes
Low	No	C1	2669.0	Res	1.6	Yes	5.6	5.9	Yes
Low	No	C1	2610.9	Res	1.4	Yes	8.2	8.7	Yes
Low	No	C9	1442.1	Res	0.0	Yes	10.8	11.4	Yes
Low	No	C9	1397.2	Res	0.0	Yes	12.9	13.5	Yes
Low	No	C8	215.2		0.0	Yes	0.0	0.0	Yes
Low	No	C8	256.1		0.0	Yes	0.0	0.0	Yes
Low	No	C8	314.6		0.0	Yes	0.0	0.0	Yes
Low	No	C8	340.9		0.0	Yes	0.0	0.0	Yes
								Number of Non-Compliant Driveways	2104

Location Priority	Severe? (Y/N)	Route	Postmile	Obstruction Type	Protruding Object	Overhanging Object	Other	Change in Level	Horizontal Gap
High	Yes	E1	2021.3	Utility Pole				Pot Hole	
High	Yes	A9	34047.4	Utility Pole	Veg				
High	Yes	D6	2648.7	Utility Pole			fire hydrant		
High	Yes	C7	4509.6	Utility Pole					
High	Yes	B1	15890.4			Guy Wire			
High	Yes	C2	3081.6	Utility Pole					
High	Yes	A3	182.8			Guy Wire			
High	Yes	A6	4703.7			Guy Wire			
High	Yes	A6	4070.4			Guy Wire			
High	Yes	B5	14198.7	Utility Pole					
High	Yes	E8	426.2	Utility Pole					
High	Yes	B5	16835.0			Guy Wire			
High	Yes	B6	1155.5	Utility Pole					
High	Yes	B9	7211.4	Utility Pole					
High	Yes	B5	110.0	Utility Pole					
High	Yes	A9	25182.5	Utility Pole			pole and fire hydrant		
High	Yes	C3	16962.5			Guy Wire			
High	Yes	D5	1764.1	Utility Pole					
High	Yes	D5	1460.0	Utility Pole					
High	Yes	C3	8543.1			Guy Wire			
High	Yes	F2	4039.7					Utility Cover	
High	Yes	F2	4366.3					Pot Hole	
High	Yes	F2	6182.0					Pot Hole	
High	Yes	F2	6925.5					Pot Hole	
High	Yes	F2	12181.0					Pot Hole	
High	Yes	F2	12275.7					Pot Hole	
High	Yes	F2	12546.2					Displacement	
High	Yes	F4	38.2					Utility Cover	
High	Yes	F5	2298.0					Pot Hole	
High	Yes	F5	1851.6				rough crossing	Pot Hole	
High	Yes	A9	24416.0				rough crossing	Utility Cover	
High	Yes	A9	24758.9					Pot Hole	
High	Yes	A9	24799.7					Displacement	
High	Yes	A9	24816.2					Displacement	
High	Yes	A9	25519.5					Utility Cover	
High	Yes	A9	26182.4					Tree Well	
High	Yes	A9	26228.3					Tree Well	Pot Hole
High	Yes	A9	29399.6					Pot Hole	
High	Yes	A9	29412.2					Displacement	
High	Yes	A9	29432.0					Displacement	
High	Yes	A9	31046.3					Displacement	
High	Yes	A9	30798.7					Pot Hole	
High	Yes	A9	34520.4					Utility Cover	
High	Yes	E4	5624.3					Pot Hole	
High	Yes	E1	9473.4					Pot Hole	Pot Hole
High	Yes	C3	23445.0					Displacement	
High	Yes	D7	2589.5					Pot Hole	
High	Yes	E1	2078.3					Displacement	
High	Yes	E1	2159.1					Displacement	
High	Yes	D6	3869.1					Displacement	
High	Yes	D6	2876.2				severe	Displacement	
High	Yes	D6	2832.9					Utility Cover	
High	Yes	D6	2494.0					Utility Cover	
High	Yes	D6	2575.3					Utility Cover	
High	Yes	D4	3646.3					Displacement	
High	Yes	C9	5347.8	Veg		Veg			
High	Yes	C9	1584.8	Veg		Veg			
High	Yes	C9	1552.7					Displacement	
High	Yes	C9	1526.9					Displacement	
High	Yes	A10	7733.0	Veg		Veg			
High	Yes	C10	173.7					Displacement	Pot Hole

High	Yes	C10	200.8					Displacement	Pot Hole
High	Yes	C10	212.8					Displacement	
High	Yes	C8	1111.6					Displacement	
High	Yes	C7	3883.2					Displacement	
High	Yes	C7	3841.2					Pot Hole	
High	Yes	C7	2479.0					Displacement	
High	Yes	C7	1646.4					Displacement	
High	Yes	B1	14030.2					Displacement	
High	Yes	B1	13341.0	Veg		Veg			
High	Yes	B1	11632.0	Veg		Veg			
High	Yes	B1	11047.4	Veg		Veg			
High	Yes	B1	10592.3					Utility Cover	Pot Hole
High	Yes	D1	5134.5	Veg		Veg			
High	Yes	D1	4062.8					Displacement	
High	Yes	D1	4065.4					Displacement	
High	Yes	D1	2965.8			Veg			
High	Yes	A10	9642.3			Veg			
High	Yes	A10	7589.4				x2	Displacement	
High	Yes	A10	5443.7					Displacement	
High	Yes	D2	655.8					Displacement	
High	Yes	D2	678.4					Pot Hole	
High	Yes	D2	734.0					Pot Hole	
High	Yes	C6	2497.6					Utility Cover	Pot Hole
High	Yes	C6	1855.3			Veg			
High	Yes	C6	804.0					Pot Hole	
High	Yes	C5	5943.9					Pot Hole	
High	Yes	C5	2584.5					Displacement	
High	Yes	C2	3617.3					Displacement	
High	Yes	C2	3081.6					Pot Hole	Pot Hole
High	Yes	C2	2857.9					Displacement	
High	Yes	C2	2789.3					Utility Cover	
High	Yes	C2	1362.8			Veg			
High	Yes	C4	2971.1			Veg			
High	Yes	C5	1376.0					Displacement	
High	Yes	A1	3070.9					Displacement	Displacement
High	Yes	A2	1930.5					Displacement	Displacement
High	Yes	A4	3555.3					Utility Cover	Utility Cover
High	Yes	A4	4161.3					Displacement	Displacement
High	Yes	A5	523.4					Displacement	Displacement
High	Yes	A6	10857.6	Veg		Veg			
High	Yes	A6	9084.6					Displacement	Displacement
High	Yes	A6	9117.1					Displacement	Displacement
High	Yes	A6	5626.4					Displacement	Displacement
High	Yes	A6	5652.6					Displacement	Displacement
High	Yes	A6	3522.9					Displacement	Displacement
High	Yes	A6	3865.5					Displacement	
High	Yes	A6	4060.1					Displacement	Displacement
High	Yes	A6	3800.1					Utility Cover	
High	Yes	B5	23970.5					Utility Cover	
High	Yes	B5	23956.1					Displacement	
High	Yes	B5	23950.3					Displacement	
High	Yes	B5	22683.1					Pot Hole	Pot Hole
High	Yes	B5	11076.6	Rough Xing			very rough sidewalk with multiple horizontal displacement	Pot Hole	Pot Hole
High	Yes	B5	11504.2	Rough Xing			tree roots ulifting up section of sidewalk	Displacement	Displacement
High	Yes	B5	11694.2					Displacement	Displacement
High	Yes	B5	13676.7	Rough Xing				Displacement	Displacement
High	Yes	B5	13668.8					Displacement	Displacement
High	Yes	B5	14175.7	Veg		Veg			
High	Yes	B5	15637.5	Veg		Veg			

High	Yes	E8	550.6					Displacement	Displacement
High	Yes	B5	16684.6					Utility Cover	Utility Cover
High	Yes	B5	18445.6					Displacement	Displacement
High	Yes	B5	18144.0					Utility Cover	Utility Cover
High	Yes	B5	17415.4					Utility Cover	Utility Cover
High	Yes	B10	4507.4					Displacement	Utility Cover
High	Yes	B10	3787.4					Displacement	
High	Yes	B10	3338.1					Displacement	
High	Yes	B10	4475.8					Displacement	
High	Yes	B10	3057.0					Displacement	
High	Yes	B10	2900.1	Rough Xing				Displacement	
High	Yes	B10	5553.6					Displacement	
High	Yes	B10	5657.0	Rough Xing				Displacement	Displacement
High	Yes	B8	3846.0					Displacement	
High	Yes	B8	3845.8					Tree Well	
High	Yes	B4	2590.2					Pot Hole	Pot Hole
High	Yes	B4	2149.4	Rough Xing				Displacement	Displacement
High	Yes	B4	2049.0	Rough Xing				Displacement	Displacement
High	Yes	C1	2340.2	Rough Xing				Displacement	
High	Yes	C1	3331.2	Veg	Veg	Veg			
High	Yes	B1	3629.9					Displacement	
High	Yes	B1	3873.5					Displacement	Displacement
High	Yes	B1	6251.3	Veg		Veg			
High	Yes	B1	5344.8	Veg		Veg			
High	Yes	B6	2235.5	Rough Xing				Displacement	
High	Yes	B5	110.0					Displacement	
High	Yes	E9	2060.4					Displacement	Displacement
High	Yes	E9	2051.5					Displacement	Displacement
High	Yes	E9	2014.1					Displacement	Displacement
High	Yes	F1	764.0					Displacement	Displacement
High	Yes	F3	53.8					Displacement	Displacement
High	Yes	A9	20016.8					Displacement	Displacement
High	Yes	A9	20215.4	Veg	Veg			Displacement	Displacement
High	Yes	A9	21069.7					Displacement	Displacement
High	Yes	A9	21080.6					Displacement	Displacement
High	Yes	A9	21099.2					Utility Cover	Utility Cover
High	Yes	A9	23313.5					Displacement	Displacement
High	Yes	A9	22396.7					Utility Cover	Displacement
High	Yes	A9	22267.5					Displacement	Displacement
High	Yes	A9	23546.5					Displacement	Displacement
High	Yes	A9	24260.8					Displacement	
High	Yes	A9	25023.6				pic 45	Displacement	Displacement
High	Yes	A9	25056.4					Displacement	Displacement
High	Yes	A9	30010.9					Displacement	Displacement
High	Yes	A9	32752.0	Other			fire hydrant	Displacement	Displacement
High	Yes	A9	36426.8					Displacement	
High	Yes	E1	9454.6					Displacement	Displacement
High	Yes	D9	646.7					Pot Hole	Pot Hole
High	Yes	D9	657.2					Utility Cover	Utility Cover
High	Yes	D7	564.2					Displacement	
High	Yes	D5	43.5					Pot Hole	Pot Hole
High	Yes	C3	7786.7					Utility Cover	Utility Cover
High	Yes	C3	8478.2					Displacement	Displacement
High	Yes	C10	315.0					Displacement	Displacement
High	Yes	A9	21025.2	Street Furniture			bus bench		
High	Yes	A6	4362.7	Rough Xing			very bad crossing		
High	Yes	A9	21100.3	Other			major horizontal and vertical obstructions pic 43		
High	No	B5	923.6						Displacement
High	No	B5	1393.8						Pot Hole
High	No	F2	3954.9						Pot Hole

High	No	F2	6937.5	Veg	Veg				
High	No	F2	10224.2						Displacement
High	No	F2	12094.5						Pot Hole
High	No	A9	11202.7						Displacement
High	No	A9	20944.2				truncated dome plate	Other	
High	No	A9	20986.3				truncated dome plate	Other	
High	No	A9	22649.8				rough crossing	Other	
High	No	A9	23210.3						Pot Hole
High	No	A9	23533.5						Displacement
High	No	A9	24942.8						Pot Hole
High	No	A9	24987.1						Pot Hole
High	No	A9	30753.7						Displacement
High	No	A9	32681.5	Rough Xing					
High	No	A9	31757.6	Rough Xing					
High	No	A9	40011.4	Rough Xing					
High	No	C3	13595.9						Displacement
High	No	C9	3178.8						Pot Hole
High	No	C7	3987.0	Rough Xing					
High	No	C7	4515.4		Veg				
High	No	C7	4510.8		Veg				
High	No	D1	1059.5						Displacement
High	No	C5	7956.2		Veg				
High	No	C5	7359.0		Veg				
High	No	C5	2094.6						Pot Hole
High	No	C5	1999.9						Utility Cover
High	No	D3	1366.2				x3		Pot Hole
High	No	A1	1319.7						Displacement
High	No	A2	1987.6						Displacement
High	No	A4	600.0						Displacement
High	No	A4	2283.8	Rough Xing					
High	No	A4	4246.6	Rough Xing					
High	No	A4	3543.8	Rough Xing					
High	No	E7	34.5	Rough Xing					
High	No	A5	86.6						Displacement
High	No	A6	10760.5						Displacement
High	No	A6	8983.4	Rough Xing					
High	No	A6	5768.2						Displacement
High	No	A6	5632.4	Rough Xing					
High	No	A6	3190.5	Rough Xing					
High	No	A6	3162.4						Displacement
High	No	A6	3401.2						Displacement
High	No	A6	3592.4	Rough Xing					
High	No	A6	4035.1	Rough Xing					
High	No	A6	4337.2	Rough Xing					Utility Cover
High	No	A6	4718.7	Rough Xing					
High	No	A6	4086.9						Displacement
High	No	A6	4055.7	Rough Xing					
High	No	A6	3880.6	Rough Xing					
High	No	A6	3604.0						Utility Cover
High	No	A6	3336.2	Rough Xing					
High	No	A6	388.5						Displacement
High	No	A6	180.2	Rough Xing					
High	No	A6	80.4	Rough Xing					
High	No	A6	43.0	Rough Xing					
High	No	A6	125.1	Rough Xing					
High	No	B5	29822.4	Rough Xing					
High	No	B5	29536.9	Rough Xing					
High	No	B5	27725.7	Rough Xing					
High	No	B5	27206.0	Rough Xing					
High	No	B5	27176.0						Displacement
High	No	B5	24538.7	Rough Xing					
High	No	B5	21951.8	Rough Xing					
High	No	B5	23328.4	Rough Xing					

High	No	B5	22672.9	Rough Xing					
High	No	B5	3971.5	Other			rough pavement		
High	No	B5	3096.7				rough sidewalk		
High	No	B5	12048.0						Displacement
High	No	B5	11160.7	Rough Xing					
High	No	B5	11336.1	Rough Xing					Displacement
High	No	C1	279.1	Rough Xing					
High	No	B5	14845.4	Rough Xing					
High	No	B5	15735.6	Rough Xing					
High	No	E8	127.1	Veg	Veg				
High	No	E8	21.0	Rough Xing					
High	No	B5	16792.3	Rough Xing					
High	No	B5	16283.9						Displacement
High	No	B5	16256.4	Rough Xing					
High	No	B5	17176.5	Rough Xing					
High	No	B5	18167.4	Rough Xing					
High	No	B5	18312.4	Rough Xing					
High	No	B5	17515.4	Rough Xing					
High	No	B10	4210.9	Veg	Veg				
High	No	B10	3937.9	Veg	Veg				
High	No	B10	3902.6	Rough Xing					
High	No	B10	3769.5	Rough Xing					
High	No	B10	3707.4	Veg	Veg				
High	No	B10	3629.2	Rough Xing					
High	No	B10	3514.1	Rough Xing					
High	No	B10	3246.0	Rough Xing					
High	No	B10	3264.2	Rough Xing					
High	No	B10	3931.5	Rough Xing					
High	No	B10	4062.0	Rough Xing					
High	No	B10	4531.1	Rough Xing					
High	No	B10	2609.6	Rough Xing					
High	No	B10	2577.1	Rough Xing					
High	No	B10	5588.1	Rough Xing					
High	No	B8	3623.7	Rough Xing					
High	No	B4	2798.4	Rough Xing					
High	No	B4	2438.6	Rough Xing					
High	No	B4	2373.7	Rough Xing					
High	No	B4	2336.8	Rough Xing					
High	No	B4	1885.1	Rough Xing					
High	No	C1	3853.1	Rough Xing					
High	No	C1	3690.2	Rough Xing					
High	No	C1	3568.8	Rough Xing					
High	No	C1	4477.2	Veg	Veg				
High	No	C1	2234.9	Veg	Veg				
High	No	C1	2429.7	Rough Xing					
High	No	B1	3969.2	Rough Xing					
High	No	B1	3834.0						Displacement
High	No	B1	5457.3	Rough Xing					
High	No	B1	5120.4	Rough Xing					
High	No	B1	4814.9						Displacement
High	No	B1	4533.4	Rough Xing					
High	No	B1	4367.5	Rough Xing					
High	No	B1	4179.4	Rough Xing					
High	No	B9	351.3	Rough Xing					
High	No	B9	1381.1						Displacement
High	No	B9	1507.4	Rough Xing					
High	No	B9	1713.9	Rough Xing					
High	No	B9	3206.2						Displacement
High	No	B9	2013.4	Rough Xing					
High	No	B6	267.6	Rough Xing					
High	No	B9	6870.1	Rough Xing					
High	No	B5	106.3						Displacement
High	No	B5	733.2						Displacement

High	No	E9	797.9	Other			rough crossing		
High	No	F1	616.1	Rough Xing					
High	No	F1	47.0	Rough Xing					
High	No	F2	6355.5	Rough Xing					
High	No	A9	20363.9						Displacement
High	No	A9	20408.1	Rough Xing			rough asphalt driveway		
High	No	A9	21090.0	Veg	Veg				
High	No	A9	23412.8						Displacement
High	No	A9	23000.7						Displacement
High	No	A9	22889.6	Rough Xing					
High	No	A9	22941.8	Veg	Veg				
High	No	A9	24390.3	Rough Xing					
High	No	A9	24783.9	Rough Xing					
High	No	A9	24876.5						Displacement
High	No	A9	28986.1						Displacement
High	No	A9	32730.3	Rough Xing					
High	No	A9	44211.6	Rough Xing					
High	No	E1	9466.2	Rough Xing					
High	No	E10	1853.1	Other			sidewalk ends		
High	No	D5	1444.6	Rough Xing			curb cut does not have detectible warnings		
High	No	D5	1463.1						Utility Cover
High	No	D5	1726.2						Displacement
High	No	D5	1763.1						Displacement
High	No	D4	3852.7						Utility Cover
High	No	C9	1628.4		Veg				
High	No	C3	8488.4						Displacement
Medium	Yes	A9	41315.4	Utility Pole				Utility Cover	
Medium	Yes	C2	2010.3	Utility Pole		Veg			
Medium	Yes	C4	1589.4	Utility Pole				Pot Hole	
Medium	Yes	A2	155.0	Utility Pole				Utility Cover	
Medium	Yes	A2	309.7	Utility Pole				Displacement	Displacement
Medium	Yes	B5	20210.5	Utility Pole				Displacement	
Medium	Yes	A9	42391.7	Utility Pole				Displacement	Displacement
Medium	Yes	A9	50376.4	Utility Pole				Utility Cover	Utility Cover
Medium	Yes	C3	19883.0	Utility Pole				Utility Cover	Utility Cover
Medium	Yes	C3	15735.6			Guy Wire		Displacement	
Medium	Yes	F2	12129.1	Utility Pole					
Medium	Yes	F2	13098.1	Utility Pole					
Medium	Yes	F2	13715.4	Utility Pole					
Medium	Yes	F2	13741.4			Guy Wire			
Medium	Yes	A9	31629.6	Utility Pole					
Medium	Yes	A9	31480.9	Utility Pole					
Medium	Yes	A9	36698.4	Utility Pole					
Medium	Yes	A9	40256.7	Utility Pole					
Medium	Yes	E4	70.0	Utility Pole					
Medium	Yes	A9	47821.1	Utility Pole					
Medium	Yes	A9	47727.7	Utility Pole					
Medium	Yes	A9	47569.5	Utility Pole					
Medium	Yes	A9	47040.0	Utility Pole					
Medium	Yes	A9	46817.5	Utility Pole					
Medium	Yes	A9	46703.4	Utility Pole					
Medium	Yes	A9	46672.0	Utility Pole					
Medium	Yes	A9	46354.9	Utility Pole					
Medium	Yes	A9	46189.9	Utility Pole					
Medium	Yes	A9	46125.8	Utility Pole					
Medium	Yes	C3	20644.2	Utility Pole					
Medium	Yes	E1	2615.7	Utility Pole					
Medium	Yes	E1	3078.0	Utility Pole					
Medium	Yes	C3	17093.6	Utility Pole					
Medium	Yes	C3	17601.6			Guy Wire			
Medium	Yes	C3	17663.9	Utility Pole					

Medium	Yes	D6	3525.2	Utility Pole					
Medium	Yes	C9	7513.1			Guy Wire			
Medium	Yes	C9	5843.2	Utility Pole					
Medium	Yes	C9	5614.8	Utility Pole					
Medium	Yes	C9	5421.6	Utility Pole					
Medium	Yes	C9	5267.0	Utility Pole					
Medium	Yes	C3	10126.8			Guy Wire			
Medium	Yes	C3	9194.0	Utility Pole					
Medium	Yes	C7	3491.4	Utility Pole					
Medium	Yes	C7	4470.1			Guy Wire			
Medium	Yes	C7	4609.0	Utility Pole					
Medium	Yes	C7	4638.2			Guy Wire			
Medium	Yes	C7	4111.6	Utility Pole					
Medium	Yes	B1	10796.4			Guy Wire			
Medium	Yes	D1	5537.8			Guy Wire			
Medium	Yes	D1	1810.3			Guy Wire			
Medium	Yes	D1	422.7			Guy Wire			
Medium	Yes	A10	9993.9			Guy Wire			
Medium	Yes	A10	8430.4			Guy Wire			
Medium	Yes	A10	4236.7	Utility Pole					
Medium	Yes	A10	3780.3	Utility Pole					
Medium	Yes	A10	3440.5	Utility Pole			signal pole		
Medium	Yes	A10	3908.2	Utility Pole					
Medium	Yes	C6	885.5	Utility Pole					
Medium	Yes	B2	18023.0	Utility Pole					
Medium	Yes	B2	19014.2	Utility Pole					
Medium	Yes	B2	19114.0	Utility Pole					
Medium	Yes	C6	2850.8			Guy Wire			
Medium	Yes	C6	2828.2	Utility Pole					
Medium	Yes	C6	2608.6	Utility Pole					
Medium	Yes	C6	2188.2	Utility Pole					
Medium	Yes	C6	1437.8			Guy Wire			
Medium	Yes	C6	1010.2		Veg	Guy Wire			Tree Well
Medium	Yes	C6	1612.7	Utility Pole			fire hydrant		
Medium	Yes	C6	701.6			Guy Wire			
Medium	Yes	C6	683.2	Utility Pole					
Medium	Yes	C6	464.3	Utility Pole					
Medium	Yes	C6	447.7			Guy Wire			
Medium	Yes	C6	309.8			Guy Wire			
Medium	Yes	C5	9658.1			Guy Wire			
Medium	Yes	C5	9611.2	Utility Pole					
Medium	Yes	C5	9124.9	Utility Pole					
Medium	Yes	C5	8890.6		Veg	Guy Wire			
Medium	Yes	C5	7087.9			Guy Wire			
Medium	Yes	C5	7135.5	Utility Pole					
Medium	Yes	C5	7372.2	Utility Pole					
Medium	Yes	C5	1933.5			Guy Wire			
Medium	Yes	C2	6454.2	Utility Pole					
Medium	Yes	C2	4789.0	Utility Pole					
Medium	Yes	C2	4687.5	Utility Pole					
Medium	Yes	C2	4641.8	Utility Pole					
Medium	Yes	C2	3685.9	Utility Pole					
Medium	Yes	C2	3258.0	Utility Pole					
Medium	Yes	C2	3068.5			Guy Wire			Pot Hole
Medium	Yes	C2	2926.5	Utility Pole					
Medium	Yes	C2	2906.9			Guy Wire			
Medium	Yes	C2	2815.1			Guy Wire			
Medium	Yes	C2	1878.6			Guy Wire			
Medium	Yes	C2	1897.7	Utility Pole					
Medium	Yes	C2	2087.3	Utility Pole					
Medium	Yes	C2	1756.4	Utility Pole					
Medium	Yes	C2	1502.3	Utility Pole			bill board		
Medium	Yes	C2	1172.4	Utility Pole					

Medium	Yes	C2	730.5	Utility Pole					
Medium	Yes	C2	585.1	Utility Pole					
Medium	Yes	C2	1265.1	Utility Pole					
Medium	Yes	C4	1491.0			Guy Wire			
Medium	Yes	C4	1554.8			Guy Wire			
Medium	Yes	C4	1889.6			Guy Wire			
Medium	Yes	C4	2099.0	Utility Pole					
Medium	Yes	C4	3181.3	Utility Pole					
Medium	Yes	C4	3343.5	Utility Pole					
Medium	Yes	C4	3355.4			Guy Wire			
Medium	Yes	A1	3389.1	Utility Pole					
Medium	Yes	A1	3110.1	Utility Pole					
Medium	Yes	A1	5147.5	Other		Guy Wire			
Medium	Yes	A1	4259.4	Other		Guy Wire			
Medium	Yes	A2	404.7	Utility Pole					
Medium	Yes	A2	183.7	Utility Pole					
Medium	Yes	A2	397.3	Utility Pole					
Medium	Yes	E6	788.7	Utility Pole					
Medium	Yes	A2	1793.4			Guy Wire			
Medium	Yes	A2	1387.5			Guy Wire			
Medium	Yes	A2	1354.7	Utility Pole					
Medium	Yes	A2	1200.1	Utility Pole					
Medium	Yes	A2	1172.4			Guy Wire			
Medium	Yes	A2	1061.6	Utility Pole					
Medium	Yes	A2	590.1			Guy Wire			
Medium	Yes	A3	1758.4			Guy Wire			
Medium	Yes	A3	1846.8			Guy Wire			
Medium	Yes	A4	2391.8			Guy Wire			Displacement
Medium	Yes	A4	988.3			Guy Wire			
Medium	Yes	A4	788.0			Guy Wire			
Medium	Yes	A4	3648.6			Guy Wire			
Medium	Yes	A6	4597.4	Utility Pole					
Medium	Yes	A6	4657.6	Utility Pole					
Medium	Yes	A6	4321.6	Utility Pole	Veg				
Medium	Yes	A6	438.9			Guy Wire			
Medium	Yes	B5	25083.8			Guy Wire			
Medium	Yes	B5	4941.8	Utility Pole					
Medium	Yes	B5	4347.6			Guy Wire			
Medium	Yes	B5	4984.6			Guy Wire			
Medium	Yes	B5	5589.1			Guy Wire			
Medium	Yes	B5	6316.8			Guy Wire			
Medium	Yes	B5	8855.8	Utility Pole					
Medium	Yes	B5	9087.5			Guy Wire			
Medium	Yes	B5	9476.4	Utility Pole					
Medium	Yes	B5	9666.3			Guy Wire			
Medium	Yes	B5	9703.0	Utility Pole					
Medium	Yes	B5	9827.1	Utility Pole					
Medium	Yes	B5	9954.0	Utility Pole					
Medium	Yes	B5	10097.0	Utility Pole					
Medium	Yes	B5	10251.1	Utility Pole					
Medium	Yes	B5	10463.8	Utility Pole					
Medium	Yes	B5	10478.9			Guy Wire			
Medium	Yes	B5	10571.4	Utility Pole					
Medium	Yes	E8	526.6			Guy Wire			
Medium	Yes	E8	531.0	Utility Pole					
Medium	Yes	B5	16542.9	Utility Pole					
Medium	Yes	B5	16410.7	Utility Pole					
Medium	Yes	B10	3988.0			Guy Wire			
Medium	Yes	B10	2858.6	Utility Pole					
Medium	Yes	B10	5279.6	Utility Pole					
Medium	Yes	B10	5683.7	Utility Pole					
Medium	Yes	B10	5502.1	Utility Pole					
Medium	Yes	B10	5448.3	Utility Pole					

Medium	Yes	B10	5113.8	Utility Pole					
Medium	Yes	B4	896.4	Utility Pole					
Medium	Yes	B4	790.5	Utility Pole					
Medium	Yes	B4	436.4	Utility Pole					
Medium	Yes	B4	306.3	Utility Pole					
Medium	Yes	A10	526.6	Utility Pole					
Medium	Yes	C1	7130.1	Utility Pole					
Medium	Yes	B7	4131.7			Guy Wire			
Medium	Yes	B7	4064.4	Utility Pole					
Medium	Yes	B7	3269.6			Guy Wire			
Medium	Yes	B1	3906.2			Guy Wire			
Medium	Yes	B1	6194.9	Utility Pole					
Medium	Yes	B1	6073.7			Guy Wire			
Medium	Yes	B1	5739.5	Utility Pole					
Medium	Yes	B1	5416.3	Utility Pole					
Medium	Yes	B1	4908.5			Guy Wire			
Medium	Yes	B1	4209.5			Guy Wire			
Medium	Yes	B1	7516.4			Guy Wire			
Medium	Yes	B1	7619.9	Utility Pole					
Medium	Yes	B1	7789.5	Utility Pole					
Medium	Yes	B1	7865.4	Utility Pole					
Medium	Yes	B1	7168.1			Guy Wire			
Medium	Yes	B1	7035.4			Guy Wire			
Medium	Yes	B1	8473.4			Guy Wire			
Medium	Yes	B1	8365.5			Guy Wire			
Medium	Yes	B9	3935.9	Utility Pole					
Medium	Yes	B9	2926.7	Utility Pole					
Medium	Yes	B9	662.7			Guy Wire			
Medium	Yes	B9	249.8			Guy Wire			
Medium	Yes	B6	1089.9			Guy Wire			
Medium	Yes	A9	20514.2	Utility Pole					
Medium	Yes	A9	20705.2	Utility Pole					Displacement
Medium	Yes	A9	34124.9	Utility Pole					
Medium	Yes	A9	34098.6	Utility Pole					
Medium	Yes	A9	33935.9	Utility Pole					
Medium	Yes	A9	33812.1	Utility Pole					
Medium	Yes	A9	32580.2	Utility Pole					
Medium	Yes	A9	47656.8	Utility Pole					
Medium	Yes	C3	22425.9	Utility Pole					
Medium	Yes	C3	22222.2	Utility Pole					
Medium	Yes	C3	21172.9	Utility Pole					
Medium	Yes	C3	20631.6	Utility Pole					
Medium	Yes	C3	19653.3	Utility Pole					
Medium	Yes	C3	18546.8	Utility Pole					
Medium	Yes	E1	1130.4	Utility Pole					
Medium	Yes	E1	1225.8	Utility Pole					
Medium	Yes	E1	1364.1	Utility Pole					
Medium	Yes	E1	1473.2	Utility Pole					
Medium	Yes	E1	1640.4	Utility Pole					
Medium	Yes	E1	1774.6	Utility Pole					
Medium	Yes	E1	1879.7	Utility Pole					
Medium	Yes	E1	3223.8	Utility Pole					
Medium	Yes	E1	3305.4	Utility Pole					
Medium	Yes	E1	3355.3	Utility Pole					
Medium	Yes	C3	16315.0			Guy Wire			
Medium	Yes	C3	17409.2	Utility Pole					
Medium	Yes	C3	17758.5			Guy Wire			
Medium	Yes	C3	17802.3	Utility Pole					
Medium	Yes	C3	18312.7			Guy Wire			
Medium	Yes	D7	345.3	Utility Pole					
Medium	Yes	D6	4448.0	Utility Pole					
Medium	Yes	D6	6110.7			Guy Wire			
Medium	Yes	D6	5768.6			Guy Wire			

Medium	Yes	D6	5028.0			Guy Wire			
Medium	Yes	D6	4630.0	Utility Pole					
Medium	Yes	D6	4528.4	Utility Pole					
Medium	Yes	D6	4351.7	Utility Pole					
Medium	Yes	D6	4240.8	Utility Pole					
Medium	Yes	D5	2254.0	Utility Pole					
Medium	Yes	C9	6220.8			Guy Wire			
Medium	Yes	C3	6231.2			Guy Wire			
Medium	Yes	C5	6996.1	Utility Pole					
Medium	Yes	C3	9332.0			Guy Wire			
Medium	Yes	B5	802.7					Pot Hole	
Medium	Yes	B5	828.7					Pot Hole	
Medium	Yes	B5	1072.7					Pot Hole	
Medium	Yes	B5	1068.3					Utility Cover	
Medium	Yes	B5	1190.5					Pot Hole	
Medium	Yes	B5	1206.3					Utility Cover	
Medium	Yes	A10	1739.5					Displacement	
Medium	Yes	F2	255.0					Pot Hole	
Medium	Yes	F2	962.8					Pot Hole	
Medium	Yes	F1	2273.5					Displacement	
Medium	Yes	F1	2451.6					Displacement	
Medium	Yes	F2	3604.5					Pot Hole	
Medium	Yes	F2	4816.1					Pot Hole	
Medium	Yes	F2	5353.4					Pot Hole	
Medium	Yes	F2	5649.5					Pot Hole	
Medium	Yes	F2	6037.4					Utility Cover	
Medium	Yes	F2	6590.5					Displacement	
Medium	Yes	F2	7449.9					Pot Hole	
Medium	Yes	F2	7511.3					Pot Hole	
Medium	Yes	F2	7598.4					Displacement	
Medium	Yes	F2	8266.8					Pot Hole	
Medium	Yes	F2	8623.5					Displacement	
Medium	Yes	F2	9109.4					Displacement	
Medium	Yes	F2	9317.8					Displacement	
Medium	Yes	F2	9579.4					Displacement	
Medium	Yes	F2	9889.3					Displacement	
Medium	Yes	F2	9914.0					Utility Cover	
Medium	Yes	F2	9975.4	Veg		Veg			
Medium	Yes	F2	13223.7					Pot Hole	
Medium	Yes	F2	13408.9			Veg			
Medium	Yes	F2	13607.4	Veg		Veg			
Medium	Yes	F2	13995.0					Pot Hole	
Medium	Yes	F2	13666.6					Pot Hole	
Medium	Yes	F2	13184.0					Displacement	
Medium	Yes	F2	12815.9					Pot Hole	
Medium	Yes	F2	12764.4					Displacement	
Medium	Yes	F2	12632.9					Displacement	
Medium	Yes	F4	479.6					Utility Cover	
Medium	Yes	F4	830.2					Utility Cover	
Medium	Yes	F4	1250.1	Veg		Veg			
Medium	Yes	F4	1284.2					Utility Cover	
Medium	Yes	F4	2518.0	Veg		Veg			
Medium	Yes	F4	3213.9	Veg		Veg			
Medium	Yes	F4	3313.4	Veg		Veg			
Medium	Yes	F4	3436.7	Veg		Veg			
Medium	Yes	F4	3530.2	Veg		Veg			
Medium	Yes	A8	1019.1					Pot Hole	
Medium	Yes	F5	2656.8					Utility Cover	
Medium	Yes	F5	1408.6					Pot Hole	
Medium	Yes	A7	1863.0	Veg	Veg	Veg			
Medium	Yes	A7	2625.6					Utility Cover	
Medium	Yes	A8	421.4					Displacement	Displacement
Medium	Yes	A8	1039.4					Displacement	

Medium	Yes	A9	21076.5					Pot Hole	
Medium	Yes	A9	21353.1					Pot Hole	
Medium	Yes	A9	21854.4					Displacement	
Medium	Yes	A9	21994.4	Veg		Veg			
Medium	Yes	A9	21708.0					Displacement	
Medium	Yes	A9	22196.3				rough crossing	Pot Hole	
Medium	Yes	A9	22389.2					Displacement	
Medium	Yes	A9	22799.2					Utility Cover	
Medium	Yes	A9	23078.0					Utility Cover	
Medium	Yes	A9	23104.1					Displacement	
Medium	Yes	A9	23141.0					Displacement	
Medium	Yes	A9	23598.5					Utility Cover	
Medium	Yes	A9	23701.6				rough crossing	Utility Cover	
Medium	Yes	A9	24237.7					Utility Cover	
Medium	Yes	A9	24645.6					Displacement	
Medium	Yes	A9	24645.6					Displacement	
Medium	Yes	A9	24699.7					Displacement	
Medium	Yes	A9	25012.8					Displacement	
Medium	Yes	A9	25026.2					Displacement	
Medium	Yes	A9	25053.8					Displacement	
Medium	Yes	A9	25059.7					Displacement	
Medium	Yes	A9	25241.8					Pot Hole	
Medium	Yes	A9	25273.2					Utility Cover	
Medium	Yes	A9	25329.6					Pot Hole	Pot Hole
Medium	Yes	A9	25439.5					Pot Hole	
Medium	Yes	A9	25463.2					Utility Cover	
Medium	Yes	A9	25483.0					Displacement	Pot Hole
Medium	Yes	A9	25526.2					Pot Hole	
Medium	Yes	A9	25537.0					Utility Cover	
Medium	Yes	A9	25646.2					Displacement	
Medium	Yes	A9	25648.8					Utility Cover	
Medium	Yes	A9	25668.9					Pot Hole	
Medium	Yes	A9	25934.9					Pot Hole	
Medium	Yes	A9	26037.5				rough crossing	Pot Hole	
Medium	Yes	A9	26272.4					Tree Well	
Medium	Yes	A9	26443.7					Displacement	
Medium	Yes	A9	26453.0					Tree Well	
Medium	Yes	A9	26542.2				rough crossing	Displacement	
Medium	Yes	A9	26510.1				rough crossing	Displacement	
Medium	Yes	A9	26579.8				in crosswalk	Pot Hole	
Medium	Yes	A9	26812.8					Displacement	
Medium	Yes	A9	26827.1					Pot Hole	
Medium	Yes	A9	28086.6					Pot Hole	Utility Cover
Medium	Yes	A9	28302.2					Tree Well	
Medium	Yes	A9	29274.0					Pot Hole	
Medium	Yes	A9	29353.3					Displacement	
Medium	Yes	A9	29368.7					Displacement	
Medium	Yes	A9	29705.8					Utility Cover	
Medium	Yes	A9	30060.7					Displacement	
Medium	Yes	A9	30365.2					Pot Hole	
Medium	Yes	A9	30394.6					Pot Hole	
Medium	Yes	A9	30804.2					Utility Cover	
Medium	Yes	A9	30843.9					Utility Cover	
Medium	Yes	A9	31103.0					Pot Hole	
Medium	Yes	A9	35260.3					Utility Cover	Pot Hole
Medium	Yes	A9	34886.4					Displacement	Pot Hole
Medium	Yes	A9	34822.7					Displacement	
Medium	Yes	A9	34741.8					Pot Hole	
Medium	Yes	A9	34713.0					Utility Cover	
Medium	Yes	A9	34686.6					Utility Cover	
Medium	Yes	A9	34601.3					Pot Hole	
Medium	Yes	A9	34478.8					Pot Hole	
Medium	Yes	A9	34440.6					Pot Hole	

Medium	Yes	A9	34405.2					Pot Hole	
Medium	Yes	A9	34009.0					Displacement	Pot Hole
Medium	Yes	A9	33903.7					Utility Cover	Utility Cover
Medium	Yes	A9	33758.1					Pot Hole	Pot Hole
Medium	Yes	A9	32099.9					Pot Hole	Pot Hole
Medium	Yes	A9	31593.9					Pot Hole	Pot Hole
Medium	Yes	A9	35361.1					Pot Hole	
Medium	Yes	A9	35384.3					Pot Hole	
Medium	Yes	A9	35410.7					Utility Cover	
Medium	Yes	A9	35592.2					Pot Hole	
Medium	Yes	A9	36085.4					Utility Cover	
Medium	Yes	A9	36577.1					Utility Cover	
Medium	Yes	A9	36657.1					Pot Hole	
Medium	Yes	A9	36688.6					Utility Cover	
Medium	Yes	A9	36731.1					Utility Cover	
Medium	Yes	A9	42802.3	Veg		Veg			
Medium	Yes	D7	31.1					Pot Hole	
Medium	Yes	A9	42093.3				pot hole	Utility Cover	Displacement
Medium	Yes	A9	42044.5					Utility Cover	Utility Cover
Medium	Yes	A9	42021.4					Utility Cover	
Medium	Yes	A9	41765.4	Veg	Veg	Veg		Utility Cover	Pot Hole
Medium	Yes	A9	41601.1					Pot Hole	
Medium	Yes	A9	41568.7					Utility Cover	
Medium	Yes	A9	41403.4					Displacement	
Medium	Yes	A9	41045.5					Displacement	
Medium	Yes	A9	40974.7	Veg		Veg			
Medium	Yes	A9	40883.7					Utility Cover	
Medium	Yes	A9	40680.6					Displacement	
Medium	Yes	A9	40345.2					Displacement	
Medium	Yes	A9	40238.1					Utility Cover	
Medium	Yes	A9	40205.5					Pot Hole	
Medium	Yes	A9	40167.5					Utility Cover	
Medium	Yes	A9	40118.6					Pot Hole	Utility Cover
Medium	Yes	A9	38881.1					Pot Hole	
Medium	Yes	A9	38859.9	Rough Xing				Utility Cover	
Medium	Yes	A9	38344.7					Pot Hole	
Medium	Yes	A9	38148.3	Veg		Veg			
Medium	Yes	A9	38104.4	Veg		Veg			
Medium	Yes	A9	38046.6					Utility Cover	
Medium	Yes	A9	37740.2	Veg		Veg			
Medium	Yes	A9	37691.9					Pot Hole	
Medium	Yes	A9	37544.4	Veg	Other	Veg			
Medium	Yes	A9	37429.6	Veg		Veg			
Medium	Yes	A9	37339.8					Displacement	
Medium	Yes	A9	37290.5					Utility Cover	
Medium	Yes	A9	36962.6	Veg		Veg			
Medium	Yes	A9	51188.7	Veg	Veg	Veg			
Medium	Yes	A9	51262.7					Utility Cover	
Medium	Yes	A9	51164.3	Veg	Veg	Veg		Utility Cover	
Medium	Yes	A9	50066.2					Utility Cover	
Medium	Yes	A9	49978.8					Pot Hole	Pot Hole
Medium	Yes	A9	49896.8					Utility Cover	
Medium	Yes	A9	49060.9					Displacement	
Medium	Yes	A9	48946.7					Displacement	
Medium	Yes	A9	48818.8					Displacement	
Medium	Yes	A9	48706.8				asphalt patch	Displacement	
Medium	Yes	A9	48268.6					Utility Cover	
Medium	Yes	A9	46800.8					Pot Hole	
Medium	Yes	A9	45810.8					Pot Hole	Pot Hole
Medium	Yes	A9	43460.1	Veg		Veg			
Medium	Yes	A9	43415.4					Utility Cover	
Medium	Yes	A9	43274.8					Pot Hole	
Medium	Yes	A9	43429.6					Utility Cover	

Medium	Yes	A9	43641.7					Utility Cover	
Medium	Yes	E4	5734.9					Pot Hole	
Medium	Yes	E4	5690.1					Displacement	
Medium	Yes	E4	5659.2					Pot Hole	
Medium	Yes	E4	5638.7					Displacement	
Medium	Yes	E4	5562.2					Displacement	
Medium	Yes	E4	1316.4	Veg		Veg			
Medium	Yes	E4	1139.8					Displacement	
Medium	Yes	E5	401.0	Veg		Veg			
Medium	Yes	E5	306.4	Veg		Veg			
Medium	Yes	E5	195.4					Pot Hole	
Medium	Yes	E4	901.4					Displacement	
Medium	Yes	E4	765.3	Veg		Veg			
Medium	Yes	E4	728.9	Veg		Veg			
Medium	Yes	E4	603.0					Displacement	
Medium	Yes	E4	559.5					Displacement	
Medium	Yes	E4	377.8					Displacement	
Medium	Yes	E4	235.9					Pot Hole	
Medium	Yes	E1	6760.5					Displacement	
Medium	Yes	E1	6855.1					Pot Hole	
Medium	Yes	E1	7328.6	Veg		Veg			
Medium	Yes	E1	7613.0					Displacement	
Medium	Yes	E1	7663.0					Displacement	
Medium	Yes	E1	7739.5	Veg		Veg			
Medium	Yes	E1	7830.4					Pot Hole	
Medium	Yes	E1	8100.9					Pot Hole	
Medium	Yes	E1	8507.8					Pot Hole	
Medium	Yes	E1	8640.9	Veg		Veg			
Medium	Yes	E1	8964.4					Displacement	
Medium	Yes	E1	9284.3					Pot Hole	
Medium	Yes	E1	9325.1					Displacement	
Medium	Yes	E1	9391.5					Displacement	
Medium	Yes	E1	9651.2					Displacement	
Medium	Yes	E1	9706.4					Displacement	
Medium	Yes	E1	9761.7					Pot Hole	Pot Hole
Medium	Yes	E1	9800.4					Pot Hole	Pot Hole
Medium	Yes	E1	9814.0					Pot Hole	
Medium	Yes	E1	9734.2					Pot Hole	Pot Hole
Medium	Yes	E1	9822.5					Pot Hole	Pot Hole
Medium	Yes	E1	10097.3					Pot Hole	Pot Hole
Medium	Yes	E1	10826.8					Displacement	
Medium	Yes	E1	11057.4	Veg		Veg			
Medium	Yes	E10	1497.4					Displacement	
Medium	Yes	E10	826.1					Displacement	
Medium	Yes	E10	676.0					Pot Hole	
Medium	Yes	E10	404.8					Displacement	
Medium	Yes	E10	339.4					Displacement	
Medium	Yes	E2	1626.1					Displacement	
Medium	Yes	E2	1476.2					Displacement	
Medium	Yes	E2	1197.3					Utility Cover	
Medium	Yes	E2	1381.3					Utility Cover	
Medium	Yes	C3	25754.9					Pot Hole	Pot Hole
Medium	Yes	C3	24218.0					Displacement	
Medium	Yes	C3	24173.2	Veg		Veg			
Medium	Yes	C3	24142.0					Displacement	
Medium	Yes	C3	23905.7					Displacement	Displacement
Medium	Yes	C3	23324.1	Veg		Veg			
Medium	Yes	C3	22823.1					Displacement	
Medium	Yes	C3	22351.3					Displacement	
Medium	Yes	C3	21774.6	Veg		Veg			
Medium	Yes	C3	20739.7					Displacement	
Medium	Yes	D8	113.2					Pot Hole	
Medium	Yes	D8	204.1					Pot Hole	

Medium	Yes	D8	235.3					Utility Cover	
Medium	Yes	A9	43262.0					Pot Hole	
Medium	Yes	D8	732.7					Displacement	
Medium	Yes	C3	19101.8					Utility Cover	
Medium	Yes	C3	18552.9					Displacement	
Medium	Yes	D7	2298.8					Displacement	
Medium	Yes	D7	2347.9					Displacement	
Medium	Yes	D7	2451.4					Displacement	
Medium	Yes	D7	2505.8					Displacement	
Medium	Yes	D7	2529.7					Displacement	
Medium	Yes	D7	2752.7					Utility Cover	
Medium	Yes	D7	2954.4					Displacement	
Medium	Yes	D7	3064.5					Utility Cover	
Medium	Yes	D7	3091.0					Displacement	
Medium	Yes	D7	3269.4					Displacement	
Medium	Yes	D7	3521.3					Pot Hole	
Medium	Yes	D7	3553.7					Utility Cover	Pot Hole
Medium	Yes	D7	3830.8					Displacement	
Medium	Yes	D7	4122.5					Displacement	
Medium	Yes	D7	4264.2					Pot Hole	
Medium	Yes	E1	423.4					Utility Cover	
Medium	Yes	E1	242.1					Pot Hole	
Medium	Yes	E1	107.2					Pot Hole	
Medium	Yes	E1	1097.8					Pot Hole	
Medium	Yes	E1	1549.2					Displacement	
Medium	Yes	E1	1856.3					Displacement	
Medium	Yes	E1	2187.5					Displacement	
Medium	Yes	E1	3008.6					Utility Cover	
Medium	Yes	E1	3267.5	Veg		Veg			
Medium	Yes	E1	3581.3	Veg		Veg		Pot Hole	
Medium	Yes	E1	3678.4					Pot Hole	
Medium	Yes	E1	3851.6					Pot Hole	
Medium	Yes	E1	3952.2					Utility Cover	
Medium	Yes	E1	3981.9					Utility Cover	
Medium	Yes	E1	4009.1					Pot Hole	
Medium	Yes	E1	4417.6					Displacement	
Medium	Yes	E1	4942.9					Pot Hole	
Medium	Yes	E1	6318.4					Displacement	
Medium	Yes	E3	2400.4					Utility Cover	
Medium	Yes	E3	1691.7					Displacement	
Medium	Yes	E3	1642.8					Displacement	
Medium	Yes	E3	1655.9					Displacement	
Medium	Yes	E3	1626.5					Pot Hole	
Medium	Yes	E3	1436.3					Displacement	
Medium	Yes	E3	1370.8					Utility Cover	
Medium	Yes	E3	967.5					Utility Cover	
Medium	Yes	E3	826.6					Displacement	
Medium	Yes	E3	787.2					Utility Cover	
Medium	Yes	E3	687.2					Displacement	
Medium	Yes	E3	621.7					Displacement	
Medium	Yes	E3	467.6					Utility Cover	
Medium	Yes	E3	441.4	Rough Xing				Pot Hole	
Medium	Yes	E3	364.3					Displacement	
Medium	Yes	E3	180.8					Utility Cover	
Medium	Yes	C3	13522.5					Displacement	Displacement
Medium	Yes	C3	13913.9					Displacement	
Medium	Yes	C3	14041.2				FOOTPRINTS	Pot Hole	
Medium	Yes	C3	14670.7	Veg		Veg			
Medium	Yes	C3	14689.9	Veg		Veg			
Medium	Yes	C3	15043.0	Veg		Veg			
Medium	Yes	C3	15067.5					Displacement	
Medium	Yes	C3	15070.1					Displacement	
Medium	Yes	C3	15094.7				X2	Displacement	

Medium	Yes	C3	15140.5					Utility Cover	
Medium	Yes	C3	15200.1					Displacement	
Medium	Yes	C3	15224.5				X4	Pot Hole	
Medium	Yes	C3	16029.1				X2	Utility Cover	
Medium	Yes	C3	16099.6				SEVERAL	Pot Hole	Pot Hole
Medium	Yes	C3	16220.1					Displacement	
Medium	Yes	C3	16271.6				very severe	Displacement	
Medium	Yes	C3	16925.9					Utility Cover	
Medium	Yes	C3	17023.2					Displacement	
Medium	Yes	C3	17044.8					Displacement	
Medium	Yes	C3	17727.1					Utility Cover	
Medium	Yes	C3	18191.2				x3	Pot Hole	Displacement
Medium	Yes	C3	18253.4					Utility Cover	Utility Cover
Medium	Yes	D7	1735.9					Utility Cover	Utility Cover
Medium	Yes	D7	1623.1					Utility Cover	
Medium	Yes	D7	1526.1					Utility Cover	
Medium	Yes	D7	1416.5					Utility Cover	
Medium	Yes	D7	1266.2			Veg			
Medium	Yes	D7	1239.0	Veg		Veg	several trees		
Medium	Yes	D7	1130.9					Displacement	
Medium	Yes	D7	1169.5	Tree		Veg			
Medium	Yes	D7	842.0	Veg		Veg			
Medium	Yes	D7	460.0					Displacement	
Medium	Yes	D6	3749.8					Displacement	
Medium	Yes	D6	3240.5					Displacement	
Medium	Yes	D6	2908.8				severe	Displacement	
Medium	Yes	D6	2583.7					Pot Hole	Pot Hole
Medium	Yes	D6	2561.9					Displacement	
Medium	Yes	D6	2507.8					Displacement	
Medium	Yes	D6	2472.6					Displacement	
Medium	Yes	D6	2345.2					Pot Hole	Pot Hole
Medium	Yes	D6	2224.7					Utility Cover	
Medium	Yes	D6	1794.1					Utility Cover	
Medium	Yes	D6	1296.0					Pot Hole	Pot Hole
Medium	Yes	D6	1072.1					Tree Well	Pot Hole
Medium	Yes	D6	1047.8					Displacement	
Medium	Yes	D6	939.4					Displacement	Tree Well
Medium	Yes	D6	847.3					Displacement	
Medium	Yes	D6	611.9					Tree Well	
Medium	Yes	D6	465.7					Tree Well	
Medium	Yes	D6	270.6					Displacement	Tree Well
Medium	Yes	D6	165.9					Pot Hole	Tree Well
Medium	Yes	D6	164.7	Veg		Veg			
Medium	Yes	D6	115.5					Displacement	
Medium	Yes	D6	181.5				x2	Pot Hole	
Medium	Yes	D6	1751.8					Displacement	
Medium	Yes	D6	2025.4					Displacement	
Medium	Yes	D6	2101.3					Utility Cover	Pot Hole
Medium	Yes	D6	2282.7					Utility Cover	
Medium	Yes	D6	2531.8	Veg		Veg			
Medium	Yes	D6	3492.0	Veg		Veg			
Medium	Yes	D4	2102.6					Displacement	
Medium	Yes	D4	2045.3					Displacement	
Medium	Yes	D4	1944.2					Displacement	
Medium	Yes	D4	1995.8	Veg		Veg			
Medium	Yes	D4	2042.5	Veg		Veg			
Medium	Yes	D4	2097.2	Veg		Veg			
Medium	Yes	D4	2141.2	Veg		Veg			
Medium	Yes	D4	2169.8	Veg		Veg			
Medium	Yes	D4	2271.1	Veg		Veg			
Medium	Yes	D4	2398.9					Displacement	
Medium	Yes	C9	5839.5					Pot Hole	
Medium	Yes	D4	2554.5					Displacement	

Medium	Yes	D4	2733.5					Displacement	
Medium	Yes	D4	2811.5					Displacement	
Medium	Yes	D4	4029.3					Displacement	
Medium	Yes	D4	4078.7					Displacement	
Medium	Yes	D4	4482.4					Displacement	
Medium	Yes	D4	4958.9					Displacement	
Medium	Yes	D4	5548.4					Pot Hole	
Medium	Yes	D4	5561.4					Pot Hole	
Medium	Yes	D4	5626.4				x4	Pot Hole	
Medium	Yes	D4	5773.0	Veg		Veg			
Medium	Yes	D4	5814.6	Veg		Veg			
Medium	Yes	D4	6363.8					Displacement	
Medium	Yes	D4	6178.0					Displacement	
Medium	Yes	D4	5859.7					Displacement	
Medium	Yes	D4	5673.5					Displacement	
Medium	Yes	D4	5380.0					Displacement	
Medium	Yes	D4	5219.3					Pot Hole	Displacement
Medium	Yes	C9	8098.0	Veg		Veg			
Medium	Yes	C9	8022.0	Veg		Veg			
Medium	Yes	C9	7802.1	Veg		Veg			
Medium	Yes	C9	7679.0					Utility Cover	Displacement
Medium	Yes	C9	7580.8					Displacement	
Medium	Yes	C9	5801.0					Pot Hole	
Medium	Yes	C9	5649.9					Pot Hole	
Medium	Yes	C9	5590.2					Pot Hole	
Medium	Yes	C9	5467.3					Displacement	
Medium	Yes	C9	5286.3	Veg		Veg			
Medium	Yes	C3	11333.3	Veg		Veg			
Medium	Yes	C3	11398.4			Veg			
Medium	Yes	C3	11424.4			Veg			
Medium	Yes	C9	5026.5			Veg			
Medium	Yes	C9	5286.6					Displacement	
Medium	Yes	C9	4787.8					Utility Cover	
Medium	Yes	C9	4433.8					Utility Cover	
Medium	Yes	C9	4311.5	Veg		Veg			
Medium	Yes	C9	4223.4			Veg			
Medium	Yes	C9	4107.6					Displacement	
Medium	Yes	C9	4084.1			Veg			
Medium	Yes	C9	3845.9			Veg			
Medium	Yes	C9	3768.6			Veg			
Medium	Yes	C9	3268.9					Pot Hole	
Medium	Yes	C9	2854.0					Displacement	
Medium	Yes	C9	2811.1			Veg			
Medium	Yes	C9	1640.6					Utility Cover	
Medium	Yes	C9	1477.6					Displacement	
Medium	Yes	C9	1451.8					Displacement	
Medium	Yes	C9	1108.6					Pot Hole	
Medium	Yes	C9	1093.6					Pot Hole	
Medium	Yes	C9	1046.4					Pot Hole	
Medium	Yes	C9	830.8					Pot Hole	
Medium	Yes	C9	571.1					Pot Hole	
Medium	Yes	C9	360.8					Displacement	
Medium	Yes	C9	294.3					Displacement	
Medium	Yes	C9	279.3					Pot Hole	
Medium	Yes	C3	9515.1					Pot Hole	
Medium	Yes	C3	9543.9					Pot Hole	
Medium	Yes	C3	9577.6					Pot Hole	
Medium	Yes	C3	439.4					Pot Hole	
Medium	Yes	C3	4980.1			Veg			
Medium	Yes	C3	4386.8			Veg			
Medium	Yes	C3	8309.8					Utility Cover	
Medium	Yes	C3	8982.1					Displacement	
Medium	Yes	C3	9290.1	Veg		Veg			

Medium	Yes	C10	313.4	Veg		Veg			
Medium	Yes	C10	509.1	Veg		Veg			
Medium	Yes	C10	589.2					Pot Hole	
Medium	Yes	C8	286.8					Utility Cover	
Medium	Yes	C8	1481.0					Displacement	
Medium	Yes	C8	1573.1					Displacement	
Medium	Yes	C8	1592.9					Displacement	
Medium	Yes	C8	523.4			Veg			
Medium	Yes	C8	330.4			Veg			
Medium	Yes	C7	77.2					Displacement	
Medium	Yes	C7	248.3					Pot Hole	
Medium	Yes	C7	303.8					Pot Hole	
Medium	Yes	C7	333.0					Pot Hole	
Medium	Yes	C7	742.0				tree root	Displacement	
Medium	Yes	C7	1691.1			Veg			
Medium	Yes	C7	2136.2					Displacement	
Medium	Yes	C7	2638.2					Pot Hole	
Medium	Yes	C7	2875.4					Pot Hole	
Medium	Yes	C7	2888.5			Veg			
Medium	Yes	C7	2888.6					Pot Hole	
Medium	Yes	C7	3027.5					Displacement	
Medium	Yes	C7	3044.8					Pot Hole	
Medium	Yes	C7	3342.3					Displacement	
Medium	Yes	C7	3615.7					Displacement	
Medium	Yes	C7	3634.7					Displacement	
Medium	Yes	C7	3927.0					Displacement	
Medium	Yes	C7	4198.2					Displacement	
Medium	Yes	C7	4883.8		Veg			Displacement	
Medium	Yes	C7	4709.5					Displacement	
Medium	Yes	C7	4327.9					Pot Hole	
Medium	Yes	C7	3630.0					Utility Cover	
Medium	Yes	C7	3324.4					Displacement	Pot Hole
Medium	Yes	C7	3047.4					Displacement	
Medium	Yes	C7	3019.4					Pot Hole	
Medium	Yes	C7	2773.9			Veg			
Medium	Yes	C7	2591.6					Pot Hole	
Medium	Yes	C7	2253.0					Displacement	
Medium	Yes	C7	2124.4					Displacement	
Medium	Yes	C7	1931.4			Veg			
Medium	Yes	C7	1864.2					Displacement	
Medium	Yes	C7	1690.2			Veg			
Medium	Yes	C7	1608.4					Displacement	
Medium	Yes	C7	1509.0			Veg			
Medium	Yes	C7	628.5					Displacement	
Medium	Yes	C7	128.2					Displacement	
Medium	Yes	B1	15697.6					Displacement	
Medium	Yes	B1	15431.9					Displacement	
Medium	Yes	B1	13706.2					Displacement	Displacement
Medium	Yes	B1	12018.3					Utility Cover	Utility Cover
Medium	Yes	B1	11729.1					Displacement	
Medium	Yes	B1	11182.1	Veg		Veg			
Medium	Yes	B1	10392.7	Veg		Veg			
Medium	Yes	B1	10534.2					Displacement	
Medium	Yes	B1	11174.6	Veg		Veg			
Medium	Yes	B1	12186.0	Veg		Veg			
Medium	Yes	B1	13411.6					Utility Cover	
Medium	Yes	B1	14161.3					Displacement	Pot Hole
Medium	Yes	B1	14281.9					Displacement	
Medium	Yes	B1	14888.8					Displacement	
Medium	Yes	B1	15764.6					Displacement	
Medium	Yes	B1	15812.9					Displacement	
Medium	Yes	D1	4851.5	Veg		Veg			
Medium	Yes	D1	5041.3					Pot Hole	Pot Hole

Medium	Yes	D1	5069.0					Displacement	
Medium	Yes	D1	5436.3	Veg		Veg			
Medium	Yes	D1	4099.0					Utility Cover	
Medium	Yes	D1	4112.0					Pot Hole	
Medium	Yes	D1	4290.2					Pot Hole	
Medium	Yes	D1	4260.9					Displacement	
Medium	Yes	D1	4168.4			Veg			
Medium	Yes	D1	3686.3					Displacement	
Medium	Yes	D1	3578.0					Displacement	
Medium	Yes	D1	3556.9			Veg			
Medium	Yes	D1	3525.3			Veg		Displacement	
Medium	Yes	D1	3467.0			Veg			
Medium	Yes	D1	3353.3					Displacement	
Medium	Yes	D1	3018.7		Veg			Displacement	
Medium	Yes	D1	2355.9			Veg			
Medium	Yes	D1	2271.3			Veg			
Medium	Yes	D1	1505.3					Displacement	
Medium	Yes	D1	1441.9					Pot Hole	
Medium	Yes	D1	785.4					Pot Hole	
Medium	Yes	D1	774.8					Displacement	
Medium	Yes	D1	81.6					Displacement	
Medium	Yes	D1	760.9					Displacement	
Medium	Yes	D1	1088.5					Displacement	
Medium	Yes	D1	1129.4					Displacement	
Medium	Yes	D1	1491.3		Veg			Displacement	
Medium	Yes	D1	1852.0					Displacement	
Medium	Yes	D1	3138.9					Displacement	
Medium	Yes	D1	3411.7					Displacement	
Medium	Yes	D1	3493.6					Displacement	
Medium	Yes	A10	9839.6					Utility Cover	
Medium	Yes	A10	10079.9					Displacement	
Medium	Yes	A10	10566.7			Veg			
Medium	Yes	A10	10630.1			Veg			
Medium	Yes	A10	6770.6					Displacement	
Medium	Yes	A10	6807.2					Displacement	
Medium	Yes	A10	7904.5	Veg		Veg			
Medium	Yes	A10	8841.5					Utility Cover	
Medium	Yes	A10	7687.1					Displacement	
Medium	Yes	A10	7511.6					Displacement	
Medium	Yes	A10	6990.9					Displacement	
Medium	Yes	A10	6955.9					Utility Cover	
Medium	Yes	A10	6904.0					Displacement	
Medium	Yes	A10	5936.7					Displacement	
Medium	Yes	A10	5462.0					Displacement	
Medium	Yes	A10	4909.5	Veg		Veg			
Medium	Yes	A10	4865.5	Veg		Veg			
Medium	Yes	A10	4614.4					Displacement	
Medium	Yes	A10	4328.5					Displacement	Displacement
Medium	Yes	A10	3654.6	Veg	Veg	Veg			
Medium	Yes	A10	3559.1					Displacement	
Medium	Yes	A10	3148.7					Utility Cover	
Medium	Yes	A10	4259.6					Displacement	
Medium	Yes	A10	5061.8					Pot Hole	Pot Hole
Medium	Yes	A10	5841.8					Displacement	
Medium	Yes	B3	1261.7			Veg			
Medium	Yes	B2	11293.6					Displacement	
Medium	Yes	B2	14211.2					Pot Hole	
Medium	Yes	B2	14483.1					Pot Hole	
Medium	Yes	B2	14344.1					Pot Hole	
Medium	Yes	B2	16032.3					Displacement	Displacement
Medium	Yes	B2	16023.7					Pot Hole	
Medium	Yes	B2	16984.5	Rough Xing				Pot Hole	
Medium	Yes	B2	17036.0					Pot Hole	

Medium	Yes	B2	17450.8					Displacement	
Medium	Yes	D2	207.8					Displacement	
Medium	Yes	D2	230.7					Displacement	
Medium	Yes	D2	324.0					Pot Hole	
Medium	Yes	D2	399.6					Displacement	
Medium	Yes	D2	366.9					Displacement	
Medium	Yes	D2	526.9					Utility Cover	
Medium	Yes	D2	378.0					Utility Cover	
Medium	Yes	D2	324.9					Displacement	
Medium	Yes	D2	156.0					Pot Hole	
Medium	Yes	C6	2689.3					Pot Hole	
Medium	Yes	C6	2631.4					Utility Cover	
Medium	Yes	C6	2606.2					Pot Hole	
Medium	Yes	C6	2082.3		Veg	Veg			
Medium	Yes	C6	1903.2			Veg			
Medium	Yes	C6	1261.2				x8	Pot Hole	
Medium	Yes	C6	1220.9					Displacement	
Medium	Yes	C6	1034.0			Veg			
Medium	Yes	C6	1114.7		Veg			Displacement	
Medium	Yes	C6	1562.2					Pot Hole	
Medium	Yes	C6	1775.6					Utility Cover	
Medium	Yes	C6	2027.9			Veg			
Medium	Yes	C6	2405.7			Veg		Utility Cover	
Medium	Yes	C6	2461.3			Veg			
Medium	Yes	C6	2498.9			Veg			
Medium	Yes	C6	714.5					Utility Cover	
Medium	Yes	C6	422.0					Pot Hole	
Medium	Yes	C6	368.7					Pot Hole	
Medium	Yes	C6	850.1					Pot Hole	
Medium	Yes	C5	10545.5					Pot Hole	
Medium	Yes	C5	9130.6					Displacement	
Medium	Yes	C5	7992.8					Displacement	
Medium	Yes	C5	7621.4					Displacement	
Medium	Yes	C5	7398.8					Pot Hole	
Medium	Yes	C5	7242.6					Utility Cover	
Medium	Yes	C5	6644.3			Veg			
Medium	Yes	C5	6440.0					Utility Cover	
Medium	Yes	C5	6361.1					Displacement	
Medium	Yes	C5	5740.9					Utility Cover	
Medium	Yes	C5	5607.7					Displacement	
Medium	Yes	C5	4328.5					Utility Cover	
Medium	Yes	C5	4259.8					Pot Hole	
Medium	Yes	C5	4190.2			Veg			
Medium	Yes	C5	4499.9					Pot Hole	
Medium	Yes	C5	4516.9					Displacement	
Medium	Yes	C5	5408.6					Displacement	
Medium	Yes	C5	5602.6					Pot Hole	
Medium	Yes	C5	5767.4					Displacement	
Medium	Yes	C5	5800.3					Displacement	
Medium	Yes	C5	5839.3					Displacement	
Medium	Yes	C5	6245.8					Utility Cover	
Medium	Yes	C5	7193.6					Displacement	
Medium	Yes	C5	7642.2					Utility Cover	
Medium	Yes	C5	7721.5					Pot Hole	
Medium	Yes	C5	7828.3					Pot Hole	
Medium	Yes	C5	7930.9					Utility Cover	
Medium	Yes	C5	8190.4					Pot Hole	
Medium	Yes	C5	8260.0					Pot Hole	
Medium	Yes	C5	8292.9				x 6	Pot Hole	
Medium	Yes	C5	8349.9					Displacement	Pot Hole
Medium	Yes	C5	2819.7				x2	Displacement	Pot Hole
Medium	Yes	C5	2520.3					Utility Cover	
Medium	Yes	C5	2475.7					Pot Hole	

Medium	Yes	C5	1724.2				destroyed tile	Pot Hole	Pot Hole
Medium	Yes	C5	1793.9					Displacement	
Medium	Yes	C5	2408.4				x2	Displacement	
Medium	Yes	C5	2832.4					Utility Cover	Pot Hole
Medium	Yes	C5	2897.4					Displacement	
Medium	Yes	C5	3739.0					Pot Hole	Pot Hole
Medium	Yes	C5	3911.5					Displacement	
Medium	Yes	D3	1312.0	Tree		Veg	x3		
Medium	Yes	D3	1539.3					Displacement	
Medium	Yes	C2	6249.2	Tree		Veg			
Medium	Yes	C2	6236.3					Displacement	
Medium	Yes	C2	6301.8					Displacement	
Medium	Yes	C2	6155.4					Displacement	
Medium	Yes	C2	4700.5				severe	Utility Cover	Utility Cover
Medium	Yes	C2	4478.5					Displacement	Pot Hole
Medium	Yes	C2	3832.9					Utility Cover	
Medium	Yes	C2	3607.6					Displacement	
Medium	Yes	C2	3463.8	Tree		Veg			
Medium	Yes	C2	2488.8					Utility Cover	Utility Cover
Medium	Yes	C2	2668.1	Veg		Veg			
Medium	Yes	C2	2573.4	Veg		Veg			
Medium	Yes	C2	2893.5	Veg		Veg			
Medium	Yes	C2	3127.7					Displacement	
Medium	Yes	C2	3199.4					Pot Hole	
Medium	Yes	C2	3320.4					Pot Hole	Pot Hole
Medium	Yes	C2	3496.7				severe	Pot Hole	Utility Cover
Medium	Yes	C2	3542.5	Veg		Veg			
Medium	Yes	C2	3588.3	Veg		Veg			
Medium	Yes	C2	3725.4					Displacement	
Medium	Yes	C2	2058.0					Displacement	
Medium	Yes	C2	2091.5			Veg			
Medium	Yes	C2	2129.2					Pot Hole	
Medium	Yes	C2	2028.8					Displacement	
Medium	Yes	C2	1848.5					Displacement	Utility Cover
Medium	Yes	C2	1780.3					Pot Hole	
Medium	Yes	C2	1707.5					Displacement	
Medium	Yes	C2	1576.5					Displacement	
Medium	Yes	C2	1223.8					Displacement	
Medium	Yes	C2	1199.9					Displacement	
Medium	Yes	C2	897.8					Pot Hole	
Medium	Yes	C2	781.8					Pot Hole	
Medium	Yes	C2	762.8					Displacement	
Medium	Yes	C2	706.0				x2	Displacement	
Medium	Yes	C2	693.6					Pot Hole	
Medium	Yes	C2	636.6					Pot Hole	
Medium	Yes	C2	513.6					Pot Hole	
Medium	Yes	C2	468.4					Pot Hole	
Medium	Yes	C2	374.7					Displacement	
Medium	Yes	C2	299.0					Displacement	Pot Hole
Medium	Yes	C4	675.2					Pot Hole	
Medium	Yes	C2	453.9			Veg			
Medium	Yes	C2	563.8					Pot Hole	
Medium	Yes	C2	762.2					Pot Hole	
Medium	Yes	C2	1012.3					Utility Cover	
Medium	Yes	C2	1570.9					Utility Cover	Pot Hole
Medium	Yes	C4	5740.7			Veg			
Medium	Yes	C4	4522.4			Veg			
Medium	Yes	C4	4435.8			Veg			
Medium	Yes	C4	4354.1			Veg			
Medium	Yes	C4	4280.0					Displacement	
Medium	Yes	C4	4201.1			Veg			
Medium	Yes	C4	4167.7			Veg			
Medium	Yes	C4	4127.1			Veg			

Medium	Yes	C4	4099.5			Veg			
Medium	Yes	C4	4080.2					Displacement	
Medium	Yes	C4	4055.9			Veg			
Medium	Yes	C4	3631.6			Veg			
Medium	Yes	C4	3267.6					Utility Cover	
Medium	Yes	C4	3088.8					Pot Hole	
Medium	Yes	C4	3029.6					Utility Cover	
Medium	Yes	C4	3013.9					Pot Hole	
Medium	Yes	C4	2579.7					Pot Hole	
Medium	Yes	C4	2461.4					Displacement	
Medium	Yes	C4	2385.2			Veg			
Medium	Yes	C4	2352.6					Pot Hole	
Medium	Yes	C4	2285.0					Pot Hole	
Medium	Yes	C4	1409.4					Pot Hole	
Medium	Yes	C4	1137.8					Pot Hole	
Medium	Yes	C4	1031.0					Pot Hole	
Medium	Yes	C4	991.6					Pot Hole	
Medium	Yes	C4	909.5					Utility Cover	
Medium	Yes	C4	1013.0					Pot Hole	
Medium	Yes	C4	1294.9					Displacement	
Medium	Yes	C4	1715.5					Pot Hole	
Medium	Yes	C4	1786.1					Displacement	
Medium	Yes	C4	1888.1					Utility Cover	
Medium	Yes	C4	1924.9					Utility Cover	
Medium	Yes	C4	2120.0					Pot Hole	
Medium	Yes	C4	2344.3			Veg			
Medium	Yes	C4	2350.4					Displacement	
Medium	Yes	C4	2383.7					Displacement	
Medium	Yes	C4	2665.6			Veg			
Medium	Yes	C4	2704.7					Displacement	
Medium	Yes	C4	2772.2			Veg			
Medium	Yes	C4	3020.5					Displacement	
Medium	Yes	C4	3202.4					Pot Hole	
Medium	Yes	C4	3436.4					Displacement	
Medium	Yes	C4	3595.3					Displacement	
Medium	Yes	C4	3773.8					Utility Cover	
Medium	Yes	C4	3941.3					Pot Hole	
Medium	Yes	C4	4109.5					Displacement	
Medium	Yes	C4	4083.9					Pot Hole	
Medium	Yes	C4	4149.9					Pot Hole	
Medium	Yes	C4	4731.5					Displacement	
Medium	Yes	C4	4944.5					Pot Hole	
Medium	Yes	C4	5061.3					Displacement	
Medium	Yes	C5	952.6					Displacement	
Medium	Yes	C5	1070.0			Veg			
Medium	Yes	C5	1214.9					Pot Hole	
Medium	Yes	C5	1207.5					Displacement	
Medium	Yes	C5	1087.5					Displacement	
Medium	Yes	C5	1001.0					Utility Cover	
Medium	Yes	C5	892.7					Pot Hole	
Medium	Yes	A1	638.0					Displacement	
Medium	Yes	A1	1357.5					Utility Cover	Utility Cover
Medium	Yes	A1	1451.6					Displacement	Displacement
Medium	Yes	A1	1393.6					Pot Hole	Pot Hole
Medium	Yes	A1	1354.7					Displacement	Displacement
Medium	Yes	A1	1188.7					Displacement	
Medium	Yes	A1	970.7					Displacement	Displacement
Medium	Yes	A1	677.4	Veg		Veg			
Medium	Yes	A1	2864.8					Displacement	
Medium	Yes	A1	2661.7					Displacement	Displacement
Medium	Yes	A1	3122.7				multiple obstructions	Displacement	Displacement
Medium	Yes	A1	3195.6					Displacement	

Medium	Yes	A1	3364.6				horrible pavement condition	Displacement	Displacement
Medium	Yes	A1	3405.9					Displacement	Displacement
Medium	Yes	A1	3065.4					Pot Hole	Pot Hole
Medium	Yes	A1	4705.9					Utility Cover	Utility Cover
Medium	Yes	A1	5147.8					Utility Cover	Utility Cover
Medium	Yes	A1	5171.2					Displacement	Displacement
Medium	Yes	A1	5329.7					Displacement	Displacement
Medium	Yes	A1	5824.9					Displacement	Displacement
Medium	Yes	A1	5876.1					Displacement	Displacement
Medium	Yes	A1	5633.5					Displacement	Displacement
Medium	Yes	A1	5133.7					Displacement	Displacement
Medium	Yes	A1	4723.0					Utility Cover	Utility Cover
Medium	Yes	A1	4510.9				6 inch deep pot holes in driveway	Pot Hole	Pot Hole
Medium	Yes	A2	203.7					Displacement	
Medium	Yes	E6	496.7					Utility Cover	Utility Cover
Medium	Yes	E6	477.7					Displacement	Displacement
Medium	Yes	E6	175.9					Displacement	Displacement
Medium	Yes	E6	161.2					Displacement	
Medium	Yes	E6	130.6				deteriorated sidewalk panel	Displacement	Displacement
Medium	Yes	E6	416.1					Utility Cover	Utility Cover
Medium	Yes	E6	471.9					Displacement	Displacement
Medium	Yes	A2	537.3					Displacement	
Medium	Yes	A2	621.3					Displacement	Displacement
Medium	Yes	A2	1003.3					Utility Cover	
Medium	Yes	A2	1418.1					Displacement	
Medium	Yes	A2	1721.8					Utility Cover	Utility Cover
Medium	Yes	A2	2167.2					Displacement	
Medium	Yes	A2	2294.0					Displacement	
Medium	Yes	A2	2377.8					Displacement	
Medium	Yes	A2	2435.1				2 inches	Displacement	
Medium	Yes	A2	2450.5					Displacement	
Medium	Yes	A2	2486.9					Displacement	
Medium	Yes	A2	2385.5					Displacement	
Medium	Yes	A2	2204.9					Displacement	
Medium	Yes	A2	2158.3					Displacement	
Medium	Yes	A2	1987.8					Displacement	
Medium	Yes	A2	1930.8					Displacement	
Medium	Yes	A2	1887.6					Displacement	Displacement
Medium	Yes	A2	1036.4					Utility Cover	Utility Cover
Medium	Yes	A2	987.9					Displacement	Displacement
Medium	Yes	A2	888.9					Utility Cover	Utility Cover
Medium	Yes	A2	836.4					Utility Cover	Utility Cover
Medium	Yes	A3	1130.8					Displacement	
Medium	Yes	A3	645.5					Displacement	
Medium	Yes	A3	1588.9					Displacement	Displacement
Medium	Yes	A3	1636.3					Displacement	
Medium	Yes	A3	1701.0					Displacement	
Medium	Yes	A3	1783.8					Displacement	Displacement
Medium	Yes	A3	1878.6					Displacement	Displacement
Medium	Yes	A3	2206.1					Displacement	Displacement
Medium	Yes	A3	2307.6					Displacement	
Medium	Yes	A3	2342.4					Pot Hole	Pot Hole
Medium	Yes	A3	2765.0					Displacement	Displacement
Medium	Yes	A3	3286.3					Displacement	Displacement
Medium	Yes	A3	2438.1					Displacement	Displacement
Medium	Yes	A3	2215.3					Displacement	Displacement
Medium	Yes	A3	2175.3					Displacement	Displacement
Medium	Yes	A3	1935.3	Rough Xing				Displacement	Displacement
Medium	Yes	A3	1781.5					Displacement	Displacement
Medium	Yes	A4	803.1					Displacement	Displacement

Medium	Yes	A4	819.9					Displacement	
Medium	Yes	A4	1018.9					Utility Cover	Utility Cover
Medium	Yes	A4	1059.1					Displacement	Displacement
Medium	Yes	A4	1810.4					Utility Cover	Utility Cover
Medium	Yes	A4	2501.8					Utility Cover	Utility Cover
Medium	Yes	A4	2681.4					Utility Cover	Utility Cover
Medium	Yes	A4	2774.9					Displacement	Displacement
Medium	Yes	A4	2804.3					Displacement	Displacement
Medium	Yes	A4	2864.3					Displacement	
Medium	Yes	A4	2908.0					Displacement	Displacement
Medium	Yes	A4	1814.8					Pot Hole	Pot Hole
Medium	Yes	A4	1717.6					Utility Cover	Utility Cover
Medium	Yes	A4	1455.0	Rough Xing				Utility Cover	Utility Cover
Medium	Yes	A4	805.0					Displacement	Displacement
Medium	Yes	A4	4653.7	Rough Xing				Displacement	Displacement
Medium	Yes	A4	4383.4					Displacement	
Medium	Yes	A4	4352.2					Utility Cover	Utility Cover
Medium	Yes	A4	3162.0					Displacement	Displacement
Medium	Yes	A4	4061.9					Displacement	Displacement
Medium	Yes	A4	4071.0	Rough Xing				Displacement	Displacement
Medium	Yes	A4	4411.5					Displacement	
Medium	Yes	A5	77.1	Veg		Veg			
Medium	Yes	E7	165.7	Veg		Veg			
Medium	Yes	E7	283.9					Pot Hole	Pot Hole
Medium	Yes	E7	231.1					Displacement	
Medium	Yes	E7	67.1					Displacement	
Medium	Yes	A5	657.2					Displacement	Displacement
Medium	Yes	A5	1652.7					Displacement	Displacement
Medium	Yes	A5	2024.5	Rough Xing				Displacement	Displacement
Medium	Yes	A5	2225.7					Displacement	Displacement
Medium	Yes	A5	2274.9					Displacement	Displacement
Medium	Yes	A5	2333.8					Displacement	Displacement
Medium	Yes	A5	2674.8					Displacement	Displacement
Medium	Yes	A5	2670.5					Displacement	Displacement
Medium	Yes	A5	1652.5					Displacement	
Medium	Yes	A5	1627.2					Displacement	
Medium	Yes	A5	1550.3					Displacement	Displacement
Medium	Yes	A5	1518.7					Displacement	Displacement
Medium	Yes	A5	1081.3					Displacement	
Medium	Yes	A5	945.9					Displacement	
Medium	Yes	A6	9401.8					Displacement	Displacement
Medium	Yes	A6	8795.6					Displacement	Displacement
Medium	Yes	A6	8738.4					Displacement	Displacement
Medium	Yes	A6	8697.7					Displacement	Displacement
Medium	Yes	A6	8592.8					Tree Well	
Medium	Yes	A6	9262.9					Displacement	Pot Hole
Medium	Yes	A6	7204.4					Displacement	Displacement
Medium	Yes	A6	5386.4					Displacement	
Medium	Yes	A6	5084.0					Displacement	Displacement
Medium	Yes	A6	5140.8					Utility Cover	Utility Cover
Medium	Yes	A6	5234.0					Utility Cover	Utility Cover
Medium	Yes	A6	5406.9					Utility Cover	Utility Cover
Medium	Yes	A6	5483.3					Displacement	Displacement
Medium	Yes	A6	3786.6					Utility Cover	Utility Cover
Medium	Yes	A6	4368.8					Displacement	
Medium	Yes	A6	4448.4					Displacement	
Medium	Yes	A6	4482.0					Displacement	Displacement
Medium	Yes	A6	4777.4					Displacement	Displacement
Medium	Yes	A6	4300.3					Displacement	
Medium	Yes	A6	4166.0					Displacement	
Medium	Yes	A6	4021.2					Utility Cover	Utility Cover
Medium	Yes	A6	219.7					Displacement	Utility Cover
Medium	Yes	A6	86.4					Utility Cover	Utility Cover

Medium	Yes	A6	1949.9					Utility Cover	
Medium	Yes	A6	2178.3					Displacement	Displacement
Medium	Yes	A6	2219.4					Utility Cover	Utility Cover
Medium	Yes	A6	2245.8					Utility Cover	Utility Cover
Medium	Yes	A6	2446.5					Displacement	Displacement
Medium	Yes	B5	29184.9					Displacement	Displacement
Medium	Yes	B5	28802.6					Displacement	Displacement
Medium	Yes	B5	27511.4					Utility Cover	Utility Cover
Medium	Yes	B5	27132.8					Displacement	Displacement
Medium	Yes	B5	26995.4					Displacement	Displacement
Medium	Yes	B5	26673.1					Displacement	Displacement
Medium	Yes	B5	27520.5	Veg		Veg			
Medium	Yes	B5	29306.6					Displacement	Displacement
Medium	Yes	B5	29390.2					Displacement	Displacement
Medium	Yes	B5	29889.8					Displacement	Displacement
Medium	Yes	B5	30023.8	Veg		Veg			
Medium	Yes	B5	31376.0					Displacement	Displacement
Medium	Yes	B5	26271.5					Displacement	
Medium	Yes	B5	26186.7	Veg		Veg			
Medium	Yes	B5	25412.7	Veg		Veg			
Medium	Yes	B5	25260.7					Displacement	Displacement
Medium	Yes	B5	24923.9	Veg		Veg			
Medium	Yes	B5	24719.5					Displacement	Displacement
Medium	Yes	B5	21813.6					Displacement	Displacement
Medium	Yes	B5	22274.7					Displacement	Displacement
Medium	Yes	B5	22482.7	Veg		Veg			
Medium	Yes	B5	23314.2					Utility Cover	Utility Cover
Medium	Yes	B5	23359.4					Displacement	
Medium	Yes	B5	23828.8					Utility Cover	Utility Cover
Medium	Yes	B5	24419.6					Utility Cover	Utility Cover
Medium	Yes	B5	24382.6					Displacement	Utility Cover
Medium	Yes	B5	23825.2	Veg		Veg			
Medium	Yes	B5	23455.9					Displacement	
Medium	Yes	B5	23422.2					Displacement	
Medium	Yes	B5	23405.9					Displacement	
Medium	Yes	B5	23190.1					Displacement	
Medium	Yes	B5	22979.0					Displacement	
Medium	Yes	B5	22952.5					Displacement	
Medium	Yes	B5	22874.9					Displacement	
Medium	Yes	B5	22697.4					Displacement	Displacement
Medium	Yes	B5	22608.7					Displacement	
Medium	Yes	B5	22465.8					Displacement	
Medium	Yes	B5	22389.3					Displacement	
Medium	Yes	B5	22305.7					Displacement	
Medium	Yes	B5	21902.2					Displacement	
Medium	Yes	B5	21863.5					Displacement	Displacement
Medium	Yes	B5	21841.0					Displacement	Displacement
Medium	Yes	B5	21813.5					Displacement	Displacement
Medium	Yes	B5	21766.5					Displacement	
Medium	Yes	B5	20873.2	Rough Xing			rough pavement panel	Utility Cover	Utility Cover
Medium	Yes	B5	20770.4	Rough Xing				Displacement	Displacement
Medium	Yes	B5	20715.1					Utility Cover	Utility Cover
Medium	Yes	B5	20585.0					Utility Cover	Utility Cover
Medium	Yes	B5	20284.2					Utility Cover	Utility Cover
Medium	Yes	B5	20321.5					Displacement	
Medium	Yes	B5	21646.1					Displacement	
Medium	Yes	B5	1613.9					Displacement	Displacement
Medium	Yes	B5	2192.4					Pot Hole	Pot Hole
Medium	Yes	B5	2382.7					Displacement	Displacement
Medium	Yes	B5	2685.3					Utility Cover	
Medium	Yes	B5	2943.6					Displacement	Displacement
Medium	Yes	B5	2981.7					Displacement	Displacement
Medium	Yes	B5	3038.5					Pot Hole	Pot Hole

Medium	Yes	B5	3985.1					Pot Hole	Pot Hole
Medium	Yes	B5	3974.6					Displacement	Displacement
Medium	Yes	B5	3910.9					Displacement	Displacement
Medium	Yes	B5	3896.5					Utility Cover	Utility Cover
Medium	Yes	B5	3829.2					Displacement	Displacement
Medium	Yes	B5	3763.1					Displacement	Displacement
Medium	Yes	B5	3703.3				rough section of sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	3151.7					Displacement	Displacement
Medium	Yes	B5	2955.0				rough sidewalk	Displacement	Displacement
Medium	Yes	B5	2283.3					Displacement	Displacement
Medium	Yes	B5	2242.7					Displacement	Displacement
Medium	Yes	B5	2124.1					Displacement	Displacement
Medium	Yes	B5	1902.4					Displacement	Displacement
Medium	Yes	B5	1820.9					Displacement	Displacement
Medium	Yes	B5	7668.4					Pot Hole	Pot Hole
Medium	Yes	B5	7884.3					Displacement	
Medium	Yes	B5	8164.1					Utility Cover	Utility Cover
Medium	Yes	B5	8184.5					Utility Cover	Utility Cover
Medium	Yes	B5	7969.0	Veg		Veg			
Medium	Yes	B5	7917.7					Displacement	
Medium	Yes	B5	7478.6					Displacement	Displacement
Medium	Yes	B5	9212.7					Displacement	Displacement
Medium	Yes	B8	280.5					Displacement	Displacement
Medium	Yes	B8	159.4					Displacement	
Medium	Yes	B8	135.9					Utility Cover	
Medium	Yes	B8	98.5					Displacement	
Medium	Yes	B8	31.0					Pot Hole	Pot Hole
Medium	Yes	B7	4187.0					Displacement	
Medium	Yes	B7	4170.3					Utility Cover	
Medium	Yes	B5	9735.4	Veg		Veg			
Medium	Yes	B5	9891.2					Displacement	
Medium	Yes	B5	10278.9					Displacement	
Medium	Yes	B5	10485.1					Displacement	
Medium	Yes	B5	10510.4					Pot Hole	Pot Hole
Medium	Yes	B5	10642.3					Displacement	Displacement
Medium	Yes	B5	10845.8					Displacement	Displacement
Medium	Yes	B5	11130.3					Displacement	Displacement
Medium	Yes	B5	12343.1				rough sidewalk	Utility Cover	
Medium	Yes	B5	12442.7	Other				Utility Cover	Utility Cover
Medium	Yes	B5	12626.2					Utility Cover	Utility Cover
Medium	Yes	B5	12761.2					Displacement	Displacement
Medium	Yes	B5	12830.9	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12915.6					Displacement	Displacement
Medium	Yes	B5	13072.6					Displacement	Displacement
Medium	Yes	B5	13176.8					Pot Hole	Pot Hole
Medium	Yes	B5	13118.1					Displacement	Displacement
Medium	Yes	B5	13045.9					Displacement	Displacement
Medium	Yes	B5	12946.4	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12538.4				rough sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	12505.8	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12421.5	Rough Xing				Displacement	Displacement
Medium	Yes	B5	12401.8				rough sidewalk	Displacement	Displacement
Medium	Yes	B5	12306.2					Utility Cover	Utility Cover
Medium	Yes	B5	14312.1					Displacement	Displacement
Medium	Yes	B5	14278.9					Utility Cover	Utility Cover
Medium	Yes	B5	14230.5					Displacement	Utility Cover
Medium	Yes	B5	13986.1					Displacement	Displacement
Medium	Yes	B5	13810.9					Displacement	Displacement
Medium	Yes	B5	13601.3	Rough Xing				Displacement	Displacement
Medium	Yes	B5	13302.4					Pot Hole	Pot Hole
Medium	Yes	B5	13356.1					Displacement	Displacement
Medium	Yes	C1	26.0					Displacement	Displacement

Medium	Yes	B5	14054.7					Pot Hole	Pot Hole
Medium	Yes	B5	14100.5					Pot Hole	Pot Hole
Medium	Yes	B5	14465.0					Displacement	Displacement
Medium	Yes	B5	14650.2	Other			rough sidewalk	Pot Hole	Pot Hole
Medium	Yes	B5	15050.8					Displacement	Displacement
Medium	Yes	B5	15212.8					Displacement	Displacement
Medium	Yes	B5	15275.6					Utility Cover	Utility Cover
Medium	Yes	B5	15347.1					Displacement	Displacement
Medium	Yes	B5	15405.5					Displacement	Displacement
Medium	Yes	B10	6061.4					Displacement	Displacement
Medium	Yes	B10	6001.4					Displacement	Displacement
Medium	Yes	B10	5953.4					Displacement	Displacement
Medium	Yes	B5	15770.6					Pot Hole	Pot Hole
Medium	Yes	B5	15664.3					Pot Hole	Pot Hole
Medium	Yes	B5	15633.0					Utility Cover	Utility Cover
Medium	Yes	B5	15364.2					Displacement	
Medium	Yes	B5	15259.1					Displacement	
Medium	Yes	B5	15117.9					Displacement	Displacement
Medium	Yes	B5	14866.0					Displacement	
Medium	Yes	B5	14802.3					Displacement	Displacement
Medium	Yes	B5	14609.5					Displacement	
Medium	Yes	B5	14456.4					Pot Hole	Pot Hole
Medium	Yes	E8	797.8	Veg		Veg			
Medium	Yes	E8	713.0	Veg		Veg			
Medium	Yes	E8	635.3					Displacement	Displacement
Medium	Yes	E8	293.6					Utility Cover	Utility Cover
Medium	Yes	B5	17143.6					Displacement	Displacement
Medium	Yes	B5	17086.8					Displacement	Displacement
Medium	Yes	B5	16761.5					Utility Cover	Utility Cover
Medium	Yes	B5	15966.4	Veg		Veg		Displacement	
Medium	Yes	B5	16832.7					Displacement	Displacement
Medium	Yes	B5	17430.5					Utility Cover	Utility Cover
Medium	Yes	B5	17459.4					Utility Cover	Utility Cover
Medium	Yes	B5	17899.2					Utility Cover	Utility Cover
Medium	Yes	B5	17990.7					Displacement	
Medium	Yes	B5	18541.4					Utility Cover	Utility Cover
Medium	Yes	B5	18620.5					Displacement	Displacement
Medium	Yes	B5	18881.6					Displacement	Displacement
Medium	Yes	B5	19863.7				wide gaps between sidewalk panel	Displacement	Displacement
Medium	Yes	B5	20165.7					Displacement	Displacement
Medium	Yes	B5	19977.0					Utility Cover	
Medium	Yes	B5	19901.1					Displacement	Displacement
Medium	Yes	B5	19724.1					Displacement	
Medium	Yes	B5	19639.8					Displacement	Displacement
Medium	Yes	B5	19003.8					Displacement	
Medium	Yes	B5	18752.3					Utility Cover	Utility Cover
Medium	Yes	B5	18549.5					Displacement	Displacement
Medium	Yes	B5	18455.9	Veg		Veg			
Medium	Yes	B5	18052.2					Displacement	Displacement
Medium	Yes	B5	17960.5					Displacement	Displacement
Medium	Yes	B5	17456.6					Utility Cover	Utility Cover
Medium	Yes	B5	17354.0					Displacement	Displacement
Medium	Yes	B8	5773.7					Tree Well	
Medium	Yes	B8	5810.7					Tree Well	
Medium	Yes	B4	7328.5	Rough Xing				Displacement	
Medium	Yes	B4	4028.3	Rough Xing				Displacement	
Medium	Yes	B9	4036.7					Utility Cover	Utility Cover
Medium	Yes	B10	4351.9	Veg		Veg			
Medium	Yes	B10	4249.0					Displacement	Displacement
Medium	Yes	B10	2345.4					Displacement	Displacement
Medium	Yes	B10	1018.7	Veg	Veg	Veg			
Medium	Yes	B10	477.3					Utility Cover	Utility Cover

Medium	Yes	B10	292.9	Veg		Veg			
Medium	Yes	B10	44.5	Veg		Veg			
Medium	Yes	B10	1383.4	Other				Displacement	Displacement
Medium	Yes	B10	4773.3					Displacement	
Medium	Yes	B10	4697.5					Displacement	Displacement
Medium	Yes	B10	4622.1					Displacement	Displacement
Medium	Yes	B10	4778.6					Displacement	Displacement
Medium	Yes	B10	4864.4					Displacement	
Medium	Yes	B10	5255.3					Displacement	Displacement
Medium	Yes	B10	5343.9					Displacement	Displacement
Medium	Yes	B10	5403.7					Displacement	Utility Cover
Medium	Yes	B10	5619.9					Displacement	Displacement
Medium	Yes	B10	5773.4					Displacement	
Medium	Yes	B10	5731.3					Displacement	
Medium	Yes	B10	5481.3					Utility Cover	Utility Cover
Medium	Yes	B10	5467.8					Displacement	
Medium	Yes	B10	5396.1					Displacement	
Medium	Yes	B10	5197.4					Displacement	
Medium	Yes	B10	5135.4					Displacement	
Medium	Yes	B10	6098.5					Displacement	
Medium	Yes	B10	6145.6					Displacement	
Medium	Yes	B10	6829.4					Displacement	
Medium	Yes	B10	7186.2					Utility Cover	
Medium	Yes	B10	7062.1					Utility Cover	Utility Cover
Medium	Yes	B10	7025.8					Displacement	Displacement
Medium	Yes	B10	6912.0					Displacement	Displacement
Medium	Yes	B10	6828.5					Displacement	Displacement
Medium	Yes	B8	3983.8					Tree Well	
Medium	Yes	B8	3958.5					Tree Well	
Medium	Yes	B8	3900.7					Tree Well	
Medium	Yes	B8	3360.7					Tree Well	
Medium	Yes	B8	3317.3					Tree Well	
Medium	Yes	B8	3567.2					Tree Well	
Medium	Yes	B8	3747.1					Displacement	
Medium	Yes	B8	3775.7					Displacement	
Medium	Yes	B8	4187.8					Displacement	
Medium	Yes	B8	2483.2					Displacement	
Medium	Yes	B8	2457.1					Displacement	
Medium	Yes	B8	2151.1					Displacement	
Medium	Yes	B8	1904.5	Veg		Veg		Displacement	
Medium	Yes	B8	1409.9					Displacement	
Medium	Yes	B8	1365.3					Utility Cover	
Medium	Yes	B8	1284.8					Utility Cover	
Medium	Yes	B8	1245.4					Displacement	
Medium	Yes	B8	987.0					Utility Cover	Utility Cover
Medium	Yes	B8	1063.8					Utility Cover	Utility Cover
Medium	Yes	B8	1117.4					Displacement	Displacement
Medium	Yes	B4	3424.0					Displacement	
Medium	Yes	B4	2988.7					Displacement	Displacement
Medium	Yes	B4	1243.3					Displacement	
Medium	Yes	B4	1776.7					Displacement	
Medium	Yes	B4	1700.2					Displacement	Displacement
Medium	Yes	B4	38.7					Utility Cover	Utility Cover
Medium	Yes	A10	317.6					Utility Cover	Utility Cover
Medium	Yes	A10	1012.8					Displacement	
Medium	Yes	A10	409.0					Displacement	
Medium	Yes	B4	560.2					Displacement	
Medium	Yes	C1	7748.2					Displacement	Displacement
Medium	Yes	C1	7385.3					Displacement	Displacement
Medium	Yes	C1	7075.7					Displacement	Utility Cover
Medium	Yes	C1	7018.1	Veg		Veg			Displacement
Medium	Yes	C1	6951.4					Displacement	Displacement
Medium	Yes	C1	6367.7					Displacement	Displacement

Medium	Yes	C1	6227.2					Displacement	
Medium	Yes	C1	5985.5					Utility Cover	Utility Cover
Medium	Yes	C1	5501.5					Displacement	Displacement
Medium	Yes	C1	4307.0					Utility Cover	Utility Cover
Medium	Yes	C1	3662.7					Displacement	Displacement
Medium	Yes	C1	4849.2	Veg		Veg			
Medium	Yes	C1	6256.6					Utility Cover	Utility Cover
Medium	Yes	C1	6983.9					Displacement	
Medium	Yes	C1	2944.9					Pot Hole	Pot Hole
Medium	Yes	C1	2930.5					Pot Hole	Pot Hole
Medium	Yes	C1	2862.3	Veg		Veg			
Medium	Yes	C1	2609.6					Displacement	
Medium	Yes	C1	2375.5	Veg	Veg	Veg			
Medium	Yes	C1	2236.8					Displacement	
Medium	Yes	C1	2202.6					Displacement	
Medium	Yes	C1	2205.1					Displacement	Displacement
Medium	Yes	C1	2551.4					Displacement	Displacement
Medium	Yes	C1	3022.3					Displacement	Displacement
Medium	Yes	C1	3197.5					Displacement	
Medium	Yes	C1	3259.6					Displacement	
Medium	Yes	C1	3289.5					Displacement	
Medium	Yes	B7	4011.4					Utility Cover	Utility Cover
Medium	Yes	B7	3971.0					Displacement	Displacement
Medium	Yes	B7	3879.9					Displacement	Displacement
Medium	Yes	B7	3771.7					Displacement	Displacement
Medium	Yes	B7	3043.4					Utility Cover	Utility Cover
Medium	Yes	B7	671.7					Utility Cover	Utility Cover
Medium	Yes	B7	387.5	Veg		Veg			
Medium	Yes	B7	149.0					Utility Cover	Utility Cover
Medium	Yes	B7	568.6					Displacement	
Medium	Yes	B7	1195.4					Displacement	
Medium	Yes	B7	1477.6					Displacement	Displacement
Medium	Yes	B7	1917.1					Displacement	Displacement
Medium	Yes	B7	2219.7					Displacement	Displacement
Medium	Yes	B7	2779.7					Displacement	Displacement
Medium	Yes	B7	3005.3					Utility Cover	Utility Cover
Medium	Yes	B7	3263.3					Displacement	Displacement
Medium	Yes	B7	3362.6					Pot Hole	Pot Hole
Medium	Yes	B1	3484.7					Displacement	Displacement
Medium	Yes	B1	3936.3					Utility Cover	Utility Cover
Medium	Yes	B1	3378.6					Displacement	
Medium	Yes	B1	5701.0	Veg		Veg			
Medium	Yes	B1	5526.7	Veg		Veg			
Medium	Yes	B1	5393.6	Veg		Veg			
Medium	Yes	B1	5373.0	Veg	Veg			Displacement	Displacement
Medium	Yes	B1	4318.9					Displacement	Displacement
Medium	Yes	B1	4147.1					Pot Hole	Pot Hole
Medium	Yes	B1	4153.6	Veg		Veg			
Medium	Yes	B1	4337.4					Displacement	
Medium	Yes	B1	4820.0					Displacement	
Medium	Yes	B1	5054.0	Veg		Veg			
Medium	Yes	B1	5221.0					Displacement	
Medium	Yes	B1	5500.4					Displacement	
Medium	Yes	B1	5865.9	Veg		Veg			
Medium	Yes	B1	5922.8					Displacement	
Medium	Yes	B1	6773.0					Pot Hole	Pot Hole
Medium	Yes	B1	8282.0	Veg		Veg			
Medium	Yes	B1	10182.8					Displacement	
Medium	Yes	B1	10165.1					Displacement	Displacement
Medium	Yes	B1	9268.9					Displacement	Displacement
Medium	Yes	B9	1067.1					Displacement	
Medium	Yes	B9	1199.6	Veg		Veg			
Medium	Yes	B9	2717.5					Utility Cover	Utility Cover

Medium	Yes	B9	3422.2					Displacement	Displacement
Medium	Yes	B9	2884.4	Veg		Veg			
Medium	Yes	B9	1889.8					Utility Cover	
Medium	Yes	B9	1391.3					Displacement	
Medium	Yes	B6	339.5					Displacement	Displacement
Medium	Yes	B6	655.4					Displacement	Displacement
Medium	Yes	B6	928.6					Utility Cover	Utility Cover
Medium	Yes	B6	1376.4					Displacement	Displacement
Medium	Yes	B6	1820.9					Displacement	Displacement
Medium	Yes	B6	2171.4					Displacement	
Medium	Yes	B6	3008.3					Displacement	Displacement
Medium	Yes	B6	3260.5					Displacement	
Medium	Yes	B6	2657.2					Displacement	Displacement
Medium	Yes	B6	2064.9					Displacement	Displacement
Medium	Yes	B6	2079.0					Displacement	Displacement
Medium	Yes	B9	8182.9					Displacement	
Medium	Yes	B9	8209.0					Utility Cover	Utility Cover
Medium	Yes	B9	5488.7	Veg		Veg			
Medium	Yes	B9	7175.4					Displacement	Displacement
Medium	Yes	B5	62.5					Displacement	Displacement
Medium	Yes	B5	202.0					Displacement	
Medium	Yes	B5	210.2					Displacement	Displacement
Medium	Yes	B5	210.2					Displacement	
Medium	Yes	B5	243.8					Displacement	Displacement
Medium	Yes	B5	388.0					Displacement	Displacement
Medium	Yes	B5	494.5					Displacement	Utility Cover
Medium	Yes	B5	599.0					Displacement	Displacement
Medium	Yes	B5	691.8					Displacement	Displacement
Medium	Yes	B5	1025.3					Displacement	Displacement
Medium	Yes	B5	1025.3					Displacement	Displacement
Medium	Yes	B5	1061.9					Displacement	Displacement
Medium	Yes	E9	2168.7					Displacement	Utility Cover
Medium	Yes	E9	1754.7				picture 31	Utility Cover	Utility Cover
Medium	Yes	E9	1735.1					Displacement	Utility Cover
Medium	Yes	E9	1081.1					Displacement	Utility Cover
Medium	Yes	E9	674.2	Veg		Veg			
Medium	Yes	E9	604.1	Veg	Veg	Veg			
Medium	Yes	E9	513.6	Veg	Veg	Veg			
Medium	Yes	E9	420.6	Veg	Veg	Veg			
Medium	Yes	E9	320.4					Displacement	Displacement
Medium	Yes	E9	267.0					Displacement	Displacement
Medium	Yes	E9	231.6					Displacement	Displacement
Medium	Yes	E9	170.3					Displacement	Displacement
Medium	Yes	F2	531.4					Displacement	Displacement
Medium	Yes	F2	566.0					Pot Hole	Pot Hole
Medium	Yes	F2	766.2					Displacement	
Medium	Yes	F2	770.6					Pot Hole	Pot Hole
Medium	Yes	F2	804.3					Pot Hole	Pot Hole
Medium	Yes	F2	1104.0				pic 34	Pot Hole	Pot Hole
Medium	Yes	F1	1155.3					Displacement	Displacement
Medium	Yes	F1	1108.5					Displacement	Displacement
Medium	Yes	F1	942.0					Displacement	Displacement
Medium	Yes	F1	359.6	Tree		Veg			
Medium	Yes	F1	721.9					Utility Cover	Utility Cover
Medium	Yes	F1	747.4					Utility Cover	Utility Cover
Medium	Yes	F1	902.8					Utility Cover	Utility Cover
Medium	Yes	F1	1080.4					Utility Cover	Utility Cover
Medium	Yes	F2	2655.3					Displacement	Displacement
Medium	Yes	F2	3110.5					Displacement	Displacement
Medium	Yes	F2	5368.2					Displacement	Displacement
Medium	Yes	F2	5890.9					Utility Cover	Utility Cover
Medium	Yes	F2	6223.7					Displacement	Displacement
Medium	Yes	F2	6276.4					Displacement	Displacement

Medium	Yes	F2	6378.1					Displacement	Displacement
Medium	Yes	F2	6545.7					Pot Hole	Pot Hole
Medium	Yes	F2	6680.9					Pot Hole	Pot Hole
Medium	Yes	F2	6841.6					Utility Cover	Utility Cover
Medium	Yes	F2	6987.5					Displacement	Displacement
Medium	Yes	F2	8239.8					Utility Cover	Utility Cover
Medium	Yes	F2	8562.3					Utility Cover	Utility Cover
Medium	Yes	F2	8667.3					Utility Cover	Utility Cover
Medium	Yes	F2	8890.1					Displacement	Displacement
Medium	Yes	F2	8987.4					Displacement	Displacement
Medium	Yes	F2	9289.2					Utility Cover	Utility Cover
Medium	Yes	F2	11087.3					Displacement	
Medium	Yes	F2	11119.6					Displacement	Displacement
Medium	Yes	F3	345.4					Displacement	
Medium	Yes	F4	454.9			Veg			
Medium	Yes	F4	602.2			Veg			
Medium	Yes	F4	2498.9					Displacement	Displacement
Medium	Yes	F5	2080.5					Displacement	Displacement
Medium	Yes	A7	1859.1					Displacement	Displacement
Medium	Yes	A7	1919.1					Displacement	Displacement
Medium	Yes	A7	2015.0					Displacement	Displacement
Medium	Yes	A9	2564.0	Veg		Veg			
Medium	Yes	A9	2422.8	Veg		Veg			
Medium	Yes	A9	2051.8	Veg		Veg			
Medium	Yes	A9	21233.7					Displacement	
Medium	Yes	A9	23426.3	Other			drainage cover moves	Displacement	Displacement
Medium	Yes	A9	23249.5					Displacement	
Medium	Yes	A9	23169.5					Displacement	
Medium	Yes	A9	23087.3					Displacement	
Medium	Yes	A9	22543.2					Utility Cover	Utility Cover
Medium	Yes	A9	23744.6					Displacement	Displacement
Medium	Yes	A9	23783.3					Displacement	
Medium	Yes	A9	23807.2					Displacement	
Medium	Yes	A9	24063.0					Displacement	Displacement
Medium	Yes	A9	24336.5					Displacement	Displacement
Medium	Yes	A9	24834.9					Displacement	
Medium	Yes	A9	24856.5					Displacement	Displacement
Medium	Yes	A9	25706.2					Displacement	Displacement
Medium	Yes	A9	25769.9					Displacement	Displacement
Medium	Yes	A9	27984.3					Displacement	
Medium	Yes	A9	29273.1					Displacement	
Medium	Yes	A9	29315.8					Displacement	
Medium	Yes	A9	29560.2					Displacement	Displacement
Medium	Yes	A9	35239.3					Displacement	
Medium	Yes	A9	35150.8					Displacement	Displacement
Medium	Yes	A9	34954.3					Displacement	Displacement
Medium	Yes	A9	34922.4					Displacement	Displacement
Medium	Yes	A9	34860.7					Pot Hole	Pot Hole
Medium	Yes	A9	34347.1					Pot Hole	Pot Hole
Medium	Yes	A9	34266.2					Displacement	Displacement
Medium	Yes	A9	33852.8					Displacement	Displacement
Medium	Yes	A9	33386.7				pic 46	Utility Cover	Utility Cover
Medium	Yes	A9	33227.0				37.6%	Displacement	
Medium	Yes	A9	32996.8					Displacement	Displacement
Medium	Yes	A9	32948.8					Displacement	Displacement
Medium	Yes	A9	32198.7				sidewalk panel with very rough pavement	Displacement	Displacement
Medium	Yes	A9	31871.3	Other			missing sidewalk panel	Displacement	Displacement
Medium	Yes	A9	31578.4					Displacement	Displacement
Medium	Yes	A9	31294.3					Displacement	Displacement
Medium	Yes	A9	35327.1					Pot Hole	Pot Hole
Medium	Yes	A9	35542.9					Displacement	Displacement
Medium	Yes	A9	42966.1					Displacement	Displacement

Medium	Yes	A9	42878.8					Utility Cover	Utility Cover
Medium	Yes	A9	42462.2					Displacement	
Medium	Yes	A9	41960.7					Displacement	Displacement
Medium	Yes	A9	41917.5					Displacement	Displacement
Medium	Yes	A9	41806.6					Displacement	Displacement
Medium	Yes	A9	41652.9					Displacement	Displacement
Medium	Yes	A9	41589.2					Utility Cover	Utility Cover
Medium	Yes	A9	41545.1					Displacement	Displacement
Medium	Yes	A9	41034.2					Displacement	Displacement
Medium	Yes	A9	40847.9					Displacement	Displacement
Medium	Yes	A9	40768.7					Displacement	Displacement
Medium	Yes	A9	40229.3					Displacement	Displacement
Medium	Yes	A9	39295.5					Utility Cover	Utility Cover
Medium	Yes	A9	39261.9					Displacement	Displacement
Medium	Yes	A9	37962.1					Displacement	
Medium	Yes	A9	37906.3					Displacement	Displacement
Medium	Yes	A9	50369.3					Displacement	Displacement
Medium	Yes	A9	50054.5					Displacement	Displacement
Medium	Yes	A9	50095.0					Displacement	Displacement
Medium	Yes	A9	49356.2	Other				Utility Cover	Utility Cover
Medium	Yes	A9	47078.4					Utility Cover	Utility Cover
Medium	Yes	A9	46503.7					Utility Cover	Utility Cover
Medium	Yes	A9	46279.2					Displacement	Displacement
Medium	Yes	A9	45206.4					Utility Cover	Utility Cover
Medium	Yes	A9	45019.4					Displacement	
Medium	Yes	A9	44971.2					Utility Cover	Utility Cover
Medium	Yes	A9	44583.2					Displacement	Displacement
Medium	Yes	A9	44327.2					Utility Cover	Utility Cover
Medium	Yes	A9	43659.6					Utility Cover	Utility Cover
Medium	Yes	E1	8902.8					Utility Cover	Utility Cover
Medium	Yes	E1	8967.0					Displacement	Displacement
Medium	Yes	E4	2956.8					Displacement	
Medium	Yes	E1	7487.7					Pot Hole	Pot Hole
Medium	Yes	E1	7489.7					Displacement	Displacement
Medium	Yes	E1	7486.9					Displacement	Displacement
Medium	Yes	E1	7485.3					Displacement	Displacement
Medium	Yes	E4	2831.2	Other			sidewalk ends	Displacement	Displacement
Medium	Yes	E4	383.7					Displacement	Displacement
Medium	Yes	E4	280.7					Displacement	Displacement
Medium	Yes	E4	218.1					Displacement	Displacement
Medium	Yes	E4	176.2					Displacement	Displacement
Medium	Yes	E4	122.7					Displacement	
Medium	Yes	E1	8991.9					Displacement	
Medium	Yes	E1	9015.2					Displacement	Displacement
Medium	Yes	E1	9037.9					Displacement	Displacement
Medium	Yes	E1	9240.3				tree roots, 10.3 xslope	Displacement	
Medium	Yes	E1	9516.3					Displacement	Displacement
Medium	Yes	E1	9521.5					Displacement	
Medium	Yes	E1	9800.8					Utility Cover	Utility Cover
Medium	Yes	E1	9806.4					Displacement	Displacement
Medium	Yes	E1	9935.9					Displacement	
Medium	Yes	E1	10059.1					Displacement	
Medium	Yes	E1	10732.7					Displacement	Displacement
Medium	Yes	E10	1933.2					Displacement	
Medium	Yes	E2	1300.4					Displacement	Displacement
Medium	Yes	E2	400.7					Displacement	Displacement
Medium	Yes	E2	298.2					Displacement	Displacement
Medium	Yes	C3	27994.6				wide gaps between sidewalk panels	Displacement	Displacement
Medium	Yes	C3	27627.6					Displacement	Displacement
Medium	Yes	C3	27392.7					Displacement	Displacement
Medium	Yes	C3	27207.3				cross slope = 4.7	Displacement	Displacement
Medium	Yes	C3	27131.9	Veg		Veg			

Medium	Yes	C3	26725.6					Displacement	Displacement
Medium	Yes	C3	26615.7	Veg		Veg			
Medium	Yes	C3	25784.0					Displacement	Displacement
Medium	Yes	C3	24581.3					Displacement	Displacement
Medium	Yes	C3	23832.8					Utility Cover	Utility Cover
Medium	Yes	C3	23612.0					Utility Cover	Utility Cover
Medium	Yes	C3	23171.6	Veg		Veg			
Medium	Yes	C3	23056.9	Veg		Veg			
Medium	Yes	C3	21938.0					Pot Hole	Utility Cover
Medium	Yes	C3	21911.4					Displacement	Displacement
Medium	Yes	C3	21864.0					Displacement	Displacement
Medium	Yes	C3	21537.2					Displacement	
Medium	Yes	C3	21430.6					Displacement	
Medium	Yes	C3	21144.8					Displacement	
Medium	Yes	C3	21073.5					Displacement	
Medium	Yes	C3	19253.8			Veg			
Medium	Yes	D7	2979.8				xslope 8.5	Displacement	
Medium	Yes	D7	3021.6					Utility Cover	Utility Cover
Medium	Yes	E1	1555.8					Utility Cover	Utility Cover
Medium	Yes	D9	648.4					Displacement	Displacement
Medium	Yes	D9	591.6					Utility Cover	Utility Cover
Medium	Yes	D9	421.8	Veg	Veg			Displacement	Displacement
Medium	Yes	D9	364.1					Displacement	Displacement
Medium	Yes	D9	311.0					Displacement	Displacement
Medium	Yes	D9	165.3					Displacement	Displacement
Medium	Yes	D9	100.6	Veg		Veg			
Medium	Yes	D9	93.6					Displacement	
Medium	Yes	D9	1209.8					Displacement	Displacement
Medium	Yes	D9	1336.4				patched running slope = 9.1	Displacement	
Medium	Yes	E1	3094.3					Displacement	Displacement
Medium	Yes	E1	3158.0					Displacement	Displacement
Medium	Yes	E1	3204.1					Utility Cover	Utility Cover
Medium	Yes	E1	3412.0	Veg	Veg			Displacement	Displacement
Medium	Yes	E1	3806.6					Displacement	
Medium	Yes	E3	1296.0					Displacement	
Medium	Yes	E3	1280.4	Veg		Veg			
Medium	Yes	E3	1258.8	Veg		Veg			
Medium	Yes	E3	1213.9					Displacement	
Medium	Yes	E3	1062.4					Displacement	
Medium	Yes	E3	774.2					Displacement	
Medium	Yes	E3	705.6					Displacement	
Medium	Yes	E3	494.4	Veg		Veg			
Medium	Yes	E3	439.6	Veg		Veg			
Medium	Yes	C3	14549.1					Displacement	Displacement
Medium	Yes	C3	14891.3					Displacement	
Medium	Yes	C3	15571.1					Pot Hole	Pot Hole
Medium	Yes	C3	16059.8					Utility Cover	Utility Cover
Medium	Yes	C3	16245.4					Utility Cover	Utility Cover
Medium	Yes	C3	16527.7					Utility Cover	Utility Cover
Medium	Yes	C3	16894.0					Displacement	Displacement
Medium	Yes	C3	17642.2					Utility Cover	Utility Cover
Medium	Yes	D7	2053.2					Displacement	Displacement
Medium	Yes	D7	1907.3					Utility Cover	Utility Cover
Medium	Yes	D7	1828.6					Pot Hole	Pot Hole
Medium	Yes	D7	1616.6					Utility Cover	Utility Cover
Medium	Yes	D7	1246.6					Utility Cover	Utility Cover
Medium	Yes	D6	4502.2					Displacement	Displacement
Medium	Yes	D6	4961.6					Utility Cover	Utility Cover
Medium	Yes	D6	5200.6			Veg			
Medium	Yes	D6	5471.1					Displacement	
Medium	Yes	D6	6838.2					Utility Cover	
Medium	Yes	D4	3288.6					Utility Cover	Utility Cover

Medium	Yes	D4	3365.5					Displacement	
Medium	Yes	D4	3623.2					Displacement	
Medium	Yes	D5	79.6					Displacement	
Medium	Yes	D5	537.4					Displacement	
Medium	Yes	D5	1953.7					Utility Cover	
Medium	Yes	D5	1922.1					Displacement	
Medium	Yes	D5	1906.7					Displacement	
Medium	Yes	C9	8214.2					Displacement	Displacement
Medium	Yes	C9	7714.2					Displacement	Displacement
Medium	Yes	C9	7629.2	Veg		Veg			
Medium	Yes	C9	7290.8					Utility Cover	Utility Cover
Medium	Yes	C9	6480.9					Pot Hole	Pot Hole
Medium	Yes	C9	6386.2					Pot Hole	Pot Hole
Medium	Yes	C9	5794.8					Displacement	
Medium	Yes	C9	5765.6					Displacement	Displacement
Medium	Yes	C9	5084.2					Displacement	Displacement
Medium	Yes	C9	4112.6					Utility Cover	
Medium	Yes	C9	1618.7			Veg			
Medium	Yes	C9	1559.2			Veg			
Medium	Yes	C9	1206.0					Utility Cover	
Medium	Yes	C9	506.7					Displacement	
Medium	Yes	C9	367.1					Utility Cover	Utility Cover
Medium	Yes	C3	10890.7					Displacement	Utility Cover
Medium	Yes	C3	10858.0				pic 53	Displacement	Displacement
Medium	Yes	C3	6596.7				major displacement	Displacement	Displacement
Medium	Yes	C3	6822.1					Displacement	Displacement
Medium	Yes	C3	7811.5					Displacement	Displacement
Medium	Yes	C3	7826.3					Displacement	
Medium	Yes	C3	8002.4					Displacement	Displacement
Medium	Yes	C3	8080.0					Displacement	Displacement
Medium	Yes	C3	8313.6					Displacement	Displacement
Medium	Yes	C3	8451.9					Displacement	Displacement
Medium	Yes	C3	9214.7					Displacement	Displacement
Medium	Yes	C10	142.9					Displacement	
Medium	Yes	C10	168.9					Displacement	Displacement
Medium	Yes	C10	192.3					Displacement	Displacement
Medium	Yes	C10	271.7					Displacement	Displacement
Medium	Yes	C10	885.0	Veg		Veg			
Medium	Yes	C10	1255.1	Veg		Veg			
Medium	Yes	F2	12249.6	Other			signal button pole		
Medium	Yes	F2	12663.6	Other			mail box		
Medium	Yes	A9	29148.5				light	Other	
Medium	Yes	A9	29188.0				light	Other	
Medium	Yes	A9	29216.6				light	Other	
Medium	Yes	E1	7300.0	Other			usps mail box		
Medium	Yes	C3	8991.6				severe ramp up and down	Other	
Medium	Yes	C7	126.9	Sign Pole			bent		
Medium	Yes	B1	10418.1	Other			signal cabinet		
Medium	Yes	D1	2005.2	Other			bus bench		
Medium	Yes	B2	341.3	Other			mail boxes		
Medium	Yes	B2	195.1	Other			mail boxes		
Medium	Yes	B2	58.5	Other			mail boxes		
Medium	Yes	B2	9.3	Other			mb		
Medium	Yes	B2	0.0	Other			mb		
Medium	Yes	B2	0.0	Other			mb		
Medium	Yes	C6	1341.7	Other			fire hydrant		
Medium	Yes	C5	3325.1				fire hydrant middle of sidewalk		
Medium	Yes	C2	4019.1				triangle cut out of sidewalk		Pot Hole
Medium	Yes	C2	559.3				missing pieces of sidewalk	Other	

Medium	Yes	C4	1498.6				meter pole		
Medium	Yes	C4	3235.3				missing piece of sidewalk	Other	
Medium	Yes	C4	3369.1				missing sidewalk x3	Other	
Medium	Yes	A1	2638.8	Rough Xing			2-3 inch lip		
Medium	Yes	A1	5605.0	Rough Xing			missing sidewalk panel		
Medium	Yes	A3	2863.9	Rough Xing			horrible pavement condition		
Medium	Yes	A3	2748.2	Rough Xing			horrible pavement condition		
Medium	Yes	A3	1895.8				very rough pavement		
Medium	Yes	A4	2087.8				broken		Tree Well
Medium	Yes	A5	2039.2				very rough pavement		
Medium	Yes	A5	1031.8	Other			dumpster in sidewalk		
Medium	Yes	B5	20716.6	Other			very rough pavement panel		
Medium	Yes	B5	21763.3	Other			missing sidewalk panel		
Medium	Yes	B10	3911.4	Other			very rough section of pavement		
Medium	Yes	B7	4099.9	Other			fire hydrant		
Medium	Yes	A9	34579.8	Other			fire hydrant and horizontal and vertical displacement		
Medium	Yes	A9	46117.6				sewer grate	Other	Other
Medium	Yes	D9	175.0	Other			sharp dropoff		
Medium	Yes	D4	3494.8	Other			missing sidewalk panel		
Medium	No	B5	48.6						Displacement
Medium	No	B5	94.4						Displacement
Medium	No	B5	158.0						Pot Hole
Medium	No	B5	174.1						Utility Cover
Medium	No	B5	213.7						Displacement
Medium	No	B5	314.8						Displacement
Medium	No	B5	352.2						Displacement
Medium	No	B5	376.9						Pot Hole
Medium	No	B5	616.8						Displacement
Medium	No	B5	638.9						Utility Cover
Medium	No	B5	658.6						Pot Hole
Medium	No	B5	728.6						Utility Cover
Medium	No	B5	858.5						Displacement
Medium	No	B5	977.2				rough	Other	
Medium	No	B5	1029.2						Pot Hole
Medium	No	B5	1124.4						Pot Hole
Medium	No	F2	229.5						Displacement
Medium	No	F1	2254.4						Displacement
Medium	No	F2	2650.4	Veg	Veg				
Medium	No	F2	3921.0						Pot Hole
Medium	No	F2	4316.7						Displacement
Medium	No	F2	5961.5						Pot Hole
Medium	No	F2	5995.8						Pot Hole
Medium	No	F2	6372.2	Veg	Veg				
Medium	No	F2	7484.3						Utility Cover
Medium	No	F2	8405.5						Displacement
Medium	No	F2	8505.7						Displacement
Medium	No	F2	9901.5						Pot Hole
Medium	No	F2	12155.0						Pot Hole
Medium	No	F2	13264.2						Pot Hole
Medium	No	F2	13478.0	Veg	Veg				
Medium	No	F2	14199.9				rough crossing		
Medium	No	F2	14055.9	Other			rough crossing		
Medium	No	F2	12174.5						Pot Hole
Medium	No	F2	12004.0						Pot Hole
Medium	No	F2	11951.1						Pot Hole
Medium	No	A7	76.3	Veg	Veg				

Medium	No	A7	51.9	Veg	Veg				
Medium	No	A7	106.3	Veg	Veg				
Medium	No	A7	187.0	Veg	Veg				
Medium	No	A7	220.6	Veg	Veg				
Medium	No	A8	966.5	Median					
Medium	No	A9	11281.6						Displacement
Medium	No	A9	21588.5						Utility Cover
Medium	No	A9	22296.5						Displacement
Medium	No	A9	22354.6						Displacement
Medium	No	A9	22899.1						Pot Hole
Medium	No	A9	23056.3						Displacement
Medium	No	A9	23164.8						Displacement
Medium	No	A9	23361.1						Displacement
Medium	No	A9	23372.0						Displacement
Medium	No	A9	23389.4						Displacement
Medium	No	A9	23454.4						Displacement
Medium	No	A9	23881.8						Displacement
Medium	No	A9	24851.4						Displacement
Medium	No	A9	25215.0						Displacement
Medium	No	A9	25489.4						Displacement
Medium	No	A9	25591.4				rough crossing	Other	
Medium	No	A9	25958.4						Displacement
Medium	No	A9	26355.2						Displacement
Medium	No	A9	26435.1						Pot Hole
Medium	No	A9	26617.1						Displacement
Medium	No	A9	26743.9						Displacement
Medium	No	A9	27000.1	Rough Xing					
Medium	No	A9	29304.2						Displacement
Medium	No	C5	39.1	Rough Xing					
Medium	No	A9	30289.8	Rough Xing					
Medium	No	A9	30588.4	Rough Xing					
Medium	No	A9	33493.3						Utility Cover
Medium	No	A9	33322.5	Rough Xing					
Medium	No	A9	32218.1	Rough Xing					
Medium	No	A9	36013.8						
Medium	No	A9	36014.5						
Medium	No	A9	36027.7	Median					
Medium	No	A9	36421.8						Utility Cover
Medium	No	A10	10992.8	Median			no sidewalk		
Medium	No	A9	42762.3	Median					
Medium	No	A9	42443.6	Rough Xing					
Medium	No	D7	32.8	Rough Xing					
Medium	No	A9	42258.4						Utility Cover
Medium	No	A9	41868.1						Pot Hole
Medium	No	A9	41798.3	Veg	Veg				
Medium	No	A9	41386.7						Displacement
Medium	No	A9	41154.2	Rough Xing					
Medium	No	A9	39216.5	Rough Xing					
Medium	No	A9	38079.1	Rough Xing					
Medium	No	A9	36936.0						Utility Cover
Medium	No	A9	37041.7						Utility Cover
Medium	No	E4	5776.5						Displacement
Medium	No	E4	5763.7	Rough Xing					
Medium	No	A9	50273.0						Utility Cover
Medium	No	A9	49980.8	Rough Xing					
Medium	No	A9	49457.4						Utility Cover
Medium	No	E4	68.2	Rough Xing					
Medium	No	E4	52.1	Rough Xing					
Medium	No	A9	49082.3						Pot Hole
Medium	No	A9	48602.7				broken sidewalk tile		Utility Cover
Medium	No	E3	64.6	Rough Xing					
Medium	No	E3	57.4						
Medium	No	E3	42.7	Rough Xing					

Medium	No	A9	47660.0	Rough Xing					
Medium	No	A9	47590.3	Rough Xing					
Medium	No	A9	47539.8						Pot Hole
Medium	No	A9	47497.3						Displacement
Medium	No	A9	46543.8					Other	
Medium	No	A9	46412.6						Displacement
Medium	No	A9	46303.2	Sign Pole					
Medium	No	A9	46129.6	Rough Xing					
Medium	No	A9	46105.7				no sidewalks between ramps		
Medium	No	A9	45932.6	Median			porkchop island, 3 ramps, no sidewalk		
Medium	No	A9	45423.3						Displacement
Medium	No	E4	5706.0						Utility Cover
Medium	No	E4	1266.7	Veg		Tree Limb			
Medium	No	E4	1223.1	Veg		Tree Limb			
Medium	No	E4	119.6						Displacement
Medium	No	E1	6904.4						Pot Hole
Medium	No	E1	7157.9				bike tracks in cement	Other	
Medium	No	E1	7415.0						Pot Hole
Medium	No	E1	7519.7	Rough Xing					
Medium	No	E1	9028.3						Pot Hole
Medium	No	E1	9110.9						Pot Hole
Medium	No	E1	9179.0						Pot Hole
Medium	No	E1	9248.1						Pot Hole
Medium	No	E1	11105.3	Veg	Veg				
Medium	No	E10	1791.3	Rough Xing					
Medium	No	E2	1319.0	Rough Xing					
Medium	No	E2	1087.5	Rough Xing					
Medium	No	C3	26179.8						Displacement
Medium	No	C3	25675.0						Displacement
Medium	No	C3	25552.7						Displacement
Medium	No	C3	25257.1						Displacement
Medium	No	C3	24226.9	Veg	Veg				
Medium	No	C3	24043.9	Veg	Veg				
Medium	No	C3	24083.8	Veg	Veg				
Medium	No	C3	24016.0						Pot Hole
Medium	No	C3	23961.4	Veg			big bush in middle of landing		
Medium	No	C3	23922.3	Rough Xing					
Medium	No	C3	23174.4						Displacement
Medium	No	C3	22774.8						Pot Hole
Medium	No	C3	20944.6						Displacement
Medium	No	D8	881.0						Utility Cover
Medium	No	D8	676.9	Rough Xing					
Medium	No	D8	360.1						Utility Cover
Medium	No	C3	19743.7	Veg	Veg				
Medium	No	C3	18902.8	Veg	Veg				
Medium	No	D7	2395.7						Pot Hole
Medium	No	D7	2670.4						Displacement
Medium	No	D7	3600.5	Rough Xing					
Medium	No	D7	4050.6						Pot Hole
Medium	No	D7	4491.2						Displacement
Medium	No	E1	646.4	Veg					
Medium	No	E1	466.8	Rough Xing					
Medium	No	E1	1028.8	Rough Xing					
Medium	No	E1	3796.1						Displacement
Medium	No	E1	4938.4	Veg	Veg				
Medium	No	E1	5265.5	Rough Xing					
Medium	No	E3	2322.8	Rough Xing					
Medium	No	E3	207.0					Other	
Medium	No	C3	13328.7						Displacement
Medium	No	C3	13423.9						Displacement

Medium	No	C3	13452.6						Pot Hole
Medium	No	C3	13560.6						Pot Hole
Medium	No	C3	13586.1						Displacement
Medium	No	C3	14146.9						Displacement
Medium	No	C3	14393.1						Displacement
Medium	No	C3	14975.3						Displacement
Medium	No	C3	15026.8						Displacement
Medium	No	C3	15121.6						Displacement
Medium	No	C3	15262.5						Pot Hole
Medium	No	C3	15532.0	Rough Xing					
Medium	No	C3	15763.7						Pot Hole
Medium	No	C3	15815.2						Pot Hole
Medium	No	C3	15855.9				X3		Displacement
Medium	No	C3	16436.8						Displacement
Medium	No	C3	16849.9	Veg	Veg		x2		
Medium	No	C3	16961.1						Displacement
Medium	No	C3	18334.5	Veg	Veg				
Medium	No	D7	2030.5						Pot Hole
Medium	No	D7	1577.1						Pot Hole
Medium	No	D7	1455.1				parallel to sidewalk 8 ft		Displacement
Medium	No	D7	1382.6						Displacement
Medium	No	D7	1238.3		Veg				
Medium	No	D7	978.4	Veg	Veg				
Medium	No	D7	786.6						Pot Hole
Medium	No	D7	610.3						Displacement
Medium	No	D7	611.3						Pot Hole
Medium	No	D7	402.3				asphalt patch		
Medium	No	D7	249.8						Utility Cover
Medium	No	D6	3668.6						Displacement
Medium	No	D6	3638.8						Displacement
Medium	No	D6	3562.7	Veg	Veg				
Medium	No	D6	3527.8	Veg	Veg				
Medium	No	D6	3454.9	Veg	Veg				
Medium	No	D6	2518.7						Pot Hole
Medium	No	D6	2407.6	Veg	Veg				
Medium	No	D6	2121.8	Veg	Veg		in sidewalk crack		
Medium	No	D6	2051.4						Displacement
Medium	No	D6	1937.6						Displacement
Medium	No	D6	1897.0						Pot Hole
Medium	No	D6	1899.7				x3		Displacement
Medium	No	D6	1775.0						Pot Hole
Medium	No	D6	1623.4						Displacement
Medium	No	D6	1577.3						Displacement
Medium	No	D6	1120.9	Veg	Veg				
Medium	No	D6	836.5						Tree Well
Medium	No	D6	685.0						Tree Well
Medium	No	D6	546.8						Displacement
Medium	No	D6	370.9						Pot Hole
Medium	No	D6	246.3						Pot Hole
Medium	No	D6	220.4				x5		Pot Hole
Medium	No	D6	695.5						Pot Hole
Medium	No	D6	1548.6						Displacement
Medium	No	D6	1600.0				x2		Displacement
Medium	No	D6	1697.6	Rough Xing					
Medium	No	D6	1811.4	Rough Xing					
Medium	No	D6	2955.7						Pot Hole
Medium	No	D6	3307.9				x4		Displacement
Medium	No	D6	3416.2						Displacement
Medium	No	D6	3546.2	Rough Xing					
Medium	No	D6	3649.1						Pot Hole
Medium	No	D4	2355.0						Displacement
Medium	No	D4	1975.3	Veg	Veg				

Medium	No	D4	1463.5						Pot Hole
Medium	No	D4	2384.8	Veg	Veg				
Medium	No	C9	5857.6	Rough Xing					
Medium	No	D4	2627.1						Displacement
Medium	No	D4	4190.3	Veg	Veg				
Medium	No	D4	5954.9	Veg	Veg				
Medium	No	C9	6074.1	Veg	Veg				
Medium	No	C9	5484.8						Displacement
Medium	No	C9	4980.7	Rough Xing					
Medium	No	C3	11077.1	Rough Xing					
Medium	No	C3	11530.2						Displacement
Medium	No	C9	3457.6						Pot Hole
Medium	No	C9	3350.4	Veg	Veg				
Medium	No	C9	2918.2						Pot Hole
Medium	No	C9	1033.7	Rough Xing					
Medium	No	C3	10018.8		Veg				
Medium	No	C3	10108.1		Veg				
Medium	No	C3	198.3	Rough Xing					
Medium	No	B8	401.6	Rough Xing					
Medium	No	B8	403.2	Median					
Medium	No	B8	405.8	Median			no sidewalk between ramps		
Medium	No	C3	5023.2		Veg				
Medium	No	C3	4805.4						Displacement
Medium	No	C3	4678.9		Veg		many		
Medium	No	C3	5328.1						Displacement
Medium	No	C3	7927.1						Pot Hole
Medium	No	C3	8364.3						Pot Hole
Medium	No	C3	8358.1						Pot Hole
Medium	No	C3	8445.4						Displacement
Medium	No	C3	8580.7				x3		Pot Hole
Medium	No	C3	8671.0						Utility Cover
Medium	No	C3	8680.4						Pot Hole
Medium	No	C3	8761.3						Pot Hole
Medium	No	C3	8796.7				x2 in driveway		Pot Hole
Medium	No	C3	8902.0				x2		Pot Hole
Medium	No	C3	8950.3						Pot Hole
Medium	No	C10	1284.6	Rough Xing					
Medium	No	C8	395.0		Veg				
Medium	No	C8	375.8		Veg				
Medium	No	C7	1485.0		Veg				
Medium	No	D1	4045.6	Rough Xing					
Medium	No	C7	3074.1		Veg				
Medium	No	C7	3128.1	Veg					
Medium	No	C7	4449.3		Veg				
Medium	No	C7	3711.8	Rough Xing					
Medium	No	C7	2901.1	Rough Xing					
Medium	No	C7	1954.8		Veg				
Medium	No	C7	1899.3		Veg				
Medium	No	C7	1476.8		Veg				
Medium	No	B1	14441.7				x2		Pot Hole
Medium	No	B1	11900.0				x3		Pot Hole
Medium	No	B1	10483.6						Pot Hole
Medium	No	B1	11191.8						Pot Hole
Medium	No	B1	11267.7				x2		Pot Hole
Medium	No	B1	11489.8						Pot Hole
Medium	No	B1	11890.5						Pot Hole
Medium	No	B1	15345.8	Rough Xing					
Medium	No	B1	15788.8						Pot Hole
Medium	No	D1	4668.7	Veg	Veg				
Medium	No	D1	4820.6	Veg	Veg				
Medium	No	D1	3789.7		Veg				
Medium	No	D1	4149.9		Veg				

Medium	No	D1	2931.8	Rough Xing					
Medium	No	D1	2453.6		Veg				
Medium	No	D1	2215.9	Rough Xing					
Medium	No	D1	1995.2		Veg				
Medium	No	D1	1560.8		Veg				
Medium	No	D1	966.3			Tree Limb			
Medium	No	C4	2883.9	Rough Xing					
Medium	No	D1	107.9		Veg				
Medium	No	D1	1232.4						Pot Hole
Medium	No	D1	1722.7					Other	Pot Hole
Medium	No	D1	1770.2		Veg				
Medium	No	D1	2211.3	Rough Xing					
Medium	No	D1	2190.4	Rough Xing					
Medium	No	D1	3525.3			Tree Limb			
Medium	No	A10	9724.2		Veg				
Medium	No	A10	9967.2	Other					
Medium	No	A10	9716.2						
Medium	No	A10	10189.0	Rough Xing					
Medium	No	A10	10765.3				x5		Pot Hole
Medium	No	A10	10328.5						Pot Hole
Medium	No	A10	9379.4						
Medium	No	A10	6415.2						Pot Hole
Medium	No	A10	7291.0						Displacement
Medium	No	A10	8444.2	Veg	Veg				
Medium	No	A10	8453.4						Pot Hole
Medium	No	A10	8573.7						Pot Hole
Medium	No	A10	8807.4						Pot Hole
Medium	No	A10	8530.4						Pot Hole
Medium	No	A10	8425.9						Pot Hole
Medium	No	A10	7169.5						Pot Hole
Medium	No	A10	5699.2						Pot Hole
Medium	No	A10	5551.8						Pot Hole
Medium	No	A10	5351.1						Pot Hole
Medium	No	A10	4929.4						Utility Cover
Medium	No	A10	4537.8						Pot Hole
Medium	No	A10	4304.6						Displacement
Medium	No	A10	4236.8						Pot Hole
Medium	No	A10	3690.5						Pot Hole
Medium	No	A10	3529.0	Veg	Veg				
Medium	No	A10	2985.6	Rough Xing					
Medium	No	A10	3834.4						Pot Hole
Medium	No	B3	1978.7	Rough Xing					
Medium	No	B2	7232.5	Rough Xing					
Medium	No	B2	7209.1	Rough Xing					
Medium	No	B2	7231.0	Rough Xing					
Medium	No	B2	7261.7	Rough Xing					
Medium	No	B2	11225.7	Rough Xing					
Medium	No	B2	11475.7						
Medium	No	B2	11487.4	Rough Xing					
Medium	No	B2	11501.2	Rough Xing					
Medium	No	B2	14254.3	Rough Xing					
Medium	No	B2	14318.5	Rough Xing					
Medium	No	B2	14289.5	Rough Xing					
Medium	No	B2	14279.1	Rough Xing					
Medium	No	B2	16296.6	Rough Xing					
Medium	No	B2	17031.2	Rough Xing					
Medium	No	B2	17337.5	Rough Xing					
Medium	No	B2	17866.5	Rough Xing					
Medium	No	B2	17521.2	Rough Xing					
Medium	No	B2	17574.1	Rough Xing					
Medium	No	B2	17545.1	Rough Xing					
Medium	No	B2	17503.8	Rough Xing					
Medium	No	B2	17225.1		Veg				

Medium	No	B2	18871.8	Veg	Veg				
Medium	No	D2	306.3						Displacement
Medium	No	D2	777.6	Rough Xing					
Medium	No	C6	1027.9		Veg				Tree Well
Medium	No	C6	1873.9		Veg				
Medium	No	C6	1826.0		Veg				
Medium	No	C5	9472.5	Rough Xing					
Medium	No	C5	9965.2						
Medium	No	C5	8621.4						Displacement
Medium	No	C5	8850.7						Displacement
Medium	No	C5	8598.6						Displacement
Medium	No	C6	3215.8	Rough Xing					
Medium	No	C5	6681.3		Veg				
Medium	No	C5	8559.3	Median					
Medium	No	C5	9031.8		Veg				
Medium	No	C5	3713.0						Pot Hole
Medium	No	C5	2923.7				x2		Pot Hole
Medium	No	C5	2435.1						Pot Hole
Medium	No	C5	2203.3						Pot Hole
Medium	No	C5	2174.9						Pot Hole
Medium	No	C5	2215.0						Utility Cover
Medium	No	C5	3838.2						Pot Hole
Medium	No	C2	4759.1	Veg	Veg				
Medium	No	C2	4302.0						Utility Cover
Medium	No	C2	4249.8	Rough Xing					
Medium	No	C2	3917.8						Pot Hole
Medium	No	C2	3695.6						Pot Hole
Medium	No	C2	2655.0						Utility Cover
Medium	No	C2	3062.3				old platform for signal pole	Other	
Medium	No	C2	3408.5						Pot Hole
Medium	No	C2	1804.5		Veg				
Medium	No	C2	2115.4		Veg				
Medium	No	C2	2139.4		Veg				
Medium	No	C2	2221.2						Pot Hole
Medium	No	C2	1983.5						Pot Hole
Medium	No	C2	1299.2	Rough Xing					
Medium	No	C2	701.4		Veg				
Medium	No	C2	434.9			Tree Limb			
Medium	No	C2	353.0		Veg				
Medium	No	C2	478.5		Veg				
Medium	No	C2	1349.8		Veg				
Medium	No	C4	4816.2	Rough Xing					
Medium	No	C4	2979.0		Veg				
Medium	No	C2	246.2	Rough Xing					
Medium	No	C4	550.7	Rough Xing					
Medium	No	C4	1879.2	Sign Pole					
Medium	No	C4	3291.0		Veg				
Medium	No	C5	368.8	Rough Xing					
Medium	No	A1	0.0	Rough Xing					
Medium	No	A1	91.1						Displacement
Medium	No	A1	141.3						Displacement
Medium	No	A1	704.2	Veg	Veg				
Medium	No	A1	1628.9	Rough Xing					
Medium	No	A1	1051.4	Veg	Veg				
Medium	No	A1	1008.7						Displacement
Medium	No	A1	1185.4	Rough Xing					
Medium	No	A1	248.4						Displacement
Medium	No	A1	2727.7						Displacement
Medium	No	A1	2596.6						Displacement
Medium	No	A1	2482.0	Rough Xing					
Medium	No	A1	2345.8						Displacement
Medium	No	A1	2305.6	Rough Xing					

Medium	No	A1	2248.3	Rough Xing					
Medium	No	A1	2207.0						Displacement
Medium	No	A1	1910.9	Rough Xing					
Medium	No	A1	1866.1						Displacement
Medium	No	A1	1839.0	Rough Xing					
Medium	No	A1	1857.2						Displacement
Medium	No	A1	1967.4	Rough Xing					
Medium	No	A1	2245.2	Rough Xing					
Medium	No	A1	2339.2	Rough Xing					
Medium	No	E6	36.4	Rough Xing					
Medium	No	A1	3723.6						Utility Cover
Medium	No	A1	3711.4	Rough Xing					
Medium	No	A1	3609.2						Utility Cover
Medium	No	A1	3432.1						Displacement
Medium	No	A1	3319.3						Displacement
Medium	No	A1	3199.7						Utility Cover
Medium	No	A1	4467.0	Rough Xing					
Medium	No	A1	4521.0	Rough Xing					
Medium	No	A1	4603.4	Rough Xing					
Medium	No	A1	4637.4						Displacement
Medium	No	A1	4734.3						Displacement
Medium	No	A1	4819.0	Rough Xing					
Medium	No	A1	4893.0	Veg	Veg				
Medium	No	A1	4998.6	Veg	Veg				
Medium	No	A1	5250.5	Rough Xing					
Medium	No	A1	5494.6						Displacement
Medium	No	A1	5522.8						Displacement
Medium	No	A1	5492.6						Displacement
Medium	No	A1	4692.6	Rough Xing					
Medium	No	A1	4669.5	Rough Xing					
Medium	No	A2	243.2						Displacement
Medium	No	E6	358.7						Displacement
Medium	No	E6	70.5	Veg	Veg				
Medium	No	A2	968.1	Rough Xing					
Medium	No	A2	1020.8						Displacement
Medium	No	A2	2517.5	Rough Xing					
Medium	No	A2	552.0						Displacement
Medium	No	A2	451.1	Rough Xing					
Medium	No	A2	480.9	Rough Xing					
Medium	No	A3	0.0	Rough Xing					
Medium	No	A3	949.4						Displacement
Medium	No	A3	1169.2	Veg	Veg				
Medium	No	A3	1499.5	Rough Xing					
Medium	No	A3	2091.2						Displacement
Medium	No	A3	2152.4						Displacement
Medium	No	A3	2417.8	Rough Xing					
Medium	No	A3	2977.7	Rough Xing					
Medium	No	A3	3398.3						Displacement
Medium	No	A3	2007.8	Rough Xing					
Medium	No	A3	1968.1	Rough Xing					
Medium	No	A4	577.0						Utility Cover
Medium	No	A4	619.7						Displacement
Medium	No	A4	691.6						Displacement
Medium	No	A4	916.4	Rough Xing					
Medium	No	A4	984.4	Rough Xing					
Medium	No	A4	1200.7	Rough Xing					
Medium	No	A4	1401.4	Rough Xing					
Medium	No	A4	1541.4	News Rack					
Medium	No	A4	2162.2						Displacement
Medium	No	A4	2182.2						Displacement
Medium	No	A4	2627.3						Displacement
Medium	No	A4	1765.7	Rough Xing					
Medium	No	A4	1628.2	Veg	Veg				

Medium	No	A4	1541.2	Rough Xing					
Medium	No	A4	925.8	Rough Xing					
Medium	No	A4	4777.3						Displacement
Medium	No	A4	4745.9						Displacement
Medium	No	A4	4093.7						Utility Cover
Medium	No	A4	3309.6						Displacement
Medium	No	A4	3919.0						Displacement
Medium	No	A4	4041.2						Displacement
Medium	No	A4	4215.7						Displacement
Medium	No	A4	4306.6						Displacement
Medium	No	A4	4429.2						Utility Cover
Medium	No	A4	4460.5	Rough Xing					
Medium	No	A4	4870.3	Rough Xing					
Medium	No	A4	4867.5						Displacement
Medium	No	A4	4870.3	Rough Xing					
Medium	No	A4	4870.3	Rough Xing					
Medium	No	E7	252.0	Veg		Tree Limb			
Medium	No	E7	0.0						Displacement
Medium	No	A5	731.6	Rough Xing					
Medium	No	A6	10501.6						Displacement
Medium	No	A5	1119.9						Displacement
Medium	No	A5	1557.8						Displacement
Medium	No	A5	1997.3	Rough Xing					
Medium	No	A5	2129.9						Displacement
Medium	No	A5	2726.8						Displacement
Medium	No	A5	2701.0						Displacement
Medium	No	A5	1872.8	Rough Xing					
Medium	No	A5	1678.7						Displacement
Medium	No	A5	1231.2	Rough Xing					
Medium	No	A5	1196.7						Displacement
Medium	No	A5	1113.4						Displacement
Medium	No	A5	1050.5	Rough Xing					
Medium	No	A5	877.2						Displacement
Medium	No	A5	797.3	Rough Xing					
Medium	No	A6	9815.5						Displacement
Medium	No	A6	7888.6	Rough Xing					
Medium	No	A6	7690.3	Rough Xing					
Medium	No	A6	7864.9						Displacement
Medium	No	A6	8857.5	Rough Xing					
Medium	No	A6	6872.8						Displacement
Medium	No	A6	6904.1						Displacement
Medium	No	A6	7234.7	Rough Xing					
Medium	No	A6	6808.3	Rough Xing					
Medium	No	A6	6635.9						Displacement
Medium	No	A6	6322.1	Rough Xing					
Medium	No	A6	5634.5	Rough Xing					
Medium	No	A6	5606.4						Displacement
Medium	No	A6	5297.8						Utility Cover
Medium	No	A6	5191.6						Displacement
Medium	No	A6	5100.0						Displacement
Medium	No	A6	4985.5						Displacement
Medium	No	A6	4887.0	Rough Xing					
Medium	No	A6	4882.0	Rough Xing					
Medium	No	A6	4990.8						Displacement
Medium	No	E7	349.8	Rough Xing					
Medium	No	A6	6459.2						Displacement
Medium	No	A6	6684.2						Displacement
Medium	No	A6	6731.0						Displacement
Medium	No	A6	6797.4	Rough Xing					
Medium	No	A6	3311.9						Displacement
Medium	No	A6	3554.8						Displacement
Medium	No	A6	3637.3						Displacement
Medium	No	A6	3673.5						Displacement

Medium	No	A6	3963.2						Displacement
Medium	No	A6	4209.7						Displacement
Medium	No	A6	4417.2						Displacement
Medium	No	A6	4761.8	Rough Xing					
Medium	No	A6	4516.0						Displacement
Medium	No	A6	3570.6						Displacement
Medium	No	A6	3379.0						Displacement
Medium	No	A6	2916.4	Rough Xing					
Medium	No	A6	2779.1						Displacement
Medium	No	A6	2727.0						Displacement
Medium	No	A6	2347.2	Rough Xing					
Medium	No	A6	1768.7						Displacement
Medium	No	A6	1680.7						Displacement
Medium	No	A6	1585.9	Rough Xing					
Medium	No	A6	1367.1	Rough Xing					
Medium	No	A6	1258.8						
Medium	No	A6	0.0						Displacement
Medium	No	A9	19832.5	Rough Xing					
Medium	No	A6	2157.7	Rough Xing					
Medium	No	A6	2371.0				depressed concrete		Displacement
Medium	No	B5	31630.2	Rough Xing					
Medium	No	B5	31324.1	Rough Xing					
Medium	No	B5	30665.5	Rough Xing					
Medium	No	B5	30038.5						Displacement
Medium	No	B5	28878.9	Rough Xing					
Medium	No	B5	28828.2	Rough Xing					
Medium	No	B5	28836.1	Veg	Veg				
Medium	No	B5	28520.6	Rough Xing					
Medium	No	B5	28265.6	Veg	Veg				
Medium	No	B5	27767.2						Utility Cover
Medium	No	B5	27105.6	Veg	Veg				
Medium	No	B5	27035.1	Veg	Veg				
Medium	No	B5	26534.0	Rough Xing					
Medium	No	B5	26576.6	Rough Xing					
Medium	No	B5	26532.0	Rough Xing					
Medium	No	B5	28182.0	Rough Xing					
Medium	No	B5	28189.7	Veg	Veg				
Medium	No	B5	28959.5	Rough Xing					
Medium	No	B5	29129.5	Rough Xing					
Medium	No	B5	29411.7	Other			sidewalk ends abruptly		
Medium	No	B5	29682.5	Other			sidewalk ends abruptly		
Medium	No	B5	30753.4						Displacement
Medium	No	B5	31321.2	Rough Xing					
Medium	No	B5	26471.3	Rough Xing					
Medium	No	B5	26101.9						Displacement
Medium	No	B5	25725.7	Rough Xing					
Medium	No	B5	25572.3						Displacement
Medium	No	B5	24761.8	Veg	Veg				
Medium	No	B5	24518.9	Rough Xing					
Medium	No	B5	25390.5	Veg	Veg				
Medium	No	B5	25455.3	Veg	Veg				
Medium	No	B5	25502.7	Veg	Veg				
Medium	No	B5	25590.0	Veg	Veg				
Medium	No	B5	25707.2	Rough Xing					
Medium	No	B5	22932.5	Rough Xing					
Medium	No	B5	23008.5	Veg	Veg				
Medium	No	B5	23877.7						Displacement
Medium	No	B5	23767.0	Veg	Veg				
Medium	No	B5	23742.5						Displacement
Medium	No	B5	23239.1						Displacement
Medium	No	B5	23053.5						Displacement
Medium	No	B5	22927.0	Rough Xing					
Medium	No	B5	22338.3						Displacement

Medium	No	B5	22237.3	Rough Xing					
Medium	No	B5	21796.1	Rough Xing					
Medium	No	B5	21359.0	Rough Xing					
Medium	No	B5	21329.5	Rough Xing					
Medium	No	B5	20934.7						Displacement
Medium	No	B5	20354.6	Rough Xing					
Medium	No	B5	20473.9	Rough Xing					
Medium	No	B5	20228.0	Rough Xing					
Medium	No	B5	20199.7	Rough Xing					
Medium	No	B5	20751.2						Utility Cover
Medium	No	B5	20773.6	Rough Xing					
Medium	No	B5	21360.8	Rough Xing					
Medium	No	A10	1653.4	Rough Xing					
Medium	No	B5	1676.2	Rough Xing					
Medium	No	B5	3006.6	Rough Xing					
Medium	No	B5	3058.4						Displacement
Medium	No	B5	3644.2	Rough Xing					
Medium	No	B5	3694.8	Other			rough asphalt		
Medium	No	B5	3820.2	Rough Xing					
Medium	No	B5	3657.0	Rough Xing					
Medium	No	B5	2796.1	Rough Xing					
Medium	No	B5	2770.7	Rough Xing					
Medium	No	B5	2618.9	Rough Xing					
Medium	No	B5	1760.7	Rough Xing					
Medium	No	B5	5082.2	Veg	Veg				
Medium	No	B5	5064.1	Rough Xing					
Medium	No	B5	8132.2	Rough Xing					
Medium	No	B5	8442.9	Rough Xing					
Medium	No	B5	8161.5	Other			dirt pile on sidewalk		
Medium	No	B5	8124.0						Displacement
Medium	No	B5	8103.1	Rough Xing					
Medium	No	B5	7828.0	Rough Xing					
Medium	No	B5	7562.4	Rough Xing					
Medium	No	C3	28.6	Rough Xing					
Medium	No	B5	9365.8	Rough Xing					
Medium	No	C3	333.0						Displacement
Medium	No	B8	183.4	Rough Xing					
Medium	No	B8	248.3	Rough Xing					
Medium	No	B5	8806.3	Veg	Veg				
Medium	No	B5	8868.9	Veg	Veg				
Medium	No	B5	8891.3	Rough Xing					
Medium	No	B5	9596.1	Other			rough sidewalk		
Medium	No	B5	9812.5	Rough Xing					
Medium	No	B5	9937.4	Rough Xing					
Medium	No	B5	10086.5	Rough Xing					
Medium	No	B5	10230.7	Rough Xing					
Medium	No	B5	10329.0	Rough Xing					
Medium	No	B5	10384.4	Rough Xing					
Medium	No	B5	10449.6	Rough Xing					
Medium	No	B5	10515.3	Rough Xing					
Medium	No	B5	11734.7	Rough Xing					
Medium	No	B5	11579.5	Rough Xing					
Medium	No	B5	11251.1	Rough Xing					
Medium	No	B5	10678.9	Rough Xing					
Medium	No	B5	11270.9	Rough Xing					
Medium	No	B5	11609.2	Veg	Veg				
Medium	No	B5	11754.8	Rough Xing					
Medium	No	B5	12724.5	Rough Xing					
Medium	No	B5	13069.4	Rough Xing					
Medium	No	B5	13324.4	Rough Xing					
Medium	No	C1	248.3	Rough Xing					
Medium	No	B5	14285.9	Other			rough sidewalk		
Medium	No	B5	14278.6	Veg	Veg				

Medium	No	B5	14310.8	Veg	Veg				
Medium	No	B5	14372.8	Rough Xing					
Medium	No	B5	14524.4						Displacement
Medium	No	B5	14747.4	Rough Xing					
Medium	No	B5	15120.5	Rough Xing					
Medium	No	B5	15546.0	Veg	Veg				
Medium	No	B5	15459.9	Veg	Veg				
Medium	No	B5	14905.8	Veg	Veg				
Medium	No	B5	14594.7	Veg	Veg				
Medium	No	E8	880.1						Displacement
Medium	No	E8	179.6	Rough Xing					
Medium	No	B5	17284.4	Rough Xing					
Medium	No	B5	16713.5	Other			wide gaps between sidewalk panel		Displacement
Medium	No	B5	16596.2	Rough Xing					
Medium	No	B5	16036.8			Tree Limb			
Medium	No	B5	16611.4	Rough Xing					
Medium	No	B5	16742.2	Rough Xing					
Medium	No	B5	16859.8	Rough Xing					
Medium	No	B5	19007.4	Rough Xing					
Medium	No	B5	19391.1	Veg	Veg				
Medium	No	B5	19789.8	Veg	Veg				
Medium	No	B5	20029.0	Rough Xing					
Medium	No	B5	19789.7	Rough Xing					
Medium	No	B5	19591.8	Rough Xing					
Medium	No	B5	19457.2	Rough Xing					
Medium	No	B5	19430.0	Rough Xing					
Medium	No	B5	19364.4	Rough Xing					
Medium	No	B5	19162.4	Rough Xing					
Medium	No	B5	18913.0	Rough Xing					
Medium	No	B8	5699.7						Displacement
Medium	No	B4	7216.9	Rough Xing					
Medium	No	B4	9247.0	Rough Xing					
Medium	No	B7	652.8	Rough Xing					
Medium	No	B4	11743.8	Rough Xing					
Medium	No	B4	11763.0	Rough Xing					
Medium	No	B4	11736.7	Rough Xing					
Medium	No	B4	11715.7	Rough Xing					
Medium	No	B4	10991.8	Rough Xing					
Medium	No	B9	4039.3	Rough Xing					
Medium	No	B4	14420.2	Rough Xing					
Medium	No	B9	3970.3	Rough Xing					
Medium	No	B4	14357.3	Rough Xing					
Medium	No	B4	15249.9	Rough Xing					
Medium	No	B4	17170.7	Rough Xing					
Medium	No	B10	4594.2	Rough Xing					
Medium	No	B10	4388.3						Displacement
Medium	No	B10	4001.0	Veg	Veg				
Medium	No	B10	3995.6						Displacement
Medium	No	B10	4414.8						Displacement
Medium	No	B10	3211.0	Rough Xing					
Medium	No	B10	2793.5	Veg	Veg				
Medium	No	B10	2684.0	Veg	Veg				
Medium	No	B10	2381.2	Veg	Veg				
Medium	No	B10	1112.2						Utility Cover
Medium	No	B10	871.3	Veg	Veg				
Medium	No	B10	809.2	Veg	Veg				
Medium	No	B10	327.7	Rough Xing					
Medium	No	B10	1995.8	Rough Xing					
Medium	No	B10	2055.2	Rough Xing					
Medium	No	B10	2150.1	Rough Xing					
Medium	No	B10	2099.2	Rough Xing					
Medium	No	B10	2231.6	Rough Xing					

Medium	No	B10	2282.3	Rough Xing					
Medium	No	B10	4642.6						Displacement
Medium	No	B10	5467.8	Rough Xing					
Medium	No	B10	5659.5	Other			deteriorated driveway		
Medium	No	B10	5559.0						Utility Cover
Medium	No	B10	5515.9	Rough Xing					
Medium	No	B10	5351.3	Veg	Veg				
Medium	No	B10	5277.6						Displacement
Medium	No	B10	6202.3	Veg	Veg				
Medium	No	B10	6753.3	Rough Xing					
Medium	No	B10	6639.0						Displacement
Medium	No	B8	4029.5	Rough Xing					
Medium	No	B8	3392.6	Veg	Veg				
Medium	No	B8	3161.9	Rough Xing					
Medium	No	B8	3145.3	Rough Xing					
Medium	No	B9	8230.6	Rough Xing					
Medium	No	B8	3536.8	Rough Xing					
Medium	No	B8	3796.1						Displacement
Medium	No	B8	3861.8						Displacement
Medium	No	B8	4083.0	Rough Xing					
Medium	No	B8	1749.7	Rough Xing					
Medium	No	B8	926.0	Rough Xing					
Medium	No	B8	921.0	Rough Xing					
Medium	No	B8	1507.3	Rough Xing					
Medium	No	B4	3454.8						Displacement
Medium	No	B4	3428.6	Rough Xing					
Medium	No	B4	2724.2	Other			rough pavement		
Medium	No	B4	2066.9						Displacement
Medium	No	B4	2915.3						Displacement
Medium	No	B4	680.4	Veg	Veg				
Medium	No	B4	629.2	Veg	Veg				
Medium	No	B4	259.2						Displacement
Medium	No	B4	87.5						Displacement
Medium	No	A10	1193.8	Rough Xing					
Medium	No	A10	713.2	Rough Xing					
Medium	No	A10	1161.0	Rough Xing					
Medium	No	B4	524.4	Rough Xing					
Medium	No	C1	7627.3	Rough Xing					
Medium	No	C1	8058.0	Rough Xing					
Medium	No	C1	7307.5						Displacement
Medium	No	C1	7153.9						Displacement
Medium	No	C1	6677.8						Displacement
Medium	No	C1	6108.9	Veg	Veg				
Medium	No	C1	6084.6	Rough Xing					
Medium	No	C1	4229.6	Rough Xing					
Medium	No	C1	3899.6						Displacement
Medium	No	C1	3723.1						Displacement
Medium	No	C1	5396.2						Displacement
Medium	No	C1	5551.7						Displacement
Medium	No	C1	5787.8						Displacement
Medium	No	C1	5880.1						Displacement
Medium	No	C1	5954.0						Utility Cover
Medium	No	C1	6693.3						Displacement
Medium	No	C1	7118.4	Rough Xing					
Medium	No	C1	3180.5						Displacement
Medium	No	C1	3105.6	Rough Xing					
Medium	No	C1	2485.9						Displacement
Medium	No	C1	2761.8	Rough Xing					
Medium	No	C1	3104.8	Rough Xing					
Medium	No	B7	3392.9						Displacement
Medium	No	B7	3224.0	Rough Xing					
Medium	No	B7	326.5						Displacement
Medium	No	B7	397.5						Displacement

Medium	No	B4	10456.4	Rough Xing					
Medium	No	B7	1229.4						Displacement
Medium	No	B7	1449.5	Rough Xing					Displacement
Medium	No	B7	2829.2	Veg	Veg				
Medium	No	B7	3310.6	Rough Xing					
Medium	No	B7	3427.1	Rough Xing					
Medium	No	B7	3497.8	Rough Xing					
Medium	No	B1	5991.7	Rough Xing					
Medium	No	B1	5777.9						Displacement
Medium	No	B1	4732.6						Displacement
Medium	No	B1	5563.5	Rough Xing					
Medium	No	B1	6275.4	Rough Xing			move to 11th		
Medium	No	B1	6333.4				move to 11th		Displacement
Medium	No	B1	6427.1						Displacement
Medium	No	B1	6663.6						Displacement
Medium	No	B1	6907.9						Utility Cover
Medium	No	B1	9273.6						
Medium	No	B1	9348.1	Rough Xing					
Medium	No	B1	10187.7						Displacement
Medium	No	B1	9264.0						
Medium	No	B1	8244.5						Displacement
Medium	No	B9	3459.2	Veg	Veg				
Medium	No	B9	3777.8	Veg	Veg				
Medium	No	B9	2797.6	Rough Xing					
Medium	No	B9	927.1	Veg	Veg				
Medium	No	B6	613.6	Rough Xing					
Medium	No	B6	0.0	Rough Xing					
Medium	No	B6	0.0	Rough Xing					
Medium	No	B6	51.5	Rough Xing					
Medium	No	B6	81.7						Displacement
Medium	No	B6	1667.8						Displacement
Medium	No	B6	1754.5						Displacement
Medium	No	B6	1833.4	Rough Xing					
Medium	No	B6	2737.9						Displacement
Medium	No	B6	2920.5						Displacement
Medium	No	B6	3350.5	Rough Xing					
Medium	No	B6	3336.4	Rough Xing					
Medium	No	B6	3266.1						Displacement
Medium	No	B6	3020.8						Displacement
Medium	No	B6	2763.9						Displacement
Medium	No	B6	2365.6						Displacement
Medium	No	B6	2322.7	Rough Xing					
Medium	No	B6	2134.5	Rough Xing					
Medium	No	B6	1677.9	Rough Xing					
Medium	No	B6	1342.6	Rough Xing					
Medium	No	B6	1053.4						Displacement
Medium	No	B6	934.6				"Pedestrians Prohibited" sign		
Medium	No	B6	970.6	Rough Xing					
Medium	No	B6	1163.5	Rough Xing					
Medium	No	B9	8050.4						Displacement
Medium	No	B9	7927.1	Rough Xing					
Medium	No	B9	6705.0	Rough Xing					
Medium	No	B9	4944.3						Displacement
Medium	No	B9	5909.0						Displacement
Medium	No	B9	6670.0						Displacement
Medium	No	B5	599.0						Displacement
Medium	No	B5	1130.7						Displacement
Medium	No	B5	1190.1				rough crossing	Other	
Medium	No	E9	2736.3	Veg	Veg				
Medium	No	E9	2439.7	Other			picture 30		
Medium	No	E9	1476.7						Utility Cover
Medium	No	E9	1287.0						Displacement

Medium	No	E9	1046.1						Displacement
Medium	No	E9	722.2	Veg	Veg				
Medium	No	E9	684.1	Veg	Veg				
Medium	No	F2	263.6						Displacement
Medium	No	F2	1115.9	Rough Xing			pic 35		
Medium	No	F2	1314.5	Rough Xing					
Medium	No	F1	979.2	Tree		Tree Limb			
Medium	No	F1	191.3						Displacement
Medium	No	F1	878.5						Utility Cover
Medium	No	F1	1313.7						Utility Cover
Medium	No	F2	2038.7	Rough Xing					
Medium	No	F2	2230.7	Other			major debris from no drainage pic 39		
Medium	No	F2	3499.8	Other			abrupt sidewalk ending		
Medium	No	F2	6415.7	Other			abrupt sidewalk ending pic 41		
Medium	No	F2	7097.1						Displacement
Medium	No	F2	7442.8						Displacement
Medium	No	F2	7704.2						Displacement
Medium	No	F2	7752.1						Displacement
Medium	No	F2	7800.9						Displacement
Medium	No	F2	8066.3						Displacement
Medium	No	F2	10467.6						Displacement
Medium	No	F2	10499.3						Displacement
Medium	No	F2	10523.0						Displacement
Medium	No	F2	10891.6						Displacement
Medium	No	F2	10991.7						Displacement
Medium	No	F3	488.1						Displacement
Medium	No	F3	639.3		Veg				
Medium	No	F3	993.6						Utility Cover
Medium	No	F3	809.2		Veg				
Medium	No	F3	754.4						Displacement
Medium	No	F3	702.9						Displacement
Medium	No	F3	322.9						Displacement
Medium	No	F4	2112.6						Displacement
Medium	No	F4	2138.2						Displacement
Medium	No	F4	2270.9						Displacement
Medium	No	F5	925.5	Rough Xing					
Medium	No	F5	867.1	Other			sidewalk ends		
Medium	No	A7	852.3	Rough Xing					
Medium	No	A7	2206.4	Veg	Veg				
Medium	No	A7	2368.9	Veg	Veg				
Medium	No	A9	743.8						Displacement
Medium	No	A9	973.6	Other			sidewalk ends		
Medium	No	A9	949.5	Other					
Medium	No	A9	24209.7	Rough Xing					
Medium	No	A9	24322.2						Displacement
Medium	No	A9	25144.5	Rough Xing					
Medium	No	A9	25486.1				rough pavements		
Medium	No	A9	25596.9	Rough Xing					
Medium	No	A9	25733.8				multiple		Pot Hole
Medium	No	A9	25876.4	Rough Xing					
Medium	No	A9	25970.3						Displacement
Medium	No	A9	26750.6						Displacement
Medium	No	A9	27506.6	Rough Xing					
Medium	No	A9	29194.4						Displacement
Medium	No	A9	29773.5						Displacement
Medium	No	A9	34926.7	Rough Xing					
Medium	No	A9	34550.0						Displacement
Medium	No	A9	34191.2	Rough Xing					
Medium	No	A9	34168.6	Other			excessive debris (rocks) on sidewalk		

Medium	No	A9	33360.0	Rough Xing					
Medium	No	A9	33090.8	Rough Xing					
Medium	No	A9	32907.8	Veg	Veg				
Medium	No	A9	32848.6	Veg	Veg				
Medium	No	A9	35954.1						Displacement
Medium	No	A9	35995.5						Displacement
Medium	No	A9	36020.4	Rough Xing					
Medium	No	A9	36084.2						Displacement
Medium	No	A9	36376.4						Displacement
Medium	No	A9	42700.2						Displacement
Medium	No	A9	42553.4	Rough Xing					
Medium	No	A9	42410.7						Displacement
Medium	No	A9	42395.7						Displacement
Medium	No	A9	42125.3						Displacement
Medium	No	A9	41340.1						Displacement
Medium	No	A9	41137.1	Rough Xing					
Medium	No	A9	41114.7	Veg	Veg				
Medium	No	A9	41055.6						Displacement
Medium	No	A9	40902.3						Displacement
Medium	No	A9	40814.8	Rough Xing					
Medium	No	A9	40608.8						Displacement
Medium	No	A9	40459.5						Displacement
Medium	No	A9	40315.4						Displacement
Medium	No	A9	39091.8						Utility Cover
Medium	No	A9	38317.4						Displacement
Medium	No	A9	38232.4						Displacement
Medium	No	A9	38185.3						Displacement
Medium	No	A9	37533.0						Utility Cover
Medium	No	A9	37270.0	Rough Xing					
Medium	No	A9	51474.6	Median					
Medium	No	A9	50893.7	Other					
Medium	No	A9	50509.6	Rough Xing					
Medium	No	A9	50275.8	Rough Xing			crosswalk needs to be repainted		
Medium	No	A9	49915.2	Rough Xing					
Medium	No	A9	49083.4	Median					
Medium	No	A9	48270.9						Displacement
Medium	No	A9	48148.6	Median					
Medium	No	A9	48084.5	Median					
Medium	No	A9	46195.8				rough pavement		
Medium	No	A9	45987.2				rough pavement in median		
Medium	No	C3	22604.9				rough pavement in median		
Medium	No	A9	45805.0				sidewalk ends		
Medium	No	A9	45339.9				sidewalk ends		
Medium	No	A9	45008.8	Sign Pole	Sign				
Medium	No	A9	44692.5						Displacement
Medium	No	A9	44682.3						Displacement
Medium	No	A9	44594.7						Pot Hole
Medium	No	A9	44335.8	Rough Xing					
Medium	No	A9	43812.5	Other			rough pavement		Displacement
Medium	No	E4	3807.7				sidewalk ends		
Medium	No	E4	3820.8						Displacement
Medium	No	E4	3903.0						Displacement
Medium	No	E1	8929.1	Rough Xing					
Medium	No	E4	3992.9	Other			sidewalk ends		
Medium	No	E4	2968.9	Other			sidewalk ends		
Medium	No	E4	2929.1						Displacement
Medium	No	E1	7559.1						Displacement
Medium	No	E1	7520.2	Rough Xing					
Medium	No	E4	409.2	Other			sidewalk ends		
Medium	No	E1	6932.4						Displacement

Medium	No	E1	7820.7			Tree Limb			
Medium	No	E1	10144.3						Displacement
Medium	No	E1	10557.1	Rough Xing					
Medium	No	E1	10673.1						Displacement
Medium	No	E1	10822.4						Displacement
Medium	No	E1	10858.2		Veg				
Medium	No	E1	11052.8		Veg				
Medium	No	E1	11093.8		Veg				
Medium	No	E1	11107.3		Veg				
Medium	No	E10	2770.0						Displacement
Medium	No	E10	2659.2	Rough Xing					
Medium	No	E10	2065.2						Displacement
Medium	No	E10	1999.4						Displacement
Medium	No	E2	1442.3	Rough Xing					
Medium	No	E2	1377.5	Other			rough pavement		
Medium	No	E2	495.9	Median					
Medium	No	C3	27803.4	Rough Xing					
Medium	No	C3	26901.3	Rough Xing					
Medium	No	C3	26446.6	Rough Xing					
Medium	No	C3	25869.6	Rough Xing					
Medium	No	C3	24789.4	Rough Xing					
Medium	No	C3	24262.9	Rough Xing					
Medium	No	C3	24165.3	Veg	Veg				
Medium	No	C3	24069.1	Veg	Veg				
Medium	No	C3	23917.7	Rough Xing					
Medium	No	C3	23488.3	Rough Xing					
Medium	No	C3	23236.6	Rough Xing					
Medium	No	C3	22397.0						Pot Hole
Medium	No	C3	20858.9						Utility Cover
Medium	No	C3	20591.2	Rough Xing			multiple manhole covers		
Medium	No	C3	20535.7						Utility Cover
Medium	No	C3	20277.7	Rough Xing					
Medium	No	C3	19803.6		Veg				
Medium	No	C3	18684.8						Utility Cover
Medium	No	D7	2809.7						Displacement
Medium	No	D7	2997.1	Rough Xing					
Medium	No	D7	3167.3						Displacement
Medium	No	D7	3191.9	Rough Xing					
Medium	No	D7	3614.5	Rough Xing					
Medium	No	E1	1138.0		Veg				
Medium	No	E1	1672.3						Utility Cover
Medium	No	E1	1779.8						Utility Cover
Medium	No	D10	135.7						Displacement
Medium	No	D10	365.1	Rough Xing					
Medium	No	E1	2561.2	Rough Xing					
Medium	No	D9	510.7	Veg	Veg				
Medium	No	D9	827.4						Utility Cover
Medium	No	D9	1647.4						Utility Cover
Medium	No	E1	3217.2	Rough Xing					
Medium	No	E1	3528.1						Utility Cover
Medium	No	E1	4107.2						Utility Cover
Medium	No	E1	4264.1						Utility Cover
Medium	No	E1	4896.0						Utility Cover
Medium	No	E1	5248.4	Rough Xing					
Medium	No	E1	5501.5						Displacement
Medium	No	E1	5579.3						Utility Cover
Medium	No	E1	5598.4						Displacement
Medium	No	E1	5638.3						Utility Cover
Medium	No	E1	5949.7						Utility Cover
Medium	No	E1	6472.6	Rough Xing					
Medium	No	E3	2244.3	Rough Xing					
Medium	No	E3	607.7						Displacement

Medium	No	E3	517.9						Utility Cover
Medium	No	C3	14276.2	Rough Xing					
Medium	No	C3	14480.4						Displacement
Medium	No	C3	14515.5						Displacement
Medium	No	C3	15108.1						Pot Hole
Medium	No	C3	15704.6						Utility Cover
Medium	No	C3	15741.8						Utility Cover
Medium	No	C3	15789.6	Rough Xing					
Medium	No	C3	15840.5						Utility Cover
Medium	No	C3	15895.1						Displacement
Medium	No	C3	16331.1	Rough Xing					
Medium	No	C3	16746.2						Displacement
Medium	No	C3	16991.7						Displacement
Medium	No	C3	17308.7	Rough Xing					
Medium	No	C3	17480.6						Displacement
Medium	No	C3	18064.0						Pot Hole
Medium	No	D7	1992.9			Tree Limb			
Medium	No	D7	1929.3	Rough Xing					
Medium	No	D7	1464.0				rough pavement		
Medium	No	D7	1299.2	Rough Xing					
Medium	No	D7	828.3						Displacement
Medium	No	D7	507.4						Displacement
Medium	No	D7	413.0	Median					
Medium	No	D6	4532.1	Rough Xing					
Medium	No	D6	5432.9						Utility Cover
Medium	No	D6	6778.2						Utility Cover
Medium	No	D6	6816.6	Other	Sign				
Medium	No	D4	2900.6						Displacement
Medium	No	D4	3474.7						Utility Cover
Medium	No	D5	200.3						Displacement
Medium	No	D5	262.2						Displacement
Medium	No	D5	1813.5	Veg	Veg				
Medium	No	D5	2246.6	Rough Xing					
Medium	No	D5	2258.4	Rough Xing					
Medium	No	D5	2257.4	Rough Xing					
Medium	No	D5	1816.7						Displacement
Medium	No	D4	4722.6						Utility Cover
Medium	No	D6	4945.9	Rough Xing					
Medium	No	C9	8245.8	Rough Xing					
Medium	No	C9	8232.5						Utility Cover
Medium	No	C9	7890.4						Displacement
Medium	No	C9	7070.4						Displacement
Medium	No	C9	6989.3	Other			rough pavement		
Medium	No	C9	6728.6	News Rack					
Medium	No	C9	4961.6	Rough Xing					
Medium	No	C3	11606.8	Rough Xing					
Medium	No	C9	4766.2		Veg				
Medium	No	C9	3990.2						Utility Cover
Medium	No	C9	3567.4						Utility Cover
Medium	No	C9	3310.4				rough pavement		
Medium	No	C9	3223.7	Rough Xing					
Medium	No	C9	2802.3						Displacement
Medium	No	C9	2651.2						Displacement
Medium	No	C9	2249.1						Utility Cover
Medium	No	C9	1418.3		Veg				
Medium	No	C9	1268.6		Veg	Tree Limb			
Medium	No	C9	653.8		Veg				
Medium	No	C9	605.3				rough pavement		
Medium	No	C9	549.8		Veg				Utility Cover
Medium	No	C3	10704.7						Displacement
Medium	No	C3	10773.8						Displacement
Medium	No	C3	10876.0						Displacement
Medium	No	C3	6247.6						Utility Cover

Medium	No	C3	6765.5						Displacement
Medium	No	C3	7452.5						Displacement
Medium	No	C3	7930.4				cap	Other	Displacement
Medium	No	C3	8263.5						Utility Cover
Medium	No	C3	8608.4						Displacement
Medium	No	C3	8727.1	Rough Xing					
Medium	No	C3	8840.1	Rough Xing					
Medium	No	C3	8917.7	Rough Xing					
Medium	No	C3	9135.4						Displacement
Medium	No	C3	9350.1						Displacement
Medium	No	C3	9429.2						Displacement
Medium	No	C10	79.0						Displacement
Medium	No	D1	4760.9	Rough Xing					
Medium	No	C10	961.1	Veg	Veg				
Low	Yes	A1	546.4	Utility Pole					
Low	Yes	B1	7533.3	Utility Pole					
Low	Yes	E1	1641.6					Displacement	
Low	Yes	E1	1713.6					Displacement	
Low	Yes	E1	3327.6					Pot Hole	
Low	Yes	D4	4102.0					Displacement	
Low	Yes	B1	14171.6					Displacement	
Low	Yes	D1	3087.3					Displacement	
Low	Yes	D1	3054.4			Veg			
Low	Yes	A3	2236.3					Displacement	Displacement
Low	Yes	A3	1618.2					Displacement	
Low	Yes	B5	29325.8					Displacement	Displacement
Low	Yes	B5	13466.5					Utility Cover	Utility Cover
Low	Yes	B5	15104.0					Displacement	Displacement
Low	Yes	C1	2715.3					Displacement	Displacement
Low	Yes	B9	3942.3					Utility Cover	Utility Cover
Low	Yes	B9	3951.2					Pot Hole	Pot Hole
Low	Yes	B6	2499.1					Displacement	
Low	Yes	B9	6125.9					Displacement	
Low	Yes	F2	8838.7					Displacement	Displacement
Low	Yes	C10	437.7	Veg		Veg			
Low	Yes	B6	3185.1	Rough Xing			broken pavement with cross slope of 17 %		Displacement
Low	No	C7	4744.9			Tree Limb			
Low	No	B1	13269.1	Veg	Veg				
Low	No	B1	15294.0	Veg	Veg				
Low	No	D1	2564.1	Rough Xing					
Low	No	A3	1819.6				asphalt driveway rough pavement		
Low	No	A6	4783.3	Rough Xing					
Low	No	A6	2311.1						Displacement
Low	No	B5	16502.6	Other			wide gaps between sidewalk panel		Displacement
Low	No	B5	16424.7	Rough Xing					
Low	No	C1	6287.5	Rough Xing					
Low	No	C1	5567.4	Rough Xing					
Low	No	C1	5278.6	Rough Xing					
Low	No	B9	752.7						Displacement
Low	No	B9	805.0	Rough Xing					
Low	No	B9	902.8						Displacement
Low	No	B9	957.0						Displacement
Low	No	B9	1156.1	Rough Xing					
Low	No	B9	2243.9	Rough Xing					
Low	No	B9	2280.5	Rough Xing					
Low	No	B9	2380.8	Rough Xing					
Low	No	B9	2591.4	Rough Xing					
Low	No	B9	2734.9	Rough Xing					
Low	No	B9	2800.1						Displacement
Low	No	B9	2823.5	Rough Xing					

Low	No	B9	2904.0	Rough Xing					
Low	No	B9	3088.8	Rough Xing					
Low	No	B9	3559.4	Rough Xing					
Low	No	B9	3810.5	Rough Xing					
Low	No	B9	3052.0	Rough Xing					
Low	No	B9	2267.2	Rough Xing					
Low	No	B6	2198.1	Rough Xing					
Low	No	B6	2279.0	Rough Xing					
Low	No	B6	2535.4	Rough Xing					
Low	No	B6	2782.8	Rough Xing					
Low	No	B6	2827.2						Displacement
Low	No	B6	2839.1	Rough Xing					
Low	No	B6	2955.6	Rough Xing					
Low	No	B6	2879.9	Rough Xing					
Low	No	B6	2858.6	Rough Xing					
Low	No	F2	10267.6	Rough Xing					
Low	No	A8	391.1	Other			poor pavement		
Low	No	E1	833.5						Displacement
Low	No	C10	378.2	Rough Xing					